

Anuradha Krishnan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1661442/publications.pdf>

Version: 2024-02-01

19
papers

1,347
citations

516215

16
h-index

794141

19
g-index

19
all docs

19
docs citations

19
times ranked

2595
citing authors

#	ARTICLE	IF	CITATIONS
1	Lipid-Induced Signaling Causes Release of Inflammatory Extracellular Vesicles From Hepatocytes. <i>Gastroenterology</i> , 2016, 150, 956-967.	0.6	373
2	Macrophages contribute to the pathogenesis of sclerosing cholangitis in mice. <i>Journal of Hepatology</i> , 2018, 69, 676-686.	1.8	119
3	Integrin α 1-enriched extracellular vesicles mediate monocyte adhesion and promote liver inflammation in murine NASH. <i>Journal of Hepatology</i> , 2019, 71, 1193-1205.	1.8	112
4	IRE1A Stimulates Hepatocyte-Derived Extracellular Vesicles That Promote Inflammation in Mice With Steatohepatitis. <i>Gastroenterology</i> , 2020, 159, 1487-1503.e17.	0.6	105
5	Lumican, an extracellular matrix proteoglycan, is a novel requisite for hepatic fibrosis. <i>Laboratory Investigation</i> , 2012, 92, 1712-1725.	1.7	103
6	TRAIL receptor deletion in mice suppresses the inflammation of nutrient excess. <i>Journal of Hepatology</i> , 2015, 62, 1156-1163.	1.8	85
7	A Hippo and Fibroblast Growth Factor Receptor Autocrine Pathway in Cholangiocarcinoma. <i>Journal of Biological Chemistry</i> , 2016, 291, 8031-8047.	1.6	74
8	Humanized mice efficiently engrafted with fetal hepatoblasts and syngeneic immune cells develop human monocytes and NK cells. <i>Journal of Hepatology</i> , 2016, 65, 334-343.	1.8	73
9	A longitudinal study of whole body, tissue, and cellular physiology in a mouse model of fibrosing NASH with high fidelity to the human condition. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, G666-G680.	1.6	55
10	YAP-associated chromosomal instability and cholangiocarcinoma in mice. <i>Oncotarget</i> , 2018, 9, 5892-5905.	0.8	45
11	Prohibitin 1 suppresses liver cancer tumorigenesis in mice and human hepatocellular and cholangiocarcinoma cells. <i>Hepatology</i> , 2017, 65, 1249-1266.	3.6	44
12	Deregulated methionine adenosyltransferase α 1, c-Myc, and Maf proteins together promote cholangiocarcinoma growth in mice and humans. <i>Hepatology</i> , 2016, 64, 439-455.	3.6	39
13	Development and characterization of cholangioids from normal and diseased human cholangiocytes as an in vitro model to study primary sclerosing cholangitis. <i>Laboratory Investigation</i> , 2017, 97, 1385-1396.	1.7	39
14	Targeted Apoptosis of Ductular Reactive Cells Reduces Hepatic Fibrosis in a Mouse Model of Cholestasis. <i>Hepatology</i> , 2020, 72, 1013-1028.	3.6	22
15	Diet Mimicking "Fast Food" Causes Structural Changes to the Retina Relevant to Age-Related Macular Degeneration. <i>Current Eye Research</i> , 2020, 45, 726-732.	0.7	20
16	Activated cholangiocytes release macrophage-polarizing extracellular vesicles bearing the DAMP S100A11. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C788-C799.	2.1	19
17	Biliary tract instillation of a SMAC mimetic induces TRAIL-dependent acute sclerosing cholangitis-like injury in mice. <i>Cell Death and Disease</i> , 2018, 8, e2535-e2535.	2.7	9
18	Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Receptor Deficiency Promotes the Ductular Reaction, Macrophage Accumulation, and Hepatic Fibrosis in the Abcb4 Mouse. <i>American Journal of Pathology</i> , 2020, 190, 1284-1297.	1.9	7

#	ARTICLE	IF	CITATIONS
19	Knockout of sulfatase 2 is associated with decreased steatohepatitis and fibrosis in a mouse model of nonalcoholic fatty liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, G333-G344.	1.6	4