

Xiyao Liu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1662185/xiyao-liu-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26

papers

237

citations

8

h-index

14

g-index

26

ext. papers

294

ext. citations

2.7

avg, IF

3.41

L-index

#	Paper	IF	Citations
26	Tribological behavior and self-healing functionality of M50 material covered with surface micropores filled with Sn-Ag-Cu. <i>Tribology International</i> , 2018 , 128, 365-375	4.9	35
25	Tribological behavior of M50-MoS ₂ self-lubricating composites from 150 to 450 °C. <i>Materials Chemistry and Physics</i> , 2017 , 198, 145-153	4.4	27
24	The synergistic lubricating mechanism of Sn-Ag-Cu and C60 on the worn surface of M50 self-lubricating material at elevated loads. <i>Journal of Alloys and Compounds</i> , 2019 , 777, 271-284	5.7	26
23	The self-lubricating behavior and evolution mechanisms of the surface microporous friction interface of M50-(Sn-Ag-Cu) material. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 8207-8220	5.5	16
22	Tribological performance of functionally gradient structure of graphene nanoplatelets reinforced Ni ₃ Al metal matrix composites prepared by laser melting deposition. <i>Wear</i> , 2019 , 428-429, 417-429	3.5	15
21	Tribological Performance of Ni ₃ Al Matrix Self-Lubricating Composites Containing Multilayer Graphene Prepared by Additive Manufacturing. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 167-175	1.6	14
20	Effect of Ti ₃ SiC ₂ on Tribological Properties of M50 Matrix Self-Lubricating Composites from 25 to 450 °C. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 4595-4604	1.6	12
19	Tribological Behavior of TiAl Metal Matrix Composite Brake Disk with TiC Reinforcement Under Dry Sliding Conditions. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 3457-3464	1.6	9
18	Tribological Properties and Self-Repairing Functionality of Ti ₆ Al ₄ V-Multilayer Graphene-Ag Composites. <i>Journal of Materials Engineering and Performance</i> , 2019 , 28, 3381-3392	1.6	8
17	Tribological Performance of Ni ₃ Al Matrix Composites Synthesized by Laser Melt Deposition Under Different Scanning Velocities. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 1962-1972	1.6	8
16	The Sliding Wear and Friction Behavior of M50-Graphene Self-Lubricating Composites Prepared by Laser Additive Manufacturing at Elevated Temperature. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 985-996	1.6	8
15	Study on the thickness of lubricating film of M50-Ag self-lubricating composites. <i>Lubrication Science</i> , 2019 , 31, 11-20	1.3	8
14	Investigation of Tribological Behaviors of TiAl-Multilayer Graphene-Microsphere Composites at Different Applied Loads. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 2305-2312	1.6	7
13	The Sliding Wear and Frictional Behavior of M50-10 wt.%(Sn-Ag-Cu) Self-Lubricating Materials at Elevated Temperatures. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 4291-4299	1.6	7
12	The influence mechanism of MoS ₂ and NiTi microparticles on the friction and wear properties of bearing steel. <i>Tribology International</i> , 2021 , 160, 107033	4.9	7
11	Tribological Performance of Ni ₃ Al Matrix Self-Lubricating Composites Containing Multilayer Graphene and Ti ₃ SiC ₂ at Elevated Temperatures. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 4605-4614	1.6	6
10	Effect of Applied Load and Sliding Speed on Tribological Behavior of TiAl-Based Self-Lubricating Composites. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 194-201	1.6	4

9	Study on self-adaptive lubrication mechanism of surface micro-dimple structure filled with multiple lubricants. <i>Journal of Alloys and Compounds</i> , 2021 , 861, 158479	5.7	4
8	Tribological Performance of M50-Ag-TiC Self-Lubricating Composites at Elevated Temperature. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 3731-3741	1.6	4
7	Multiwalled carbon nanotubes enhanced the friction layer evolution and self-lubricating property of TiAl-10 wt% Ag-1 wt% MWCNTs sample. <i>RSC Advances</i> , 2017 , 7, 40592-40599	3.7	3
6	Effect of different microporous parameters on mechanical and frictional properties of M50 self-lubricating materials: simulation analysis and experimental study. <i>Materials Research Express</i> , 2019 , 6, 056502	1.7	2
5	Friction and Wear Characteristics of Microporous Interface Filled with Mixed Lubricants of M50 Steel at Different Loads. <i>Materials</i> , 2020 , 13,	3.5	2
4	Effect of Silver and Carbon Fiber on the Tribological Properties of M50 Matrix Composites Under Different Loads. <i>Journal of Materials Engineering and Performance</i> , 2019 , 28, 1094-1102	1.6	2
3	Effects of frictional heat on the tribological properties of Ni3Al matrix self-lubricating composite containing graphene nanoplatelets under different loads. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2018 , 232, 645-656	1.4	2
2	A study of the friction layer of TiAl-10 wt.% Ag composite and the prediction model of friction and wear behaviors. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2018 , 232, 699-710	1.4	1
1	Understanding Wear Interface Evolution to Overcome Friction and Restrain Wear of TiAl-10 wt%Ag Composite. <i>Advanced Engineering Materials</i> , 2018 , 20, 1700637	3.5	0