Jun Yi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/166321/jun-yi-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80	622	14	21
papers	citations	h-index	g-index
123 ext. papers	953 ext. citations	3.6 avg, IF	4.67 L-index

#	Paper	IF	Citations
80	Adaptive Frequency Control Strategy for PMSG-Based Wind Power Plant Considering Releasable Reserve Power. <i>Sustainability</i> , 2022 , 14, 1247	3.6	1
79	Multi-Agent Deep Reinforcement Learning for Coordinated Energy Trading and Flexibility Services Provision in Local Electricity Markets. <i>IEEE Transactions on Smart Grid</i> , 2022 , 1-1	10.7	0
78	A Method for Evaluating the Maximum Capacity of Grid-Connected Wind Farms Considering Multiple Stability Constraints. <i>Electronics (Switzerland)</i> , 2022 , 11, 509	2.6	
77	A two-stage deep transfer learning for localisation of forced oscillations disturbance source. <i>International Journal of Electrical Power and Energy Systems</i> , 2022 , 135, 107577	5.1	1
76	A GAN Based Data Injection Attack Method on Data-Driven Strategies in Power Systems. <i>IEEE Transactions on Smart Grid</i> , 2022 , 1-1	10.7	O
75	Physical-data Fusion Modeling Method for Energy Consumption Analysis of Smart Building. <i>Journal of Modern Power Systems and Clean Energy</i> , 2022 , 10, 482-491	4	1
74	Architecture and function analysis of integrated energy service stations considering cyber-physical integration. <i>Energy Conversion and Economics</i> , 2021 , 2, 186	0.7	2
73	Research on Multi-Timescale Coordinated Method for Source-Grid-Load with Uncertain Renewable Energy Considering Demand Response. <i>Sustainability</i> , 2021 , 13, 3400	3.6	2
72	Optimal Dispatching of Power System by Introducing Concentrating Solar Power Station to Promote Large-scale Wind Power and Photovoltaic Accommodation. <i>Recent Advances in Electrical and Electronic Engineering</i> , 2021 , 14, 484-492	0.3	
71	. IEEE Transactions on Smart Grid, 2021 , 12, 1615-1625	10.7	1
70	Methods of cyber-attack identification for power systems based on bilateral cyber-physical information. <i>International Journal of Electrical Power and Energy Systems</i> , 2021 , 125, 106515	5.1	6
69	A Scalable Privacy-Preserving Multi-agent Deep Reinforcement Learning Approach for Large-Scale Peer-to-Peer Transactive Energy Trading. <i>IEEE Transactions on Smart Grid</i> , 2021 , 1-1	10.7	8
68	An Estimation and Correction Combined Method for HVDC Model Parameters Identification. <i>IEEE Access</i> , 2021 , 9, 51020-51028	3.5	
67	Current order-based emergency control strategy for subsequent commutation failure elimination in HVDC. <i>International Transactions on Electrical Energy Systems</i> , 2021 , 31, e13026	2.2	1
66	Real-Time Autonomous Residential Demand Response Management Based on Twin Delayed Deep Deterministic Policy Gradient Learning. <i>Energies</i> , 2021 , 14, 531	3.1	9
65	An Integrated Model-Driven and Data-Driven Method for On-Line Prediction of Transient Stability of Power System With Wind Power Generation. <i>IEEE Access</i> , 2020 , 8, 83472-83482	3.5	7
64	Analysis of the Impact of Combined Information-Physical-Failure on Distribution Network CPS. <i>IEEE Access</i> , 2020 , 8, 44140-44152	3.5	3

(2019-2020)

63	Clustered Hybrid Wind Power Prediction Model Based on ARMA, PSO-SVM, and Clustering Methods. <i>IEEE Access</i> , 2020 , 8, 17071-17079	3.5	33
62	Subsequent Commutation Failure Prediction of HVDC by Integrating Physical-driven and Model-driven Methods 2020 ,		1
61	Design of a Cosimulation Platform With Hardware-in-the-Loop for Cyber-Attacks on Cyber-Physical Power Systems. <i>IEEE Access</i> , 2020 , 8, 95997-96005	3.5	8
60	Complex Fault Source Identification Method for High-Voltage Trip-Offs of Wind Farms Based on SU-MRMR and PSO-SVM. <i>IEEE Access</i> , 2020 , 8, 130379-130391	3.5	4
59	Capacity Planning of Distributed Wind Power Based on a Variable-Structure Copula Involving Energy Storage Systems. <i>Energies</i> , 2020 , 13, 3602	3.1	2
58	Two-stage voltage control strategy for PV plants based on variable droop control. <i>International Journal of Electronics</i> , 2020 , 107, 250-271	1.2	1
57	Optimal configuration of distributed power flow controller to enhance system loadability via mixed integer linear programming. <i>Journal of Modern Power Systems and Clean Energy</i> , 2019 , 7, 1484-1494	4	5
56	An Extended SFR Model With High Penetration Wind Power Considering Operating Regions and Wind Speed Disturbance. <i>IEEE Access</i> , 2019 , 7, 103416-103426	3.5	5
55	An Accurate Forced Oscillation Location and Participation Assessment Method for DFIG Wind Turbine. <i>IEEE Access</i> , 2019 , 7, 130505-130514	3.5	4
54	A data-driven approach for online aggregated load modeling through intelligent terminals. <i>International Journal of Distributed Sensor Networks</i> , 2019 , 15, 155014771982599	1.7	1
53	Integrating Model-Driven and Data-Driven Methods for Power System Frequency Stability Assessment and Control. <i>IEEE Transactions on Power Systems</i> , 2019 , 34, 4557-4568	7	46
52	An Ordered Curtailment Strategy for Offshore Wind Power Under Extreme Weather Conditions Considering the Resilience of the Grid. <i>IEEE Access</i> , 2019 , 7, 54824-54833	3.5	15
51	Data inheritanceBased updating method and its application in transient frequency prediction for a power system. <i>International Transactions on Electrical Energy Systems</i> , 2019 , 29, e12022	2.2	9
50	Adaptive Gains Control Scheme for PMSG-Based Wind Power Plant to Provide Voltage Regulation Service. <i>Energies</i> , 2019 , 12, 753	3.1	5
49	Security Assessment for Cyber Physical Distribution Power System Under Intrusion Attacks. <i>IEEE Access</i> , 2019 , 7, 75615-75628	3.5	19
48	Early Warning Method of Transmission Tower Considering Plastic Fatigue Damage Under Typhoon Weather. <i>IEEE Access</i> , 2019 , 7, 63983-63991	3.5	5
47	Commutation Failure Prediction Method Considering Commutation Voltage Distortion and DC Current Variation. <i>IEEE Access</i> , 2019 , 7, 96531-96539	3.5	19
46	Coordinated Defense of Distributed Denial of Service Attacks against the Multi-Area Load Frequency Control Services. <i>Energies</i> , 2019 , 12, 2493	3.1	5

45	Identification of Low Frequency Oscillations Based on Multidimensional Features and ReliefF-mRMR. <i>Energies</i> , 2019 , 12, 2762	3.1	3
44	PMSG-Based Black-Start Technology and Its Field Tests. <i>Energies</i> , 2019 , 12, 2144	3.1	Ο
43	. <i>IEEE Access</i> , 2019 , 7, 139548-139559	3.5	4
42	A Multi-Communication-Based Demand Response Implementation Structure and Control Strategy. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3218	2.6	3
41	Fast method to estimate Maximum penetration level of wind power considering frequency cumulative effect. <i>IET Generation, Transmission and Distribution</i> , 2019 , 13, 1726-1733	2.5	7
40	Mitigation Strategy for Duck Curve in High Photovoltaic Penetration Power System Using Concentrating Solar Power Station. <i>Energies</i> , 2019 , 12, 3521	3.1	15
39	Review of Cyber-attacks and Defense Research on Cyber Physical Power System 2019,		4
38	A Demand Response Strategy in High Photovoltaic Penetration Power Systems Considering the Thermal Ramp Rate Limitation. <i>IEEE Access</i> , 2019 , 7, 163814-163822	3.5	1
37	An optimization method of UFLS/UVLS considering the interaction of system state information. <i>IEEJ Transactions on Electrical and Electronic Engineering</i> , 2019 , 14, 37-46	1	
36	Robust Online Estimation of Power System Center of Inertia Frequency. <i>IEEE Transactions on Power Systems</i> , 2019 , 34, 821-825	7	24
35	PMU Measurement-Based Intelligent Strategy for Power System Controlled Islanding. <i>Energies</i> , 2018 , 11, 143	3.1	4
34	Game-theoretic energy management with storage capacity optimization in the smart grids. <i>Journal of Modern Power Systems and Clean Energy</i> , 2018 , 6, 656-667	4	15
33	Frequency prediction method considering demand response aggregate characteristics and control effects. <i>Applied Energy</i> , 2018 , 229, 936-944	10.7	9
32	Demand-Side Management With Household Plug-In Electric Vehicles: A Bayesian Game-Theoretic Approach. <i>IEEE Systems Journal</i> , 2018 , 12, 2894-2904	4.3	24
31	A Malicious Attack Modeling Method for Source-Grid-Load System Based on Petri Net 2018 ,		1
30	The Real-Time Co-Simulation Platform with Hardware-in-Loop for Cyber-Attack in Smart Grid 2018 ,		2
29	Hybrid method for power system transient stability prediction based on two-stage computing resources. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 1697-1703	2.5	23
28	Non-cooperative and cooperative optimisation of battery energy storage system for energy management in multi-microgrid. <i>IET Generation, Transmission and Distribution</i> , 2018 , 12, 2369-2377	2.5	30

(2015-2017)

27	A Hardware-in-the-Loop Based Co-Simulation Platform of Cyber-Physical Power Systems for Wide Area Protection Applications. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 1279	2.6	12
26	Frequency Control Strategy for Black Starts via PMSG-Based Wind Power Generation. <i>Energies</i> , 2017 , 10, 358	3.1	12
25	Architecture and Application of Real-time Co-simulation Platform for Cyber-physical Power System 2017 ,		2
24	The reactive power voltage control strategy of PV systems in low-voltage string lines 2017,		2
23	Black start technology for local power grid via PMSG-based wind power generation 2017,		1
22	The research on cyber-attack testbed with hardware-in-loop 2017 ,		4
21	Prediction Model of the Power System Frequency Using a Cross-Entropy Ensemble Algorithm. <i>Entropy</i> , 2017 , 19, 552	2.8	6
20	A Bi-Level Coordinated Optimization Strategy for Smart Appliances Considering Online Demand Response Potential. <i>Energies</i> , 2017 , 10, 525	3.1	14
19	A Game Theoretical Approach Based Bidding Strategy Optimization for Power Producers in Power Markets with Renewable Electricity. <i>Energies</i> , 2017 , 10, 627	3.1	10
18	An Outage Risk Oriented Dynamic Distribution Network Reconfiguration Methodology Considering the Effects of Weather Conditions on Power Line Failure Rate. <i>Electric Power Components and Systems</i> , 2016 , 44, 2224-2236	1	5
17	Analysis on voltage stability of hybrid system with UHVDC hierarchical connection to AC grid 2016,		2
16	Framework for vulnerability assessment of communication systems for electric power grids. <i>IET Generation, Transmission and Distribution</i> , 2016 , 10, 477-486	2.5	32
15	Coordinated Scheme of Under-Frequency Load Shedding with Intelligent Appliances in a Cyber Physical Power System. <i>Energies</i> , 2016 , 9, 630	3.1	7
14	A framework of theoretical research on load control in grid cyber physical system 2016 ,		2
13	Bayesian game-theoretic energy management for residential users in smart grid 2016,		4
12	A hierarchical charging strategy for electric vehicles considering the usersbhabits and intentions 2015 ,		2
11	Frequency control strategy for wind-thermal-bundled power system with HVDC line 2015,		3
10	Simplified voltage control of paralleling doubly fed induction generators connected to the network using SVC. <i>International Transactions on Electrical Energy Systems</i> , 2015 , 25, 2847-2864	2.2	4

9	Autonomous Household Energy Management Based on a Double Cooperative Game Approach in the Smart Grid. <i>Energies</i> , 2015 , 8, 7326-7343	3.1	22	
8	Power Transmission Scheduling for Generators in a Deregulated Environment Based on a Game-Theoretic Approach. <i>Energies</i> , 2015 , 8, 13879-13893	3.1	3	
7	Reactive power and voltage emergency control strategy of large-scale grid-connected wind farm 2014 ,		1	
6	A distributed control method for power system rotor angle stability based on second-order consensus 2014 ,		2	
5	Frequency inconsistency in DFIG-based wind farm during outgoing transmission line faults and its effect on longitudinal differential protection 2014 ,		6	
4	Differential Protection for an Outgoing Transformer of Large-Scale Doubly Fed Induction Generator-Based Wind Farms. <i>Energies</i> , 2014 , 7, 5566-5585	3.1	9	
3	Game-Theoretic Energy Management for Residential Users with Dischargeable Plug-in Electric Vehicles. <i>Energies</i> , 2014 , 7, 7499-7518	3.1	48	
2	A combination forecast method based on cross entropy theory for wind power and application in power control. <i>Transactions of the Institute of Measurement and Control</i> , 2014 , 36, 891-897	1.8	3	
1	Inverse kinematics and workspace analysis of a bio-inspired flexible parallel robot 2013 ,		2	