

# Assumpta CaixÃ s

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1663963/publications.pdf>

Version: 2024-02-01

74  
papers

1,590  
citations

331259

21  
h-index

329751

37  
g-index

78  
all docs

78  
docs citations

78  
times ranked

1967  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | SÃndrome de Prader-Willi: avanzando paso a paso. <i>Endocrinología, Diabetes Y NutriciÃn</i> , 2022, 69, 1-3.   | 0.1 | 0         |
| 2  | Prader-Willi syndrome: Making progress, one step at a time. <i>EndocrinologÃa Diabetes Y NutriciÃn (English Ed )</i> , 2022, 69, 1-3.   | 0.1 | 0         |
| 3  | Cognitive and Adaptive Effects of Early Growth Hormone Treatment in PraderÃWilli Syndrome Patients: A Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1592.   | 1.0 | 8         |
| 4  | Social Responsiveness and Psychosocial Functioning in Adults with PraderÃWilli Syndrome. <i>Journal of Clinical Medicine</i> , 2022, 11, 1433.  | 1.0 | 2         |
| 5  | One Year of Recombinant Human Growth Hormone Treatment in Adults with PraderÃWilli Syndrome Improves Body Composition, Motor Skills and Brain Functional Activity in the Cerebellum. <i>Journal of Clinical Medicine</i> , 2022, 11, 1831.  | 1.0 | 3         |
| 6  | Glucagon stimulation test to assess growth hormone status in PraderÃWilli syndrome. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 621-629.   | 1.8 | 8         |
| 7  | Influence of the BDNF Val66Met polymorphism on weight loss after bariatric surgery: a 24-month follow-up. <i>Surgery for Obesity and Related Diseases</i> , 2021, 17, 185-192.  | 1.0 | 3         |
| 8  | Abordaje clÃnico integral SEEN de la obesidad en la edad adulta: resumen ejecutivo. <i>Endocrinología, Diabetes Y NutriciÃn</i> , 2021, 68, 130-136.  | 0.1 | 15        |
| 9  | Altered Gesture Imitation and Brain Anatomy in Adult PraderÃWilli Syndrome Patients. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 1-13.   | 1.2 | 8         |
| 10 | Multidimensional Evaluation of Awareness in Prader-Willi Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 2007.  | 1.0 | 7         |
| 11 | Behavioral features in Prader-Willi syndrome (PWS): consensus paper from the International PWS Clinical Trial Consortium. <i>Journal of Neurodevelopmental Disorders</i> , 2021, 13, 25.  | 1.5 | 34        |
| 12 | Respuesta. <i>Medicina ClÃnica</i> , 2021, 157, e315.   | 0.3 | 0         |
| 13 | Growth Hormone (GH) Treatment Decreases Plasma Kisspeptin Levels in GH-Deficient Adults with PraderÃWilli Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 3054.   | 1.0 | 1         |
| 14 | Cerebellar Dysfunction in Adults with Prader Willi Syndrome. <i>Journal of Clinical Medicine</i> , 2021, 10, 3320.  | 1.0 | 8         |
| 15 | Hyponatremia in Children and Adults with PraderÃWilli Syndrome: A Survey Involving Seven Countries. <i>Journal of Clinical Medicine</i> , 2021, 10, 3555.   | 1.0 | 4         |
| 16 | Telomere length in patients with obesity submitted to bariatric surgery: A systematic review. <i>European Eating Disorders Review</i> , 2021, 29, 842-853.  | 2.3 | 6         |
| 17 | Hypogonadism in Adult Males with Prader-Willi SyndromeâClinical Recommendations Based on a Dutch Cohort Study, Review of the Literature and an International Expert Panel Discussion. <i>Journal of Clinical Medicine</i> , 2021, 10, 4361. | 1.0 | 16        |
| 18 | A Clinical-Genetic Score for Predicting Weight Loss after Bariatric Surgery: The OBEGEN Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 1040.  | 1.1 | 13        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | An adapted scale to evaluate insight in Prader-Willi Syndrome. <i>Medicina Clínica</i> , 2021, , .  | 0.3 | 3         |
| 20 | Hunger and Satiety Peptides: Is There a Pattern to Classify Patients with Prader-Willi Syndrome?. <i>Journal of Clinical Medicine</i> , 2021, 10, 5170.   | 1.0 | 3         |
| 21 | Hypogonadism in Women with Prader-Willi Syndrome—Clinical Recommendations Based on a Dutch Cohort Study, Review of the Literature and an International Expert Panel Discussion. <i>Journal of Clinical Medicine</i> , 2021, 10, 5781. | 1.0 | 12        |
| 22 | Role of the FKBP5 polymorphism rs1360780, age, sex, and type of surgery in weight loss after bariatric surgery: a follow-up study. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, 581-589.                               | 1.0 | 11        |
| 23 | SEEDO-SEMERGEN consensus document on continuous care of obesity between primary care and specialist Hospital units 2019. <i>Medicina Clínica (English Edition)</i> , 2020, 155, 267.e1-267.e11.                                       | 0.1 | 6         |
| 24 | Longitudinal changes in telomere length in a cohort of obese patients submitted to bariatric surgery: a 2-year follow-up. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, 1794-1801.                                      | 1.0 | 2         |
| 25 | Revisi3n del manejo del s3ndrome diarreico despu3s de una cirug3a bari3trica. <i>Endocrinolog3a, Diabetes Y Nutrici3n</i> , 2020, 67, 401-407.  | 0.1 | 4         |
| 26 | Response to the letter to the editor: FKBP5 polymorphism rs1360780 and weight loss after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, 974-975.  | 1.0 | 2         |
| 27 | New Metrics to Assess Type 2 Diabetes after Bariatric Surgery: The “Time-Within-Remission Range” <i>Journal of Clinical Medicine</i> , 2020, 9, 1070.   | 1.0 | 6         |
| 28 | Central Adrenal Insufficiency Is Rare in Adults With Prader-Willi Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e2563-e2571.   | 1.8 | 27        |
| 29 | SUN-308 Central Adrenal Insufficiency Is Rare in Adults with Prader-Willi Syndrome. <i>Journal of the Endocrine Society</i> , 2020, 4, .  | 0.1 | 0         |
| 30 | Longitudinal changes of microbiome composition and microbial metabolomics after surgical weight loss in individuals with obesity. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 1367-1373.                              | 1.0 | 64        |
| 31 | Assessing Motivational Stages and Processes of Change for Weight Management Around Bariatric Surgery: a Multicenter Study. <i>Obesity Surgery</i> , 2019, 29, 3348-3356.  | 1.1 | 10        |
| 32 | Low frequency of positive antithyroid antibodies is observed in patients with thyroid dysfunction related to immune check point inhibitors. <i>Journal of Endocrinological Investigation</i> , 2019, 42, 1443-1450.                   | 1.8 | 40        |
| 33 | Psychopathological disorders in Prader-Willi syndrome. <i>Endocrinolog3a Diabetes Y Nutrici3n (English Ed )</i> , 2019, 66, 579-587.  | 0.1 | 6         |
| 34 | Outcomes of Bariatric Surgery in Patients with Cirrhosis. <i>Obesity Surgery</i> , 2019, 29, 585-592.   | 1.1 | 28        |
| 35 | Lack of response to disgusting food in the hypothalamus and related structures in Prader Willi syndrome. <i>NeuroImage: Clinical</i> , 2019, 21, 101662.  | 1.4 | 20        |
| 36 | Alteraciones psicopatol3gicas en el s3ndrome de Prader-Willi. <i>Endocrinolog3a, Diabetes Y Nutrici3n</i> , 2019, 66, 579-587.  | 0.1 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Simultaneous onset of type 1 diabetes mellitus and silent thyroiditis under durvalumab treatment. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2019, 2019, .  | 0.2 | 12        |
| 38 | Human Subcutaneous Tissue Response to Glucose Sensors: Macrophages Accumulation Impact on Sensor Accuracy. <i>Diabetes Technology and Therapeutics</i> , 2018, 20, 296-302.   | 2.4 | 12        |
| 39 | Tratamiento con hormona de crecimiento en el sÃndrome de Prader-Willi. <i>Endocrinología, Diabetes Y NutriciÃn</i> , 2018, 65, 229-236.   | 0.1 | 13        |
| 40 | Mapping the sequence of brain events in response to disgusting food. <i>Human Brain Mapping</i> , 2018, 39, 369-380.  | 1.9 | 29        |
| 41 | Differential involvement of synovial adipokines in pain and physical function in female patients with knee osteoarthritis. A cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 276-284.                                      | 0.6 | 28        |
| 42 | Autosomal dominant hypercholesterolemia in Catalonia: Correspondence between clinical-biochemical and genetic diagnostics in 967 patients studied in a multicenter clinical setting. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1452-1462. | 0.6 | 14        |
| 43 | Treatment with growth hormone in the Prader-Willi syndrome. <i>EndocrinologÃa Diabetes Y NutriciÃn (English Ed )</i> , 2018, 65, 229-236.   | 0.1 | 3         |
| 44 | Clinical and ultrasonographic features associated to response to intraarticular corticosteroid injection. A one year follow up prospective cohort study in knee osteoarthritis patient with joint effusion. <i>PLoS ONE</i> , 2018, 13, e0191342. | 1.1 | 11        |
| 45 | AZP-531, an unacylated ghrelin analog, improves food-related behavior in patients with Prader-Willi syndrome: A randomized placebo-controlled trial. <i>PLoS ONE</i> , 2018, 13, e0190849.  | 1.1 | 69        |
| 46 | Sleep biosignature of Type 2 diabetes: a caseâ€“control study. <i>Diabetic Medicine</i> , 2017, 34, 79-85.  | 1.2 | 9         |
| 47 | Impact of Bariatric Surgery on Heme Oxygenase-1, Inflammation, and Insulin Resistance in Morbid Obesity with Obstructive Sleep Apnea. <i>Obesity Surgery</i> , 2017, 27, 2338-2346.   | 1.1 | 22        |
| 48 | Long-Term Outcomes in Patients with Morbid Obesity and Type 1 Diabetes Undergoing Bariatric Surgery. <i>Obesity Surgery</i> , 2017, 27, 856-863.  | 1.1 | 32        |
| 49 | PreveniÃn, diagnÃstico y tratamiento de la obesidad. Posicionamiento de la Sociedad EspaÃola para el Estudio de la Obesidad de 2016. <i>Endocrinología, Diabetes Y NutriciÃn</i> , 2017, 64, 15-22.   | 0.1 | 59        |
| 50 | Gastric Dilatation and Abdominal Compartment Syndrome in a Child with Prader-Willi Syndrome. <i>American Journal of Case Reports</i> , 2017, 18, 637-640.   | 0.3 | 5         |
| 51 | Takotsubo cardiomyopathy in amiodarone-induced hyperthyroidism. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2017, 2017, .  | 0.2 | 6         |
| 52 | Kallmann syndrome and ichthyosis: a case of contiguous gene deletion syndrome. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2017, 2017, .   | 0.2 | 9         |
| 53 | Anomalous basal ganglia connectivity and obsessiveâ€“compulsive behaviour in patients with Prader Willi syndrome. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 261-271.  | 1.4 | 31        |
| 54 | Synovial fluid adipokines are associated with clinical severity in knee osteoarthritis: a cross-sectional study in female patients with joint effusion. <i>Arthritis Research and Therapy</i> , 2016, 18, 207.                                    | 1.6 | 38        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Hyperinsulinemic Hypoglycemia after Bariatric Surgery: Diagnosis and Management Experience from a Spanish Multicenter Registry. <i>Obesity Facts</i> , 2016, 9, 41-51.  | 1.6 | 25        |
| 56 | SAT0442â€¦Waist Circumference Is The Anthropometric Variable More Related To Clinical Severity in Women with Knee Osteoarthritis with Synovial Effusion. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 831.2-831.   | 0.5 | 0         |
| 57 | Trends in Bariatric Surgery in Spain in the Twenty-First Century: Baseline Results and 1-Month Follow Up of the RICIBA, a National Registry. <i>Obesity Surgery</i> , 2016, 26, 1836-1842.  | 1.1 | 22        |
| 58 | Hipotiroidismo y enteropatÃa pierde-proteÃnas: a propÃ³sito de un caso. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2016, 63, 95-96.  | 0.8 | 1         |
| 59 | Lack of Postprandial Peak in Brain-Derived Neurotrophic Factor in Adults with Prader-Willi Syndrome. <i>PLoS ONE</i> , 2016, 11, e0163468.  | 1.1 | 21        |
| 60 | Does bariatric surgery reduce cancer risk? A review of the literature. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2015, 62, 138-143.   | 0.8 | 14        |
| 61 | Naltrexone sustained-release/bupropion sustained-release for the management of obesity: review of the data to date. <i>Drug Design, Development and Therapy</i> , 2014, 8, 1419.  | 2.0 | 215       |
| 62 | Does motion-related brain functional connectivity reflect both artifacts and genuine neural activity?. <i>NeuroImage</i> , 2014, 101, 87-95.  | 2.1 | 57        |
| 63 | Where are obese people happier?. <i>EndocrinologÃa Y NutriciÃ³n (English Edition)</i> , 2014, 61, 1-2.  | 0.5 | 8         |
| 64 | Â¿DÃ³nde son mÃ¡s felices las personas obesas?. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2014, 61, 1-2.  | 0.8 | 2         |
| 65 | Weight-Related Quality of Life in Spanish Obese Subjects Suitable for Bariatric Surgery is Lower Than in Their North American Counterparts: a Caseâ€“Control Study. <i>Obesity Surgery</i> , 2013, 23, 509-514.   | 1.1 | 16        |
| 66 | Diabetes remission after bariatric surgery: Which are the mechanisms?. <i>EndocrinologÃa Y NutriciÃ³n (English Edition)</i> , 2012, 59, 225-226.  | 0.5 | 0         |
| 67 | Plasma visfatin concentrations increase in both hyper and hypothyroid subjects after normalization of thyroid function and are not related to insulin resistance, anthropometric or inflammatory parameters. <i>Clinical Endocrinology</i> , 2009, 71, 733-738. | 1.2 | 33        |
| 68 | Adult subjects with Prader-Willi syndrome show more low-grade systemic inflammation than matched obese subjects. <i>Journal of Endocrinological Investigation</i> , 2008, 31, 169-175.  | 1.8 | 21        |
| 69 | A lesser postprandial suppression of plasma ghrelin in Prader?Willi syndrome is associated with low fasting and a blunted postprandial PYY response. <i>Clinical Endocrinology</i> , 2007, 66, 198-204.   | 1.2 | 51        |
| 70 | Postprandial Adiponectin Levels Are Unlikely to Contribute to the Pathogenesis of Obesity in Prader-Willi Syndrome. <i>Hormone Research in Paediatrics</i> , 2006, 65, 39-45.   | 0.8 | 12        |
| 71 | Circulating ghrelin in thyroid dysfunction is related to insulin resistance and not to hunger, food intake or anthropometric changes. <i>European Journal of Endocrinology</i> , 2005, 153, 73-79.  | 1.9 | 56        |
| 72 | Insulin, Unlike Food Intake, Does Not Suppress Ghrelin in Human Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 1902-1906.  | 1.8 | 156       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Lack of Change of Lipoprotein(a) Levels by the Optimization of Glycemic Control With Insulin Therapy in NIDDM Patients. <i>Diabetes Care</i> , 1997, 20, 1459-1461.                             | 4.3 | 15        |
| 74 | Utility of <sup>99m</sup> Tc-sestamibi scintigraphy as a first-line imaging procedure in the preoperative evaluation of hyperparathyroidism. <i>Clinical Endocrinology</i> , 1995, 43, 525-530. | 1.2 | 50        |