
Matthew L Johnston

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1663976/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Autonomous Sensor System for Wind Turbine Blade Collision Detection. IEEE Sensors Journal, 2022, 22, 11382-11392.	4.7	2
2	A Frequency-Locked Oscillator Using Complex <i>RC</i> Impedance IQ-Balancing. IEEE Journal of Solid-State Circuits, 2022, 57, 677-687.	5.4	2
3	A Passive Wideband Noise-Canceling Mixer-First Architecture With Shared Antenna Interface for Interferer-Tolerant Wake-Up Receivers and Low-Noise Primary Receivers. IEEE Journal of Solid-State Circuits, 2022, 57, 2611-2625.	5.4	7
4	Self-Sensing, Stretchable, Active Circuit Arrays: Liquid Metal Paste as a Combination Interconnect and Strain Sensor. , 2022, , .		1
5	A 10 M\$mathrm{Omega }\$, 50 kHz-40 MHz Impedance Measurement Architecture for Source-Differential Flow Cytometry. IEEE Transactions on Biomedical Circuits and Systems, 2022, 16, 766-778.	4.0	3
6	Direct-Write 3D Printing of Interconnects for Fan-Out Wafer-Level Packaging. , 2022, , .		2
7	Stretchable Electronics Fabrication Techniques for Wearable Glove Sensors using Encapsulated Liquid Metal Paste. , 2022, , .		0
8	A Widely Reconfigurable Piecewise-Linear ADC for Information-Aware Quantization. IEEE Transactions on Circuits and Systems II: Express Briefs, 2021, 68, 1073-1077.	3.0	4
9	A Digitally-Reconfigurable RC Frequency Generator using Impedance IQ-Balanced Frequency-Locked-Loop with Selectable Phase Mixing. , 2021, , .		1
10	A 20 μ W, 0.05mm ² Duty-Cycled Resistor and Frequency-Locked-Loop-based Wheatstone Bridge Interface for Low Resistance Sensing Systems. , 2021, , .		3
11	Frequency-Division Multiplexing With Graphene Active Electrodes for Neurosensor Applications. IEEE Transactions on Circuits and Systems II: Express Briefs, 2021, 68, 1735-1739.	3.0	7
12	A 3.5-mV Input Single-Inductor Self-Starting Boost Converter With Loss-Aware MPPT for Efficient Autonomous Body-Heat Energy Harvesting. IEEE Journal of Solid-State Circuits, 2021, 56, 1837-1848.	5.4	34
13	Stenciled Liquid Metal Paste for Robust Stretchable Electrical Interconnects. , 2021, , .		4
14	Auger-Based 3D Printing of Stretchable Liquid Metal Paste Interconnects: A Brief Tutorial. , 2021, , .		0
15	Linear and Single-Photon Avalanche Diode Dual-Mode CMOS Optical Sensor with High Frame Rate Operation. , 2021, , .		1
16	A Multichannel Analyzer with Programmable Energy Bins for Gamma Ray Spectroscopy. , 2021, , .		1
17	Multi-Channel Biopotential Acquisition System Using Frequency-Division Multiplexing With Cable Motion Artifact Suppression. IEEE Transactions on Biomedical Circuits and Systems, 2021, 15, 1419-1429.	4.0	7

18 Towards Intelligent Fruit Picking with In-hand Sensing. , 2021, , .

MATTHEW L JOHNSTON

#	Article	IF	CITATIONS
19	A 6 pArms 50 kHz-40 MHz Impedance Sensor for Source-Differential Flow Cytometry. , 2021, , .		Ο
20	Analysis of Skin-Worn Thermoelectric Generators for Body Heat Energy Harvesting to Power Wearable Devices. , 2021, 2021, 7158-7161.		5
21	Guest Editorial Special Issue on Selected Papers From ISCAS 2021. IEEE Transactions on Biomedical Circuits and Systems, 2021, 15, 1126-1128.	4.0	0
22	Combined In-Pixel Linear and Single-Photon Avalanche Diode Operation With Integrated Biasing for Wide-Dynamic-Range Optical Sensing. IEEE Journal of Solid-State Circuits, 2020, 55, 392-403.	5.4	20
23	A Batteryless Motion-Adaptive Heartbeat Detection System-on-Chip Powered by Human Body Heat. IEEE Journal of Solid-State Circuits, 2020, 55, 2902-2913.	5.4	32
24	DC-100 kHz Tunable Readout IC for Impedance Spectroscopy and Amperometric Measurement of Electrochemical Sensors. , 2020, 2020, 651-654.		6
25	Sensor System and Signal Processing for Automated Blade Collision Detection on Wind Turbines. , 2020, , .		1
26	26.5 A 20ÂμW Heartbeat Detection System-on-Chip Powered by Human Body Heat for Self-Sustaining Wearable Healthcare. , 2020, , .		2
27	Modeling and Design Considerations for Resistive Impedance-Based Flow Cytometry. , 2020, , .		2
28	A 1.2 V–20 V Closed-Loop Charge Pump for High Dynamic Range Photodetector Array Biasing. IEEE Transactions on Circuits and Systems II: Express Briefs, 2019, 66, 327-331.	3.0	20
29	Integrated Cold Start of a Boost Converter at 57 mV Using Cross-Coupled Complementary Charge Pumps and Ultra-Low-Voltage Ring Oscillator. IEEE Journal of Solid-State Circuits, 2019, 54, 2867-2878.	5.4	46
30	Electrical Characterization of Stretchable Printed Liquid Metal Interconnects under Repeated Cyclic Loading. , 2019, , .		1
31	A 3.5mV Input, 82% Peak Efficiency Boost Converter with Loss-Optimized MPPT and 50mV Integrated Cold-Start for Thermoelectric Energy Harvesting. , 2019, , .		9
32	Compact Modeling of Stretchable Printed Liquid Metal Electrical Interconnects. , 2019, , .		0
33	Twoâ€step, piecewiseâ€linear SAR ADC with programmable transfer function. Electronics Letters, 2019, 55, 444-446.	1.0	4
34	A Fully-Integrated, Single-Element CMOS Anemometer. , 2019, 3, 1-4.		2
35	3D-Printed Liquid Metal Interconnects for Stretchable Electronics. IEEE Sensors Journal, 2019, 19, 3832-3840.	4.7	57
36	An Amplifier-Free 0–2 SAR-VCO MASH ΔΣ ADC. , 2019, , .		0

3

#	Article	IF	CITATIONS
37	Fully-Integrated Charge Pump Design Optimization for Above-Breakdown Biasing of Single-Photon Avalanche Diodes in 0.13- <inline-formula> <tex-math notation="LaTeX">\$mu\$ </tex-math> </inline-formula> m CMOS. IEEE Transactions on Circuits and Systems I: Regular Papers, 2019, 66, 1258-1269.	5.4	2
38	Wireless Smartphone Control using Electromyography and Automated Gesture Recognition. , 2018, 2018, 5390-5393.		3
39	Highly-Stretchable Biomechanical Strain Sensor using Printed Liquid Metal Paste. , 2018, , .		16
40	Code-Division Multiplex Encoding Analog Front End for Current-Mode Sensor Arrays. IEEE Solid-State Circuits Letters, 2018, 1, 118-121.	2.0	6
41	Fully-integrated 57 mV cold start of a thermoelectric energy harvester using a cross-coupled complementary charge pump. , 2018, , .		10
42	A Stacked-Inverter Ring Oscillator for 50 mV Fully-Integrated Cold-Start of Energy Harvesters. , 2018, ,		20
43	Dual-mode, in-pixel linear and single-photon avalanche diode readout for low-light dynamic range extension in photodetector arrays. , 2018, , .		6
44	Heterogeneous Integration of CMOS Sensors and Fluidic Networks Using Wafer-Level Molding. IEEE Transactions on Biomedical Circuits and Systems, 2018, 12, 1046-1055.	4.0	18
45	Parametric Study of p-n Junctions and Structures for CMOS-Integrated Single-Photon Avalanche Diodes. IEEE Sensors Journal, 2018, 18, 5291-5299.	4.7	14
46	Zero Reversion Loss, High-Efficiency Charge Pump for Wide Output Current Load Range. , 2018, , .		4
47	Single-element thermal flow sensor using dual-slope control scheme. , 2017, , .		4
48	On-chip high-voltage SPAD bias generation using a dual-mode, closed-loop charge pump. , 2017, , .		9
49	Scalable hybrid integration of CMOS circuits and fluidic networks for biosensor applications. , 2017, ,		3
50	Dual-mode, enhanced dynamic range CMOS optical sensor for biomedical applications. , 2017, , .		12
51	An all-digital CMOS ambient light sensor using a single photon avalanche diode. , 2017, , .		5
52	Portable real-time PCR system using tablet-based fluorescence imaging. , 2016, , .		2
53	Integrated VOC vapor sensing on FBAR-CMOS array. , 2012, , .		14
54	FBAR-CMOS Oscillator Array for Mass-Sensing Applications. IEEE Sensors Journal, 2010, 10, 1042-1047.	4.7	63

#	Article	IF	CITATIONS
55	An array of monolithic FBAR-CMOS oscillators for mass-sensing applictions. , 2009, 2009, 1626-1629.		4