Chun-ying Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1665235/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Stability and Transformation of Metabolic Syndrome in Adolescents: A Prospective Assessment in Relation to the Change of Cardiometabolic Risk Factors. Nutrients, 2022, 14, 744.	4.1	5
2	Multilevel Understanding of the Impact of Individual- and School-Level Determinants on Lipid Profiles in Adolescents: The Cross-Level Interaction of Food Environment and Body Mass Index. Nutrients, 2022, 14, 2068.	4.1	1
3	Contribution of insulin resistance to the relationship between sugar-sweetened beverage intake and a constellation of cardiometabolic abnormalities in adolescents. International Journal of Obesity, 2021, 45, 828-839.	3.4	6
4	Polypharmacy Is Significantly and Positively Associated with the Frailty Status Assessed Using the 5-Item FRAIL Scale, Cardiovascular Health Phenotypic Classification of Frailty Index, and Study of Osteoporotic Fractures Scale. Journal of Clinical Medicine, 2021, 10, 4413.	2.4	4
5	Characteristic-Grouped Adiposity Indicators for Identifying Metabolic Syndrome in Adolescents: Develop and Valid Risk Screening Tools Using Dual Population. Nutrients, 2020, 12, 3165.	4.1	7
6	Home healthcare services in communities during <scp>COVID</scp> â€19: Protecting against and mitigating the pandemics in Taiwan. Kaohsiung Journal of Medical Sciences, 2020, 36, 663-664.	1.9	3
7	Clustering of Metabolic Risk Components and Associated Lifestyle Factors: A Nationwide Adolescent Study in Taiwan. Nutrients, 2019, 11, 584.	4.1	12
8	Effects of insulin resistance on the association between the circulating retinol-binding protein 4 level and clustering of pediatric cardiometabolic risk factors. Pediatric Diabetes, 2018, 19, 611-621.	2.9	6
9	Association of Parental Overweight and Cardiometabolic Diseases and Pediatric Adiposity and Lifestyle Factors with Cardiovascular Risk Factor Clustering in Adolescents. Nutrients, 2016, 8, 567.	4.1	24
10	Exploration of the importance of geriatric frailty on healthâ€related quality of life. Psychogeriatrics, 2016, 16, 368-375.	1.2	12
11	Fructose-Rich Beverage Intake and Central Adiposity, Uric Acid, andÂPediatric Insulin Resistance. Journal of Pediatrics, 2016, 171, 90-96.e1.	1.8	55
12	Elevated Serum Triglyceride and Retinol-Binding Protein 4 Levels Associated with Fructose-Sweetened Beverages in Adolescents. PLoS ONE, 2014, 9, e82004.	2.5	19
13	Consumption of Sugar-Sweetened Beverages Is Associated with Components of the Metabolic Syndrome in Adolescents. Nutrients, 2014, 6, 2088-2103.	4.1	111
14	Relationships between changes in leptin and insulin resistance levels in obese individuals following weight loss. Kaohsiung Journal of Medical Sciences, 2013, 29, 436-443.	1.9	29
15	Urinary incontinence: An underâ€recognized risk factor for falls among elderly dementia patients. Neurourology and Urodynamics, 2011, 30, 1286-1290.	1.5	30
16	Food intake and the occurrence of squamous cell carcinoma in different sections of the esophagus in Taiwanese men. Nutrition, 2009, 25, 753-761.	2.4	57
17	Association Between Serum Leptin and Adiponectin Levels with Risk of Insulin Resistance and Impaired Glucose Tolerance in Non-diabetic Women. Kaohsiung Journal of Medical Sciences, 2009, 25, 116-125.	1.9	22
18	Carcinogenetic impact of ADH1B and ALDH2 genes on squamous cell carcinoma risk of the esophagus with regard to the consumption of alcohol, tobacco and betel quid. International Journal of Cancer, 2008, 122, 1347-1356.	5.1	102

#	Article	IF	CITATIONS
19	Carcinogenetic impact of alcohol intake on squamous cell carcinoma risk of the oesophagus in relation to tobacco smoking. European Journal of Cancer, 2007, 43, 1188-1199.	2.8	84