## Yuping Chen

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1666258/publications.pdf

Version: 2024-02-01

623734 610901 1,095 25 14 24 citations g-index h-index papers 26 26 26 1273 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Catalpol ameliorates diabetes-induced testicular injury and modulates gut microbiota. Life Sciences, 2021, 267, 118881.	4.3	13
2	Combination of the Herbs Radix Rehmanniae and Cornus Officinalis Mitigated Testicular Damage From Diabetes Mellitus by Enhancing Glycolysis via the AGEs/RAGE/HIF-1α Axis. Frontiers in Pharmacology, 2021, 12, 678300.	3.5	3
3	Cornuside Alleviates Diabetes Mellitus-Induced Testicular Damage by Modulating the Gut Microbiota. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-13.	1.2	9
4	The indole alkaloids from the roots of Isatidis Radix. Fìtoterapìâ, 2021, 153, 104950.	2.2	10
5	Catalpol ameliorates endothelial dysfunction and inflammation in diabetic nephropathy via suppression of RAGE/RhoA/ROCK signaling pathway. Chemico-Biological Interactions, 2021, 348, 109625.	4.0	37
6	Protective effects of catalpol on diabetes mellitus-induced male reproductive damage via suppression of the AGEs/RAGE/Nox4 signaling pathway. Life Sciences, 2020, 256, 116736.	4.3	26
7	Target lipidomics approach to reveal the resolution of inflammation induced by Chinese medicine combination in Liu-Shen-Wan against realgar overexposure to rats. Journal of Ethnopharmacology, 2020, 249, 112171.	4.1	11
8	Study on the inhibitive effect of Catalpol on diabetic nephropathy. Life Sciences, 2020, 257, 118120.	4.3	34
9	Radix Rehmanniae and Corni Fructus against Diabetic Nephropathy via AGE-RAGE Signaling Pathway. Journal of Diabetes Research, 2020, 2020, 1-15.	2.3	20
10	Loganin and catalpol exert cooperative ameliorating effects on podocyte apoptosis upon diabetic nephropathy by targeting AGEs-RAGE signaling. Life Sciences, 2020, 252, 117653.	4.3	44
11	Loganin alleviates testicular damage and germ cell apoptosis induced by AGEs upon diabetes mellitus by suppressing the RAGE/p38MAPK/NFâ€₽B pathway. Journal of Cellular and Molecular Medicine, 2020, 24, 6083-6095.	3.6	23
12	Different types of effective fractions from Radix Isatidis revealed a multiple-target synergy effect against respiratory syncytial virus through RIG-I and MDA5 signaling pathways, a pilot study to testify the theory of superposition of traditional Chinese Medicine efficacy. Journal of Ethnopharmacology, 2019, 239, 111901.	4.1	14
13	Catalpol ameliorates advanced glycation end productâ€induced dysfunction of glomerular endothelial cells via regulating nitric oxide synthesis by inducible nitric oxide synthase and endothelial nitric oxide synthase. IUBMB Life, 2019, 71, 1268-1283.	3.4	14
14	Magnesium ion leachables induce a conversion of contractile vascular smooth muscle cells to an inflammatory phenotype. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2019, 107, 988-1001.	3.4	12
15	Neoadjuvant Chemoradiotherapy Followed by Surgery Versus Surgery Alone for Locally Advanced Squamous Cell Carcinoma of the Esophagus (NEOCRTEC5010): A Phase III Multicenter, Randomized, Open-Label Clinical Trial. Journal of Clinical Oncology, 2018, 36, 2796-2803.	1.6	558
16	Study on the mechanism of Iridoid Glycosides in Radix Rehmanniae and Cornus Officinalis intervention in Diabetic Nephropathy. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO2-7-5.	0.0	0
17	4(3H)-Quinazolone regulates innate immune signaling upon respiratory syncytial virus infection by moderately inhibiting the RIG-1 pathway in RAW264.7 cell. International Immunopharmacology, 2017, 52, 245-252.	3.8	15
18	Effect of morroniside on glomerular mesangial cells through AGE–RAGE pathway. Human Cell, 2016, 29, 148-154.	2.7	11

## YUPING CHEN

#	Article	IF	CITATION
19	Comparative analysis of the main bioactive components of Xin-Sheng-Hua granule and its single herbs by ultrahigh performance liquid chromatography with tandem mass spectrometry. Journal of Separation Science, 2016, 39, 4096-4106.	2.5	14
20	Iridoid glycoside from Cornus officinalis ameliorated diabetes mellitus-induced testicular damage in male rats: Involvement of suppression of the AGEs/RAGE/p38 MAPK signaling pathway. Journal of Ethnopharmacology, 2016, 194, 850-860.	4.1	51
21	Synergistic interaction of effective parts in Rehmanniae Radix and Cornus officinalis ameliorates renal injury in C57BL/KsJ-db/db diabetic mice: Involvement of suppression of AGEs/RAGE/SphK1 signaling pathway. Journal of Ethnopharmacology, 2016, 185, 110-119.	4.1	24
22	Loganin attenuates diabetic nephropathy in C57BL/6J mice with diabetes induced by streptozotocin and fed with diets containing high level of advanced glycation end products. Life Sciences, 2015, 123, 78-85.	4.3	58
23	LC Determination of Five Flavonoid Aglycones in the Tibetan Medicinal Plant Oxytropis falcata Bunge. Chromatographia, 2009, 70, 1451-1454.	1.3	2
24	New red phosphor with a high color purity: controlled synthesis of 3D architectures of YW2O6(OH)3 : Eu. CrystEngComm, 2009, 11, 1323.	2.6	14
25	Morroniside and loganin extracted from Cornus officinalis have protective effects on rat mesangial cell proliferation exposed to advanced glycation end products by preventing oxidative stress. Canadian Journal of Physiology and Pharmacology, 2006, 84, 1267-1273.	1.4	78