

Changsen Sun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1666442/publications.pdf>

Version: 2024-02-01

38
papers

738
citations

567281

15
h-index

526287

27
g-index

39
all docs

39
docs citations

39
times ranked

793
citing authors

#	ARTICLE	IF	CITATIONS
1	Research on Real-Time Monitoring of Strain Behavior of Concrete under Freezing-Thawing Cycle by White Light Interferometer. <i>Advances in Materials Science and Engineering</i> , 2022, 2022, 1-7.	1.8	0
2	In situ ground settlement sensor for oil-tank monitoring by combining a fiber-optic low-coherent interferometry with a fine mechanical design. <i>Applied Optics</i> , 2022, 61, 3980.	1.8	3
3	Fiber-Optic Hot-Wire Anemometer With Directional Response Based on Symmetry-Breaking Induced Heat Transfer Mechanism. <i>Journal of Lightwave Technology</i> , 2021, 39, 3919-3925.	4.6	6
4	High Sensitivity Humidity Detection Based on Functional GO/MWCNTs Hybrid Nano-Materials Coated Titled Fiber Bragg Grating. <i>Nanomaterials</i> , 2021, 11, 1134.	4.1	13
5	pM Level and Large Dynamic Range Glucose Detection Based on a Sandwich Type Plasmonic Fiber Sensor. <i>Journal of Lightwave Technology</i> , 2021, 39, 3882-3889.	4.6	14
6	Rapid and Specific Imaging of Extracellular Signaling Molecule Adenosine Triphosphate with a Self-Phosphorylating DNAzyme. <i>Journal of the American Chemical Society</i> , 2021, 143, 15084-15090.	13.7	38
7	Implementation of a Load Sensitizing Bridge Spherical Bearing Based on Low-Coherent Fiber-Optic Sensors Combined with Neural Network Algorithms. <i>Sensors</i> , 2021, 21, 37.	3.8	5
8	Linear-response and simple hot-wire fiber-optic anemometer using high-order cladding mode. <i>Optics Express</i> , 2020, 28, 27028.	3.4	8
9	Effects of Electrode Sizes and Positions on the Induced Current Field in Electrical Eyeballs Stimulations. , 2020, , .		0
10	Appropriate Electrode Positions Improve Stimulation Efficacies in Electrical Eye Stimulations. , 2020, , .		0
11	Plasmonic Tweezers towards Biomolecular and Biomedical Applications. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 3596.	2.5	9
12	Force-monitoring ring based on white-light interferometry for bridge cable force monitoring and its temperature compensation. <i>Advances in Structural Engineering</i> , 2019, 22, 1444-1452.	2.4	1
13	Low-coherent fiber-optic interferometry for in situ monitoring the corrosion-induced expansion of pre-stressed concrete cylinder pipes. <i>Structural Health Monitoring</i> , 2019, 18, 1862-1873.	7.5	18
14	Plasmonics for Biosensing. <i>Materials</i> , 2019, 12, 1411.	2.9	41
15	Continuous infrared laser irradiation decreased membrane capacitance of neuron cell. , 2019, , .		2
16	Performance of the fiber-optic low-coherent ground settlement sensor: From lab to field. <i>Review of Scientific Instruments</i> , 2018, 89, 045008.	1.3	6
17	Contrast enhancement for the infrared vein image of leg based on the optical angular spectrum theory. <i>Signal, Image and Video Processing</i> , 2017, 11, 423-429.	2.7	2
18	A Novel Low-Power-Consumption All-Fiber-Optic Anemometer with Simple System Design. <i>Sensors</i> , 2017, 17, 2107.	3.8	14

#	ARTICLE	IF	CITATIONS
19	A Novel Fiber Optic Surface Plasmon Resonance Biosensors with Special Boronic Acid Derivative to Detect Glycoprotein. <i>Sensors</i> , 2017, 17, 2259.	3.8	37
20	Nuclear Power Plant Prestressed Concrete Containment Vessel Structure Monitoring during Integrated Leakage Rate Testing Using Fiber Bragg Grating Sensors. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 419.	2.5	15
21	Remote determination of size of surface heterogeneity and displacements of diffusely scattering objects. , 2016, , .		5
22	Tilt performance of the ground settlement sensor configured in a fiber-optic low-coherent interferometer. <i>Applied Optics</i> , 2016, 55, 7917.	2.1	7
23	Corrosion monitoring of rock bolt by using a low coherent fiber-optic interferometry. <i>Optics and Laser Technology</i> , 2015, 67, 137-142.	4.6	30
24	Stationary Wavelet Transform Method for Distributed Detection of Damage by Fiber-Optic Sensors. <i>Journal of Engineering Mechanics - ASCE</i> , 2014, 140, .	2.9	44
25	The Performance Analysis of Distributed Brillouin Corrosion Sensors for Steel Reinforced Concrete Structures. <i>Sensors</i> , 2014, 14, 431-442.	3.8	31
26	Fiber-optic ground settlement sensor based on low-coherent interferometry. <i>Applied Optics</i> , 2014, 53, 3278.	1.8	9
27	980-nm infrared laser modulation of sodium channel kinetics in a neuron cell linearly mediated by photothermal effect. <i>Journal of Biomedical Optics</i> , 2014, 19, 105002.	2.6	9
28	Temporal Modulation of Sodium Current Kinetics in Neuron Cells by Near-Infrared Laser. <i>Cell Biochemistry and Biophysics</i> , 2013, 67, 1409-1419.	1.8	8
29	Theoretical and Experimental Investigations into Crack Detection with BOTDR-Distributed Fiber Optic Sensors. <i>Journal of Engineering Mechanics - ASCE</i> , 2013, 139, 1797-1807.	2.9	109
30	Quantitative investigation in distributed sensing of structural defects with Brillouin optical time domain reflectometry. <i>Journal of Intelligent Material Systems and Structures</i> , 2013, 24, 1187-1196.	2.5	34
31	Research on corrosion detection for steel reinforced concrete structures using the fiber optical white light interferometer sensing technique. <i>Smart Materials and Structures</i> , 2013, 22, 065014.	3.5	29
32	Heteromeric Heat-sensitive Transient Receptor Potential Channels Exhibit Distinct Temperature and Chemical Response. <i>Journal of Biological Chemistry</i> , 2012, 287, 7279-7288.	3.4	63
33	Temperature-dependent Activation of Neurons by Continuous Near-infrared Laser. <i>Cell Biochemistry and Biophysics</i> , 2009, 53, 33-42.	1.8	26
34	Multiplexed Fiber-Optic Pressure and Temperature Sensor System for Down-Hole Measurement. <i>IEEE Sensors Journal</i> , 2008, 8, 1879-1883.	4.7	68
35	Scanning white-light interferometer for measurement of the thickness of a transparent oil film on water. <i>Applied Optics</i> , 2005, 44, 5202.	2.1	31
36	Spatial resolution enhancement of fiber-optic scanning white-light interferometer by use of a Vernier principle. <i>Applied Optics</i> , 2003, 42, 4431.	2.1	1

#	ARTICLE	IF	CITATIONS
37	Design of high-sensitivity photoelastic optical fiber pressure sensor: a differential approach. IEEE Photonics Technology Letters, 1997, 9, 976-978.	2.5	2
38	Absolute Deformation Measurement Using Fiber-Optic White Light Interferometer with Two Broad-Band Sources. , 0, , 415-422.		0