

Eduardo Munoz

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1666691/eduardo-munoz-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

201
papers

6,471
citations

45
h-index

68
g-index

221
ext. papers

7,365
ext. citations

5.4
avg. IF

5.5
L-index

#	Paper	IF	Citations
201	Phytocannabinoids: a unified critical inventory. <i>Natural Product Reports</i> , 2016 , 33, 1357-1392	15.1	359
200	Inhibition of dipeptidyl aminopeptidase IV (DP-IV) by Xaa-boroPro dipeptides and use of these inhibitors to examine the role of DP-IV in T-cell function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 1556-9	11.5	161
199	Resveratrol potently reduces prostaglandin E2 production and free radical formation in lipopolysaccharide-activated primary rat microglia. <i>Journal of Neuroinflammation</i> , 2007 , 4, 25	10.1	156
198	Selective induction of apoptosis by capsaicin in transformed cells: the role of reactive oxygen species and calcium. <i>Cell Death and Differentiation</i> , 1999 , 6, 155-65	12.7	142
197	Caffeic acid phenethyl ester inhibits T-cell activation by targeting both nuclear factor of activated T-cells and NF-kappaB transcription factors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004 , 308, 993-1001	4.7	123
196	Bryostatin-1 for latent virus reactivation in HIV-infected patients on antiretroviral therapy. <i>Aids</i> , 2016 , 30, 1385-92	3.5	118
195	Immunosuppressive activity of capsaicinoids: capsiate derived from sweet peppers inhibits NF-kappaB activation and is a potent antiinflammatory compound in vivo. <i>European Journal of Immunology</i> , 2002 , 32, 1753-63	6.1	117
194	Human immunodeficiency virus 1 Tat binds to dipeptidyl aminopeptidase IV (CD26): a possible mechanism for TatQ immunosuppressive activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 6594-8	11.5	116
193	Arzanol, an anti-inflammatory and anti-HIV-1 phloroglucinol alpha-Pyrone from <i>Helichrysum italicum</i> ssp. <i>microphyllum</i> . <i>Journal of Natural Products</i> , 2007 , 70, 608-12	4.9	115
192	Anandamide inhibits nuclear factor-kappaB activation through a cannabinoid receptor-independent pathway. <i>Molecular Pharmacology</i> , 2003 , 63, 429-38	4.3	101
191	Anti-inflammatory activity of flavonoids from <i>Eupatorium arnotianum</i> . <i>Journal of Ethnopharmacology</i> , 2007 , 112, 585-9	5	100
190	Imperatorin inhibits HIV-1 replication through an Sp1-dependent pathway. <i>Journal of Biological Chemistry</i> , 2004 , 279, 37349-59	5.4	97
189	Transcriptional regulation of the gene encoding the human C-type lectin leukocyte receptor AIM/CD69 and functional characterization of its tumor necrosis factor-alpha-responsive elements. <i>Journal of Biological Chemistry</i> , 1995 , 270, 21545-51	5.4	96
188	Bryostatin-1 synergizes with histone deacetylase inhibitors to reactivate HIV-1 from latency. <i>Current HIV Research</i> , 2010 , 8, 418-29	1.3	94
187	A cannabigerol quinone alleviates neuroinflammation in a chronic model of multiple sclerosis. <i>Journal of NeuroImmune Pharmacology</i> , 2012 , 7, 1002-16	6.9	87
186	Involvement of mitochondria and caspase-3 in ET-18-OCH(3)-induced apoptosis of human leukemic cells. <i>International Journal of Cancer</i> , 2000 , 86, 208-18	7.5	86
185	Intensification of antiretroviral therapy with a CCR5 antagonist in patients with chronic HIV-1 infection: effect on T cells latently infected. <i>PLoS ONE</i> , 2011 , 6, e27864	3.7	79

184	Incensole acetate, a novel anti-inflammatory compound isolated from <i>Boswellia</i> resin, inhibits nuclear factor-kappa B activation. <i>Molecular Pharmacology</i> , 2007 , 72, 1657-64	4.3	73
183	The 5-HT ₃ receptor antagonist tropisetron inhibits T cell activation by targeting the calcineurin pathway. <i>Biochemical Pharmacology</i> , 2005 , 70, 369-80	6	73
182	Non-pungent capsaicinoids from sweet pepper synthesis and evaluation of the chemopreventive and anticancer potential. <i>European Journal of Nutrition</i> , 2003 , 42, 2-9	5.2	71
181	Galiellalactone is a direct inhibitor of the transcription factor STAT3 in prostate cancer cells. <i>Journal of Biological Chemistry</i> , 2014 , 289, 15969-78	5.4	70
180	Tetrahydrocannabinolic acid is a potent PPAR α agonist with neuroprotective activity. <i>British Journal of Pharmacology</i> , 2017 , 174, 4263-4276	8.6	69
179	Neuroprotective properties of cannabigerol in Huntington's disease: studies in R6/2 mice and 3-nitropropionate-lesioned mice. <i>Neurotherapeutics</i> , 2015 , 12, 185-99	6.4	68
178	Differential effects of phorbol-13-monoesters on human immunodeficiency virus reactivation. <i>Biochemical Pharmacology</i> , 2008 , 75, 1370-80	6	67
177	The effect of intensification with raltegravir on the HIV-1 reservoir of latently infected memory CD4 T cells in suppressed patients. <i>Aids</i> , 2012 , 26, 1885-94	3.5	64
176	4-Phenylcoumarins as HIV transcription inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005 , 15, 4447-50	2.9	60
175	New glycosides from <i>Capsicum annum</i> L. var. <i>acuminatum</i> . Isolation, structure determination, and biological activity. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 2022-9	5.7	60
174	Antiinflammatory effects of 5-HT ₃ receptor antagonists in lipopolysaccharide-stimulated primary human monocytes. <i>Scandinavian Journal of Rheumatology</i> , 2004 , 33, 28-32	1.9	58
173	Susceptibility of HIV-1-TAT transfected cells to undergo apoptosis. Biochemical mechanisms. <i>Oncogene</i> , 1999 , 18, 7543-51	9.2	57
172	Cannabidiol induces antioxidant pathways in keratinocytes by targeting BACH1. <i>Redox Biology</i> , 2020 , 28, 101321	11.3	57
171	3-Phenylcoumarins as inhibitors of HIV-1 replication. <i>Molecules</i> , 2012 , 17, 9245-57	4.8	56
170	Denbinobin inhibits nuclear factor-kappaB and induces apoptosis via reactive oxygen species generation in human leukemic cells. <i>Biochemical Pharmacology</i> , 2009 , 77, 1401-9	6	55
169	Solution- and solid-phase synthesis and anti-HIV activity of maslinic acid derivatives containing amino acids and peptides. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 1139-45	3.4	54
168	Incensole acetate: a novel neuroprotective agent isolated from <i>Boswellia carterii</i> . <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 1341-52	7.3	54
167	Immunosuppressive activity of endovanilloids: N-arachidonoyl-dopamine inhibits activation of the NF-kappa B, NFAT, and activator protein 1 signaling pathways. <i>Journal of Immunology</i> , 2004 , 172, 2341-51	5.3	52

166	Mesulol, a natural occurring 4-phenylcoumarin, inhibits HIV-1 replication by targeting the NF-kappaB pathway. <i>Antiviral Research</i> , 2005 , 66, 137-45	10.8	51
165	The cannabinoid quinol VCE-004.8 alleviates bleomycin-induced scleroderma and exerts potent antifibrotic effects through peroxisome proliferator-activated receptor- α and CB2 pathways. <i>Scientific Reports</i> , 2016 , 6, 21703	4.9	50
164	Bioactive prenylogous cannabinoid from fiber hemp (<i>Cannabis sativa</i>). <i>Journal of Natural Products</i> , 2011 , 74, 2019-22	4.9	49
163	SJ23B, a jatrophone diterpene activates classical PKCs and displays strong activity against HIV in vitro. <i>Biochemical Pharmacology</i> , 2009 , 77, 965-78	6	49
162	Bryostatins activate HIV-1 latent expression in human astrocytes through a PKC and NF- κ B-dependent mechanism. <i>Scientific Reports</i> , 2015 , 5, 12442	4.9	47
161	Interleukin-1 induces protein tyrosine phosphorylation in T cells. <i>European Journal of Immunology</i> , 1992 , 22, 1391-6	6.1	47
160	SAR studies on curcumin@ pro-inflammatory targets: discovery of prenylated pyrazolocurcuminoids as potent and selective novel inhibitors of 5-lipoxygenase. <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 5638-48	8.3	46
159	VCE-003.2, a novel cannabigerol derivative, enhances neuronal progenitor cell survival and alleviates symptomatology in murine models of Huntington@ disease. <i>Scientific Reports</i> , 2016 , 6, 29789	4.9	45
158	A cannabigerol derivative suppresses immune responses and protects mice from experimental autoimmune encephalomyelitis. <i>PLoS ONE</i> , 2014 , 9, e94733	3.7	45
157	Physalins from <i>Witheringia solanacea</i> as modulators of the NF-kappaB cascade. <i>Journal of Natural Products</i> , 2006 , 69, 328-31	4.9	45
156	Clavaminols A-F, novel cytotoxic 2-amino-3-alkanols from the ascidian <i>Clavelina phlegraea</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 2920-6	3.4	44
155	Effects of the cyclooxygenase-2 inhibitor nimesulide on cerebral infarction and neurological deficits induced by permanent middle cerebral artery occlusion in the rat. <i>Journal of Neuroinflammation</i> , 2005 , 2, 3	10.1	44
154	Antitumor effects of two novel naturally occurring terpene quinones isolated from the Mediterranean ascidian <i>Aplidium conicum</i> . <i>Journal of Medicinal Chemistry</i> , 2005 , 48, 3410-6	8.3	44
153	Coumarins from <i>Opopanax chironium</i> . New dihydrofuranocoumarins and differential induction of apoptosis by imperatorin and heraclenin. <i>Journal of Natural Products</i> , 2004 , 67, 532-6	4.9	44
152	Mutual regulation between SIAH2 and DYRK2 controls hypoxic and genotoxic signaling pathways. <i>Journal of Molecular Cell Biology</i> , 2012 , 4, 316-30	6.3	43
151	Molecular targets of the antiinflammatory <i>Harpagophytum procumbens</i> (devil@ claw): inhibition of TNF@ and COX-2 gene expression by preventing activation of AP-1. <i>Phytotherapy Research</i> , 2012 , 26, 806-11	6.7	42
150	Involvement of reactive oxygen species in capsaicinoid-induced apoptosis in transformed cells. <i>Free Radical Research</i> , 2003 , 37, 611-9	4	42
149	Phorboid 20-homovanillates induce apoptosis through a VR1-independent mechanism. <i>Chemistry and Biology</i> , 2000 , 7, 483-92		42

148	Clavaminols GN , six new marine sphingoids from the Mediterranean ascidian <i>Clavelina phlegraea</i> . <i>Tetrahedron</i> , 2009 , 65, 4384-4388	2.4	41
147	Role of ascorbate in the activation of NF-kappaB by tumour necrosis factor-alpha in T-cells. <i>Biochemical Journal</i> , 1997 , 325 (Pt 1), 23-8	3.8	41
146	Anti-HIV activity of stilbene-related heterocyclic compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 4075-9	2.9	41
145	Calcium ionophoretic and apoptotic effects of ferutinin in the human Jurkat T-cell line. <i>Biochemical Pharmacology</i> , 2004 , 68, 875-83	6	41
144	Dendrimers as topical microbicides with activity against HIV. <i>New Journal of Chemistry</i> , 2012 , 36, 299-309.6	3.6	40
143	Dissecting the pharmacophore of curcumin. Which structural element is critical for which action?. <i>Journal of Natural Products</i> , 2013 , 76, 1105-12	4.9	40
142	Induction of apoptosis in human mitogen-activated peripheral blood T-lymphocytes by the ether phospholipid ET-18-OCH3: involvement of the Fas receptor/ligand system. <i>British Journal of Pharmacology</i> , 1999 , 127, 813-25	8.6	40
141	Vanilloid receptor-1 regulates neurogenic inflammation in colon and protects mice from colon cancer. <i>Cancer Research</i> , 2012 , 72, 1705-16	10.1	39
140	A meroterpenoid NF-kappaB inhibitor and drimane sesquiterpenoids from <i>Asafetida</i> . <i>Journal of Natural Products</i> , 2006 , 69, 1101-4	4.9	39
139	The endocannabinoid system of the skin. A potential approach for the treatment of skin disorders. <i>Biochemical Pharmacology</i> , 2018 , 157, 122-133	6	38
138	In vitro anti-HIV-1 properties of ethnobotanically selected South African plants used in the treatment of sexually transmitted diseases. <i>Journal of Ethnopharmacology</i> , 2008 , 119, 478-81	5	38
137	Isolation of new phenylacetylating derivatives that reactivate HIV-1 latency and a novel spirotriterpenoid from <i>Euphorbia officinarum</i> latex. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 4577-84	3.4	38
136	Chokeberry (<i>Aronia melanocarpa</i> (Michx.) Elliot) concentrate inhibits NF- B and synergizes with selenium to inhibit the release of pro-inflammatory mediators in macrophages. <i>Phytotherapy Research</i> , 2015 , 105, 73-82	3.2	36
135	Activation of latent HIV-1 expression by protein kinase C agonists. A novel therapeutic approach to eradicate HIV-1 reservoirs. <i>Current Drug Targets</i> , 2011 , 12, 348-56	3	35
134	Effects of diterpenes from latex of <i>Euphorbia lactea</i> and <i>Euphorbia laurifolia</i> on human immunodeficiency virus type 1 reactivation. <i>Phytochemistry</i> , 2010 , 71, 243-8	4	35
133	Synergistic Activation of Latent HIV-1 Expression by Novel Histone Deacetylase Inhibitors and Bryostatins. <i>Scientific Reports</i> , 2015 , 5, 16445	4.9	34
132	Benefits of VCE-003.2, a cannabigerol quinone derivative, against inflammation-driven neuronal deterioration in experimental Parkinson's disease: possible involvement of different binding sites at the PPAR α receptor. <i>Journal of Neuroinflammation</i> , 2018 , 15, 19	10.1	33
131	Ingenol esters induce apoptosis in Jurkat cells through an AP-1 and NF-kappaB independent pathway. <i>Chemistry and Biology</i> , 2001 , 8, 767-78		33

130	AM404, paracetamol metabolite, prevents prostaglandin synthesis in activated microglia by inhibiting COX activity. <i>Journal of Neuroinflammation</i> , 2017 , 14, 246	10.1	32
129	Denbinobin, a naturally occurring 1,4-phenanthrenequinone, inhibits HIV-1 replication through an NF-kappaB-dependent pathway. <i>Biochemical Pharmacology</i> , 2008 , 76, 1240-50	6	32
128	Neuroprotective effects of the cannabigerol quinone derivative VCE-003.2 in SOD1 transgenic mice, an experimental model of amyotrophic lateral sclerosis. <i>Biochemical Pharmacology</i> , 2018 , 157, 217-226	6	31
127	TRPV1 (vanilloid receptor, capsaicin receptor) agonists and antagonists. <i>Expert Opinion on Therapeutic Patents</i> , 2003 , 13, 1825-1837	6.8	31
126	Hypoxia mimetic activity of VCE-004.8, a cannabidiol quinone derivative: implications for multiple sclerosis therapy. <i>Journal of Neuroinflammation</i> , 2018 , 15, 64	10.1	30
125	Identification of a functional NF-kappa B site in the platelet endothelial cell adhesion molecule-1 promoter. <i>Journal of Immunology</i> , 2000 , 164, 1372-8	5.3	30
124	Alleviation of Microglial Activation Induced by p38 MAPK/MK2/PGE Axis by Capsaicin: Potential Involvement of other than TRPV1 Mechanism/s. <i>Scientific Reports</i> , 2017 , 7, 116	4.9	29
123	Ascorbic acid enhances the inhibitory effect of aspirin on neuronal cyclooxygenase-2-mediated prostaglandin E2 production. <i>Journal of Neuroimmunology</i> , 2006 , 174, 39-51	3.5	29
122	Anti-inflammatory sesquiterpene lactones from <i>Onopordum illyricum</i> L. (Asteraceae), an Italian medicinal plant. <i>Fitoterapia</i> , 2017 , 116, 61-65	3.2	28
121	Activation of NF-kappa B by the Tax protein of HTLV-1. <i>Immunobiology</i> , 1995 , 193, 128-36	3.4	28
120	Galiellalactone induces cell cycle arrest and apoptosis through the ATM/ATR pathway in prostate cancer cells. <i>Oncotarget</i> , 2016 , 7, 4490-506	3.3	28
119	Poly-Electrophilic Sesquiterpene Lactones from <i>Vernonia amygdalina</i> : New Members and Differences in Their Mechanism of Thiol Trapping and in Bioactivity. <i>Journal of Natural Products</i> , 2015 , 78, 1618-23	4.9	27
118	Opposite effects of anandamide and N-arachidonoyl dopamine in the regulation of prostaglandin E and 8-iso-PGF formation in primary glial cells. <i>Journal of Neurochemistry</i> , 2009 , 109, 452-64	6	27
117	Human papillomavirus DNA as a factor determining the survival of bladder cancer patients. <i>British Journal of Cancer</i> , 1996 , 73, 124-7	8.7	26
116	Transmission Electron Microscopy as Key Technique for the Characterization of Telocytes. <i>Current Stem Cell Research and Therapy</i> , 2016 , 11, 410-4	3.6	26
115	Turmeric Sesquiterpenoids: Expedient Resolution, Comparative Bioactivity, and a New Bicyclic Turmeronoid. <i>Journal of Natural Products</i> , 2016 , 79, 267-73	4.9	25
114	Basiliolides, a class of tetracyclic C19 dilactones from <i>Thapsia garganica</i> , release Ca(2+) from the endoplasmic reticulum and regulate the activity of the transcription factors nuclear factor of activated T cells, nuclear factor-kappaB, and activator protein 1 in T lymphocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 319, 422-30	4.7	25
113	Phenylpropanoid NF-kappaB inhibitors from <i>Bupleurum fruticosum</i> . <i>Planta Medica</i> , 2004 , 70, 914-8	3.1	25

112	The anti-inflammatory effects of the 5-HT _{2A} receptor antagonist tropisetron are mediated by the inhibition of p38 MAPK activation in primary human monocytes. <i>International Immunopharmacology</i> , 2012 , 13, 398-402	5.8	24
111	Combination of biological screening in a cellular model of viral latency and virtual screening identifies novel compounds that reactivate HIV-1. <i>Journal of Virology</i> , 2012 , 86, 3795-808	6.6	24
110	Bioguided extraction of polyphenols from grape marc by using an alternative supercritical-fluid extraction method based on a liquid solvent trap. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 378, 2021-27	4.7	24
109	An aqueous stem bark extract of <i>Mangifera indica</i> (Vimang) inhibits T cell proliferation and TNF-induced activation of nuclear transcription factor NF-kappaB. <i>Phytotherapy Research</i> , 2005 , 19, 211-5	6.7	24
108	Human immunodeficiency virus type 1 Tat increases the expression of cleavage and polyadenylation specificity factor 73-kilodalton subunit modulating cellular and viral expression. <i>Journal of Virology</i> , 2004 , 78, 6846-54	6.6	23
107	1-trichloromethyl-1,2,3,4-tetrahydro-beta-carboline-induced apoptosis in the human neuroblastoma cell line SK-N-SH. <i>Journal of Neurochemistry</i> , 2004 , 91, 263-73	6	23
106	Neuroactive and Anti-inflammatory Frankincense Cembranes: A Structure-Activity Study. <i>Journal of Natural Products</i> , 2016 , 79, 1762-8	4.9	22
105	Metabolomic profiling of human lung tumor tissues - nucleotide metabolism as a candidate for therapeutic interventions and biomarkers. <i>Molecular Oncology</i> , 2018 , 12, 1778-1796	7.9	22
104	Extracellular HIV type 1 Tat protein induces CD69 expression through NF-kappaB activation: possible correlation with cell surface Tat-binding proteins. <i>AIDS Research and Human Retroviruses</i> , 1999 , 15, 1209-18	1.6	22
103	Endogenous N-acyl-dopamines induce COX-2 expression in brain endothelial cells by stabilizing mRNA through a p38 dependent pathway. <i>Biochemical Pharmacology</i> , 2010 , 79, 1805-14	6	21
102	The CB1/VR1 agonist arvanil induces apoptosis through an FADD/caspase-8-dependent pathway. <i>British Journal of Pharmacology</i> , 2003 , 140, 1035-44	8.6	21
101	Polyomavirus enhancer-binding protein 2/core binding factor/acute myeloid leukemia factors contribute to the cell type-specific activity of the CD11a integrin gene promoter. <i>Journal of Biological Chemistry</i> , 2000 , 275, 28507-12	5.4	21
100	Cell death induced by Bothrops asper snake venom metalloproteinase on endothelial and other cell lines. <i>Experimental and Molecular Pathology</i> , 2010 , 88, 424-32	4.4	20
99	The acetaminophen-derived bioactive N-acylphenolamine AM404 inhibits NFAT by targeting nuclear regulatory events. <i>Biochemical Pharmacology</i> , 2007 , 73, 1013-23	6	20
98	The CD26 antigen is coupled to protein tyrosine phosphorylation and implicated in CD16-mediated lysis in natural killer cells. <i>Scandinavian Journal of Immunology</i> , 1993 , 37, 425-9	3.4	20
97	Biological characterization of PM226, a chromenoisoxazole, as a selective CB2 receptor agonist with neuroprotective profile. <i>Pharmacological Research</i> , 2016 , 110, 205-215	10.2	19
96	VCE-004.3, a cannabidiol aminoquinone derivative, prevents bleomycin-induced skin fibrosis and inflammation through PPAR β and CB receptor-dependent pathways. <i>British Journal of Pharmacology</i> , 2018 , 175, 3813-3831	8.6	19
95	From top to bottom: the two faces of HIPK2 for regulation of the hypoxic response. <i>Cell Cycle</i> , 2009 , 8, 1659-64	4.7	19

94	Regulation of interleukin 6 production in T helper cells. <i>International Immunology</i> , 1990 , 2, 1047-54	4.9	19
93	The Thia-Michael Reactivity of Zerumbone and Related Cross-Conjugated Dienones: Disentangling Stoichiometry, Regiochemistry, and Addition Mode with an NMR-Spectroscopy-Based Cysteamine Assay. <i>European Journal of Organic Chemistry</i> , 2015 , 2015, 3721-3726	3.2	18
92	Azorellane diterpenoids from <i>Laretia acaulis</i> inhibit nuclear factor-kappa B activity. <i>Phytotherapy Research</i> , 2007 , 21, 1082-6	6.7	18
91	Imperatorin inhibits T-cell proliferation by targeting the transcription factor NFAT. <i>Planta Medica</i> , 2004 , 70, 1016-21	3.1	18
90	Long-chain aminoalcohol and diamine derivatives induce apoptosis through a caspase-3 dependent pathway. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002 , 12, 2621-6	2.9	18
89	Control of lymphokine expression in T helper 2 cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 9461-4	11.5	18
88	Tetrahydrocannabinolic acid A (THCA-A) reduces adiposity and prevents metabolic disease caused by diet-induced obesity. <i>Biochemical Pharmacology</i> , 2020 , 171, 113693	6	18
87	The Oxidation of Phytocannabinoids to Cannabinoquinoids. <i>Journal of Natural Products</i> , 2020 , 83, 1711-1715	17.5	18
86	CHK2 stability is regulated by the E3 ubiquitin ligase SIAH2. <i>Oncogene</i> , 2016 , 35, 4289-301	9.2	17
85	Synthesis of structurally simplified analogues of aplidinone A, a pro-apoptotic marine thiazinoquinone. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 719-27	3.4	17
84	Mechanisms of HIV-1 inhibition by the lipid mediator N-arachidonoyldopamine. <i>Journal of Immunology</i> , 2005 , 175, 3990-9	5.3	17
83	Interleukin-1 induces c-fos and c-jun gene expression in T helper type II cells through different signal transmission pathways. <i>European Journal of Immunology</i> , 1992 , 22, 2101-6	6.1	17
82	Oral administration of the cannabigerol derivative VCE-003.2 promotes subventricular zone neurogenesis and protects against mutant huntingtin-induced neurodegeneration. <i>Translational Neurodegeneration</i> , 2019 , 8, 9	10.3	16
81	Tricyclic pyrazoles. Part 8. Synthesis, biological evaluation and modelling of tricyclic pyrazole carboxamides as potential CB2 receptor ligands with antagonist/inverse agonist properties. <i>European Journal of Medicinal Chemistry</i> , 2016 , 112, 66-80	6.8	16
80	The growth inhibitory activity of the <i>Cimicifuga racemosa</i> extract Ze 450 is mediated through estrogen and progesterone receptors-independent pathways. <i>Planta Medica</i> , 2006 , 72, 317-23	3.1	16
79	Polyanionic carbosilane dendrimers as a new adjuvant in combination with latency reversal agents for HIV treatment. <i>Journal of Nanobiotechnology</i> , 2019 , 17, 69	9.4	15
78	Cannabinoid derivatives acting as dual PPAR/CB2 agonists as therapeutic agents for systemic sclerosis. <i>Biochemical Pharmacology</i> , 2019 , 163, 321-334	6	15
77	Development of An Oral Treatment with the PPAR-Acting Cannabinoid VCE-003.2 Against the Inflammation-Driven Neuronal Deterioration in Experimental Parkinson Disease. <i>Molecules</i> , 2019 , 24,	4.8	15

76	Pseudoephedrine inhibits T-cell activation by targeting NF- κ B, NFAT and AP-1 signaling pathways. <i>Immunopharmacology and Immunotoxicology</i> , 2012 , 34, 98-106	3.2	15
75	Iodinated N-acylvanillamines: potential "multiple-target" anti-inflammatory agents acting via the inhibition of t-cell activation and antagonism at vanilloid TRPV1 channels. <i>Molecular Pharmacology</i> , 2006 , 69, 1373-82	4.3	15
74	Nuclear factor-kappa B activity in T cells from patients with rheumatic diseases: a preliminary report. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 738-41	2.4	14
73	AM404 inhibits NFAT and NF- κ B signaling pathways and impairs migration and invasiveness of neuroblastoma cells. <i>European Journal of Pharmacology</i> , 2015 , 746, 221-32	5.3	13
72	EHP-101, an oral formulation of the cannabidiol aminoquinone VCE-004.8, alleviates bleomycin-induced skin and lung fibrosis. <i>Biochemical Pharmacology</i> , 2018 , 157, 304-313	6	13
71	STAT-3 inhibitory bisabolanes from <i>Carthamus glaucus</i> . <i>Journal of Natural Products</i> , 2012 , 75, 453-8	4.9	13
70	A cardiac glucoside with in vitro anti-HIV activity isolated from <i>Elaeodendron croceum</i> . <i>Natural Product Research</i> , 2010 , 24, 1743-6	2.3	13
69	Anti-HIV activity of some synthetic lignanolides and intermediates. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 4483-6	2.9	13
68	Hydroxyurea inhibits the transactivation of the HIV-long-terminal repeat (LTR) promoter. <i>Clinical and Experimental Immunology</i> , 2000 , 120, 317-23	6.2	13
67	The Expression of the Ubiquitin Ligase SIAH2 (Seven In Absentia Homolog 2) Is Increased in Human Lung Cancer. <i>PLoS ONE</i> , 2015 , 10, e0143376	3.7	12
66	Cellular redox state and activating protein-1 are involved in ascorbate effect on calcitriol-induced differentiation. <i>Protoplasma</i> , 2001 , 217, 129-36	3.4	12
65	SWATH proteomic profiling of prostate cancer cells identifies NUSAP1 as a potential molecular target for Galiellalactone. <i>Journal of Proteomics</i> , 2019 , 193, 217-229	3.9	12
64	Updating dual-specificity tyrosine-phosphorylation-regulated kinase 2 (DYRK2): molecular basis, functions and role in diseases. <i>Cellular and Molecular Life Sciences</i> , 2020 , 77, 4747-4763	10.3	11
63	The fungal metabolite galiellalactone interferes with the nuclear import of NF- κ B and inhibits HIV-1 replication. <i>Chemico-Biological Interactions</i> , 2014 , 214, 69-76	5	11
62	Inhibition of NF-kappaB activation and expression of inflammatory mediators by polyacetylene spiroketals from <i>Plagius flosculosus</i> . <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2005 , 1729, 88-93		11
61	Phosphorylation-dependent regulation of the NOTCH1 intracellular domain by dual-specificity tyrosine-regulated kinase 2. <i>Cellular and Molecular Life Sciences</i> , 2020 , 77, 2621-2639	10.3	11
60	Cannabichromene. <i>Natural Product Communications</i> , 2018 , 13, 1934578X1801300	0.9	11
59	G1-S4 or G2-S16 carbosilane dendrimer in combination with Platycodin D as a promising vaginal microbicide candidate with contraceptive activity. <i>International Journal of Nanomedicine</i> , 2019 , 14, 2371-2381	7.3	10

58	Antiretroviral drugs do not interfere with bryostatin-mediated HIV-1 latency reversal. <i>Antiviral Research</i> , 2015 , 123, 163-71	10.8	10
57	One-Pot Total Synthesis of Cannabinol via Iodine-Mediated Deconstructive Annulation. <i>Organic Letters</i> , 2019 , 21, 6122-6125	6.2	10
56	c-Myc inhibits CD11a and CD11c leukocyte integrin promoters. <i>European Journal of Immunology</i> , 2000 , 30, 2465-71	6.1	10
55	Bioactive triterpenoids from the caffeine-rich plants guayusa and maté. <i>Food Research International</i> , 2019 , 115, 504-510	7	10
54	VCE-004.8, A Multitarget Cannabinoquinone, Attenuates Adipogenesis and Prevents Diet-Induced Obesity. <i>Scientific Reports</i> , 2018 , 8, 16092	4.9	10
53	Δ ⁹ -Tetrahydrocannabinolic acid alleviates collagen-induced arthritis: Role of PPAR α and CB 1 receptors. <i>British Journal of Pharmacology</i> , 2020 , 177, 4034-4054	8.6	9
52	Hypoximimetic activity of N-acyl-dopamines. N-arachidonoyl-dopamine stabilizes HIF-1 β protein through a SIAH2-dependent pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014 , 1843, 2730-43	4.9	9
51	Autoregulatory control of the p53 response by Siah1-L-mediated HIPK2 degradation. <i>Biological Chemistry</i> , 2009 , 390, 1079-83	4.5	9
50	Detrimental effects of tropisetron on permanent ischemic stroke in the rat. <i>BMC Neuroscience</i> , 2008 , 9, 19	3.2	9
49	Isomeric O-methyl cannabidiolquinones with dual BACH1/NRF2 activity. <i>Redox Biology</i> , 2020 , 37, 101689	11.3	9
48	Effects of EHP-101 on inflammation and remyelination in murine models of Multiple sclerosis. <i>Neurobiology of Disease</i> , 2020 , 143, 104994	7.5	8
47	Immunomodulatory and Inhibitory Effect of Immulina, and Immunloges in the Ig-E Mediated Activation of RBL-2H3 Cells. A New Role in Allergic Inflammatory Responses. <i>Plants</i> , 2018 , 7,	4.5	8
46	Synthesis and biological evaluation of 12-aminoacylphorboids. <i>Journal of Natural Products</i> , 2010 , 73, 447-51	4.9	8
45	Bioactive alkenylphenols from Piper obliquum. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 4120-6	3.4	8
44	Betulinic acid hydroxamate prevents colonic inflammation and fibrosis in murine models of inflammatory bowel disease. <i>Acta Pharmacologica Sinica</i> , 2021 , 42, 1124-1138	8	8
43	Synthesis of poinsettifolin A. <i>Tetrahedron</i> , 2014 , 70, 9052-9056	2.4	7
42	Electrophilic Triterpenoid Enones: A Comparative Thiol-Trapping and Bioactivity Study. <i>Journal of Natural Products</i> , 2017 , 80, 2276-2283	4.9	7
41	Anti-Tat and anti-HIV activities of trimers of n-alkylglycines. <i>Biochemical Pharmacology</i> , 2006 , 71, 596-604	6	7

40	Levels of HBV-DNA and HBsAg after acute liver allograft rejection treatment by corticoids and OKT3. <i>Clinical Transplantation</i> , 2000 , 14, 208-11	3.8	7
39	Triterpenoid Hydroxamates as HIF Prolyl Hydrolase Inhibitors. <i>Journal of Natural Products</i> , 2018 , 81, 2235-2243	4.3	3
38	Production of functional active human growth factors in insects used as living biofactories. <i>Journal of Biotechnology</i> , 2014 , 184, 229-39	3.7	6
37	Neoflavonoids as Inhibitors of HIV-1 Replication by Targeting the Tat and NF-B Pathways. <i>Molecules</i> , 2017 , 22,	4.8	6
36	Neuroprotection with the cannabigerol quinone derivative VCE-003.2 and its analogs CBGA-Q and CBGA-Q-Salt in Parkinson disease using 6-hydroxydopamine-lesioned mice. <i>Molecular and Cellular Neurosciences</i> , 2021 , 110, 103583	4.8	6
35	Structure-Effect Relationships of Novel Semi-Synthetic Cannabinoid Derivatives. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1284	5.6	5
34	The 73 kDa subunit of the CPSF complex binds to the HIV-1 LTR promoter and functions as a negative regulatory factor that is inhibited by the HIV-1 Tat protein. <i>Journal of Molecular Biology</i> , 2007 , 372, 317-30	6.5	5
33	Δ^9 -Tetrahydrocannabinolic Acid markedly alleviates liver fibrosis and inflammation in mice. <i>Phytomedicine</i> , 2021 , 81, 153426	6.5	5
32	O-Methyl Phytocannabinoids: Semi-synthesis, Analysis in Cannabis Flowerheads, and Biological Activity. <i>Planta Medica</i> , 2019 , 85, 981-986	3.1	4
31	Clinoptilolite in Dextran Sulphate Sodium-Induced Murine Colitis: Efficacy and Safety of a Microparticulate Preparation. <i>Inflammatory Bowel Diseases</i> , 2017 , 24, 54-66	4.5	4
30	HIV-1-Tat potentiates CXCL12/stromal cell-derived factor 1-induced downregulation of membrane CXCR4 in T lymphocytes through protein kinase C zeta. <i>Molecular Immunology</i> , 2008 , 46, 106-15	4.3	4
29	A prenylbisabolane with NF-kappaB inhibiting properties from Cascarilla (<i>Croton eluteria</i>). <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 4238-42	3.4	4
28	Tyrosine protein phosphorylation is required for protein kinase C-mediated proliferation in T cells. <i>FEBS Letters</i> , 1991 , 279, 319-22	3.8	4
27	Cannabinoids in Metabolic Syndrome and Cardiac Fibrosis. <i>Current Hypertension Reports</i> , 2020 , 22, 98	4.7	4
26	"Photo-Rimonabant": Synthesis and Biological Evaluation of Novel Photoswitchable Molecules Derived from Rimonabant Lead to a Highly Selective and Nanomolar "-On" CBR Antagonist. <i>ACS Chemical Neuroscience</i> , 2021 , 12, 1632-1647	5.7	4
25	(+)-trans-Cannabidiol-2-hydroxy pentyl is a dual CBR antagonist/CBR agonist that prevents diabetic nephropathy in mice. <i>Pharmacological Research</i> , 2021 , 169, 105492	10.2	4
24	A versatile workflow to integrate RNA-seq genomic and transcriptomic data into mechanistic models of signaling pathways. <i>PLoS Computational Biology</i> , 2021 , 17, e1008748	5	4
23	Effect of natural and semi-synthetic cadinanes from <i>Heterotheca inuloides</i> on NF-B, Nrf2 and STAT3 signaling pathways and evaluation of their in vitro cytotoxicity in human cancer cell lines. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 3135-3147	3.4	3

22	NF- κ B activation by CD26 antigen is independent of dipeptidyl peptidase IV activity. <i>Protoplasma</i> , 1997 , 197, 26-33	3.4	3
21	Identification and characterization of a human cell line with dendritic cell features. <i>Vigiliae Christianae</i> , 1988 , 56, 77-83	0.2	3
20	Neuroprotection with the Cannabidiol Quinone Derivative VCE-004.8 (EHP-101) against 6-Hydroxydopamine in Cell and Murine Models of Parkinson's Disease. <i>Molecules</i> , 2021 , 26,	4.8	3
19	Identification of a Strigoterpenoid with Dual Nrf2 and NF- κ B Modulatory Activity. <i>ACS Medicinal Chemistry Letters</i> , 2019 , 10, 606-610	4.3	3
18	The dimerization of Δ^9 -tetrahydrocannabinolic acid A (THCA-A). <i>Acta Pharmaceutica Sinica B</i> , 2019 , 9, 1078-1083	1.9	2
17	Bryostatin Activates HIV-1 Latent Expression in Human Astrocytes through a PKC and NF- κ B-Dependent Mechanism. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, A285-A285	1.6	2
16	Preclinical Investigation in Neuroprotective Effects of the GPR55 Ligand VCE-006.1 in Experimental Models of Parkinson's Disease and Amyotrophic Lateral Sclerosis.. <i>Molecules</i> , 2021 , 26,	4.8	2
15	Anti-Inflammatory and Anti-Oxidative Effects of AM404 in IL-1 β Stimulated SK-N-SH Neuroblastoma Cells. <i>Frontiers in Pharmacology</i> , 2021 , 12, 789074	5.6	2
14	Regiodivergent Synthesis of ortho- and para-Cannabinoquinones. <i>European Journal of Organic Chemistry</i> , 2020 , 2020, 7429-7434	3.2	2
13	Betulinic Acid Hydroxamate is Neuroprotective and Induces Protein Phosphatase 2A-Dependent HIF-1 α Stabilization and Post-transcriptional Dephosphorylation of Prolyl Hydrolase 2. <i>Neurotherapeutics</i> , 2021 , 18, 1849-1861	6.4	2
12	Effect of N-acyl-dopamines on beta cell differentiation and wound healing in diabetic mice. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018 , 1865, 1539-1551	4.9	1
11	Δ^9 -Tetrahydrocannabinolic Acid markedly alleviates liver fibrosis and inflammation in murine models of chemically- and obesity-induced liver injury		1
10	Bond reactivity indices approach analysis of the [2+2] cycloaddition of jatrophane skeleton diterpenoids from <i>Euphorbia gaditana</i> Coss to tetracyclic gaditanone. <i>Phytochemistry</i> , 2020 , 180, 112519	4	1
9	Detrimental Effect of Cannabidiol on the Early Onset of Diabetic Nephropathy in Male Mice. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	1
8	Agathadiol, a labdane diterpenoid from juniper berries, is a positive allosteric modulator of CBR. <i>Phytotherapy Research</i> , 2021 , 155, 105059	3.2	0
7	EHP-101 alleviates angiotensin II-induced fibrosis and inflammation in mice. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 142, 112007	7.5	0
6	Neuroprotective Efficacy of Betulinic Acid Hydroxamate, a B55/PP2A Activator, in Acute Hypoxia-Ischemia-Induced Brain Damage in Newborn Rats.. <i>Translational Stroke Research</i> , 2022 , 1	7.8	0
5	Cannabidiol (CBD) From Non-Cannabis Plants: Myth or Reality?. <i>Natural Product Communications</i> , 2022 , 17, 1934578X2210988	0.9	0

4 Peroxisome Proliferator Activated Receptors and Cannabinoids **2017**, 671-679

3 Reactivation of Latent HIV-1 by Bryostatin-1 in the Presence of Antiretroviral Drugs. *AIDS Research and Human Retroviruses*, **2014**, 30, A285-A285 1.6

2 Targeting STAT3 in castration-resistant prostate cancer: Galiellalactone as a direct inhibitor of STAT3 in prostate cancer cells.. *Journal of Clinical Oncology*, **2014**, 32, e16065-e16065 2.2

1 The endocannabinoid system as a target for the treatment of neurological disorders **2021**, 265-290