

David Guttman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1667062/david-guttman-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

185
papers

11,989
citations

63
h-index

106
g-index

204
ext. papers

15,285
ext. citations

8.1
avg. IF

6.5
L-index

#	Paper	IF	Citations
185	Gut microbiota of healthy Canadian infants: profiles by mode of delivery and infant diet at 4 months. <i>Cmaj</i> , 2013 , 185, 385-94	3.5	604
184	Assembly and ecological function of the root microbiome across angiosperm plant species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E1157-E1165	11.5	401
183	Clonal divergence in <i>Escherichia coli</i> as a result of recombination, not mutation. <i>Science</i> , 1994 , 266, 1380-3	3.3	345
182	Evolution of the core genome of <i>Pseudomonas syringae</i> , a highly clonal, endemic plant pathogen. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 1999-2012	4.8	336
181	Impact of maternal intrapartum antibiotics, method of birth and breastfeeding on gut microbiota during the first year of life: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 983-93	3.7	328
180	Disentangling Interactions in the Microbiome: A Network Perspective. <i>Trends in Microbiology</i> , 2017 , 25, 217-228	12.4	327
179	A functional screen for the type III (Hrp) secretome of the plant pathogen <i>Pseudomonas syringae</i> . <i>Science</i> , 2002 , 295, 1722-6	33.3	326
178	The gain-of-function <i>Arabidopsis acd6</i> mutant reveals novel regulation and function of the salicylic acid signaling pathway in controlling cell death, defenses, and cell growth. <i>Plant Cell</i> , 1999 , 11, 1695-708	11.6	294
177	Gut microbial metabolism drives transformation of MSH2-deficient colon epithelial cells. <i>Cell</i> , 2014 , 158, 288-299	56.2	283
176	Association of host genome with intestinal microbial composition in a large healthy cohort. <i>Nature Genetics</i> , 2016 , 48, 1413-1417	36.3	257
175	Infant gut microbiota and food sensitization: associations in the first year of life. <i>Clinical and Experimental Allergy</i> , 2015 , 45, 632-43	4.1	237
174	Next-generation mapping of <i>Arabidopsis</i> genes. <i>Plant Journal</i> , 2011 , 67, 715-25	6.9	228
173	Lung microbiota across age and disease stage in cystic fibrosis. <i>Scientific Reports</i> , 2015 , 5, 10241	4.9	226
172	Phylogenetic characterization of virulence and resistance phenotypes of <i>Pseudomonas syringae</i> . <i>Applied and Environmental Microbiology</i> , 2005 , 71, 5182-91	4.8	208
171	Regulation of obesity-related insulin resistance with gut anti-inflammatory agents. <i>Cell Metabolism</i> , 2015 , 21, 527-42	24.6	197
170	Prophages mediate defense against phage infection through diverse mechanisms. <i>ISME Journal</i> , 2016 , 10, 2854-2866	11.9	176
169	Infant gut microbiota and the hygiene hypothesis of allergic disease: impact of household pets and siblings on microbiota composition and diversity. <i>Allergy, Asthma and Clinical Immunology</i> , 2013 , 9, 15	3.2	172

168	Seasonal community succession of the phyllosphere microbiome. <i>Molecular Plant-Microbe Interactions</i> , 2015 , 28, 274-85	3.6	166
167	Genomic analysis of the Kiwifruit pathogen <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> provides insight into the origins of an emergent plant disease. <i>PLoS Pathogens</i> , 2013 , 9, e1003503	7.6	165
166	Type III effector diversification via both pathoadaptation and horizontal transfer in response to a coevolutionary arms race. <i>PLoS Genetics</i> , 2006 , 2, e209	6	152
165	Roles of Birth Mode and Infant Gut Microbiota in Intergenerational Transmission of Overweight and Obesity From Mother to Offspring. <i>JAMA Pediatrics</i> , 2018 , 172, 368-377	8.3	144
164	An extracellular network of <i>Arabidopsis</i> leucine-rich repeat receptor kinases. <i>Nature</i> , 2018 , 553, 342-346	5.4	137
163	Microbial genome-enabled insights into plant-microorganism interactions. <i>Nature Reviews Genetics</i> , 2014 , 15, 797-813	30.1	135
162	PAMDB, a multilocus sequence typing and analysis database and website for plant-associated microbes. <i>Phytopathology</i> , 2010 , 100, 208-15	3.8	134
161	Exposure to household furry pets influences the gut microbiota of infant at 3-4 months following various birth scenarios. <i>Microbiome</i> , 2017 , 5, 40	16.6	126
160	Functional analysis of the type III effectors AvrRpt2 and AvrRpm1 of <i>Pseudomonas syringae</i> with the use of a single-copy genomic integration system. <i>Molecular Plant-Microbe Interactions</i> , 2001 , 14, 145-55	3.6	126
159	Mosaic evolution of the severe acute respiratory syndrome coronavirus. <i>Journal of Virology</i> , 2004 , 78, 76-82	6.6	122
158	Association of Exposure to Formula in the Hospital and Subsequent Infant Feeding Practices With Gut Microbiota and Risk of Overweight in the First Year of Life. <i>JAMA Pediatrics</i> , 2018 , 172, e181161	8.3	121
157	The <i>Arabidopsis</i> ZED1 pseudokinase is required for ZAR1-mediated immunity induced by the <i>Pseudomonas syringae</i> type III effector HopZ1a. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 18722-7	11.5	121
156	An X-linked gene with a degenerate Y-linked homologue in a dioecious plant. <i>Nature</i> , 1998 , 393, 263-6	50.4	120
155	Evolutionary and structural analyses of SARS-CoV-2 D614G spike protein mutation now documented worldwide. <i>Scientific Reports</i> , 2020 , 10, 14031	4.9	120
154	Proposed guidelines for a unified nomenclature and phylogenetic analysis of type III Hop effector proteins in the plant pathogen <i>Pseudomonas syringae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2005 , 18, 275-82	3.6	119
153	Comparative genomics of host-specific virulence in <i>Pseudomonas syringae</i> . <i>Genetics</i> , 2006 , 174, 1041-56	4	117
152	A bacterial acetyltransferase destroys plant microtubule networks and blocks secretion. <i>PLoS Pathogens</i> , 2012 , 8, e1002523	7.6	116
151	Oral Vancomycin Followed by Fecal Transplantation Versus Tapering Oral Vancomycin Treatment for Recurrent <i>Clostridium difficile</i> Infection: An Open-Label, Randomized Controlled Trial. <i>Clinical Infectious Diseases</i> , 2017 , 64, 265-271	11.6	110

150	Population genomics of bacterial host adaptation. <i>Nature Reviews Genetics</i> , 2018 , 19, 549-565	30.1	105
149	Allele-specific virulence attenuation of the <i>Pseudomonas syringae</i> HopZ1a type III effector via the <i>Arabidopsis</i> ZAR1 resistance protein. <i>PLoS Genetics</i> , 2010 , 6, e1000894	6	103
148	<i>Pseudomonas syringae</i> pv. <i>actinidiae</i> (PSA) isolates from recent bacterial canker of kiwifruit outbreaks belong to the same genetic lineage. <i>PLoS ONE</i> , 2012 , 7, e36518	3.7	102
147	NIN-like protein 8 is a master regulator of nitrate-promoted seed germination in <i>Arabidopsis</i> . <i>Nature Communications</i> , 2016 , 7, 13179	17.4	95
146	Terminal reassortment drives the quantum evolution of type III effectors in bacterial pathogens. <i>PLoS Pathogens</i> , 2006 , 2, e104	7.6	94
145	Detecting selective sweeps in naturally occurring <i>Escherichia coli</i> . <i>Genetics</i> , 1994 , 138, 993-1003	4	93
144	Transcriptomic responses of the softwood-degrading white-rot fungus <i>Phanerochaete carnosae</i> during growth on coniferous and deciduous wood. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 3211-8	4.8	92
143	Evolution of the type III secretion system and its effectors in plant-microbe interactions. <i>New Phytologist</i> , 2008 , 177, 33-47	9.8	92
142	Diverse evolutionary mechanisms shape the type III effector virulence factor repertoire in the plant pathogen <i>Pseudomonas syringae</i> . <i>Genetics</i> , 2004 , 167, 1341-60	4	90
141	Tri6 is a global transcription regulator in the phytopathogen <i>Fusarium graminearum</i> . <i>PLoS Pathogens</i> , 2011 , 7, e1002266	7.6	85
140	Selective Sweeps and Parallel Pathoadaptation Drive <i>Pseudomonas aeruginosa</i> Evolution in the Cystic Fibrosis Lung. <i>MBio</i> , 2015 , 6, e00981-15	7.8	83
139	Comparison of Co-housing and Littermate Methods for Microbiota Standardization in Mouse Models. <i>Cell Reports</i> , 2019 , 27, 1910-1919.e2	10.6	80
138	Host-pathogen interplay and the evolution of bacterial effectors. <i>Cellular Microbiology</i> , 2008 , 10, 285-92	3.9	79
137	<i>Clostridioides Difficile</i> Colonization Is Differentially Associated with Gut Microbiota Composition in Breastfed versus Formula Fed Infants (OR01-02-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	78
136	Bioinformatics-enabled identification of the HrpL regulon and type III secretion system effector proteins of <i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> 1448A. <i>Molecular Plant-Microbe Interactions</i> , 2006 , 19, 1193-206	3.6	77
135	Evolution of plant pathogenesis in <i>Pseudomonas syringae</i> : a genomics perspective. <i>Annual Review of Phytopathology</i> , 2011 , 49, 269-89	10.8	76
134	The HopZ family of <i>Pseudomonas syringae</i> type III effectors require myristoylation for virulence and avirulence functions in <i>Arabidopsis thaliana</i> . <i>Journal of Bacteriology</i> , 2008 , 190, 2880-91	3.5	76
133	Neutral genomic microevolution of a recently emerged pathogen, <i>Salmonella enterica</i> serovar Agona. <i>PLoS Genetics</i> , 2013 , 9, e1003471	6	75

132	Pseudomonas syringae strains naturally lacking the classical P. syringae hrp/hrc Locus are common leaf colonizers equipped with an atypical type III secretion system. <i>Molecular Plant-Microbe Interactions</i> , 2010 , 23, 198-210	3.6	74
131	Identification of innate immunity elicitors using molecular signatures of natural selection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 4215-20	11.5	73
130	Evolution, genomics and epidemiology of Pseudomonas syringae: Challenges in Bacterial Molecular Plant Pathology. <i>Molecular Plant Pathology</i> , 2017 , 18, 152-168	5.7	71
129	The pan-genome effector-triggered immunity landscape of a host-pathogen interaction. <i>Science</i> , 2020 , 367, 763-768	33.3	70
128	Gut-associated IgA immune cells regulate obesity-related insulin resistance. <i>Nature Communications</i> , 2019 , 10, 3650	17.4	70
127	Multiple infections of Ixodes scapularis ticks by Borrelia burgdorferi as revealed by single-strand conformation polymorphism analysis. <i>Journal of Clinical Microbiology</i> , 1996 , 34, 652-6	9.7	70
126	Complete sequence and evolutionary genomic analysis of the Pseudomonas aeruginosa transposable bacteriophage D3112. <i>Journal of Bacteriology</i> , 2004 , 186, 400-10	3.5	69
125	interaction with biofilm enhances tobramycin resistance. <i>Npj Biofilms and Microbiomes</i> , 2017 , 3, 25	8.2	67
124	Characterization of the gut-associated microbiome in inflammatory pouch complications following ileal pouch-anal anastomosis. <i>PLoS ONE</i> , 2013 , 8, e66934	3.7	63
123	Evolution of prokaryotic and eukaryotic virulence effectors. <i>Current Opinion in Plant Biology</i> , 2008 , 11, 412-9	9.9	63
122	Diversifying selection drives the evolution of the type III secretion system pilus of Pseudomonas syringae. <i>Molecular Biology and Evolution</i> , 2006 , 23, 2342-54	8.3	63
121	Expanded type III effector recognition by the ZAR1 NLR protein using ZED1-related kinases. <i>Nature Plants</i> , 2017 , 3, 17027	11.5	62
120	NKT Cell-Deficient Mice Harbor an Altered Microbiota That Fuels Intestinal Inflammation during Chemically Induced Colitis. <i>Journal of Immunology</i> , 2016 , 197, 4464-4472	5.3	62
119	Phenotypic diversity within a Pseudomonas aeruginosa population infecting an adult with cystic fibrosis. <i>Scientific Reports</i> , 2015 , 5, 10932	4.9	60
118	The YopJ superfamily in plant-associated bacteria. <i>Molecular Plant Pathology</i> , 2011 , 12, 928-37	5.7	59
117	Disruption of the murine Glp2r impairs Paneth cell function and increases susceptibility to small bowel enteritis. <i>Endocrinology</i> , 2012 , 153, 1141-51	4.8	59
116	Determinants of divergent adaptation and Dobzhansky-Muller interaction in experimental yeast populations. <i>Current Biology</i> , 2010 , 20, 1383-8	6.3	58
115	Quantitative Interactor Screening with next-generation Sequencing (QIS-Seq) identifies Arabidopsis thaliana MLO2 as a target of the Pseudomonas syringae type III effector HopZ2. <i>BMC Genomics</i> , 2012 , 13, 8	4.5	56

114	Global Analysis of the Fungal Microbiome in Cystic Fibrosis Patients Reveals Loss of Function of the Transcriptional Repressor Nrg1 as a Mechanism of Pathogen Adaptation. <i>PLoS Pathogens</i> , 2015 , 11, e10015308	7.6	54
113	Navigating social and ethical challenges of biobanking for human microbiome research. <i>BMC Medical Ethics</i> , 2017 , 18, 1	2.9	53
112	Using a commercial DiversiLab semiautomated repetitive sequence-based PCR typing technique for identification of Escherichia coli clone ST131 producing CTX-M-15. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 1212-5	9.7	53
111	Increased Intestinal Permeability Is Associated With Later Development of Crohn's Disease. <i>Gastroenterology</i> , 2020 , 159, 2092-2100.e5	13.3	53
110	The targeting of plant cellular systems by injected type III effector proteins. <i>Seminars in Cell and Developmental Biology</i> , 2009 , 20, 1055-63	7.5	52
109	Metabolic Reprogramming by Hexosamine Biosynthetic and Golgi N-Glycan Branching Pathways. <i>Scientific Reports</i> , 2016 , 6, 23043	4.9	52
108	Cesarean Section, Formula Feeding, and Infant Antibiotic Exposure: Separate and Combined Impacts on Gut Microbial Changes in Later Infancy. <i>Frontiers in Pediatrics</i> , 2017 , 5, 200	3.4	50
107	Genomic screens identify a new phytobacterial microbe-associated molecular pattern and the cognate Arabidopsis receptor-like kinase that mediates its immune elicitation. <i>Genome Biology</i> , 2016 , 17, 98	18.3	48
106	Recombination of ecologically and evolutionarily significant loci maintains genetic cohesion in the Pseudomonas syringae species complex. <i>Genome Biology</i> , 2019 , 20, 3	18.3	45
105	Molecular Evolution of Type III Secreted Effector Proteins. <i>Frontiers in Plant Science</i> , 2019 , 10, 418	6.2	44
104	The Pseudomonas syringae type III effector HopF2 suppresses Arabidopsis stomatal immunity. <i>PLoS ONE</i> , 2014 , 9, e114921	3.7	44
103	Comparison of three typing methods for Pseudomonas aeruginosa isolates from patients with cystic fibrosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012 , 31, 3341-50	5.3	42
102	Nucleotide sequence and evolution of the five-plasmid complement of the phytopathogen Pseudomonas syringae pv. maculicola ES4326. <i>Journal of Bacteriology</i> , 2004 , 186, 5101-15	3.5	42
101	Extensive remodeling of the Pseudomonas syringae pv. avellanae type III secretome associated with two independent host shifts onto hazelnut. <i>BMC Microbiology</i> , 2012 , 12, 141	4.5	41
100	Recombination and clonality in natural populations of Escherichia coli. <i>Trends in Ecology and Evolution</i> , 1997 , 12, 16-22	10.9	41
99	Analysis of the cystic fibrosis lung microbiota via serial Illumina sequencing of bacterial 16S rRNA hypervariable regions. <i>PLoS ONE</i> , 2012 , 7, e45791	3.7	40
98	Allelic variants of the Pseudomonas syringae type III effector HopZ1 are differentially recognized by plant resistance systems. <i>Molecular Plant-Microbe Interactions</i> , 2009 , 22, 176-89	3.6	40
97	HopZ4 from Pseudomonas syringae, a member of the HopZ type III effector family from the YopJ superfamily, inhibits the proteasome in plants. <i>Molecular Plant-Microbe Interactions</i> , 2014 , 27, 611-23	3.6	38

96	Associations between bacterial communities of house dust and infant gut. <i>Environmental Research</i> , 2014 , 131, 25-30	7.9	38
95	Microbiome networks and change-point analysis reveal key community changes associated with cystic fibrosis pulmonary exacerbations. <i>Npj Biofilms and Microbiomes</i> , 2019 , 5, 4	8.2	35
94	Chloroplast sequence variation and the efficacy of peptide nucleic acids for blocking host amplification in plant microbiome studies. <i>Microbiome</i> , 2018 , 6, 144	16.6	34
93	Impact of Immunosuppression on the Metagenomic Composition of the Intestinal Microbiome: a Systems Biology Approach to Post-Transplant Diabetes. <i>Scientific Reports</i> , 2017 , 7, 10277	4.9	32
92	Peptides and small molecules of the plant-pathogen apoplastic arena. <i>Frontiers in Plant Science</i> , 2014 , 5, 677	6.2	31
91	Next-generation genomics of <i>Pseudomonas syringae</i> . <i>Current Opinion in Microbiology</i> , 2011 , 14, 24-30	7.9	30
90	Image-Based Quantification of Plant Immunity and Disease. <i>Molecular Plant-Microbe Interactions</i> , 2016 , 29, 919-924	3.6	30
89	Postnatal exposure to household disinfectants, infant gut microbiota and subsequent risk of overweight in children. <i>Cmaj</i> , 2018 , 190, E1097-E1107	3.5	29
88	HopAS1 recognition significantly contributes to Arabidopsis nonhost resistance to <i>Pseudomonas syringae</i> pathogens. <i>New Phytologist</i> , 2012 , 193, 58-66	9.8	28
87	FUT2 genotype and secretory status are not associated with fecal microbial composition and inferred function in healthy subjects. <i>Gut Microbes</i> , 2018 , 9, 357-368	8.8	27
86	Phytopathogen Genome Announcement: Draft Genome Sequences of 62 <i>Pseudomonas syringae</i> Type and Pathotype Strains. <i>Molecular Plant-Microbe Interactions</i> , 2016 , 29, 243-6	3.6	27
85	Immunomodulation by the <i>Pseudomonas syringae</i> HopZ type III effector family in Arabidopsis. <i>PLoS ONE</i> , 2014 , 9, e116152	3.7	27
84	Chronic infection phenotypes of <i>Pseudomonas aeruginosa</i> are associated with failure of eradication in children with cystic fibrosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016 , 35, 67-74	5.3	25
83	Comparative genomic analysis of multiple strains of two unusual plant pathogens: <i>Pseudomonas corrugata</i> and <i>Pseudomonas mediterranea</i> . <i>Frontiers in Microbiology</i> , 2015 , 6, 811	5.7	25
82	Elevated Temperature Differentially Influences Effector-Triggered Immunity Outputs in Arabidopsis. <i>Frontiers in Plant Science</i> , 2015 , 6, 995	6.2	25
81	Limiting oxidative DNA damage reduces microbe-induced colitis-associated colorectal cancer. <i>Nature Communications</i> , 2020 , 11, 1802	17.4	24
80	Perturbations of the ZED1 pseudokinase activate plant immunity. <i>PLoS Pathogens</i> , 2019 , 15, e1007900	7.6	23
79	Convergent evolution of phytopathogenic pseudomonads onto hazelnut. <i>Microbiology (United Kingdom)</i> , 2007 , 153, 2067-2073	2.9	23

78	Mycobiome Sequencing and Analysis Applied to Fungal Community Profiling of the Lower Respiratory Tract During Fungal Pathogenesis. <i>Frontiers in Microbiology</i> , 2019 , 10, 512	5.7	22
77	Gut microbiota diversity and atopic disease: does breast-feeding play a role?. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 247-8	11.5	20
76	Plants as models for the study of human pathogenesis. <i>Biotechnology Advances</i> , 2004 , 22, 363-82	17.8	20
75	Phytopathogen type III effectors as probes of biological systems. <i>Microbial Biotechnology</i> , 2013 , 6, 230-40.3		18
74	A phylogenomic analysis of the shikimate dehydrogenases reveals broadscale functional diversification and identifies one functionally distinct subclass. <i>Molecular Biology and Evolution</i> , 2008 , 25, 2221-32	8.3	18
73	High fecal IgA is associated with reduced <i>Clostridium difficile</i> colonization in infants. <i>Microbes and Infection</i> , 2016 , 18, 543-9	9.3	18
72	Identification and analysis of seven effector protein families with different adaptive and evolutionary histories in plant-associated members of the Xanthomonadaceae. <i>Scientific Reports</i> , 2017 , 7, 16133	4.9	17
71	Opinion: Conservation and stewardship of the human microbiome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 14312-3	11.5	16
70	Pulmonary bacterial communities in surgically resected noncystic fibrosis bronchiectasis lungs are similar to those in cystic fibrosis. <i>Pulmonary Medicine</i> , 2012 , 2012, 746358	5.3	15
69	Sex-specific impact of asthma during pregnancy on infant gut microbiota. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	15
68	Immunodiversity of the ZAR1 NLR Is Conveyed by Receptor-Like Cytoplasmic Kinase Sensors. <i>Frontiers in Plant Science</i> , 2020 , 11, 1290	6.2	15
67	Constructing and Analyzing Microbiome Networks in R. <i>Methods in Molecular Biology</i> , 2018 , 1849, 243-266.4		15
66	The HopF family of <i>Pseudomonas syringae</i> type III secreted effectors. <i>Molecular Plant Pathology</i> , 2017 , 18, 457-468	5.7	14
65	Natural environments in the urban context and gut microbiota in infants. <i>Environment International</i> , 2020 , 142, 105881	12.9	14
64	A De-Novo Genome Analysis Pipeline (DeNoGAP) for large-scale comparative prokaryotic genomics studies. <i>BMC Bioinformatics</i> , 2016 , 17, 260	3.6	14
63	Penicillin-binding protein 3 is a common adaptive target among <i>Pseudomonas aeruginosa</i> isolates from adult cystic fibrosis patients treated with β -lactams. <i>International Journal of Antimicrobial Agents</i> , 2019 , 53, 620-628	14.3	13
62	Diversification of <i>Pseudomonas aeruginosa</i> within the cystic fibrosis lung and its effects on antibiotic resistance. <i>FEMS Microbiology Letters</i> , 2018 , 365,	2.9	13
61	The rise of the undead: pseudokinases as mediators of effector-triggered immunity. <i>Plant Signaling and Behavior</i> , 2014 , 9, e27563	2.5	13

60	A High-Sensitivity, Microtiter-Based Plate Assay for Plant Pattern-Triggered Immunity. <i>Molecular Plant-Microbe Interactions</i> , 2018 , 31, 499-504	3.6	13
59	Proteomics of effector-triggered immunity (ETI) in plants. <i>Virulence</i> , 2014 , 5, 752-60	4.7	12
58	Forward chemical genetic screens in Arabidopsis identify genes that influence sensitivity to the phytotoxic compound sulfamethoxazole. <i>BMC Plant Biology</i> , 2012 , 12, 226	5.3	12
57	Ecological Succession of Polymicrobial Communities in the Cystic Fibrosis Airways. <i>MSystems</i> , 2020 , 5,	7.6	12
56	Bacteroides-dominant gut microbiome of late infancy is associated with enhanced neurodevelopment. <i>Gut Microbes</i> , 2021 , 13, 1-17	8.8	12
55	E622, a miniature, virulence-associated mobile element. <i>Journal of Bacteriology</i> , 2012 , 194, 509-17	3.5	11
54	Reductions in genetic variation in Drosophila and E. coli caused by selection at linked sites. <i>Journal of Genetics</i> , 1996 , 75, 49-61	1.2	11
53	A genome-wide association analysis reveals a potential role for recombination in the evolution of antimicrobial resistance in Burkholderia multivorans. <i>PLoS Pathogens</i> , 2018 , 14, e1007453	7.6	11
52	Analysis of Genetic Association of Intestinal Permeability in Healthy First-degree Relatives of Patients with Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 1796-1804	4.5	10
51	New and sensitive assay for determining Pseudomonas aeruginosa metallo-beta-lactamase resistance to imipenem. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 1870-2	9.7	9
50	Colonization Is Differentially Associated With Gut Microbiome Profiles by Infant Feeding Modality at 3-4 Months of Age. <i>Frontiers in Immunology</i> , 2019 , 10, 2866	8.4	9
49	Next-generation mapping of genetic mutations using bulk population sequencing. <i>Methods in Molecular Biology</i> , 2014 , 1062, 301-15	1.4	8
48	Observations on the Breeding Immigration of Wood Frogs Rana sylvatica Reintroduced in East-central Missouri. <i>American Midland Naturalist</i> , 1991 , 125, 269	0.7	8
47	Genomic and Gene-Expression Comparisons among Phage-Resistant Type-IV Pilus Mutants of Pseudomonas syringae pathovar phaseolicola. <i>PLoS ONE</i> , 2015 , 10, e0144514	3.7	8
46	Identifying Type III Secreted Effector Function via a Yeast Genomic Screen. <i>G3: Genes, Genomes, Genetics</i> , 2019 , 9, 535-547	3.2	8
45	From Birth to Overweight and Atopic Disease: Multiple and Common Pathways of the Infant Gut Microbiome. <i>Gastroenterology</i> , 2021 , 160, 128-144.e10	13.3	8
44	Design and application of a novel two-amplicon approach for defining eukaryotic microbiota. <i>Microbiome</i> , 2018 , 6, 228	16.6	8
43	Epidemiology of Clonal Pseudomonas aeruginosa Infection in a Canadian Cystic Fibrosis Population. <i>Annals of the American Thoracic Society</i> , 2018 , 15, 827-836	4.7	8

42	A practical assessment of nano-phosphate on soybean (<i>Glycine max</i>) growth and microbiome establishment. <i>Scientific Reports</i> , 2020 , 10, 9151	4.9	7
41	Structural and biochemical approaches uncover multiple evolutionary trajectories of plant quinate dehydrogenases. <i>Plant Journal</i> , 2018 , 95, 812	6.9	7
40	Recombination of ecologically and evolutionarily significant loci maintains genetic cohesion in the <i>Pseudomonas syringae</i> species complex		7
39	Transitions in oral and gut microbiome of HPV+ oropharyngeal squamous cell carcinoma following definitive chemoradiotherapy (ROMA LA-OPSCC study). <i>British Journal of Cancer</i> , 2021 , 124, 1543-1551	8.7	7
38	<i>Pseudomonas aeruginosa</i> Strain-sharing in Early Infection Among Children With Cystic Fibrosis. <i>Clinical Infectious Diseases</i> , 2021 , 73, e2521-e2528	11.6	6
37	The PCR amplification and characterization of entire <i>Pseudomonas syringae</i> hrp/hrc clusters. <i>Molecular Plant Pathology</i> , 2004 , 5, 137-40	5.7	6
36	Vitamin D supplementation in pregnancy and early infancy in relation to gut microbiota composition and colonization: implications for viral respiratory infections. <i>Gut Microbes</i> , 2020 , 12, 1799734	8.8	6
35	The ETS-ETI cycle: evolutionary processes and metapopulation dynamics driving the diversification of pathogen effectors and host immune factors. <i>Current Opinion in Plant Biology</i> , 2021 , 62, 102011	9.9	6
34	Diversity and Evolution of Type III Secreted Effectors: A Case Study of Three Families. <i>Current Topics in Microbiology and Immunology</i> , 2020 , 427, 201-230	3.3	5
33	Population genomics of Vibrionaceae isolated from an endangered oasis reveals local adaptation after an environmental perturbation. <i>BMC Genomics</i> , 2020 , 21, 418	4.5	5
32	Seeing selection in S allele sequences. <i>Current Biology</i> , 1997 , 7, R34-7	6.3	5
31	Evolutionary and structural analyses of SARS-CoV-2 D614G spike protein mutation now documented worldwide		5
30	Ethnicity Associations With Food Sensitization Are Mediated by Gut Microbiota Development in the First Year of Life. <i>Gastroenterology</i> , 2021 , 161, 94-106	13.3	5
29	Draft Genome Sequences of 10 Environmental Strains Isolated from Soils, Sediments, and Waters. <i>Genome Announcements</i> , 2017 , 5,		4
28	Topo-phylogeny: Visualizing evolutionary relationships on a topographic landscape. <i>PLoS ONE</i> , 2017 , 12, e0175895	3.7	4
27	The human microbiome. <i>Cmaj</i> , 2015 , 187, 825	3.5	3
26	Gene Slider: sequence logo interactive data-visualization for education and research. <i>Bioinformatics</i> , 2016 , 32, 3670-3672	7.2	3
25	Population Genomics of Bacteria 2010 , 121-151		3

24	Use of low-coverage, large-insert, short-read data for rapid and accurate generation of enhanced-quality draft <i>Pseudomonas</i> genome sequences. <i>PLoS ONE</i> , 2011 , 6, e27199	3.7	3
23	Micronutrient supplements can promote disruptive protozoan and fungal communities in the developing infant gut. <i>Nature Communications</i> , 2021 , 12, 6729	17.4	3
22	A High-Throughput, Seedling Screen for Plant Immunity. <i>Molecular Plant-Microbe Interactions</i> , 2020 , 33, 394-401	3.6	3
21	Assessment of Inter-Laboratory Variation in the Characterization and Analysis of the Mucosal Microbiota in Crohn's Disease and Ulcerative Colitis. <i>Frontiers in Microbiology</i> , 2020 , 11, 2028	5.7	3
20	Associations of NOD2 polymorphisms with Erysipelotrichaceae in stool of in healthy first degree relatives of Crohn's disease subjects. <i>BMC Medical Genetics</i> , 2020 , 21, 204	2.1	3
19	Accumulation of genetic variants associated with immunity in the selective breeding of broilers. <i>BMC Genetics</i> , 2020 , 21, 5	2.6	2
18	86 Association of Environmental Exposures With the Composition and Diversity of the Human Gut Microbiome in Healthy First Degree Relatives (FDR) of Crohn's Patients. <i>Gastroenterology</i> , 2016 , 150, S21-S22	13.3	2
17	Map of physical interactions between extracellular domains of Arabidopsis leucine-rich repeat receptor kinases. <i>Scientific Data</i> , 2019 , 6, 190025	8.2	2
16	The role of Psl in the failure to eradicate <i>Pseudomonas aeruginosa</i> biofilms in children with cystic fibrosis. <i>Npj Biofilms and Microbiomes</i> , 2021 , 7, 63	8.2	2
15	A Practical Guide to Quantitative Interactor Screening with Next-Generation Sequencing (QIS-Seq). <i>Methods in Molecular Biology</i> , 2017 , 1613, 1-20	1.4	1
14	The study of pattern-triggered immunity in Arabidopsis. <i>Canadian Journal of Plant Pathology</i> , 2017 , 39, 275-281	1.6	1
13	Genomic Analysis of Plant Pathogenic Bacteria 2014 , 392-418		1
12	Bacterial evolution: dynamic genomes and the power of transformation. <i>Current Biology</i> , 2009 , 19, R857-R863	6.3	1
11	Evolution of the Core Genome of <i>Pseudomonas syringae</i> , a Highly Clonal, Endemic Plant Pathogen. <i>Applied and Environmental Microbiology</i> , 2008 , 74, 1961-1961	4.8	1
10	The small molecule Zwitterin activates ZAR1-mediated immunity in. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	1
9	Population genomics of Vibrionaceae isolated from an endangered oasis reveals local adaptation after an environmental perturbation		1
8	Evaluation of digital dispense-assisted broth microdilution antimicrobial susceptibility testing for <i>Pseudomonas aeruginosa</i> isolates. <i>Scientific Reports</i> , 2021 , 11, 9157	4.9	1
7	Continuing towards optimization of bladder cancer care in Canada: Summary of the third Bladder Cancer Canada-Canadian Urological Association-Canadian Urologic Oncology Group (BCC-CUA-CUOG) bladder cancer quality of care consensus meeting. <i>Canadian Urological Association Journal</i> , 2020 , 14, E115-E125	1.2	1

6	The Impact of Migration on the Gut Metagenome of South Asian Canadians. <i>Gut Microbes</i> , 2021 , 13, 1-298.8	1
5	Characterization and predictive functional profiles on metagenomic 16S rRNA data of liver transplant recipients: A longitudinal study. <i>Clinical Transplantation</i> , 2021 , 36, e14534	3.8 ○
4	The Arabidopsis ZED1-Related Kinase Genomic Cluster Is Specifically Required for Effector-Triggered Immunity. <i>Plant Physiology</i> , 2020 , 184, 1635-1639	6.6 ○
3	RecPD: A Recombination-aware measure of phylogenetic diversity.. <i>PLoS Computational Biology</i> , 2022 , 18, e1009899	5 ○
2	The Arabidopsis effector-triggered immunity landscape is conserved in oilseed crops.. <i>Scientific Reports</i> , 2022 , 12, 6534	4.9 ○
1	Metaeffector interactions modulate the type III effector-triggered immunity load of <i>Pseudomonas syringae</i> .. <i>PLoS Pathogens</i> , 2022 , 18, e1010541	7.6 ○