

Jay D Raman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1667803/jay-d-raman-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260
papers

10,464
citations

56
h-index

95
g-index

280
ext. papers

12,348
ext. citations

3.6
avg, IF

5.98
L-index

#	Paper	IF	Citations
260	RE: Transperineal Prostate Biopsy is Associated With Lower Tissue Core Pathogen Burden Relative to Transrectal Biopsy: Mechanistic Underpinnings for Lower Infection Risk in the Transperineal Approach <i>Urology</i> , 2022 ,	1.6	
259	Intratumoral Heterogeneity Promotes Collective Cancer Invasion through NOTCH1 Variation. <i>Cells</i> , 2021 , 10,	7.9	1
258	Subtype-associated epigenomic landscape and 3D genome structure in bladder cancer. <i>Genome Biology</i> , 2021 , 22, 105	18.3	8
257	An integrated multi-omics analysis identifies prognostic molecular subtypes of non-muscle-invasive bladder cancer. <i>Nature Communications</i> , 2021 , 12, 2301	17.4	24
256	Topical antiseptic at time of transrectal ultrasound prostate biopsy is associated with fewer severe clinical infections and improves antibiotic stewardship.. <i>Prostate International</i> , 2021 , 9, 185-189	3.4	3
255	Microhematuria: AUA/SUFU Guideline. Letter. 2020; 778. <i>Journal of Urology</i> , 2021 , 205, 1533-1534	2.5	
254	Bladder Chemoprophylaxis Following Ureterorenoscopy in Patients with Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2021 ,	5.1	1
253	Widely Variable Parental Leave Practices for Urology Residency Programs in the United States. <i>Urology</i> , 2021 , 153, 81-86	1.6	2
252	Interethnic differences in the impact of body mass index on upper tract urothelial carcinoma following radical nephroureterectomy. <i>World Journal of Urology</i> , 2021 , 39, 491-500	4	1
251	Can preoperative imaging characteristics predict pT3 bladder cancer following cystectomy?. <i>World Journal of Urology</i> , 2021 , 39, 1941-1945	4	
250	Impact of the evolving United States Preventative Services Task Force policy statements on incidence and distribution of prostate cancer over 15 years in a statewide cancer registry. <i>Prostate International</i> , 2021 , 9, 12-17	3.4	3
249	Peri-operative morbidity and mortality in a modern series of patients treated with cytoreductive nephrectomy (CN) at five centers.. <i>Journal of Clinical Oncology</i> , 2021 , 39, 268-268	2.2	0
248	Predictive model for systemic recurrence following cisplatin-based neoadjuvant chemotherapy and radical nephroureterectomy for high risk upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 788.e15-788.e21	2.8	0
247	Is pelvic MRI imaging sufficient cross-sectional imaging for staging intermediate and high-risk prostate cancer?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 433.e9-433.e15	2.8	
246	The Consequences of Inadvertent Radical Nephrectomy in the Treatment of Upper Tract Urothelial Carcinoma. <i>Urology</i> , 2021 , 154, 127-135	1.6	1
245	Potential Winners and Losers: Understanding How the Oncology Care Model May Differentially Affect Hospitals. <i>JCO Oncology Practice</i> , 2021 , 17, e1150-e1161	2.3	
244	Adjuvant and ablative therapies for low-risk UTUC: avenues to enhance kidney preservation. <i>Nature Reviews Urology</i> , 2020 , 17, 433-434	5.5	

243	Hemostatic agent use during partial nephrectomy: trends, outcomes, and associated costs. <i>International Urology and Nephrology</i> , 2020 , 52, 2073-2078	2.3	0
242	Pathologic stage as a surrogate for oncologic outcomes after receipt of neoadjuvant chemotherapy for high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 933.e7-933.e12	2.8	4
241	Intraoperative prophylactic intravesical chemotherapy to reduce bladder recurrence following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 737.e11-737.e16 ⁴	2.8	4
240	Endoscopic Closure of a Large Rectovesical Fistula Following Robotic Prostatectomy. <i>Journal of Endourology Case Reports</i> , 2020 , 6, 139-142	0.3	1
239	Evaluation of PD-L1 and other immune markers in bladder urothelial carcinoma stratified by histologic variants and molecular subtypes. <i>Scientific Reports</i> , 2020 , 10, 1439	4.9	16
238	Primary chemoablation of low-grade upper tract urothelial carcinoma using UGN-101, a mitomycin-containing reverse thermal gel (OLYMPUS): an open-label, single-arm, phase 3 trial. <i>Lancet Oncology</i> , 2020 , 21, 776-785	21.7	38
237	Validation of Hyponatremia as a Prognostic Predictor in Multiregional Upper Tract Urothelial Carcinoma. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
236	Preoperative metastatic disease burden to predict overall survival following cytoreductive nephrectomy independent of IMDC risk category.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 652-652	2.2	1
235	Concordance between MRI fusion versus TRUS prostate biopsy and final pathology at radical prostatectomy: Data from the PURC.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 354-354	2.2	
234	Management of Low-grade Upper Tract Urothelial Carcinoma: An Unmet Need. <i>Reviews in Urology</i> , 2020 , 22, 1-8	1	
233	Management of Residual or Recurrent Disease Following Thermal Ablation of Renal Cortical Tumors. <i>Journal of Kidney Cancer and VHL</i> , 2020 , 7, 1-5	1.4	1
232	Histologic Heterogeneity of Extirpated Renal Cell Carcinoma Specimens: Implications for Renal Mass Biopsy. <i>Journal of Kidney Cancer and VHL</i> , 2020 , 7, 20-25	1.4	2
231	The Balance between Open and Robotic Training among Graduating Urology Residents-Does Surgical Technique Need Monitoring?. <i>Journal of Urology</i> , 2020 , 203, 996-1002	2.5	7
230	Associations between Hospital Volume and Outcomes of Robot-Assisted Radical Prostatectomy. <i>Journal of Urology</i> , 2020 , 203, 926-932	2.5	16
229	PTRF independently predicts progression and survival in multiracial upper tract urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 496-505	2.8	2
228	The Significance of Preoperative Serum Sodium and Hemoglobin in Outcomes of Upper Tract Urothelial Carcinoma: Multi-Center Analysis Between China and the United States. <i>Cancer Management and Research</i> , 2020 , 12, 9825-9836	3.6	2
227	Comparison of the Comprehensive Complication Index and Clavien-Dindo systems in predicting perioperative outcomes following radical nephroureterectomy. <i>Translational Andrology and Urology</i> , 2020 , 9, 1780-1785	2.3	2
226	Incidence and preoperative predictors for major complications following radical nephroureterectomy. <i>Translational Andrology and Urology</i> , 2020 , 9, 1786-1793	2.3	1

225	Hypermethylation of FOXA1 and allelic loss of PTEN drive squamous differentiation and promote heterogeneity in bladder cancer. <i>Oncogene</i> , 2020 , 39, 1302-1317	9.2	12
224	Adrenalectomy: should urologists not be doing more?. <i>International Urology and Nephrology</i> , 2020 , 52, 197-204	2.3	2
223	Maintenance of the bladder cancer precursor urothelial hyperplasia requires FOXA1 and persistent expression of oncogenic HRAS. <i>Scientific Reports</i> , 2019 , 9, 270	4.9	3
222	A preoperative nomogram to predict major complications after robot assisted partial nephrectomy (UroCCR-57 study). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 577.e1-577.e7	2.8	2
221	Characterization of Histone Deacetylase Expression Within In Vitro and In Vivo Bladder Cancer Model Systems. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
220	Association Between Hospitals' Risk-Adjusted Emergency Department Visits and Survival and Costs in Kidney Cancer Patients Undergoing Nephrectomy. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e650-e657	3.3	
219	Preoperative predictive model and nomogram for disease recurrence following radical nephroureterectomy for high grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 758-764	2.8	12
218	Accuracy of the NSQIP risk calculator for predicting complications following adrenalectomy. <i>International Urology and Nephrology</i> , 2019 , 51, 1291-1295	2.3	4
217	Prognostic significance of BAP1 expression in high-grade upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2019 , 37, 2419-2427	4	4
216	Repression of transcription factor AP-2 alpha by PPAR γ reveals a novel transcriptional circuit in basal-squamous bladder cancer. <i>Oncogenesis</i> , 2019 , 8, 69	6.6	11
215	Determinants of treatment in patients with stage IV renal cell carcinoma. <i>BMC Urology</i> , 2019 , 19, 123	2.2	3
214	Preoperative multiplex nomogram for prediction of high-risk nonorgan-confined upper-tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 292.e1-292.e9	2.8	21
213	Development and external validation of a pathological nodal staging score for patients with clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2019 , 37, 1631-1637	4	1
212	National trends and disparities of minimally invasive surgery for localized renal cancer, 2010 to 2015. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 182.e17-182.e27	2.8	18
211	MicroRNA Expression Profiles in Upper Tract Urothelial Carcinoma Differentiate Tumor Grade, Stage, and Survival: Implications for Clinical Decision-Making. <i>Urology</i> , 2019 , 123, 93-100	1.6	6
210	Capturing Renal Cell Carcinoma Recurrences When Asymptomatic Improves Patient Survival. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, 132-138	3.3	4
209	Intratumoral Heterogeneity of Bladder Cancer by Molecular Subtypes and Histologic Variants. <i>European Urology</i> , 2019 , 75, 18-22	10.2	100
208	Caveolin-1 Expression in Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2019 , 5, 97-103	5.1	2

207	Intracavitary therapies for upper tract urothelial carcinoma. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 487-493	3.8	7
206	Hospital volume and outcomes of robot-assisted partial nephrectomy. <i>BJU International</i> , 2018 , 121, 900-907	5.67	13
205	Impact of United States Preventive Services Task Force recommendations on prostate biopsy characteristics and disease presentation at a tertiary-care medical center. <i>Prostate International</i> , 2018 , 6, 110-114	3.4	8
204	Urothelial cancer: Optimizing and integrating cisplatin-based chemotherapy across the disease spectrum. <i>Nature Reviews Urology</i> , 2018 , 15, 139-140	5.5	2
203	Prostate magnetic resonance imaging: The truth lies in the eye of the beholder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 159.e1-159.e5	2.8	10
202	Is sarcopenia and sarcopenic obesity associated with clinical and pathological outcomes in patients undergoing radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 156.e17-156.e22	2.8	12
201	Incidence and histologic features of mixed renal tumors. <i>Journal of Surgical Oncology</i> , 2018 , 117, 430-433	3.8	1
200	Survival outcomes for patients with localised upper tract urothelial carcinoma managed with non-definitive treatment. <i>BJU International</i> , 2018 , 121, 124-129	5.6	4
199	Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2018 , 121, 252-259	5.6	41
198	Topical rectal antiseptic at time of prostate biopsy: how a resident patient safety project has evolved into institutional practice. <i>International Urology and Nephrology</i> , 2018 , 50, 1563-1568	2.3	4
197	Multi-institutional evaluation of the prognostic significance of EZH2 expression in high-grade upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 343.e1-343.e8	2.8	2
196	Predicted versus observed 30-day perioperative outcomes using the ACS NSQIP surgical risk calculator in patients undergoing partial nephrectomy for renal cell carcinoma. <i>International Urology and Nephrology</i> , 2018 , 50, 1249-1256	2.3	10
195	Androgen represses opioid growth factor receptor (OGFR) in human prostate cancer LNCaP cells and OGFR expression in human prostate cancer tissue. <i>American Journal of Clinical and Experimental Urology</i> , 2018 , 6, 164-171	1.6	5
194	Upper Urinary Tract Carcinoma In Situ 2018 , 85-95		
193	Novel transgenic knockout model of basal-squamous bladder cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 459-459	2.2	
192	Preoperative urine culture is unnecessary in asymptomatic men prior to prostate needle biopsy. <i>International Urology and Nephrology</i> , 2018 , 50, 21-24	2.3	4
191	Preoperative predictors of nonorgan-confined disease in upper-tract urothelial carcinoma differ between China and the United States. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 88.e11-88.e18	2.8	12
190	Advances in the management of upper tract urothelial carcinoma: improved endoscopic management through better diagnostics. <i>Therapeutic Advances in Urology</i> , 2018 , 10, 421-429	3.2	6

189	HER2 overexpression is associated with worse outcomes in patients with upper tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 251-259	4	16
188	Prognostic role of decreased E-cadherin expression in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 113-120	4	15
187	Prognostic factors and predictive tools for upper tract urothelial carcinoma: a systematic review. <i>World Journal of Urology</i> , 2017 , 35, 337-353	4	50
186	Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 121-130	4	25
185	Preoperative nomogram to predict the likelihood of complications after radical nephroureterectomy. <i>BJU International</i> , 2017 , 119, 268-275	5.6	16
184	Endoscopic management of upper-tract urothelial carcinoma. <i>Expert Review of Anticancer Therapy</i> , 2017 , 17, 545-554	3.5	9
183	On a FOX hunt: functions of FOX transcriptional regulators in bladder cancer. <i>Nature Reviews Urology</i> , 2017 , 14, 98-106	5.5	23
182	Serum carotenoid and retinol levels in African-Caribbean Tobagonian men with high prostate cancer risk in comparison with African-American men. <i>British Journal of Nutrition</i> , 2017 , 117, 1128-1136	3.6	3
181	An Update of the American Urological Association White Paper on the Prevention and Treatment of the More Common Complications Related to Prostate Biopsy. <i>Journal of Urology</i> , 2017 , 198, 329-334	2.5	95
180	Editorial Comment. <i>Urology</i> , 2017 , 102, 35-36	1.6	
179	Incarcerated Right Lateral Trocar-Site Hernia as a Rare Complication of Robot-Assisted Laparoscopic Prostatectomy. <i>Journal of Endourology Case Reports</i> , 2017 , 3, 155-157	0.3	3
178	Longitudinal Gender Disparity in Female Urology Resident Primary Authorship at an American Urological Association Sectional Meeting. <i>Urology</i> , 2017 , 110, 40-44	1.6	10
177	Frequency and Prognostic Value of PTEN Loss in Patients with Upper Tract Urothelial Carcinoma Treated with Radical Nephroureterectomy. <i>Journal of Urology</i> , 2017 , 198, 1269-1277	2.5	3
176	Prognostic Value of PD-1 and PD-L1 Expression in Patients with High Grade Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2017 , 198, 1253-1262	2.5	41
175	Androgen receptor expression is associated with adverse pathological features in ureteral but not in pelvicalyceal urothelial carcinomas of the upper urinary tract. <i>World Journal of Urology</i> , 2017 , 35, 943-949	4	4
174	Postoperative Nomogram for Relapse-Free Survival in Patients with High Grade Upper Tract Urothelial Carcinoma. <i>Journal of Urology</i> , 2017 , 197, 580-589	2.5	23
173	Upper Urinary Tract Carcinoma In Situ: Current Knowledge, Future Direction. <i>Journal of Urology</i> , 2017 , 197, 287-295	2.5	25
172	A Multi-Institutional Comparison of Clinicopathological Characteristics and Oncologic Outcomes of Upper Tract Urothelial Carcinoma in China and the United States. <i>Journal of Urology</i> , 2017 , 197, 1208-1213	2.5	30

171	Intravesical chemotherapy use after radical nephroureterectomy: A national survey of urologic oncologists. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 113.e1-113.e7	2.8	16
170	Altered Expression of the Transcription Factor Forkhead Box A1 (FOXA1) Is Associated With Poor Prognosis in Urothelial Carcinoma of the Upper Urinary Tract. <i>Urology</i> , 2016 , 94, 314.e1-7	1.6	13
169	Complications Following Radical Nephroureterectomy. <i>Current Urology Reports</i> , 2016 , 17, 36	2.9	9
168	Adherent perinephric fat at minimally invasive partial nephrectomy is associated with adverse peri-operative outcomes and malignant renal histology. <i>BJU International</i> , 2016 , 117, 636-41	5.6	45
167	Enhancer of zeste homolog 2 (EZH2) expression in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 258.e1-6	2.8	10
166	Squamous Dysplasia of the Urinary Bladder: A Consecutive Cystectomy Series. <i>International Journal of Surgical Pathology</i> , 2016 , 24, 306-14	1.2	6
165	Prognostic role of ERCC1 protein expression in upper tract urothelial carcinoma following radical nephroureterectomy with curative intent. <i>World Journal of Urology</i> , 2016 , 34, 1155-61	4	4
164	Kidney function outcomes following thermal ablation of small renal masses. <i>World Journal of Nephrology</i> , 2016 , 5, 283-7	3.6	7
163	Predictive models for improved prognostication and selection of neoadjuvant and adjuvant systemic chemotherapy in upper tract urothelial cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 456-456	2.2	
162	Strategies for prevention of ultrasound-guided prostate biopsy infections. <i>Infection and Drug Resistance</i> , 2016 , 9, 161-9	4.2	8
161	FOXA1, GATA3 and PPAR γ Cooperate to Drive Luminal Subtype in Bladder Cancer: A Molecular Analysis of Established Human Cell Lines. <i>Scientific Reports</i> , 2016 , 6, 38531	4.9	74
160	Clinical guidelines: Clearing murky water - a guideline-based approach to haematuria. <i>Nature Reviews Urology</i> , 2016 , 13, 243-4	5.5	1
159	Kidney sparing surgery for upper-tract urothelial carcinoma. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2016 , 68, 359-71	4.4	10
158	Validation of mammalian target of rapamycin biomarker panel in patients with clear cell renal cell carcinoma. <i>Cancer</i> , 2015 , 121, 43-50	6.4	18
157	Surgical management of bladder urothelial carcinoma with squamous differentiation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 429-33	2.8	10
156	Systemic chemotherapy and radical nephroureterectomy. <i>International Urology and Nephrology</i> , 2015 , 47, 709-10	2.3	
155	Survivin is not an independent prognostic factor for patients with upper tract urothelial carcinoma: a multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 495.e15-22	2.8	10
154	TALL score for prediction of oncological outcomes after radical nephroureterectomy for high-grade upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2015 , 33, 1965-72	4	8

153	Multi-institutional validation of the predictive value of Ki-67 in patients with high grade urothelial carcinoma of the upper urinary tract. <i>Journal of Urology</i> , 2015 , 193, 1486-93	2.5	28
152	Incidence and Predictors for Ipsilateral Hydronephrosis Following Ureteroscopic Lithotripsy. <i>Urology</i> , 2015 , 86, 465-71	1.6	17
151	Impact of warm versus cold ischemia on renal function following partial nephrectomy. <i>World Journal of Urology</i> , 2015 , 33, 351-7	4	8
150	Povidone Iodine Rectal Preparation at Time of Prostate Needle Biopsy is a Simple and Reproducible Means to Reduce Risk of Procedural Infection. <i>Journal of Visualized Experiments</i> , 2015 ,	1.6	4
149	Significant methodologic variations in calculating renal function changes following kidney tumor surgery: A quality reporting issue?. <i>World Journal of Clinical Oncology</i> , 2015 , 6, 89-91	2.5	
148	Multi-institutional validation of the predictive value of Ki-67 in patients with high-grade urothelial carcinoma of the upper urinary tract.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 371-371	2.2	
147	Multi-institutional validation of the predictive value of Ki-67 in patients with high-grade urothelial carcinoma of the upper urinary tract.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 4569-4569	2.2	
146	Insulin-like growth factor messenger RNA-binding protein 3 expression helps prognostication in patients with upper tract urothelial carcinoma. <i>European Urology</i> , 2014 , 66, 379-85	10.2	21
145	Evaluation of the prognostic significance of altered mammalian target of rapamycin pathway biomarkers in upper tract urothelial carcinoma. <i>Urology</i> , 2014 , 84, 1134-40	1.6	17
144	Peri-procedural povidone-iodine rectal preparation reduces microorganism counts and infectious complications following ultrasound-guided needle biopsy of the prostate. <i>World Journal of Urology</i> , 2014 , 32, 905-9	4	15
143	BAP1 immunohistochemistry predicts outcomes in a multi-institutional cohort with clear cell renal cell carcinoma. <i>Journal of Urology</i> , 2014 , 191, 603-10	2.5	58
142	Impact of distal ureter management on oncologic outcomes following radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Urology</i> , 2014 , 65, 210-7	10.2	150
141	Preoperative predictors of renal function decline after radical nephroureterectomy for upper tract urothelial carcinoma. <i>BJU International</i> , 2014 , 114, 674-9	5.6	33
140	Rationale and timing of perioperative chemotherapy for upper-tract urothelial carcinoma. <i>Expert Review of Anticancer Therapy</i> , 2014 , 14, 543-51	3.5	4
139	Predictors of survival in patients with disease recurrence after radical nephroureterectomy. <i>BJU International</i> , 2014 , 113, 911-7	5.6	17
138	High rates of advanced disease, complications, and decline of renal function after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 47.e9-14	2.8	44
137	Prediction of intravesical recurrence after radical nephroureterectomy: development of a clinical decision-making tool. <i>European Urology</i> , 2014 , 65, 650-8	10.2	94
136	Multi-institutional evaluation of the prognostic significance of altered mammalian target of rapamycin (mTOR) pathway biomarkers in upper-tract urothelial carcinoma (UTUC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 323-323	2.2	

135	Critical analysis of 30 day complications following radical nephroureterectomy for upper tract urothelial carcinoma. <i>Canadian Journal of Urology</i> , 2014 , 21, 7369-73	0.8	12
134	Conservative nephron-sparing treatment of upper-tract tumors. <i>Current Urology Reports</i> , 2013 , 14, 102-8.	9	12
133	Empiric antibiotics for an elevated prostate-specific antigen (PSA) level: a randomised, prospective, controlled multi-institutional trial. <i>BJU International</i> , 2013 , 112, 925-9	5.6	13
132	Prediction of true nodal status in patients with pathological lymph node negative upper tract urothelial carcinoma at radical nephroureterectomy. <i>Journal of Urology</i> , 2013 , 189, 468-73	2.5	31
131	Disease-free survival as a surrogate for overall survival in upper tract urothelial carcinoma. <i>World Journal of Urology</i> , 2013 , 31, 5-11	4	27
130	Impact of smoking on oncologic outcomes of upper tract urothelial carcinoma after radical nephroureterectomy. <i>European Urology</i> , 2013 , 63, 1082-90	10.2	65
129	Comparative analysis of oncologic outcomes of partial ureterectomy vs radical nephroureterectomy in upper tract urothelial carcinoma. <i>Urology</i> , 2013 , 81, 972-7	1.6	38
128	Prediction of cancer specific survival after radical nephroureterectomy for upper tract urothelial carcinoma: development of an optimized postoperative nomogram using decision curve analysis. <i>Journal of Urology</i> , 2013 , 189, 1662-9	2.5	117
127	Multi-institutional validation of the ability of preoperative hydronephrosis to predict advanced pathologic tumor stage in upper-tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 904-8	2.8	60
126	Significant variability in 10-year cumulative radiation exposure incurred on different surveillance regimens after surgery for pT1 renal cancers: yet another reason to standardize protocols?. <i>BJU International</i> , 2013 , 111, 891-6	5.6	13
125	Gender-specific effect of smoking on upper tract urothelial carcinoma outcomes. <i>BJU International</i> , 2013 , 112, 623-37	5.6	22
124	Impact of renal function on eligibility for chemotherapy and survival in patients who have undergone radical nephro-ureterectomy. <i>BJU International</i> , 2013 , 112, 453-61	5.6	97
123	Radical nephroureterectomy for pathologic T4 upper tract urothelial cancer: can oncologic outcomes be improved with multimodality therapy?. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013 , 39, 614-21	2	8
122	Single-Port Laparoscopy: Issues and Complications 2013 , 313-322		
121	The impact of tumor multifocality on outcomes in patients treated with radical nephroureterectomy. <i>European Urology</i> , 2012 , 61, 245-53	10.2	135
120	Subclassification of pT3 urothelial carcinoma of the renal pelvicalyceal system is associated with recurrence-free and cancer-specific survival: proposal for a revision of the current TNM classification. <i>European Urology</i> , 2012 , 62, 224-31	10.2	33
119	Predicting clinical outcomes after radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Urology</i> , 2012 , 61, 818-25	10.2	153
118	Complications following prostate needle biopsy requiring hospital admission or emergency department visits - experience from 1000 consecutive cases. <i>BJU International</i> , 2012 , 110, 369-74	5.6	80

117	Stage-specific impact of tumor location on oncologic outcomes in patients with upper and lower tract urothelial carcinoma following radical surgery. <i>European Urology</i> , 2012 , 62, 677-84	10.2	74
116	Prognostic value of extranodal extension and other lymph node parameters in patients with upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2012 , 187, 845-51	2.5	42
115	Residual fragments following ureteroscopic lithotripsy: incidence and predictors on postoperative computerized tomography. <i>Journal of Urology</i> , 2012 , 188, 2246-51	2.5	45
114	Risk of cancer-specific mortality following recurrence after radical nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2012 , 19, 4337-44	3.1	42
113	Concomitant carcinoma in situ is a feature of aggressive disease in patients with organ confined urothelial carcinoma following radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 252-8	2.8	65
112	Pneumoperitoneum: Physiologic Effects 2012 , 811-826		1
111	Impact of histological variants on clinical outcomes of patients with upper urinary tract urothelial carcinoma. <i>Journal of Urology</i> , 2012 , 188, 398-404	2.5	78
110	High-grade ureteroscopic biopsy is associated with advanced pathology of upper-tract urothelial carcinoma tumors at definitive surgical resection. <i>Journal of Endourology</i> , 2012 , 26, 398-402	2.7	58
109	Laparoendoscopic single-site pyeloplasty. <i>Therapeutic Advances in Urology</i> , 2011 , 3, 141-9	3.2	7
108	Chronic kidney disease before and after partial nephrectomy. <i>Journal of Urology</i> , 2011 , 185, 43-8	2.5	92
107	Minimally invasive nephrectomy: the influence of laparoendoscopic single-site surgery on patient selection, outcomes, and morbidity. <i>Urology</i> , 2011 , 77, 631-4	1.6	20
106	Variable prostate-specific antigen management patterns by nonurologist providers at a tertiary care medical center. <i>Urology</i> , 2011 , 78, 244-8	1.6	6
105	Does the presence of hydronephrosis on preoperative axial CT imaging predict worse outcomes for patients undergoing nephroureterectomy for upper-tract urothelial carcinoma?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 27-32	2.8	68
104	Does preoperative symptom classification impact prognosis in patients with clinically localized upper-tract urothelial carcinoma managed by radical nephroureterectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 716-23	2.8	50
103	Obesity adversely impacts disease specific outcomes in patients with upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2011 , 186, 66-72	2.5	46
102	Incidence and survival of patients with carcinoma of the ureter and renal pelvis in the USA, 1973-2005. <i>BJU International</i> , 2011 , 107, 1059-64	5.6	222
101	Urinary cytology has a poor performance for predicting invasive or high-grade upper-tract urothelial carcinoma. <i>BJU International</i> , 2011 , 108, 701-5	5.6	128
100	Upper urinary tract urothelial carcinoma with loco-regional nodal metastases: insights from the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2011 , 108, 1286-91	5.6	61

99	Complications during the initial experience with laparoendoscopic single-site pyeloplasty. <i>BJU International</i> , 2011 , 108, 1326-9	5.6	38
98	Racial differences in the outcome of patients with urothelial carcinoma of the upper urinary tract: an international study. <i>BJU International</i> , 2011 , 108, E304-9	5.6	31
97	Chronological age is not an independent predictor of clinical outcomes after radical nephroureterectomy. <i>World Journal of Urology</i> , 2011 , 29, 473-80	4	41
96	Predictive factors of recurrence and survival of upper tract urothelial carcinomas. <i>World Journal of Urology</i> , 2011 , 29, 495-501	4	38
95	Longitudinal evaluation of the SF-36 quality of life questionnaire in patients with kidney stones. <i>Urological Research</i> , 2011 , 39, 141-6		39
94	Current status of ablative techniques for small renal masses. <i>Expert Review of Anticancer Therapy</i> , 2011 , 11, 879-91	3.5	3
93	Surgery: is perinephric drainage essential after partial nephrectomy?. <i>Nature Reviews Urology</i> , 2011 , 8, 594-5	5.5	1
92	The impact of previous ureteroscopic tumor ablation on oncologic outcomes after radical nephroureterectomy for upper urinary tract urothelial carcinoma. <i>Journal of Endourology</i> , 2011 , 25, 775-9	2.7	15
91	Are urology residents adequately exposed to conservative therapies for managing small renal masses?. <i>Journal of Endourology</i> , 2011 , 25, 129-33	2.7	3
90	The role of lymphadenectomy for upper tract urothelial carcinoma. <i>Nature Reviews Urology</i> , 2011 , 8, 394-401	5.5	11
89	Renal functional outcomes for tumours in a solitary kidney managed by ablative or extirpative techniques. <i>BJU International</i> , 2010 , 105, 496-500	5.6	65
88	A delay in radical nephroureterectomy can lead to upstaging. <i>BJU International</i> , 2010 , 105, 812-7	5.6	62
87	Renal neuroectodermal tumour presenting with hematuria. <i>Journal of Radiology Case Reports</i> , 2010 , 4, 12-20	1.1	1
86	1486 DURABLE ONCOLOGIC OUTCOMES FOLLOWING RADIOFREQUENCY ABLATION (RFA): EXPERIENCE FROM TREATING 243 SMALL RENAL MASSES OVER 7.5 YEARS. <i>Journal of Urology</i> , 2010 , 183,	2.5	1
85	Chronic Kidney Disease Epidemiology Collaboration versus Modification of Diet in Renal Disease equations for renal function evaluation in patients undergoing partial nephrectomy. <i>Journal of Urology</i> , 2010 , 184, 1867-71	2.5	10
84	Residual fragments after percutaneous nephrolithotomy: cost comparison of immediate second look flexible nephroscopy versus expectant management. <i>Journal of Urology</i> , 2010 , 183, 188-93	2.5	51
83	Preoperative hydronephrosis, ureteroscopic biopsy grade and urinary cytology can improve prediction of advanced upper tract urothelial carcinoma. <i>Journal of Urology</i> , 2010 , 184, 69-73	2.5	178
82	Preoperative multivariable prognostic model for prediction of nonorgan confined urothelial carcinoma of the upper urinary tract. <i>Journal of Urology</i> , 2010 , 184, 453-8	2.5	151

81	Advanced patient age is associated with inferior cancer-specific survival after radical nephroureterectomy. <i>BJU International</i> , 2010 , 105, 1672-7	5.6	84
80	Use of systemic therapy and factors affecting survival for patients undergoing cytoreductive nephrectomy. <i>BJU International</i> , 2010 , 106, 218-23	5.6	52
79	Management and prevention of renal ablative therapy complications. <i>World Journal of Urology</i> , 2010 , 28, 559-64	4	10
78	Has laparoscopy impacted the indications for adrenalectomy?. <i>Current Urology Reports</i> , 2010 , 11, 132-7	2.9	5
77	Impact of tumor location on prognosis for patients with upper tract urothelial carcinoma managed by radical nephroureterectomy. <i>European Urology</i> , 2010 , 57, 1072-9	10.2	133
76	Tumour necrosis is an indicator of aggressive biology in patients with urothelial carcinoma of the upper urinary tract. <i>European Urology</i> , 2010 , 57, 575-81	10.2	125
75	Changes in renal function following nephroureterectomy may affect the use of perioperative chemotherapy. <i>European Urology</i> , 2010 , 58, 581-7	10.2	165
74	Durable oncologic outcomes after radiofrequency ablation: experience from treating 243 small renal masses over 7.5 years. <i>Cancer</i> , 2010 , 116, 3135-42	6.4	172
73	Extracorporeal Shock Wave Lithotripsy for Ureteral Stones 2010 , 469-477		
72	Complete transvaginal NOTES nephrectomy using magnetically anchored instrumentation. <i>Journal of Endourology</i> , 2009 , 23, 367-71	2.7	62
71	Prognostic markers and targeted therapies for renal cell carcinoma. <i>Future Oncology</i> , 2009 , 5, 197-205	3.6	
70	Lymphovascular invasion predicts clinical outcomes in patients with node-negative upper tract urothelial carcinoma. <i>Journal of Clinical Oncology</i> , 2009 , 27, 612-8	2.2	209
69	Phase one pilot study using magnetic resonance spectroscopy to predict the histology of radiofrequency-ablated renal tissue. <i>European Urology</i> , 2009 , 55, 433-8	10.2	5
68	Single-incision, umbilical laparoscopic versus conventional laparoscopic nephrectomy: a comparison of perioperative outcomes and short-term measures of convalescence. <i>European Urology</i> , 2009 , 55, 1198-204	10.2	272
67	Comparison of oncologic outcomes for open and laparoscopic nephroureterectomy: a multi-institutional analysis of 1249 cases. <i>European Urology</i> , 2009 , 56, 1-9	10.2	130
66	The extent of lymphadenectomy seems to be associated with better survival in patients with nonmetastatic upper-tract urothelial carcinoma: how many lymph nodes should be removed?. <i>European Urology</i> , 2009 , 56, 512-8	10.2	126
65	Outcomes of radical nephroureterectomy: a series from the Upper Tract Urothelial Carcinoma Collaboration. <i>Cancer</i> , 2009 , 115, 1224-33	6.4	739
64	Renal ablative therapy: radiofrequency ablation and cryoablation. <i>Journal of Surgical Oncology</i> , 2009 , 100, 639-44	2.8	22

63	Needlescopic ablation of small adrenal masses. <i>Current Urology Reports</i> , 2009 , 10, 73-7	2.9	5
62	Outcomes for patients with pT0 disease after radical nephroureterectomy for upper-tract urothelial carcinoma. <i>BJU International</i> , 2009 , 103, 3-4	5.6	5
61	Risk stratification of patients with nodal involvement in upper tract urothelial carcinoma: value of lymph-node density. <i>BJU International</i> , 2009 , 103, 302-6	5.6	73
60	Tumour architecture is an independent predictor of outcomes after nephroureterectomy: a multi-institutional analysis of 1363 patients. <i>BJU International</i> , 2009 , 103, 307-11	5.6	131
59	Radical and non-radical nephrectomy: no place for 'simple'. <i>BJU International</i> , 2009 , 103, 855-6	5.6	4
58	Radiofrequency ablation of small renal cortical tumours in healthy adults: renal function preservation and intermediate oncological outcome. <i>BJU International</i> , 2009 , 104, 786-9	5.6	32
57	Retroperitoneal lymph node dissection after chemotherapy. <i>BJU International</i> , 2009 , 104, 1404-12	5.6	26
56	Evidence-based sex-related outcomes after radical nephroureterectomy for upper tract urothelial carcinoma: results of large multicenter study. <i>Urology</i> , 2009 , 73, 142-6	1.6	62
55	Optical reflectance spectroscopy to differentiate benign from malignant renal tumors at surgery. <i>Urology</i> , 2009 , 73, 178-81	1.6	26
54	Editorial comment. <i>Urology</i> , 2009 , 73, 1065-6; author reply 1066	1.6	1
53	Assessment of the minimum number of lymph nodes needed to detect lymph node invasion at radical nephroureterectomy in patients with upper tract urothelial cancer. <i>Urology</i> , 2009 , 74, 1070-4	1.6	48
52	Perioperative outcomes in patients undergoing conventional laparoscopic versus laparoendoscopic single-site pyeloplasty. <i>Urology</i> , 2009 , 74, 1029-34	1.6	113
51	Comparison of tissue oxygenation profiles using 3 different methods of vascular control during porcine partial nephrectomy. <i>Urology</i> , 2009 , 74, 926-31	1.6	9
50	Role of magnetic anchors during laparoendoscopic single site surgery and NOTES. <i>Journal of Endourology</i> , 2009 , 23, 781-6	2.7	55
49	Ergonomics considerations of radical prostatectomy: physician perspective of open, laparoscopic, and robot-assisted techniques. <i>Journal of Endourology</i> , 2009 , 23, 627-33	2.7	56
48	General anesthesia and contrast-enhanced computed tomography to optimize renal percutaneous radiofrequency ablation: multi-institutional intermediate-term results. <i>Journal of Endourology</i> , 2009 , 23, 1099-105	2.7	55
47	Re: Effectiveness of antibiotics given to asymptomatic men for an increased prostate specific antigen. S. Baltaci, E. Suer, A. H. Haliloglu, M. I. Gokce, A. H. Elhan and Y. Beduk. <i>J Urol</i> 2009; 181: 128-132. <i>Journal of Urology</i> , 2009 , 182, 396-7	2.5	
46	Synchronous bilateral percutaneous nephrostolithotomy: analysis of clinical outcomes, cost and surgeon reimbursement. <i>Journal of Urology</i> , 2009 , 181, 149-53	2.5	30

45	Re: Single port transumbilical (E-NOTES) donor nephrectomy: I. S. Gill, D. Canes, M. Aron, G.-P. Haber, D. A. Goldfarb, S. Flechner, M. R. Desai, J. H. Kaouk and M. M. Desai J Urol 2008; 180: 637-641. <i>Journal of Urology</i> , 2009 , 181, 418-9; author reply 419	2.5	4
44	Predictors of cost and clinical outcomes of percutaneous nephrostolithotomy. <i>Journal of Urology</i> , 2009 , 182, 586-90	2.5	35
43	Adjuvant chemotherapy for high risk upper tract urothelial carcinoma: results from the Upper Tract Urothelial Carcinoma Collaboration. <i>Journal of Urology</i> , 2009 , 182, 900-6	2.5	172
42	Impact of lymph node dissection on cancer specific survival in patients with upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Journal of Urology</i> , 2009 , 181, 2482-9	2.5	154
41	How physician and patient perceptions differ regarding medical management of stone disease. <i>Journal of Urology</i> , 2009 , 182, 998-1004	2.5	29
40	Natural history of residual fragments following percutaneous nephrostolithotomy. <i>Journal of Urology</i> , 2009 , 181, 1163-8	2.5	144
39	Current status of renal radiofrequency ablation. <i>Current Opinion in Urology</i> , 2009 , 19, 143-7	2.8	34
38	Single-incision laparoscopic surgery: initial urological experience and comparison with natural-orifice transluminal endoscopic surgery. <i>BJU International</i> , 2008 , 101, 1493-6	5.6	143
37	Re: Prognostic value of MET, RON and histoprognotic factors for urothelial carcinoma in the upper urinary tract. E. Comperat, M. Roupert, E. Chartier-Kastler, M. O. Bitker, F. Richard, P. Camparo, F. Capron and O. Cussenot. J Urol 2008; 179: 868-872. <i>Journal of Urology</i> , 2008 , 180, 1183; author reply 1183-4	2.5	1
36	Absence of viable renal carcinoma in biopsies performed more than 1 year following radio frequency ablation confirms reliability of axial imaging. <i>Journal of Urology</i> , 2008 , 179, 2142-5	2.5	49
35	Impact of body mass index on cost and clinical outcomes after percutaneous nephrostolithotomy. <i>Urology</i> , 2008 , 72, 756-60	1.6	51
34	Determinants of quality of life for patients with kidney stones. <i>Journal of Urology</i> , 2008 , 179, 2238-43; discussion 2243	2.5	80
33	Does obesity impact the costs of partial and radical nephrectomy?. <i>Journal of Urology</i> , 2008 , 179, 1714-7; discussion 1717-8	2.5	14
32	Re: Excise, ablate or observe: the small renal mass dilemma--a meta-analysis and review D. A. Kunkle, B. L. Egleston and R. G. Uzzo J Urol 2008; 179: 1227-1234. <i>Journal of Urology</i> , 2008 , 180, 1567-8; author reply 1568	2.5	4
31	Exploration of treatment options for the management of stage I testicular seminoma. <i>Expert Review of Anticancer Therapy</i> , 2008 , 8, 1081-90	3.5	2
30	Laparoendoscopic single-site surgery in urology: where have we been and where are we heading?. <i>Nature Reviews Urology</i> , 2008 , 5, 561-8		162
29	Bladder cancer following upper tract urothelial carcinoma. <i>Expert Review of Anticancer Therapy</i> , 2008 , 8, 75-85	3.5	14
28	Urine cytology and urine-based markers for bladder urothelial carcinoma detection and monitoring: developments and future prospects. <i>Biomarkers in Medicine</i> , 2008 , 2, 165-80	2.3	7

27	Management options for lower pole renal calculi. <i>Current Opinion in Urology</i> , 2008 , 18, 214-9	2.8	46
26	Robotic vs open radical cystectomy: prospective comparison of perioperative outcomes and pathological measures of early oncological efficacy. <i>BJU International</i> , 2008 , 101, 89-93	5.6	186
25	Laparoscopic adrenalectomy for large adrenal masses. <i>Current Urology Reports</i> , 2008 , 9, 73-9	2.9	22
24	Single access laparoscopic nephrectomy. <i>Indian Journal of Urology</i> , 2008 , 24, 457-60	0.8	5
23	Radiofrequency ablation for T1a tumors in a solitary kidney: promising intermediate oncologic and renal function outcomes. <i>Canadian Journal of Urology</i> , 2008 , 15, 3980-5	0.8	18
22	Tubulovillous adenoma in an Indiana pouch urinary diversion managed by endoscopic resection. <i>International Journal of Urology</i> , 2007 , 14, 865-6	2.3	5
21	Management of patients with upper urinary tract transitional cell carcinoma. <i>Nature Reviews Urology</i> , 2007 , 4, 432-43		90
20	Pathologic features of bladder tumors after nephroureterectomy or segmental ureterectomy for upper urinary tract transitional cell carcinoma. <i>Urology</i> , 2007 , 69, 251-4	1.6	31
19	Laboratory and clinical development of single keyhole umbilical nephrectomy. <i>Urology</i> , 2007 , 70, 1039-42	6.2	287
18	Robotic radical prostatectomy: operative technique, outcomes, and learning curve. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2007 , 11, 1-7	2.2	28
17	Increasing body mass index negatively impacts outcomes following robotic radical prostatectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2007 , 11, 438-42	2.2	51
16	Decreased expression of the human stem cell marker, Rex-1 (zfp-42), in renal cell carcinoma. <i>Carcinogenesis</i> , 2006 , 27, 499-507	4.6	24
15	Feasibility of laparoscopic approach in management of xanthogranulomatous pyelonephritis. <i>Urology</i> , 2006 , 68, 711-4	1.6	21
14	Long-term survival probability in men with clinically localized prostate cancer treated either conservatively or with definitive treatment (radiotherapy or radical prostatectomy). <i>Urology</i> , 2006 , 68, 1268-74	1.6	32
13	Identification of the retrotrigonal layer as a key anatomical landmark during robotically assisted radical prostatectomy. <i>BJU International</i> , 2006 , 98, 829-32	5.6	27
12	Hand-assisted laparoscopic nephroureterectomy for upper urinary tract transitional cell carcinoma. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2006 , 10, 432-8	2.2	17
11	Increased incidence of testicular cancer in men presenting with infertility and abnormal semen analysis. <i>Journal of Urology</i> , 2005 , 174, 1819-22; discussion 1822	2.5	195
10	Prostate-specific antigen screening in a high-risk population: lessons from the community and how they relate to large-scale population-based studies. <i>Urology</i> , 2005 , 65, 931-6	1.6	9

9	Inheritance of varicoceles. <i>Urology</i> , 2005 , 65, 1186-9	1.6	55
8	Bladder cancer after managing upper urinary tract transitional cell carcinoma: predictive factors and pathology. <i>BJU International</i> , 2005 , 96, 1031-5	5.6	98
7	Increased expression of the polycomb group gene, EZH2, in transitional cell carcinoma of the bladder. <i>Clinical Cancer Research</i> , 2005 , 11, 8570-6	12.9	166
6	The presence of vasal vessels in men with congenital bilateral absence of the vas deferens. <i>Journal of Urology</i> , 2004 , 172, 1941-3	2.5	2
5	Intraoperative characterization of arterial vasculature in spermatic cord. <i>Urology</i> , 2004 , 64, 561-4	1.6	29
4	Testicular sperm extraction with intracytoplasmic sperm injection is successful for the treatment of nonobstructive azoospermia associated with cryptorchidism. <i>Journal of Urology</i> , 2003 , 170, 1287-90	2.5	114
3	AROMATASE INHIBITORS FOR MALE INFERTILITY. <i>Journal of Urology</i> , 2002 , 167, 624-629	2.5	241
2	Aromatase inhibitors for male infertility. <i>Journal of Urology</i> , 2002 , 167, 624-9	2.5	86
1	Surgical Management of Ureteral Stone Disease225-235		