

Yunhe Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1669128/publications.pdf>

Version: 2024-02-01

65
papers

1,346
citations

331670

21
h-index

395702

33
g-index

68
all docs

68
docs citations

68
times ranked

1164
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxygen-tolerant RAFT Polymerization Catalyzed by a Recyclable Biomimetic Mineralization Enhanced Biological Cascade System. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100559.	3.9	13
2	Curly-Packed Structure Polymers for High-Temperature Capacitive Energy Storage. <i>Chemistry of Materials</i> , 2022, 34, 2333-2341.	6.7	25
3	Crosslinked polyetherimide nanocomposites with superior energy storage achieved via trace Al ₂ O ₃ nanoparticles. <i>Composites Science and Technology</i> , 2022, 223, 109421.	7.8	29
4	HOMO-controlled donor-acceptor contained polyimide for nonvolatile resistive memory device. <i>Dyes and Pigments</i> , 2021, 186, 109020.	3.7	12
5	Crosslinked dielectric materials for high-temperature capacitive energy storage. <i>Journal of Materials Chemistry A</i> , 2021, 9, 10000-10011.	10.3	63
6	Enhanced electromechanical performance through chemistry graft copper phthalocyanine to siloxane-modified polyurethane and interpenetrate with siloxane silicon rubber as composite actuator material. <i>IET Nanodielectrics</i> , 2021, 4, 38-44.	4.1	6
7	Nonlinear Optical Stability of Polyphenylsulfone (PPSU)-Containing Anthraquinones with High Transmittance. <i>Macromolecular Chemistry and Physics</i> , 2021, 222, 2100112.	2.2	1
8	Crosslinked poly (aryl ether ketone)/boron nitride nanocomposites containing a stable chemical bonding structure as high temperature dielectrics. <i>Composites Science and Technology</i> , 2021, 213, 108949.	7.8	21
9	Crosslinked microporous polyimides with polar substituent group for efficient CO ₂ capture. <i>Microporous and Mesoporous Materials</i> , 2020, 293, 109809.	4.4	8
10	Covalent functionalization of graphene oxide with hyperbranched lanthanum phthalocyanines for improving optical limiting. <i>Materials Letters</i> , 2020, 258, 126781.	2.6	6
11	Low-Cost Titanium-Bromine Flow Battery with Ultrahigh Cycle Stability for Grid-Scale Energy Storage. <i>Advanced Materials</i> , 2020, 32, e2005036.	21.0	28
12	Interface-Strengthened Polymer Nanocomposites with Reduced Dielectric Relaxation Exhibit High Energy Density at Elevated Temperatures Utilizing a Facile Dual Crosslinked Network. <i>Small</i> , 2020, 16, e2000714.	10.0	64
13	Optimizing electric field distribution via tuning cross-linked point size for improving the dielectric properties of polymer nanocomposites. <i>Nanoscale</i> , 2020, 12, 12416-12425.	5.6	20
14	Enhanced optical limiting properties of composite films consisting of hyperbranched phthalocyanine and polyphenylsulfone with high linear transmittance. <i>Synthetic Metals</i> , 2020, 265, 116405.	3.9	10
15	Enhanced High-Temperature Dielectric Properties of Poly(aryl ether sulfone)/BaTiO ₃ Nanocomposites via Constructing Chemical Crosslinked Networks. <i>Macromolecular Rapid Communications</i> , 2020, 41, e2000012.	3.9	17
16	Rational Design of Soluble Polyaramid for High-Efficiency Energy Storage Dielectric Materials at Elevated Temperatures. <i>Macromolecular Materials and Engineering</i> , 2020, 305, 1900820.	3.6	38
17	Synergy Effect of Porphyrin Units and Alkynyl Bridges Tunes the Memory Behavior and Threshold Voltage of Hyperbranched Polyimides. <i>Journal of Physical Chemistry C</i> , 2020, 124, 2872-2878.	3.1	12
18	Hyperbranched lutecium phthalocyanines grafted ethylenediamine@graphene oxide with enhanced nonlinear optical properties. <i>Journal of Porphyrins and Phthalocyanines</i> , 2020, 24, 1038-1046.	0.8	1

#	ARTICLE	IF	CITATIONS
19	Novel axially substituted lanthanum phthalocyanines: Synthesis, photophysical and nonlinear optical properties. <i>Dyes and Pigments</i> , 2020, 179, 108407.	3.7	19
20	Combination of Polydopamine Coating and Plasma Pretreatment to Improve Bond Ability Between PEEK and Primary Teeth. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 630094.	4.1	13
21	Enhanced Discharged Efficiency and High Energy Density at Elevated Temperature in Polymer Dielectric via Manipulating Relaxation Behavior. <i>CCS Chemistry</i> , 2020, 2, 1169-1177.	7.8	38
22	Polymer Nanocomposites: Bioinspired Polymer Nanocomposites Exhibit Giant Energy Density and High Efficiency at High Temperature (Small 28/2019). <i>Small</i> , 2019, 15, 1970148.	10.0	0
23	Construction and carbon dioxide capture of microporous polymer networks with high surface area based on cross-linkable linear polyimides. <i>Polymer Chemistry</i> , 2019, 10, 4611-4620.	3.9	22
24	Polymer Grafted Aluminum Nanoparticles for Percolative Composite Films with Enhanced Compatibility. <i>Polymers</i> , 2019, 11, 638.	4.5	4
25	Bioinspired Polymer Nanocomposites Exhibit Giant Energy Density and High Efficiency at High Temperature. <i>Small</i> , 2019, 15, e1901582.	10.0	75
26	New Type of Eco-Friendly Polymeric Dye by Covalently Bonding Anthraquinone into Polyphenylsulfone. <i>Macromolecular Materials and Engineering</i> , 2019, 304, 1800692.	3.6	5
27	Fabrication of microporous polyimide networks with tunable pore size and high CO ₂ selectivity. <i>Chemical Engineering Journal</i> , 2019, 368, 618-626.	12.7	36
28	Decreasing the dielectric constant and water uptake by introducing hydrophobic cross-linked networks into co-polyimide films. <i>Applied Surface Science</i> , 2019, 480, 990-997.	6.1	62
29	Decreasing the dielectric constant and water uptake of co-polyimide films by introducing hydrophobic cross-linked networks. <i>European Polymer Journal</i> , 2018, 101, 105-112.	5.4	28
30	Synthesis, structure and third-order optical nonlinearities of hyperbranched metal phthalocyanines containing imide units. <i>Dyes and Pigments</i> , 2018, 154, 75-81.	3.7	20
31	High-k Polymer Nanocomposites Filled with Hyperbranched Phthalocyanine-Coated BaTiO ₃ for High-Temperature and Elevated Field Applications. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 11233-11241.	8.0	82
32	High-performance piezo-damping materials based on CNTs/BaTiO ₃ /F-PAEK-b-PDMS under high temperature steam conditions. <i>Applied Surface Science</i> , 2018, 452, 429-436.	6.1	10
33	ZnPc-MWCNT/sulfonated poly (ether ether ketone) composites for high-k and electrical energy storage applications. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2017, 24, 720-726.	2.9	3
34	Preparation of organic-inorganic hybrid membranes with superior antifouling property by incorporating polymer-modified multiwall carbon nanotubes. <i>RSC Advances</i> , 2017, 7, 30564-30572.	3.6	16
35	From a flexible hyperbranched polyimide to a microporous polyimide network: Microporous architecture and carbon dioxide adsorption. <i>Polymer</i> , 2017, 115, 176-183.	3.8	25
36	Microporous polyimide networks constructed through a two-step polymerization approach, and their carbon dioxide adsorption performance. <i>Polymer Chemistry</i> , 2017, 8, 1298-1305.	3.9	36

#	ARTICLE	IF	CITATIONS
37	Porphyrinâ€“poly(arylene ether sulfone) covalently functionalized multi-walled carbon nanotubes: synthesis and enhanced broadband nonlinear optical properties. RSC Advances, 2016, 6, 75530-75540.	3.6	15
38	Highly sulfonated co-polyimides containing hydrophobic cross-linked networks as proton exchange membranes. Polymer Chemistry, 2016, 7, 4728-4735.	3.9	38
39	Synthesis and properties of hyperbranched polyimides derived from tetra-amine and long-chain aromatic dianhydrides. RSC Advances, 2015, 5, 107793-107803.	3.6	14
40	Poly(ether ether ketone)/wrapped graphite nanosheets with poly(ether sulfone) composites: Preparation, mechanical properties, and tribological behavior. Journal of Applied Polymer Science, 2015, 132, .	2.6	5
41	Pendant-group cross-linked highly sulfonated co-polyimides for proton exchange membranes. Journal of Membrane Science, 2015, 480, 83-92.	8.2	47
42	Research on performance and preparation of graphene/epoxy high dielectric permittivity polymer composites. High Performance Polymers, 2015, 27, 911-917.	1.8	8
43	Chemical grafting of multi-walled carbon nanotubes on metal phthalocyanines for the preparation of nanocomposites with high dielectric constant and low dielectric loss for energy storage application. RSC Advances, 2015, 5, 51542-51548.	3.6	18
44	Preparation and dielectric properties of sulfonated poly(aryl ether ketone)/acidified graphite nanosheet composites. Journal of Applied Polymer Science, 2014, 131, .	2.6	2
45	Synthesis and third-order optical nonlinearities of hyperbranched metal phthalocyanines. European Polymer Journal, 2014, 53, 58-64.	5.4	20
46	In-situ preparation of high dielectric poly (metal phthalocyanine) imide/MWCNTs nanocomposites. Synthetic Metals, 2014, 188, 86-91.	3.9	5
47	Ternary graphite nanosheet/copper phthalocyanine/sulfonated poly(aryl ether ketone) dielectric percolative composites: preparation, micromorphologies and dielectric properties. RSC Advances, 2014, 4, 28721-28727.	3.6	6
48	Influence of the existence of a phthalocyanine phase on the dielectric properties of ternary composites: Carbon nanotubes/phtalocyanine/poly(vinylidene fluoride). Composites Science and Technology, 2014, 104, 89-96.	7.8	13
49	Synthesis of crosslinkable fluorinated linearâ€“hyperbranched copolyimides for optical waveguide devices. Journal of Applied Polymer Science, 2013, 127, 1834-1841.	2.6	11
50	Preparation and Dielectric Properties of AGS@CuPc/PVDF Composites. Journal of Inorganic and Organometallic Polymers and Materials, 2013, 23, 743-750.	3.7	14
51	Dielectric percolative composites with high dielectric constant and low dielectric loss based on sulfonated poly(aryl ether ketone) and a-MWCNTs coated with polyaniline. Journal of Materials Chemistry C, 2013, 1, 4035.	5.5	33
52	Synthesis and properties of novel hyperbranched polyimides endâ€“capped with metallophthalocyanines. Journal of Applied Polymer Science, 2013, 128, 3405-3410.	2.6	10
53	High dielectric constant polyaniline/sulfonated poly(aryl ether ketone) composite membranes with good thermal and mechanical properties. Journal of Applied Polymer Science, 2013, 130, 1990-1995.	2.6	9
54	The microstructure and dielectric properties of modified poly(aryl ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (ketone)/metalloph	2.7	14

#	ARTICLE	IF	CITATIONS
55	Microstructure and Dielectric Properties of Poly(aryl ether ketone)s/Tetra-amino-phthalocyanine Zinc Composites. <i>Polymer-Plastics Technology and Engineering</i> , 2012, 51, 1372-1376.	1.9	11
56	Preparation and characterization of a novel hyperbranched poly(aryl ether ketone) terminated with cobalt phthalocyanine to be used for oxidative decomposition of 2,4,6-trichlorophenol. <i>Macromolecular Research</i> , 2010, 18, 331-335.	2.4	7
57	Novel soluble fluorinated poly(ether imide)s with different pendant groups: Synthesis, thermal, dielectric, and optical properties. <i>Journal of Polymer Science Part A</i> , 2010, 48, 3281-3289.	2.3	63
58	Study on Novel Carbon-Nanotube/Sulfonated Poly(Aryl Ether Ketone) Composites with High Dielectric Constant at Low Percolation Threshold. <i>Soft Materials</i> , 2010, 9, 94-103.	1.7	16
59	Synthesis and characterization of novel cyanofunctionalized poly(aryl ether ketone)s. <i>E-Polymers</i> , 2009, 9, .	3.0	2
60	Synthesis and characterization of poly(aryl ether ketone) oligomers terminated with metallophthalocyanine to be used for oxidative decomposition of TCP. <i>Journal of Applied Polymer Science</i> , 2009, 112, 434-438.	2.6	3
61	Synthesis of novel fluorinated hyperbranched polyimides with excellent optical properties. <i>Journal of Polymer Science Part A</i> , 2009, 47, 6269-6279.	2.3	31
62	Preparation and nonlinear optical characterization of a novel hyperbranched poly(aryl ether ketone) end-functionalized with nickel phthalocyanine. <i>Dyes and Pigments</i> , 2008, 79, 217-223.	3.7	25
63	Microstructure and nonlinear optical characterization of a poly(aryl ether ketone) containing cobalt phthalocyanine. <i>Materials Letters</i> , 2008, 62, 3453-3455.	2.6	5
64	Synthesis and characterization of novel poly(aryl ether ketone)s with metallophthalocyanine pendant unit from a new bisphenol containing dicyanophenyl side group. <i>Polymer</i> , 2006, 47, 1569-1574.	3.8	25
65	Synthesis and Properties of Poly(Aryl Ether Ketone) Copolymers Containing 1,4-Naphthalene Moieties. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2004, 41, 1095-1103.	2.2	7