

# Yunhwan Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1669512/publications.pdf>

Version: 2024-02-01

138  
papers

9,868  
citations

117453

34  
h-index

38300

95  
g-index

144  
all docs

144  
docs citations

144  
times ranked

10773  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Predicting Mortality of Korean Geriatric Trauma Patients: A Comparison between Geriatric Trauma Outcome Score and Trauma and Injury Severity Score. <i>Yonsei Medical Journal</i> , 2022, 63, 88.   | 0.9 | 2         |
| 2  | Musculoskeletal Health of the Adults Over 50 Years of Age in Relation to Antioxidant Vitamin Intakes. <i>Clinical Nutrition Research</i> , 2022, 11, 84.  | 0.5 | 1         |
| 3  | The effect of sex and physical frailty on incident disability after 2 years among community-dwelling older adults: KFACS study. <i>BMC Geriatrics</i> , 2022, 22, .   | 1.1 | 4         |
| 4  | The 10-year multimorbidity trajectory and mortality risk in older people with long-term care needs. <i>Archives of Gerontology and Geriatrics</i> , 2022, 103, 104775.  | 1.4 | 3         |
| 5  | Dietary Patterns and Frailty in Older Korean Adults: Results from the Korean Frailty and Aging Cohort Study. <i>Nutrients</i> , 2021, 13, 601.  | 1.7 | 8         |
| 6  | Gender differences in the effect of depression and cognitive impairment on risk of falls among community-dwelling older adults. <i>Journal of Affective Disorders</i> , 2021, 282, 504-510.   | 2.0 | 12        |
| 7  | Development of Guidelines on the Primary Prevention of Frailty in Community-Dwelling Older Adults. <i>Annals of Geriatric Medicine and Research</i> , 2021, 25, 237-244.  | 0.7 | 8         |
| 8  | Effect of relative handgrip strength on cardiovascular disease among Korean adults aged 45 years and older: Results from the Korean Longitudinal Study of Aging (2006-2016). <i>Archives of Gerontology and Geriatrics</i> , 2020, 86, 103937.                  | 1.4 | 20        |
| 9  | Mediating effect of waist:height ratio on the association between BMI and frailty: the Korean Frailty and Aging Cohort Study. <i>British Journal of Nutrition</i> , 2020, 124, 513-520.   | 1.2 | 8         |
| 10 | Relationships between cognitive function and frailty in older Korean adults: The moderating effect of the number of teeth. <i>Archives of Gerontology and Geriatrics</i> , 2020, 91, 104213.  | 1.4 | 6         |
| 11 | Prevalence of Physical Frailty and Its Multidimensional Risk Factors in Korean Community-Dwelling Older Adults: Findings from Korean Frailty and Aging Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7883. | 1.2 | 35        |
| 12 | Korean frailty and aging cohort study (KFACS): cohort profile. <i>BMJ Open</i> , 2020, 10, e035573.   | 0.8 | 87        |
| 13 | <scp>COVID</scp>â€19 and older people in Asia: Asian Working Group for Sarcopenia calls to action. <i>Geriatrics and Gerontology International</i> , 2020, 20, 547-558.  | 0.7 | 110       |
| 14 | The Predictive Value of Social Frailty on Adverse Outcomes in Older Adults Living in the Community. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1464-1469.e2.  | 1.2 | 17        |
| 15 | Leucine-Enriched Protein Supplementation Increases Lean Body Mass in Healthy Korean Adults Aged 50 Years and Older: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Nutrients</i> , 2020, 12, 1816.  | 1.7 | 19        |
| 16 | Association of serum vitamin D with frailty in older Korean adults. <i>Maturitas</i> , 2020, 134, 15-20.  | 1.0 | 6         |
| 17 | Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 300-307.e2.   | 1.2 | 2,796     |
| 18 | Stepwise stroke recognition through clinical information, vital signs, and initial labs (CIVL): Electronic health record-based observational cohort study. <i>PLoS ONE</i> , 2020, 15, e0231113.  | 1.1 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Association between oral health status and handgrip strength in older Korean adults. <i>European Geriatric Medicine</i> , 2020, 11, 459-464.  | 1.2 | 16        |
| 20 | Potentially Avoidable Hospitalization among Long-Term Care Insurance Beneficiaries with Dementia. <i>Korean Journal of Family Medicine</i> , 2020, 41, 318-324.   | 0.4 | 1         |
| 21 | Development of Korean Frailty Index for Primary Care (KFI-PC) and Its Criterion Validity. <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 125-138.   | 0.7 | 24        |
| 22 | Association between Relative Handgrip Strength and Osteoporosis in Older Women: The Korea National Health and Nutrition Examination Survey 2014-2018. <i>Annals of Geriatric Medicine and Research</i> , 2020, 24, 243-251. | 0.7 | 4         |
| 23 | Title is missing!. , 2020, 15, e0231113.  |     | 0         |
| 24 | Title is missing!. , 2020, 15, e0231113.  |     | 0         |
| 25 | Title is missing!. , 2020, 15, e0231113.  |     | 0         |
| 26 | Title is missing!. , 2020, 15, e0231113.  |     | 0         |
| 27 | Five-year survival rate among older adults participating in the national geriatric screening program: A South Korean population-based cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2019, 83, 179-184.      | 1.4 | 1         |
| 28 | Clinical and Demographic Predictors of Adverse Outcomes in Caregivers of Patients with Dementia. <i>Dementia and Neurocognitive Disorders</i> , 2019, 18, 10.   | 0.4 | 7         |
| 29 | Association Between Dental Implants and Cognitive Function in Community-dwelling Older Adults in Korea. <i>Journal of Preventive Medicine and Public Health</i> , 2019, 52, 333-343.  | 0.7 | 8         |
| 30 | Nutritional Status and Frailty in Community-Dwelling Older Korean Adults: The Korean Frailty and Aging Cohort Study. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 774-778.                                     | 1.5 | 31        |
| 31 | The moderating effect of religiosity on caregiving burden and depressive symptoms in caregivers of patients with dementia. <i>Aging and Mental Health</i> , 2018, 22, 141-147.  | 1.5 | 13        |
| 32 | Dementia and death after stroke in older adults during a 10-year follow-up: Results from a competing risk model. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 297-301.   | 1.5 | 24        |
| 33 | Memory Age Identity as a predictor of cognitive function in the elderly: A 2-year follow-up study. <i>Archives of Gerontology and Geriatrics</i> , 2018, 74, 68-71.   | 1.4 | 3         |
| 34 | The effects of frailty and cognitive impairment on 3-year mortality in older adults. <i>Maturitas</i> , 2018, 107, 50-55.   | 1.0 | 60        |
| 35 | The Association between Frequency of Social Contact and Frailty in Older People: Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Korean Medical Science</i> , 2018, 33, e332.                                  | 1.1 | 38        |
| 36 | Calf Circumference as a Simple Screening Marker for Diagnosing Sarcopenia in Older Korean Adults: the Korean Frailty and Aging Cohort Study (KFACS). <i>Journal of Korean Medical Science</i> , 2018, 33, e151.             | 1.1 | 80        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Implementation of long-term care and hospital utilization: Results of segmented regression analysis of interrupted time series study. Archives of Gerontology and Geriatrics, 2018, 78, 221-226.  | 1.4 | 3         |
| 38 | Longitudinal changes in comorbidity patterns over time in relation to mortality in older Korean adults. Archives of Gerontology and Geriatrics, 2018, 79, 63-68.  | 1.4 | 5         |
| 39 | Modified Criteria for Diagnosing "Cognitive Frailty". Psychiatry Investigation, 2018, 15, 839-842.  | 0.7 | 24        |
| 40 | Subcortical Ischemic Change as a Predictor of Driving Cessation in the Elderly. Psychiatry Investigation, 2018, 15, 1162-1167.  | 0.7 | 4         |
| 41 | Influence of Offspring on Self-Rated Health among Older Adults: Evidence from the Korean Longitudinal Study of Aging (2006-2012). Korean Journal of Family Medicine, 2018, 39, 191-199.   | 0.4 | 3         |
| 42 | Mortality Risk after Diagnosis of Early-Onset Alzheimer's Disease versus Late-Onset Alzheimer's Disease: A Propensity Score Matching Analysis. Journal of Alzheimer's Disease, 2017, 56, 1341-1348.   | 1.2 | 16        |
| 43 | Factors associated with perceived unmet dental care needs of older adults. Geriatrics and Gerontology International, 2017, 17, 1936-1942.   | 0.7 | 23        |
| 44 | Influence of personality on depression, burden, and health-related quality of life in family caregivers of persons with dementia. International Psychogeriatrics, 2017, 29, 227-237.  | 0.6 | 32        |
| 45 | Diet quality and osteosarcopenic obesity in community-dwelling adults 50 years and older. Maturitas, 2017, 104, 73-79.  | 1.0 | 28        |
| 46 | Development and validation of the Korea Dementia Comorbidity Index (KDCI): A nationwide population-based cohort study from 2002 to 2013. Archives of Gerontology and Geriatrics, 2017, 72, 195-200.   | 1.4 | 6         |
| 47 | Association of serum vitamin D with osteosarcopenic obesity: Korea National Health and Nutrition Examination Survey 2008-2010. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 259-266.  | 2.9 | 51        |
| 48 | Effects of social integration on depressive symptoms in Korea: analysis from the Korean Longitudinal Study of Aging (2006-12). Australian Health Review, 2017, 41, 222.   | 0.5 | 3         |
| 49 | PRIMARY PREVENTION OF DEMENTIA: THE FUTURE OF POPULATION-BASED MULTIDOMAIN LIFESTYLE INTERVENTIONS. journal of prevention of Alzheimer's disease, The, 2017, 5, 1-3.  | 1.5 | 6         |
| 50 | Hospital Charges and Continuity of Care for Outpatients with Hypertension in South Korea: A Nationwide Population-Based Cohort Study from 2002 to 2013. Korean Journal of Family Medicine, 2017, 38, 242.                                       | 0.4 | 5         |
| 51 | Association of Occupational Class with Healthcare Utilization among Economically Active Korean Adults from 2006 to 2014: A Repeated Cross-Sectional Study of Koreans Aged 19 Years and Older. Korean Journal of Family Medicine, 2017, 38, 365. | 0.4 | 1         |
| 52 | Clinical Predictors for Mild Cognitive Impairment Progression in a Korean Cohort. Dementia and Neurocognitive Disorders, 2016, 15, 68.  | 0.4 | 2         |
| 53 | Influence of Social Engagement on Mortality in Korea: Analysis of the Korean Longitudinal Study of Aging (2006-2012). Journal of Korean Medical Science, 2016, 31, 1020.  | 1.1 | 9         |
| 54 | Factors related to prevalence, persistence, and incidence of depressive symptoms in mild cognitive impairment: vascular depression construct. International Journal of Geriatric Psychiatry, 2016, 31, 818-826.                                 | 1.3 | 17        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Clinical Conversion or Reversion of Mild Cognitive Impairment in Community versus Hospital Based Studies: GDEMCIS (Gwangju Dementia and Mild Cognitive Impairment Study) and CREDOS (Clinical Research Center for Dementia of South Korea) Study. <i>Journal of Alzheimer's Disease</i> , 2016, 48, 1043-1050. | 1.0 | 33        |
| 56 | Association of sleep duration with rheumatoid arthritis in Korean adults: analysis of seven years of aggregated data from the Korea National Health and Nutrition Examination Survey (KNHANES). <i>BMJ Open</i> , 2016, 6, e011420.  | 0.8 | 17        |
| 57 | “Syndromes” of mobility limitations in older adults. <i>Osteoporosis and Sarcopenia</i> , 2016, 2, 256.  | 0.7 | 0         |
| 58 | MRI-defined versus clinically-defined vascular depression; comparison of prediction of functional disability in the elderly. <i>Archives of Gerontology and Geriatrics</i> , 2016, 66, 7-12.   | 1.4 | 7         |
| 59 | Beyond volume. <i>Medicine (United States)</i> , 2016, 95, e3917.  | 0.4 | 2         |
| 60 | Starting Construction of Frailty Cohort for Elderly and Intervention Study. <i>Annals of Geriatric Medicine and Research</i> , 2016, 20, 114-117.  | 0.7 | 49        |
| 61 | Body Mass Index and Mortality Rate in Korean Patients with Alzheimer’s Disease. <i>Journal of Alzheimer’s Disease</i> , 2015, 46, 399-406.   | 1.2 | 18        |
| 62 | Elevation of the Plasma A $\beta$ <sup>240</sup> /A $\beta$ <sup>242</sup> Ratio as a Diagnostic Marker of Sporadic Early-Onset Alzheimer’s Disease. <i>Journal of Alzheimer’s Disease</i> , 2015, 48, 1043-1050.  | 1.2 | 33        |
| 63 | Severity of White Matter Hyperintensities and Length of Hospital Stay in Patients with Cognitive Impairment: A CREDOS (Clinical Research Center for Dementia of South Korea) Study. <i>Journal of Alzheimer’s Disease</i> , 2015, 46, 719-726.   | 1.2 | 5         |
| 64 | Cognitive Profiles and Neuropsychiatric Symptoms in Korean Early-Onset Alzheimer’s Disease Patients: A CREDOS Study. <i>Journal of Alzheimer’s Disease</i> , 2015, 44, 661-673.  | 1.2 | 31        |
| 65 | Higher free thyroxine levels are associated with sarcopenia in elderly Koreans. <i>Osteoporosis and Sarcopenia</i> , 2015, 1, 127-133.   | 0.7 | 5         |
| 66 | Idiopathic erythrocytosis in a patient on chronic hemodialysis. <i>Kidney Research and Clinical Practice</i> , 2015, 34, 60-63.  | 0.9 | 1         |
| 67 | Frontal Lobe Function and Risk of Hip Fracture in Patient With Alzheimer Disease. <i>Medicine (United States)</i> , 2015, 94, e919.  | 0.4 | 7         |
| 68 | Effect of Psychotropic Drugs on Development of Diabetes Mellitus in Patients With Alzheimer’s Disease. <i>Medicine (United States)</i> , 2015, 94, e919.   | 0.4 | 7         |
| 69 | Association Between Healthy Diet and Exercise and Greater Muscle Mass in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 886-892.  | 1.3 | 32        |
| 70 | Predictors of Asthma Control by Stepwise Treatment in Elderly Asthmatic Patients. <i>Journal of Korean Medical Science</i> , 2015, 30, 1042.   | 1.1 | 19        |
| 71 | Unstable Body Mass Index and Progression to Probable Alzheimer’s Disease Dementia in Patients with Amnesic Mild Cognitive Impairment. <i>Journal of Alzheimer’s Disease</i> , 2015, 49, 483-491.   | 1.2 | 31        |
| 72 | Increased Plasma Levels of Heat Shock Protein 70 Associated with Subsequent Clinical Conversion to Mild Cognitive Impairment in Cognitively Healthy Elderly. <i>PLoS ONE</i> , 2015, 10, e0119180.   | 1.1 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Association of alcohol drinking with verbal and visuospatial memory impairment in older adults: Clinical Research Center for Dementia of South Korea (CREDOS) study. <i>International Psychogeriatrics</i> , 2015, 27, 455-461.   | 0.6 | 10        |
| 74 | Differential effects of white matter hyperintensity on geriatric depressive symptoms according to APOE- $\epsilon$ 4 status. <i>Journal of Affective Disorders</i> , 2015, 188, 28-34.  | 2.0 | 25        |
| 75 | Changes in physical activity and cognitive decline in older adults living in the community. <i>Age</i> , 2015, 37, 20.  | 3.0 | 19        |
| 76 | Isolated axial lateropulsion with ipsilesional subjective visual vertical tilt in caudal lateral medullary infarction. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2015, 25, 41-45.  | 0.8 | 10        |
| 77 | Association of vegetables and fruits consumption with sarcopenia in older adults: the Fourth Korea National Health and Nutrition Examination Survey. <i>Age and Ageing</i> , 2015, 44, 96-102.  | 0.7 | 80        |
| 78 | The relationship between cognitive performance and insulin resistance in non-diabetic patients with mild cognitive impairment. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 551-557.  | 1.3 | 21        |
| 79 | Effects of a Combined Physical Training and Nutrition Intervention on Physical Performance and Health-Related Quality of Life in Prefrail Older Women Living in the Community: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 263.e1-263.e8. | 1.2 | 77        |
| 80 | Gender differences in risk factors for transition from mild cognitive impairment to Alzheimer's disease: A CREDOS study. <i>Comprehensive Psychiatry</i> , 2015, 62, 114-122.   | 1.5 | 93        |
| 81 | Frequency of contact with non-cohabitating adult children and risk of depression in elderly: A community-based three-year longitudinal study in Korea. <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 183-189.   | 1.4 | 28        |
| 82 | The Clinical Characteristics according to the Educational Level in the Elderly Patients with Mild Alzheimer's Disease Dementia. <i>Dementia and Neurocognitive Disorders</i> , 2015, 14, 158.   | 0.4 | 1         |
| 83 | Participation in Physical, Social, and Religious Activity and Risk of Depression in the Elderly: A Community-Based Three-Year Longitudinal Study in Korea. <i>PLoS ONE</i> , 2015, 10, e0132838.  | 1.1 | 88        |
| 84 | Evidence-based Prevention of Frailty in Older Adults. <i>Journal of the Korean Geriatrics Society</i> , 2015, 19, 121-129.  | 0.3 | 8         |
| 85 | The Recent Decline in Prevalence of Dementia in Developed Countries: Implications for Prevention in the Republic of Korea. <i>Journal of Korean Medical Science</i> , 2014, 29, 913.  | 1.1 | 15        |
| 86 | Frailty and Body Mass Index as Predictors of 3-Year Mortality in Older Adults Living in the Community. <i>Gerontology</i> , 2014, 60, 475-482.  | 1.4 | 81        |
| 87 | Association of cognitive impairment with frailty in community-dwelling older adults. <i>International Psychogeriatrics</i> , 2014, 26, 155-163.   | 0.6 | 73        |
| 88 | Effects of a Multidomain Lifestyle Modification on Cognitive Function in Older Adults: An Eighteen-Month Community-Based Cluster Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 270-278.  | 4.0 | 40        |
| 89 | A New Classification System for Ischemia Using a Combination of Deep and Periventricular White Matter Hyperintensities. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 636-642.  | 0.7 | 85        |
| 90 | Insulin Is Inversely Associated With Bone Mass, Especially in the Insulin-Resistant Population: The Korea and US National Health and Nutrition Examination Surveys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1433-1441.  | 1.8 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Perceived sleep quality is associated with depression in a Korean elderly population. Archives of Gerontology and Geriatrics, 2014, 59, 468-473.  | 1.4 | 58        |
| 92  | Sarcopenia in Asia: Consensus Report of the Asian Working Group for Sarcopenia. Journal of the American Medical Directors Association, 2014, 15, 95-101.  | 1.2 | 3,035     |
| 93  | DJ-1 protein regulates CD3+ T cell migration via overexpression of CXCR4 receptor. Atherosclerosis, 2014, 235, 503-509.   | 0.4 | 21        |
| 94  | The Heterogeneity and Natural History of Mild Cognitive Impairment of Visual Memory Predominant Type. Journal of Alzheimer's Disease, 2014, 43, 143-152.  | 1.2 | 12        |
| 95  | Modifying Effects of Resting Heart Rate on the Association of Binge Drinking With All-cause and Cardiovascular Mortality in Older Korean Men: the Kangwha Cohort Study. Journal of Epidemiology, 2014, 24, 274-280.   | 1.1 | 6         |
| 96  | Dietary patterns and functional disability in older Korean adults. Maturitas, 2013, 76, 160-164.  | 1.0 | 23        |
| 97  | Changes in combined lifestyle risks and disability transition in older adults: Korean Longitudinal Study of Aging, 2006-2008. Preventive Medicine, 2013, 56, 124-129.   | 1.6 | 20        |
| 98  | Association of physical activity with sarcopenia and sarcopenic obesity in community-dwelling older adults: the Fourth Korea National Health and Nutrition Examination Survey. Age and Ageing, 2013, 42, 734-740.   | 0.7 | 126       |
| 99  | Effects of education on the progression of early- versus late-stage mild cognitive impairment. International Psychogeriatrics, 2013, 25, 597-606.   | 0.6 | 46        |
| 100 | Laryngeal pathologies in older Korean adults and their association with smoking and alcohol consumption. Laryngoscope, 2013, 123, 429-433.  | 1.1 | 29        |
| 101 | Preliminary Study for a Multicenter Study of Alzheimer's Disease Cerebrospinal Fluid Biomarkers. Dementia and Neurocognitive Disorders, 2013, 12, 1.  | 0.4 | 8         |
| 102 | Recognizing Our Peer Reviewers of 2012. Journal of Preventive Medicine and Public Health, 2013, 46, 61-61.  | 0.7 | 0         |
| 103 | Prevalence of Sarcopenia and Sarcopenic Obesity in the Korean Population Based on the Fourth Korean National Health and Nutritional Examination Surveys. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67, 1107-1113.  | 1.7 | 264       |
| 104 | Neuropsychological Performance and Conversion to Alzheimer's Disease in Early- Compared to Late-Onset Amnesic Mild Cognitive Impairment: CREDO Study. Dementia and Geriatric Cognitive Disorders, 2012, 34, 156-166.  | 0.7 | 25        |
| 105 | Association Between White Matter Hyperintensity Severity and Cognitive Impairment According to the Presence of the Apolipoprotein E (APOE) $\epsilon$ 4 Allele in the Elderly. Journal of Clinical Psychiatry, 2012, 73, 1555-1562.   | 1.1 | 17        |
| 106 | The prevalence of osteoporosis in Korean adults aged 50 years or older and the higher diagnosis rates in women who were beneficiaries of a national screening program: The Korea National Health and Nutrition Examination Survey 2008-2009. Journal of Bone and Mineral Research, 2012, 27, 1879-1886. | 3.1 | 100       |
| 107 | Role of Healthcare in Korean Long-Term Care Insurance. Journal of Korean Medical Science, 2012, 27, S41.  | 1.1 | 21        |
| 108 | Relationship between memory age identity (MAI) and cognition in Korean elders. Archives of Gerontology and Geriatrics, 2012, 54, 339-342.   | 1.4 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Clustering of multiple healthy lifestyles among older Korean adults living in the community. <i>Geriatrics and Gerontology International</i> , 2012, 12, 515-523.                      | 0.7 | 27        |
| 110 | Thanks to Our Peer Reviewers of 2011. <i>Journal of Preventive Medicine and Public Health</i> , 2012, 45, 61-61.   | 0.7 | 0         |
| 111 | Legumes and soy products consumption and functional disability in older women. <i>Maturitas</i> , 2011, 69, 268-272.   | 1.0 | 9         |
| 112 | Frequency of dairy consumption and functional disability in older persons. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 795-800.  | 1.5 | 20        |
| 113 | Gender differences in the association between socioeconomic status (SES) and depressive symptoms in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, e140-e144. | 1.4 | 70        |
| 114 | Application of health concern and activity model on cognition in the elderly. <i>Archives of Gerontology and Geriatrics</i> , 2011, 53, e187-e191.                                     | 1.4 | 3         |
| 115 | Mid-life and late-life vascular risk factors and dementia in Korean men and women. <i>Archives of Gerontology and Geriatrics</i> , 2011, 52, e117-e122.                                | 1.4 | 68        |
| 116 | Relationship between Physical Activity and Cognitive Function in the Elderly. <i>Journal of the Korean Geriatrics Society</i> , 2011, 15, 90-98.                                       | 0.3 | 6         |
| 117 | A More Efficient Way to Publish: JPMPH Goes Electronic. <i>Journal of Preventive Medicine and Public Health</i> , 2011, 44, 1.   | 0.7 | 0         |
| 118 | Systematic review of health behavioral risks and cognitive health in older adults “CORRIGENDUM. <i>International Psychogeriatrics</i> , 2010, 22, 188-188.                             | 0.6 | 4         |
| 119 | Multiple Socioeconomic Risks and Cognitive Impairment in Older Adults. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 523-529.  | 0.7 | 38        |
| 120 | Systematic review of health behavioral risks and cognitive health in older adults. <i>International Psychogeriatrics</i> , 2010, 22, 174-187.  | 0.6 | 181       |
| 121 | Bringing Up-to-Date Public Health Research to Your Doorstep. <i>Journal of Preventive Medicine and Public Health</i> , 2010, 43, 93.   | 0.7 | 0         |
| 122 | The Association Between Frequency of Food Group Consumption and Functional Disability in Older People. <i>Journal of the Korean Geriatrics Society</i> , 2010, 14, 25-35.              | 0.3 | 3         |
| 123 | The influence of multiple lifestyle behaviors on cognitive function in older persons living in the community. <i>Preventive Medicine</i> , 2009, 48, 86-90.                            | 1.6 | 49        |
| 124 | Lifestyle Recommendations for Dementia Prevention: PASCAL. <i>Journal of the Korean Geriatrics Society</i> , 2009, 13, 61-68.  | 0.3 | 11        |
| 125 | Does physical activity moderate the association between depressive symptoms and disability in older adults?. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 249-256. | 1.3 | 50        |
| 126 | Skeletal Muscle Metastasis from a Cecal Mucinous Adenocarcinoma: A Case Report. <i>Journal of the Korean Radiological Society</i> , 2008, 59, 329.                                     | 0.0 | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Leukemic Meningitis Involving the Cauda Equina: A Case Report. Journal of the Korean Radiological Society, 2008, 59, 5.  | 0.0 | 1         |
| 128 | Inflammatory Myofibroblastic Tumor on Intercostal Nerve Presenting as Paraneoplastic Pemphigus with Fatal Pulmonary Involvement. Journal of Korean Medical Science, 2007, 22, 735.               | 1.1 | 10        |
| 129 | Health Practices That Predict Recovery from Functional Limitations in Older Adults. American Journal of Preventive Medicine, 2006, 31, 25-31.  | 1.6 | 48        |
| 130 | Correlates of cognitive impairment and depressive symptoms among older adults in Korea and Japan. International Journal of Geriatric Psychiatry, 2005, 20, 576-586.                              | 1.3 | 75        |
| 131 | Association of cognitive status with functional limitation and disability in older adults. Aging Clinical and Experimental Research, 2005, 17, 20-28.  | 1.4 | 46        |
| 132 | Association of dietary factors with cognitive impairment in older women. Journal of Preventive Medicine and Public Health, 2004, 37, 174-81.   | 0.7 | 1         |
| 133 | A comparison of correlates of self-rated health and functional disability of older persons in the Far East: Japan and Korea. Archives of Gerontology and Geriatrics, 2003, 37, 63-76.            | 1.4 | 89        |
| 134 | Functional disability of older persons in long-term care facilities in Korea. Archives of Gerontology and Geriatrics, 2002, 34, 93-106.  | 1.4 | 12        |
| 135 | Trauma experience of North Korean refugees in China. American Journal of Preventive Medicine, 2001, 20, 225-229.   | 1.6 | 74        |
| 136 | Association of Comorbidity with Depressive Symptoms in Community-Dwelling Older Persons. Gerontology, 2001, 47, 254-262.   | 1.4 | 58        |
| 137 | The predictive value of self assessed general, physical, and mental health on functional decline and mortality in older adults. Journal of Epidemiology and Community Health, 2000, 54, 123-129. | 2.0 | 329       |
| 138 | Age differences in ratings of medical care among older adults living in the community. Aging Clinical and Experimental Research, 1999, 11, 12-20.  | 1.4 | 7         |