

Marta Rapado-Castro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1669581/publications.pdf>

Version: 2024-02-01

65
papers

3,009
citations

201674

27
h-index

168389

53
g-index

80
all docs

80
docs citations

80
times ranked

3949
citing authors

#	ARTICLE	IF	CITATIONS
1	Perceived impact of the COVID-19 pandemic on child and adolescent psychiatric services after 1 year (February/March 2021): ESCAP CovCAP survey. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 249-256.	4.7	33
2	Childhood maltreatment disrupts HPA-axis activity under basal and stress conditions in a doseâ€“response relationship in children and adolescents. <i>Psychological Medicine</i> , 2023, 53, 1060-1073.	4.5	14
3	Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1715-1728.	4.7	3
4	Secretary immunoglobulin A (s-IgA) reactivity to acute psychosocial stress in children and adolescents: The influence of pubertal development and history of maltreatment. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 122-129.	4.1	7
5	Quality of care in psychiatry is related to research activity. <i>European Psychiatry</i> , 2021, 64, e53.	0.2	0
6	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 2474.	2.4	10
7	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3929.	2.4	4
8	Building up resilience in an uncertain world: mental health challenges in the aftermath of the first modern pandemic. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1001-1003.	3.2	2
9	Relationship between cognition and age at onset of first-episode psychosis: comparative study between adolescents, young adults, and adults. <i>European Child and Adolescent Psychiatry</i> , 2021, , 1.	4.7	4
10	Risk of Suicidal Behavior in Children and Adolescents Exposed to Maltreatment: The Mediating Role of Borderline Personality Traits and Recent Stressful Life Events. <i>Journal of Clinical Medicine</i> , 2021, 10, 5293.	2.4	13
11	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	4.3	14
12	A longitudinal comparison of two neurocognitive test batteries in patients with schizophrenia and healthy volunteers: Time effects on neuropsychological performance and their relation to functional outcome. <i>Schizophrenia Research</i> , 2020, 216, 347-356.	2.0	6
13	S95. DIFFERENCES IN LIFETIME PATTERNS OF PSYCHOSTIMULANTS AND THEIR IMPACT ON THE PROPORTION OF PATIENTS WITH FIRST-EPISODE PSYCHOSIS ATTRIBUTABLE TO PSYCHOSTIMULANTS USE ACROSS EUROPE. <i>Schizophrenia Bulletin</i> , 2020, 46, S70-S71.	4.3	0
14	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. <i>Schizophrenia Research</i> , 2020, 224, 116-125.	2.0	9
15	F133. A LONGITUDINAL COMPARISON OF TWO NEUROCOGNITIVE ASSESSMENT PACKAGES IN PATIENTS WITH SCHIZOPHRENIA AND HEALTHY VOLUNTEERS: TIME EFFECTS ON NEUROPSYCHOLOGICAL PERFORMANCE AND ITS RELATION TO FUNCTIONAL OUTCOME. <i>Schizophrenia Bulletin</i> , 2019, 45, S304-S305.	4.3	0
16	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436.	7.4	528
17	Role of Executive Function in Response to a Problem Solving Based Psychoeducational Intervention in Adolescents with Psychosis: The PIENSA Trial Revisited. <i>Journal of Clinical Medicine</i> , 2019, 8, 2108.	2.4	2
18	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154.	4.5	60

#	ARTICLE	IF	CITATIONS
19	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 113-126.	4.7	17
20	Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 1592-1607.	4.5	27
21	Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. <i>Psychiatry Research</i> , 2018, 260, 60-66.	3.3	10
22	Cognitive effects of adjunctive N-acetyl cysteine in psychosis. <i>Psychological Medicine</i> , 2017, 47, 866-876.	4.5	88
23	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.7	26
24	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.	4.5	103
25	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , 2016, 46, 291-301.	4.5	43
26	Psychiatric comorbidities in autism spectrum disorder: A comparative study between DSM-IV-TR and DSM-5 diagnosis. <i>International Journal of Clinical and Health Psychology</i> , 2016, 16, 266-275.	5.1	73
27	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.	2.8	95
28	Tobacco Use in Bipolar Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2015, 13, 1-11.	2.0	49
29	Sources of clinical distress in young people at ultra high risk of psychosis. <i>Schizophrenia Research</i> , 2015, 165, 15-21.	2.0	50
30	Desarrollo profesional en investigación traslacional en neurociencias y salud mental: educación y formación dentro del Centro de Investigación Biomédica en Red en Salud Mental. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015, 8, 65-74.	1.8	6
31	Gender effects on brain changes in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1193-1205.	4.7	7
32	The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. <i>Psychiatry Research</i> , 2015, 226, 128-135.	3.3	24
33	Psychoeducational Group Intervention for Adolescents With Psychosis and Their Families: A Two-Year Follow-Up. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 984-990.	0.5	22
34	P.7.b.008 Progressive loss of gray matter volume in the frontal lobe is associated with decreased working memory performance over time in adolescent psychosis. <i>European Neuropsychopharmacology</i> , 2015, 25, S639-S640.	0.7	0
35	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.7	52
36	Predictors of schizophrenia spectrum disorders in early-onset first episodes of psychosis: a support vector machine model. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 427-440.	4.7	37

#	ARTICLE	IF	CITATIONS
37	Towards stage specific treatments: Effects of duration of illness on therapeutic response to adjunctive treatment with N-acetyl cysteine in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 57, 69-75.	4.8	29
38	Predictors of Functional and Clinical Outcome in Early-Onset First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1441-e1448.	2.2	19
39	Effects of N-Acetyl Cysteine on Suicidal Ideation in Bipolar Depression. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e665-e665.	2.2	11
40	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
41	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 158, 126-133.	2.0	33
42	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. <i>Schizophrenia Research</i> , 2014, 156, 23-29.	2.0	42
43	Intervention for Adolescents With Early-Onset Psychosis and Their Families: A Randomized Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 688-696.	0.5	34
44	Premorbid impairments in early-onset psychosis: Differences between patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013, 146, 103-110.	2.0	33
45	Efficacy of Functional Remediation in Bipolar Disorder: A Multicenter Randomized Controlled Study. <i>American Journal of Psychiatry</i> , 2013, 170, 852-859.	7.2	269
46	Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. <i>Psychological Medicine</i> , 2013, 43, 757-768.	4.5	56
47	Progressive Brain Changes in Children and Adolescents With First-Episode Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 16.	12.3	135
48	Poster #40 LONGITUDINAL CHANGE IN LEVELS OF N-ACETYL-ASPARTATE IN EARLY ONSET PSYCHOSIS AND HEALTHY CONTROLS. <i>Schizophrenia Research</i> , 2012, 136, S106.	2.0	0
49	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. <i>Schizophrenia Research</i> , 2012, 137, 58-65.	2.0	50
50	Longitudinal study of neurological soft signs in first-episode early-onset psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012, 53, 323-331.	5.2	39
51	Estimation of the Intelligence Quotient Using Wechsler Intelligence Scales in Children and Adolescents with Asperger Syndrome. <i>Journal of Autism and Developmental Disorders</i> , 2012, 42, 116-122.	2.7	18
52	PIENSA: Development of an Early Intervention Program for Adolescents With Early-Onset Psychosis and Their Families. <i>Adolescent Psychiatry (Hilversum, Netherlands)</i> , 2012, 2, 229-236.	0.2	6
53	P.7.e.001 Oxidative stress and brain volume in early onset psychosis: role of glutathione levels in progressive loss of cortical grey matter. <i>European Neuropsychopharmacology</i> , 2011, 21, S608.	0.7	0
54	Efficacy and safety of second-generation antipsychotics in children and adolescents with psychotic and bipolar spectrum disorders: Comprehensive review of prospective head-to-head and placebo-controlled comparisons. <i>European Neuropsychopharmacology</i> , 2011, 21, 621-645.	0.7	168

#	ARTICLE	IF	CITATIONS
55	Trait and State Attributes of Insight in First Episodes of Early-Onset Schizophrenia and Other Psychoses: A 2-Year Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 38-51.	4.3	100
56	Cognitive Functioning in Children and Adolescents in Their First Episode of Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 159-162.	1.0	36
57	Neuropsychological functioning in early-onset first-episode psychosis: comparison of diagnostic subgroups. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 225-233.	3.2	69
58	Neurological soft signs in juvenile patients with Asperger syndrome, early-onset psychosis, and healthy controls. <i>Microbial Biotechnology</i> , 2010, 4, 283-290.	1.7	22
59	Predominance of Symptoms Over Time in Early-Onset Psychosis. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 327-337.	2.2	26
60	COMT AND DRD3, BUT NOT DRD2, GENOTYPE AFFECT SOFT NEUROLOGICAL SIGNS IN HEALTHY AND FIRST-EPIISODE PSYCHOSIS ADOLESCENTS. <i>Schizophrenia Research</i> , 2008, 102, 183.	2.0	0
61	Actitud respecto a la medicaci3n antipsic3tica como factor predictivo de la suspensi3n del tratamiento antipsic3tico en el per3odo inicial de la psicosis de inicio temprano. <i>Revista De Psiquiatr3a Y Salud Mental</i> , 2008, 1, 10-17.	1.8	8
62	Attitude Toward Antipsychotic Medication as a Predictor of Antipsychotic Treatment Discontinuation in First-Episode Early-Onset Psychosis. <i>Revista De Psiquiatr3a Y Salud Mental (English Edition)</i> , 2008, 1, 10-17.	0.3	5
63	QTc Changes after 6 Months of Second-Generation Antipsychotic Treatment in Children and Adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008, 18, 381-383.	1.3	13
64	The genetic contribution to first psychotic episodes in children and adolescents of the child and adolescent first-episode psychosis study. <i>Psychiatric Genetics</i> , 2008, 18, 151-152.	1.1	1
65	Bipolar disorder in children and adolescents: international perspective on epidemiology and phenomenology. <i>Bipolar Disorders</i> , 2005, 7, 497-506.	1.9	116