

Jaime Delgadillo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/166982/publications.pdf>

Version: 2024-02-01

93
papers

3,392
citations

172207

29
h-index

182168

51
g-index

96
all docs

96
docs citations

96
times ranked

3699
citing authors

#	ARTICLE	IF	CITATIONS
1	Is behavioral activation an effective and acceptable treatment for co-occurring depression and substance use disorders? A meta-analysis of randomized controlled trials. <i>Journal of Substance Abuse Treatment</i> , 2022, 132, 108478.	1.5	7
2	Are depressed patients' coping strategies associated with psychotherapy treatment outcomes?. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 98-112.	1.3	2
3	Socioeconomic Deprivation and Dropout from Contemporary Psychological Intervention for Common Mental Disorders: A Systematic Review. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2022, 49, 490-505.	1.2	3
4	Psychotherapists' personality traits and their influence on treatment processes and outcomes: A scoping review. <i>Journal of Clinical Psychology</i> , 2022, 78, 1267-1287.	1.0	9
5	Stratified Care vs Stepped Care for Depression. <i>JAMA Psychiatry</i> , 2022, 79, 101.	6.0	58
6	Individual differences in response to once versus twice weekly sessions of CBT and IPT for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2022, 90, 5-17.	1.6	5
7	Behavioral activation for depression delivered by drug and alcohol treatment workers: A pilot randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2022, 139, 108769.	1.5	1
8	Measurement-Based and Data-Informed Psychological Therapy. <i>Annual Review of Clinical Psychology</i> , 2022, 18, 71-98.	6.3	35
9	Associations between treatment adherence and competence integrity (ACI) and adult psychotherapy outcomes: A systematic review and meta-analysis.. <i>Journal of Consulting and Clinical Psychology</i> , 2022, 90, 427-445.	1.6	14
10	Dynamic prediction and identification of cases at risk of relapse following completion of low-intensity cognitive behavioural therapy. <i>Psychotherapy Research</i> , 2021, 31, 19-32.	1.1	6
11	A pragmatic patient preference trial of cognitive behavioural versus cognitive analytic guided self-help for anxiety disorders. <i>Behavioural and Cognitive Psychotherapy</i> , 2021, 49, 104-111.	0.9	6
12	The costs and benefits of practice-based evidence: Correcting some misunderstandings about the 10-year meta-analysis of IAPT studies. <i>British Journal of Clinical Psychology</i> , 2021, 60, 42-47.	1.7	2
13	Predictors of relapse and recurrence following cognitive behavioural therapy for anxiety-related disorders: a systematic review. <i>Cognitive Behaviour Therapy</i> , 2021, 50, 1-18.	1.9	35
14	Improving Access to Psychological Therapies (IAPT) in the United Kingdom: A systematic review and meta-analysis of 10 years of practice-based evidence. <i>British Journal of Clinical Psychology</i> , 2021, 60, 1-37.	1.7	98
15	Personality Disorders and Their Relation to Treatment Outcomes in Cognitive Behavioural Therapy for Depression: A Systematic Review and Meta-analysis. <i>Cognitive Therapy and Research</i> , 2021, 45, 561-576.	1.2	6
16	The effectiveness of brief cognitive analytic therapy for anxiety and depression: A quasi-experimental case-control study. <i>British Journal of Clinical Psychology</i> , 2021, 60, 194-211.	1.7	9
17	Trajectories of change in the therapeutic alliance during Cognitive Analytic Therapy for depression. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 464-480.	1.3	0
18	An investigation of the competencies involved in the facilitation of CBT-based group psychoeducational interventions. <i>Behavioural and Cognitive Psychotherapy</i> , 2021, 49, 732-744.	0.9	2

#	ARTICLE	IF	CITATIONS
19	Effectiveness of transdiagnostic seminars to support patients with common mental disorders: a multi-service practice research network study. <i>Behavioural and Cognitive Psychotherapy</i> , 2021, 49, 495-507.	0.9	0
20	A systematic review and meta-analysis of the good-enough level (GEL) literature.. <i>Journal of Counseling Psychology</i> , 2021, 68, 219-231.	1.4	10
21	Dynamic prediction of psychological treatment outcomes: development and validation of a prediction model using routinely collected symptom data. <i>The Lancet Digital Health</i> , 2021, 3, e231-e240.	5.9	36
22	Effectiveness of <i>stress control</i> large group psychoeducation for anxiety and depression: Systematic review and meta-analysis. <i>British Journal of Clinical Psychology</i> , 2021, 60, 375-399.	1.7	15
23	The promise of machine learning in predicting treatment outcomes in psychiatry. <i>World Psychiatry</i> , 2021, 20, 154-170.	4.8	174
24	Depression subtypes and their response to cognitive behavioral therapy: A latent transition analysis. <i>Depression and Anxiety</i> , 2021, 38, 907-916.	2.0	10
25	Early response to psychological treatment for eating disorders: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2021, 86, 102032.	6.0	27
26	Cost-effectiveness of feedback-informed psychological treatment: Evidence from the IAPT-FIT trial. <i>Behaviour Research and Therapy</i> , 2021, 142, 103873.	1.6	16
27	The development and validation of a prognostic model to PREDICT Relapse of depression in adult patients in primary care: protocol for the PREDICTR study. <i>Diagnostic and Prognostic Research</i> , 2021, 5, 12.	0.8	3
28	The Impact of Switching from Face-to-Face to Remote Psychological Therapy during the COVID-19 Pandemic. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 285-286.	4.0	5
29	Machine learning: A primer for psychotherapy researchers. <i>Psychotherapy Research</i> , 2021, 31, 1-4.	1.1	16
30	Mental Health During COVID-19 Lockdown in the United Kingdom. <i>Psychosomatic Medicine</i> , 2021, 83, 328-337.	1.3	163
31	Is alcohol use associated with psychological treatment attendance and clinical outcomes?. <i>British Journal of Clinical Psychology</i> , 2021, , .	1.7	1
32	Sociodemographic factors associated with treatment-seeking and treatment receipt: cross-sectional analysis of UK Biobank participants with lifetime generalised anxiety or major depressive disorder. <i>BJPsych Open</i> , 2021, 7, .	0.3	6
33	The influence of socio-demographic similarity and difference on adequate attendance of group psychoeducational cognitive behavioural therapy. <i>Psychotherapy Research</i> , 2020, 30, 362-374.	1.1	9
34	The dose-response effect in routinely delivered psychological therapies: A systematic review. <i>Psychotherapy Research</i> , 2020, 30, 79-96.	1.1	109
35	Exploring relapse through a network analysis of residual depression and anxiety symptoms after cognitive behavioural therapy: A proof-of-concept study. <i>Psychotherapy Research</i> , 2020, 30, 650-661.	1.1	14
36	Adverse impact of neighbourhood socioeconomic deprivation on psychological treatment outcomes: the role of area-level income and crime. <i>Psychotherapy Research</i> , 2020, 30, 546-554.	1.1	28

#	ARTICLE	IF	CITATIONS
37	Is There an Evidence-Based Number of Sessions in Outpatient Psychotherapy? â€œ A Comparison of Naturalistic Conditions across Countries. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 333-335.	4.0	10
38	A Development Pathway Towards Precision Mental Health Care. <i>JAMA Psychiatry</i> , 2020, 77, 889.	6.0	48
39	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	3.8	242
40	Why are some cases not on track? An item analysis of the Assessment for Signal Cases during inpatient psychotherapy. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 559-566.	1.4	8
41	Doseâ€™response patterns in low and high intensity cognitive behavioral therapy for common mental health problems. <i>Depression and Anxiety</i> , 2020, 37, 285-294.	2.0	26
42	Therapist personality traits as predictors of psychological treatment outcomes. <i>Psychotherapy Research</i> , 2020, 30, 857-870.	1.1	28
43	The Leeds Risk Index: Field-Test of a Stratified Psychological Treatment Selection Algorithm. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 189-190.	4.0	8
44	Sexual dysfunction and satisfaction in obsessive compulsive disorder: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2020, 9, 8.	2.5	24
45	Estimating the sample mean and standard deviation from commonly reported quantiles in meta-analysis. <i>Statistical Methods in Medical Research</i> , 2020, 29, 2520-2537.	0.7	366
46	Targeted prescription of cognitiveâ€™behavioral therapy versus person-centered counseling for depression using a machine learning approach.. <i>Journal of Consulting and Clinical Psychology</i> , 2020, 88, 14-24.	1.6	54
47	Towards personalized allocation of patients to therapists.. <i>Journal of Consulting and Clinical Psychology</i> , 2020, 88, 799-808.	1.6	25
48	Early response to psychological therapy as a predictor of depression and anxiety treatment outcomes: A systematic review and metaâ€™analysis. <i>Depression and Anxiety</i> , 2019, 36, 866-878.	2.0	37
49	Predictors of depression relapse and recurrence after cognitive behavioural therapy: a systematic review and meta-analysis. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 514-529.	0.9	63
50	Relapse and Recurrence of Common Mental Health Problems after Low Intensity Cognitive Behavioural Therapy: The WYLOW Longitudinal Cohort Study. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 116-117.	4.0	14
51	Guided self-help in a brave new world. <i>British Journal of Psychiatry</i> , 2018, 212, 65-66.	1.7	8
52	Using Implementation Intentions to Prevent Relapse after Psychological Treatment for Depression â€™ the SMARt Intervention. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 626-632.	0.9	5
53	Individual treatment selection for patients with posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2018, 35, 541-550.	2.0	60
54	Patients' experiences of cognitive behavioural therapy and eye movement desensitisation and reprocessing as treatments for obsessiveâ€™compulsive disorder. <i>Counselling and Psychotherapy Research</i> , 2018, 18, 251-261.	1.7	7

#	ARTICLE	IF	CITATIONS
55	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	1.7	53
56	Associations between socioeconomic status and psychological therapy outcomes: A systematic review and meta-analysis. <i>Depression and Anxiety</i> , 2018, 35, 560-573.	2.0	67
57	<i>Worlds apart</i>: Social inequalities and psychological care. <i>Counselling and Psychotherapy Research</i> , 2018, 18, 111-113.	1.7	5
58	Social inequalities in the demand, supply and utilisation of psychological treatment. <i>Counselling and Psychotherapy Research</i> , 2018, 18, 114-121.	1.7	18
59	A randomized controlled trial comparing EMDR and CBT for obsessive-compulsive disorder. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, e10-e18.	1.4	28
60	Associations between therapists' occupational burnout and their patients' depression and anxiety treatment outcomes. <i>Depression and Anxiety</i> , 2018, 35, 844-850.	2.0	76
61	Feedback-informed treatment versus usual psychological treatment for depression and anxiety: a multisite, open-label, cluster randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 564-572.	3.7	86
62	Efficacy of narrative reformulation during cognitive analytic therapy for depression: Randomized dismantling trial. <i>Journal of Affective Disorders</i> , 2018, 239, 37-47.	2.0	46
63	Reliability of Therapist Effects in Practice-Based Psychotherapy Research: A Guide for the Planning of Future Studies. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 598-613.	1.2	51
64	Is there an optimal length of psychological treatment for eating disorder pathology?. <i>International Journal of Eating Disorders</i> , 2017, 50, 687-692.	2.1	16
65	Using Psychoeducation and Role Induction to Improve Completion Rates in Cognitive Behavioural Therapy. <i>Behavioural and Cognitive Psychotherapy</i> , 2017, 45, 170-184.	0.9	10
66	Effect of Collaborative Care vs Usual Care on Depressive Symptoms in Older Adults With Subthreshold Depression. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 728.	3.8	95
67	How durable is the effect of low intensity CBT for depression and anxiety? Remission and relapse in a longitudinal cohort study. <i>Behaviour Research and Therapy</i> , 2017, 94, 1-8.	1.6	97
68	Impact of long-term medical conditions on the outcomes of psychological therapy for depression and anxiety. <i>British Journal of Psychiatry</i> , 2017, 210, 47-53.	1.7	29
69	Improving the efficiency of psychological treatment using outcome feedback technology. <i>Behaviour Research and Therapy</i> , 2017, 99, 89-97.	1.6	58
70	The Role of Practice Research Networks (PRN) in the Development and Implementation of Evidence: The Northern Improving Access to Psychological Therapies PRN Case Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2017, 44, 919-931.	1.2	16
71	Case complexity as a guide for psychological treatment selection.. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 835-853.	1.6	58
72	Collaborative care and active surveillance for Screen-Positive Elders with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-196.	1.3	12

#	ARTICLE	IF	CITATIONS
73	Collaborative care for Screen-Positive Elders with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-252.	1.3	56
74	Closing the science-practice gap: introduction to the special issue on psychological interventions for comorbid addictions and mental health problems. <i>Advances in Dual Diagnosis</i> , 2016, 9, .	0.3	2
75	Disentangling psychopathology, substance use and dependence: a factor analysis. <i>BMC Psychiatry</i> , 2016, 16, 281.	1.1	7
76	A multi-service practice research network study of large group psychoeducational cognitive behavioural therapy. <i>Behaviour Research and Therapy</i> , 2016, 87, 155-161.	1.6	29
77	On poverty, politics and psychology: the socioeconomic gradient of mental healthcare utilisation and outcomes. <i>British Journal of Psychiatry</i> , 2016, 209, 429-430.	1.7	57
78	Different people respond differently to therapy: A demonstration using patient profiling and risk stratification. <i>Behaviour Research and Therapy</i> , 2016, 79, 15-22.	1.6	79
79	Multiple obstacles to psychological care from the viewpoint of addiction service users. <i>Advances in Dual Diagnosis</i> , 2015, 8, 129-140.	0.3	3
80	Can Low-Cost Strategies Improve Attendance Rates in Brief Psychological Therapy? Double-Blind Randomized Controlled Trial. <i>Journal of Clinical Psychology</i> , 2015, 71, 1139-1152.	1.0	10
81	Decision Making in Stepped Care: How Do Therapists Decide Whether to Prolong Treatment or Not?. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 328-341.	0.9	13
82	Feasibility Randomized Controlled Trial of Cognitive and Behavioral Interventions for Depression Symptoms in Patients Accessing Drug and Alcohol Treatment. <i>Journal of Substance Abuse Treatment</i> , 2015, 55, 6-14.	1.5	24
83	Heterogeneity in Patient-Reported Outcomes following Low-Intensity Mental Health Interventions: A Multilevel Analysis. <i>PLoS ONE</i> , 2014, 9, e99658.	1.1	16
84	Benchmarking Routine Psychological Services: A Discussion of Challenges and Methods. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 16-30.	0.9	24
85	Early changes, attrition, and dose-response in low intensity psychological interventions. <i>British Journal of Clinical Psychology</i> , 2014, 53, 114-130.	1.7	87
86	Confidence in the face of risk: the Risk Assessment and Management Self-Efficacy Study (RAMSES). <i>Psychiatric Bulletin</i> (2014), 2014, 38, 58-65.	0.4	15
87	Negative affectivity as a transdiagnostic factor in patients with common mental disorders. <i>Journal of Affective Disorders</i> , 2014, 166, 270-278.	2.0	29
88	Psychometric properties of the Treatment Outcomes Profile (TOP) psychological health scale. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2013, 6, 140-149.	0.5	6
89	Depression, anxiety and comorbid substance use: association patterns in outpatient addictions treatment. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2013, 6, 59-75.	0.5	10
90	Depression and anxiety symptoms: measuring reliable change in alcohol and drug users. <i>Advances in Dual Diagnosis</i> , 2012, 5, 102-114.	0.3	7

#	ARTICLE	IF	CITATIONS
91	Brief case finding tools for anxiety disorders: Validation of GAD-7 and GAD-2 in addictions treatment. <i>Drug and Alcohol Dependence</i> , 2012, 125, 37-42.	1.6	66
92	Acceptability of mental health screening in routine addictions treatment. <i>General Hospital Psychiatry</i> , 2012, 34, 415-422.	1.2	9
93	How reliable is depression screening in alcohol and drug users? A validation of brief and ultra-brief questionnaires. <i>Journal of Affective Disorders</i> , 2011, 134, 266-271.	2.0	49