

Nick Goldman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1670334/nick-goldman-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

24,697
citations

48
h-index

127
g-index

127
ext. papers

28,431
ext. citations

12.3
avg, IF

6.72
L-index

#	Paper	IF	Citations
114	phastSim: Efficient simulation of sequence evolution for pandemic-scale datasets.. <i>PLoS Computational Biology</i> , 2022 , 18, e1010056	5	0
113	Genomic reconstruction of the SARS-CoV-2 epidemic in England. <i>Nature</i> , 2021 ,	50.4	16
112	Want to track pandemic variants faster? Fix the bioinformatics bottleneck. <i>Nature</i> , 2021 , 591, 30-33	50.4	27
111	phastSim: efficient simulation of sequence evolution for pandemic-scale datasets 2021 ,		1
110	Short-range template switching in great ape genomes explored using pair hidden Markov models. <i>PLoS Genetics</i> , 2021 , 17, e1009221	6	3
109	Mutation Rates and Selection on Synonymous Mutations in SARS-CoV-2. <i>Genome Biology and Evolution</i> , 2021 , 13,	3.9	25
108	A daily-updated database and tools for comprehensive SARS-CoV-2 mutation-annotated trees 2021 ,		4
107	A phylogenetic approach for weighting genetic sequences. <i>BMC Bioinformatics</i> , 2021 , 22, 285	3.6	0
106	Genetic Variability of the SARS-CoV-2 Pocketome. <i>Journal of Proteome Research</i> , 2021 , 20, 4212-4215	5.6	2
105	Ambiguity Coding Allows Accurate Inference of Evolutionary Parameters from Alignments in an Aggregated State-Space. <i>Systematic Biology</i> , 2021 , 70, 21-32	8.4	
104	Sampling bias and model choice in continuous phylogeography: Getting lost on a random walk. <i>PLoS Computational Biology</i> , 2021 , 17, e1008561	5	12
103	Mutation rates and selection on synonymous mutations in SARS-CoV-2 2021 ,		6
102	A Daily-Updated Database and Tools for Comprehensive SARS-CoV-2 Mutation-Annotated Trees. <i>Molecular Biology and Evolution</i> , 2021 , 38, 5819-5824	8.3	12
101	Sampling bias and model choice in continuous phylogeography: Getting lost on a random walk 2021 , 17, e1008561		
100	Sampling bias and model choice in continuous phylogeography: Getting lost on a random walk 2021 , 17, e1008561		
99	Sampling bias and model choice in continuous phylogeography: Getting lost on a random walk 2021 , 17, e1008561		
98	Sampling bias and model choice in continuous phylogeography: Getting lost on a random walk 2021 , 17, e1008561		

97	Integrated structural and evolutionary analysis reveals common mechanisms underlying adaptive evolution in mammals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 5977-5986	11.5	18
96	Stability of SARS-CoV-2 phylogenies. <i>PLoS Genetics</i> , 2020 , 16, e1009175	6	43
95	Modeling Structural Constraints on Protein Evolution via Side-Chain Conformational States. <i>Molecular Biology and Evolution</i> , 2019 , 36, 2086-2103	8.3	5
94	Probabilistic Models for the Study of Protein Evolution 2019 , 347-30		1
93	Alignment Modulates Ancestral Sequence Reconstruction Accuracy. <i>Molecular Biology and Evolution</i> , 2018 , 35, 1783-1797	8.3	40
92	Improving communication for interdisciplinary teams working on storage of digital information in DNA. <i>F1000Research</i> , 2018 , 7, 39	3.6	4
91	More on the Best Evolutionary Rate for Phylogenetic Analysis. <i>Systematic Biology</i> , 2017 , 66, 769-785	8.4	36
90	Short template switch events explain mutation clusters in the human genome. <i>Genome Research</i> , 2017 , 27, 1039-1049	9.7	13
89	Maximum Likelihood Phylogenetic Inference is Consistent on Multiple Sequence Alignments, with or without Gaps. <i>Systematic Biology</i> , 2016 , 65, 328-33	8.4	16
88	ALVIS: interactive non-aggregative visualization and explorative analysis of multiple sequence alignments. <i>Nucleic Acids Research</i> , 2016 , 44, e77	20.1	6
87	Clustering Genes of Common Evolutionary History. <i>Molecular Biology and Evolution</i> , 2016 , 33, 1590-605	8.3	35
86	Current Methods for Automated Filtering of Multiple Sequence Alignments Frequently Worsen Single-Gene Phylogenetic Inference. <i>Systematic Biology</i> , 2015 , 64, 778-91	8.4	129
85	Simple chained guide trees give poorer multiple sequence alignments than inferred trees in simulation and phylogenetic benchmarks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E99-100	11.5	16
84	The human blood DNA methylome displays a highly distinctive profile compared with other somatic tissues. <i>Epigenetics</i> , 2015 , 10, 274-81	5.7	36
83	Sequence Bundles: a novel method for visualising, discovering and exploring sequence motifs. <i>BMC Proceedings</i> , 2014 , 8, S8	2.3	12
82	Transcriptional diversity during lineage commitment of human blood progenitors. <i>Science</i> , 2014 , 345, 1251033	33.3	187
81	Genome sequencing of normal cells reveals developmental lineages and mutational processes. <i>Nature</i> , 2014 , 513, 422-425	50.4	249
80	Phylogenetic quantification of intra-tumour heterogeneity. <i>PLoS Computational Biology</i> , 2014 , 10, e1003535	9.1	91

79	A penalized-likelihood method to estimate the distribution of selection coefficients from phylogenetic data. <i>Genetics</i> , 2014 , 197, 257-71	4	39
78	Maximum likelihood inference of small trees in the presence of long branches. <i>Systematic Biology</i> , 2014 , 63, 798-811	8.4	16
77	Who watches the watchmen? An appraisal of benchmarks for multiple sequence alignment. <i>Methods in Molecular Biology</i> , 2014 , 1079, 59-73	1.4	33
76	Systematic evaluation of spliced alignment programs for RNA-seq data. <i>Nature Methods</i> , 2013 , 10, 1185-91	21.6	371
75	Towards practical, high-capacity, low-maintenance information storage in synthesized DNA. <i>Nature</i> , 2013 , 494, 77-80	50.4	501
74	SMIM1 underlies the Vel blood group and influences red blood cell traits. <i>Nature Genetics</i> , 2013 , 45, 542-545	54.5	77
73	Amino acid changes in disease-associated variants differ radically from variants observed in the 1000 genomes project dataset. <i>PLoS Computational Biology</i> , 2013 , 9, e1003382	5	44
72	The effects of alignment error and alignment filtering on the sitewise detection of positive selection. <i>Molecular Biology and Evolution</i> , 2012 , 29, 1125-39	8.3	125
71	All Your Base: a fast and accurate probabilistic approach to base calling. <i>Genome Biology</i> , 2012 , 13, R13	18.3	24
70	Looking for Darwin in genomic sequences--validity and success of statistical methods. <i>Molecular Biology and Evolution</i> , 2012 , 29, 2889-93	8.3	26
69	Error-correcting properties of the SOLiD Exact Call Chemistry. <i>BMC Bioinformatics</i> , 2012 , 13, 145	3.6	9
68	An improved protocol for sequencing of repetitive genomic regions and structural variations using mutagenesis and next generation sequencing. <i>PLoS ONE</i> , 2012 , 7, e43359	3.7	7
67	Conservation and divergence in Toll-like receptor 4-regulated gene expression in primary human versus mouse macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E944-53	11.5	212
66	Insights into hominid evolution from the gorilla genome sequence. <i>Nature</i> , 2012 , 483, 169-75	50.4	517
65	Accurate extension of multiple sequence alignments using a phylogeny-aware graph algorithm. <i>Bioinformatics</i> , 2012 , 28, 1684-91	7.2	88
64	Markovian and non-Markovian protein sequence evolution: aggregated Markov process models. <i>Journal of Molecular Biology</i> , 2011 , 411, 910-23	6.5	16
63	Addressing inter-gene heterogeneity in maximum likelihood phylogenomic analysis: yeasts revisited. <i>PLoS ONE</i> , 2011 , 6, e22783	3.7	20
62	A high-resolution map of human evolutionary constraint using 29 mammals. <i>Nature</i> , 2011 , 478, 476-82	50.4	802

61	PhyloSim - Monte Carlo simulation of sequence evolution in the R statistical computing environment. <i>BMC Bioinformatics</i> , 2011 , 12, 104	3.6	36
60	RNAcode: robust discrimination of coding and noncoding regions in comparative sequence data. <i>Rna</i> , 2011 , 17, 578-94	5.8	131
59	What's in a likelihood? Simple models of protein evolution and the contribution of structurally viable reconstructions to the likelihood. <i>Systematic Biology</i> , 2011 , 60, 161-74	8.4	11
58	webPRANK: a phylogeny-aware multiple sequence aligner with interactive alignment browser. <i>BMC Bioinformatics</i> , 2010 , 11, 579	3.6	267
57	In defense of statistical methods for detecting positive selection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, E95; author reply E96	11.5	34
56	Evolution. Uniting alignments and trees. <i>Science</i> , 2009 , 324, 1528-9	33.3	22
55	Genomic DNA k-mer spectra: models and modalities. <i>Genome Biology</i> , 2009 , 10, R108	18.3	118
54	Rapidly evolving human promoter regions. <i>Nature Genetics</i> , 2008 , 40, 1262-3; author reply 1263-4	36.3	15
53	Evolutionary footprints of nucleosome positions in yeast. <i>Trends in Genetics</i> , 2008 , 24, 583-7	8.5	64
52	Phylogeny-aware gap placement prevents errors in sequence alignment and evolutionary analysis. <i>Science</i> , 2008 , 320, 1632-5	33.3	599
51	Determination and validation of principal gene products. <i>Bioinformatics</i> , 2008 , 24, 11-7	7.2	20
50	Introduction. Statistical and computational challenges in molecular phylogenetics and evolution. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008 , 363, 3889-92	5.8	10
49	A model of evolution and structure for multiple sequence alignment. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008 , 363, 3913-9	5.8	36
48	Analyses of deep mammalian sequence alignments and constraint predictions for 1% of the human genome. <i>Genome Research</i> , 2007 , 17, 760-74	9.7	163
47	Identification and analysis of functional elements in 1% of the human genome by the ENCODE pilot project. <i>Nature</i> , 2007 , 447, 799-816	50.4	4121
46	An empirical codon model for protein sequence evolution. <i>Molecular Biology and Evolution</i> , 2007 , 24, 1464-79	8.3	139
45	Variation in evolutionary processes at different codon positions. <i>Molecular Biology and Evolution</i> , 2007 , 24, 513-21	8.3	61
44	Experimental design criteria in phylogenetics: where to add taxa. <i>Systematic Biology</i> , 2007 , 56, 609-22	8.4	49

43	Resource-aware taxon selection for maximizing phylogenetic diversity. <i>Systematic Biology</i> , 2007 , 56, 431-44	8.4	32
42	XRate: a fast prototyping, training and annotation tool for phylo-grammars. <i>BMC Bioinformatics</i> , 2006 , 7, 428	3.6	40
41	PANDIT: an evolution-centric database of protein and associated nucleotide domains with inferred trees. <i>Nucleic Acids Research</i> , 2006 , 34, D327-31	20.1	50
40	Species choice for comparative genomics: being greedy works. <i>PLoS Genetics</i> , 2005 , 1, e71	6	48
39	Different versions of the Dayhoff rate matrix. <i>Molecular Biology and Evolution</i> , 2005 , 22, 193-9	8.3	102
38	An algorithm for progressive multiple alignment of sequences with insertions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 10557-62	11.5	699
37	Detecting amino acid sites under positive selection and purifying selection. <i>Genetics</i> , 2005 , 169, 1753-624		165
36	Estimating the frequency of events that cause multiple-nucleotide changes. <i>Genetics</i> , 2004 , 167, 2027-434		69
35	A new criterion and method for amino acid classification. <i>Journal of Theoretical Biology</i> , 2004 , 228, 97-1063	10.3	43
34	Accuracy and power of statistical methods for detecting adaptive evolution in protein coding sequences and for identifying positively selected sites. <i>Genetics</i> , 2004 , 168, 1041-51	4	443
33	Phylogenomics and bioinformatics of SARS-CoV. <i>Trends in Microbiology</i> , 2004 , 12, 106-11	12.4	33
32	Protein evolution with dependence among codons due to tertiary structure. <i>Molecular Biology and Evolution</i> , 2003 , 20, 1692-704	8.3	160
31	Covariation in frequencies of substitution, deletion, transposition, and recombination during eutherian evolution. <i>Genome Research</i> , 2003 , 13, 13-26	9.7	234
30	Pandit: a database of protein and associated nucleotide domains with inferred trees. <i>Bioinformatics</i> , 2003 , 19, 1556-63	7.2	40
29	Modeling Mitochondrial Protein Evolution Using Structural Information. <i>Journal of Molecular Evolution</i> , 2002 , 54, 519-529	3.1	12
28	Modeling mitochondrial protein evolution using structural information. <i>Journal of Molecular Evolution</i> , 2002 , 54, 519-29	3.1	4
27	Initial sequencing and comparative analysis of the mouse genome. <i>Nature</i> , 2002 , 420, 520-62	50.4	5376
26	A novel use of equilibrium frequencies in models of sequence evolution. <i>Molecular Biology and Evolution</i> , 2002 , 19, 1821-31	8.3	45

25	Molecular phylogenetics: state-of-the-art methods for looking into the past. <i>Trends in Genetics</i> , 2001 , 17, 262-72	8.5	311
24	A general empirical model of protein evolution derived from multiple protein families using a maximum-likelihood approach. <i>Molecular Biology and Evolution</i> , 2001 , 18, 691-9	8.3	2055
23	Statistical tests of gamma-distributed rate heterogeneity in models of sequence evolution in phylogenetics. <i>Molecular Biology and Evolution</i> , 2000 , 17, 975-8	8.3	103
22	Likelihood-based tests of topologies in phylogenetics. <i>Systematic Biology</i> , 2000 , 49, 652-70	8.4	930
21	Codon-substitution models for heterogeneous selection pressure at amino acid sites. <i>Genetics</i> , 2000 , 155, 431-49	4	1740
20	Coevolving protein residues: maximum likelihood identification and relationship to structure. <i>Journal of Molecular Biology</i> , 1999 , 287, 187-98	6.5	204
19	Effects of sequence alignment procedures on estimates of phylogeny. <i>BioEssays</i> , 1998 , 20, 287-290	4.1	14
18	Phylogenetic information and experimental design in molecular systematics. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1998 , 265, 1779-86	4.4	76
17	Models of molecular evolution and phylogeny. <i>Genome Research</i> , 1998 , 8, 1233-44	9.7	215
16	Assessing the impact of secondary structure and solvent accessibility on protein evolution. <i>Genetics</i> , 1998 , 149, 445-58	4	172
15	Are big trees indeed easy?. <i>Trends in Ecology and Evolution</i> , 1997 , 12, 357	10.9	12
14	Using evolutionary trees in protein secondary structure prediction and other comparative sequence analyses. <i>Journal of Molecular Biology</i> , 1996 , 263, 196-208	6.5	96
13	Maximum Likelihood Trees from DNA Sequences: A Peculiar Statistical Estimation Problem. <i>Systematic Biology</i> , 1995 , 44, 384-399	8.4	198
12	Maximum Likelihood Trees from DNA Sequences: A Peculiar Statistical Estimation Problem. <i>Systematic Biology</i> , 1995 , 44, 384	8.4	37
11	Variance to mean ratio, $R(t)$, for poisson processes on phylogenetic trees. <i>Molecular Phylogenetics and Evolution</i> , 1994 , 3, 230-9	4.1	28
10	Phylogenetic analysis of the <i>rpoB</i> gene from the plastid-like DNA of <i>Plasmodium falciparum</i> . <i>Molecular and Biochemical Parasitology</i> , 1994 , 66, 221-31	1.9	38
9	Nucleotide, dinucleotide and trinucleotide frequencies explain patterns observed in chaos game representations of DNA sequences. <i>Nucleic Acids Research</i> , 1993 , 21, 2487-91	20.1	68
8	Statistical tests of models of DNA substitution. <i>Journal of Molecular Evolution</i> , 1993 , 36, 182-98	3.1	624

7	Simple diagnostic statistical tests of models for DNA substitution. <i>Journal of Molecular Evolution</i> , 1993 , 37, 650-61	3.1	68
6	Further results on error minimization in the genetic code. <i>Journal of Molecular Evolution</i> , 1993 , 37, 662-43.1	3.1	43
5	Maximum Likelihood Inference of Phylogenetic Trees, with Special Reference to a Poisson Process Model of DNA Substitution and to Parsimony Analyses. <i>Systematic Zoology</i> , 1990 , 39, 345		113
4	Fewest Variables Coding Method for Multistate Characters. <i>Systematic Zoology</i> , 1989 , 38, 79		5
3	METHODS FOR DISCRETE CODING OF MORPHOLOGICAL CHARACTERS FOR NUMERICAL ANALYSIS.. <i>Cladistics</i> , 1988 , 4, 59-71	3.5	56
2	Avoiding ascertainment bias in the maximum likelihood inference of phylogenies based on truncated data		3
1	Genomic reconstruction of the SARS-CoV-2 epidemic in England		9