

Larraitz Arriola

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1671061/larraitz-arriola-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

5,734
citations

44
h-index

75
g-index

82
ext. papers

6,742
ext. citations

6.2
avg, IF

3.97
L-index

#	Paper	IF	Citations
82	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018 , 391, 1513-1523	4.0	530
81	Twenty-year trends in the prevalence of Down syndrome and other trisomies in Europe: impact of maternal age and prenatal screening. <i>European Journal of Human Genetics</i> , 2013 , 21, 27-33	5.3	220
80	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 613-21	7	219
79	Adherence to the Mediterranean diet and risk of coronary heart disease in the Spanish EPIC Cohort Study. <i>American Journal of Epidemiology</i> , 2009 , 170, 1518-29	3.8	219
78	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 127, 442-51	7.5	180
77	Epidemiology of congenital diaphragmatic hernia in Europe: a register-based study. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015 , 100, F137-44	4.7	158
76	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 382-90	7	156
75	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012 , 27, 15-25	12.1	154
74	Gene-lifestyle interaction and type 2 diabetes: the EPIC interact case-cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001647	11.6	149
73	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018 , 39, 397-406	9.5	146
72	Long term trends in prevalence of neural tube defects in Europe: population based study. <i>BMJ, The</i> , 2015 , 351, h5949	5.9	137
71	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , 2014 , 63, 4378-4387	0.9	127
70	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001230	11.6	118
69	Olive oil intake and mortality within the Spanish population (EPIC-Spain). <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 142-9	7	108
68	Adherence to the Mediterranean diet reduces mortality in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). <i>British Journal of Nutrition</i> , 2011 , 106, 1581-91	3.6	107
67	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006 , 27, 2250-7	4.6	106
66	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis: the EPIC cohort. <i>Neurology</i> , 2013 , 80, 829-38	6.5	103

65	Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012 , 41, 1162-73	7.8	103
64	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013 , 42, 1772-80	7.8	96
63	Paper 6: EUROCAT member registries: organization and activities. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2011 , 91 Suppl 1, S51-S100		96
62	Smoking and risk for amyotrophic lateral sclerosis: analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009 , 65, 378-85	9.4	96
61	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 826-35	7	95
60	Prevalence, prenatal diagnosis and clinical features of oculo-auriculo-vertebral spectrum: a registry-based study in Europe. <i>European Journal of Human Genetics</i> , 2014 , 22, 1026-33	5.3	82
59	Spectrum of congenital anomalies in pregnancies with pregestational diabetes. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012 , 94, 134-40		81
58	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3028-36	6.3	79
57	Social inequalities and mortality in Europe--results from a large multi-national cohort. <i>PLoS ONE</i> , 2012 , 7, e39013	3.7	79
56	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016 , 8, 341ra76	17.5	77
55	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014 , 4, e005245	3	68
54	Estimating Global Burden of Disease due to congenital anomaly: an analysis of European data. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2018 , 103, F22-F28	4.7	67
53	A risk model for lung cancer incidence. <i>Cancer Prevention Research</i> , 2012 , 5, 834-46	3.2	66
52	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53	7	65
51	Associations between general and abdominal adiposity and mortality in individuals with diabetes mellitus. <i>American Journal of Epidemiology</i> , 2011 , 174, 22-34	3.8	62
50	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 372-81	7.5	60
49	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
48	Trends in congenital anomalies in Europe from 1980 to 2012. <i>PLoS ONE</i> , 2018 , 13, e0194986	3.7	60

47	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007 , 36, 66-76	7.8	59
46	Selective serotonin reuptake inhibitor antidepressant use in first trimester pregnancy and risk of specific congenital anomalies: a European register-based study. <i>European Journal of Epidemiology</i> , 2015 , 30, 1187-98	12.1	54
45	Consumption of fried foods and risk of coronary heart disease: Spanish cohort of the European Prospective Investigation into Cancer and Nutrition study. <i>BMJ, The</i> , 2012 , 344, e363	5.9	54
44	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019 , 139, 2835-2845	16.7	52
43	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48
42	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012 , 33, 361-7	4.6	48
41	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010 , 21, 657-69	2.8	48
40	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45
39	Validity of self-reported prevalent cases of stroke and acute myocardial infarction in the Spanish cohort of the EPIC study. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 71-5	5.1	45
38	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ, The</i> , 2018 , 361, k934	5.9	44
37	Hirschsprung disease prevalence in Europe: a register based study. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014 , 100, 695-702		42
36	Fraser syndrome: epidemiological study in a European population. <i>American Journal of Medical Genetics, Part A</i> , 2013 , 161A, 1012-8	2.5	41
35	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014 , 57, 63-72	10.3	41
34	Prevalence of microcephaly in Europe: population based study. <i>BMJ, The</i> , 2016 , 354, i4721	5.9	40
33	Congenital anomalies associated with trisomy 18 or trisomy 13: A registry-based study in 16 European countries, 2000-2011. <i>American Journal of Medical Genetics, Part A</i> , 2015 , 167A, 3062-9	2.5	40
32	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
31	Lamotrigine use in pregnancy and risk of orofacial cleft and other congenital anomalies. <i>Neurology</i> , 2016 , 86, 1716-25	6.5	40
30	Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1755-1765	3.9	39

29	Epidemiology of multiple congenital anomalies in Europe: a EUROCAT population-based registry study. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014 , 100, 270-6		38
28	Holt Oram syndrome: a registry-based study in Europe. <i>Orphanet Journal of Rare Diseases</i> , 2014 , 9, 156	4.2	38
27	Major congenital anomalies in babies born with Down syndrome: a EUROCAT population-based registry study. <i>American Journal of Medical Genetics, Part A</i> , 2014 , 164A, 2979-86	2.5	38
26	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016 , 31, 255-66	12.1	36
25	Identification and molecular characterization of Cryptosporidium and Giardia in children and cattle populations from the province of Llava, North of Spain. <i>Science of the Total Environment</i> , 2011 , 412-413, 101-8	10.2	32
24	Recent decrease in the prevalence of congenital heart defects in Europe. <i>Journal of Pediatrics</i> , 2013 , 162, 108-13.e2	3.6	31
23	Physical activity and risk of cerebrovascular disease in the European Prospective Investigation into Cancer and Nutrition-Spain study. <i>Stroke</i> , 2013 , 44, 111-8	6.7	28
22	The changing epidemiology of Ebstein's anomaly and its relationship with maternal mental health conditions: a European registry-based study. <i>Cardiology in the Young</i> , 2017 , 27, 677-685	1	27
21	Risk of type 2 diabetes according to traditional and emerging anthropometric indices in Spain, a Mediterranean country with high prevalence of obesity: results from a large-scale prospective cohort study. <i>BMC Endocrine Disorders</i> , 2013 , 13, 7	3.3	26
20	Saturated fat intake and alcohol consumption modulate the association between the APOE polymorphism and risk of future coronary heart disease: a nested case-control study in the Spanish EPIC cohort. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 487-94	6.3	24
19	Second-hand smoke, cotinine levels, and risk of circulatory mortality in a large cohort study of never-smokers. <i>Epidemiology</i> , 2010 , 21, 207-14	3.1	24
18	Work, household, and leisure-time physical activity and risk of mortality in the EPIC-Spain cohort. <i>Preventive Medicine</i> , 2016 , 85, 106-112	4.3	23
17	Association between different obesity measures and the risk of stroke in the EPIC Spanish cohort. <i>European Journal of Nutrition</i> , 2015 , 54, 365-75	5.2	22
16	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 1953-66	7.5	19
15	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011 , 26, 657-66	2.8	19
14	Prenatal diagnosis and epidemiology of multicystic kidney dysplasia in Europe. <i>Prenatal Diagnosis</i> , 2014 , 34, 1093-8	3.2	18
13	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. <i>Clinical Nutrition</i> , 2016 , 35, 1096-102	5.9	17
12	Cross-sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. <i>Obesity</i> , 2014 , 22, E127-34	8	16

11	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Annals of Epidemiology</i> , 2013 , 23, 93-8	6.4	16
10	Common cholesteryl ester transfer protein gene variation related to high-density lipoprotein cholesterol is not associated with decreased coronary heart disease risk after a 10-year follow-up in a Mediterranean cohort: Modulation by alcohol consumption. <i>Atherosclerosis</i> , 2010 , 211, 531-8	3.1	16
9	Seasonality of congenital anomalies in Europe. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2014 , 100, 260-9		14
8	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019 , 149, 1985-1993	4.1	13
7	No association between fish consumption and risk of stroke in the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain): a 13-year follow-up study. <i>Public Health Nutrition</i> , 2016 , 19, 674-81	3.3	12
6	HbA1c measured in stored erythrocytes is positively linearly associated with mortality in individuals with diabetes mellitus. <i>PLoS ONE</i> , 2012 , 7, e38877	3.7	11
5	Association of alcohol dehydrogenase polymorphisms and life-style factors with excessive alcohol intake within the Spanish population (EPIC-Spain). <i>Addiction</i> , 2012 , 107, 2117-27	4.6	10
4	Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012 , 108, 1307-15	3.6	7
3	Life-course social position, obesity and diabetes risk in the EPIC-Spain Cohort. <i>European Journal of Public Health</i> , 2016 , 26, 439-45	2.1	4
2	Unfavourable life-course social gradient of coronary heart disease within Spain: a low-incidence welfare-state country. <i>International Journal of Public Health</i> , 2013 , 58, 65-77	4	4
1	Use of hierarchical models to analyze European trends in congenital anomaly prevalence. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2016 , 106, 480-8		2