

# Paivo Kinnunen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1672270/publications.pdf>

Version: 2024-02-01

108  
papers

4,151  
citations

117571

34  
h-index

128225

60  
g-index

110  
all docs

110  
docs citations

110  
times ranked

2599  
citing authors

#	ARTICLE	IF	CITATIONS
1	One-part alkali-activated materials: A review. <i>Cement and Concrete Research</i> , 2018, 103, 21-34.	4.6	813
2	Drying shrinkage in alkali-activated binders – A critical review. <i>Construction and Building Materials</i> , 2018, 190, 533-550.	3.2	261
3	Comparison of alkali and silica sources in one-part alkali-activated blast furnace slag mortar. <i>Journal of Cleaner Production</i> , 2018, 187, 171-179.	4.6	168
4	Recycling mine tailings in chemically bonded ceramics – A review. <i>Journal of Cleaner Production</i> , 2018, 174, 634-649.	4.6	136
5	One-part geopolymer cement from slag and pretreated paper sludge. <i>Journal of Cleaner Production</i> , 2018, 185, 168-175.	4.6	126
6	Mechanical and acoustic properties of fiber-reinforced alkali-activated slag foam concretes containing lightweight structural aggregates. <i>Construction and Building Materials</i> , 2018, 187, 371-381.	3.2	95
7	Asynchronous magnetic bead rotation (AMBR) biosensor in microfluidic droplets for rapid bacterial growth and susceptibility measurements. <i>Lab on A Chip</i> , 2011, 11, 2604.	3.1	75
8	Influence of sodium silicate powder silica modulus for mechanical and chemical properties of dry-mix alkali-activated slag mortar. <i>Construction and Building Materials</i> , 2020, 233, 117354.	3.2	73
9	High performance cementitious composite from alkali-activated ladle slag reinforced with polypropylene fibers. <i>Cement and Concrete Composites</i> , 2018, 90, 150-160.	4.6	70
10	Opportunities to improve sustainability of alkali-activated materials: A review of side-stream based activators. <i>Journal of Cleaner Production</i> , 2021, 286, 125558.	4.6	67
11	Fiber-reinforced one-part alkali-activated slag/ceramic binders. <i>Ceramics International</i> , 2018, 44, 8963-8976.	2.3	65
12	Alternative alkali-activator from steel-making waste for one-part alkali-activated slag. <i>Journal of Cleaner Production</i> , 2020, 274, 123020.	4.6	65
13	Thermal stability of one-part metakaolin geopolymer composites containing high volume of spodumene tailings and glass wool. <i>Cement and Concrete Composites</i> , 2020, 114, 103792.	4.6	59
14	Monitoring the growth and drug susceptibility of individual bacteria using asynchronous magnetic bead rotation sensors. <i>Biosensors and Bioelectronics</i> , 2011, 26, 2751-2755.	5.3	55
15	Self-Assembled Magnetic Bead Biosensor for Measuring Bacterial Growth and Antimicrobial Susceptibility Testing. <i>Small</i> , 2012, 8, 2477-2482.	5.2	55
16	Byproduct-based ettringite binder – A synergy between ladle slag and gypsum. <i>Construction and Building Materials</i> , 2019, 197, 143-151.	3.2	51
17	Asynchronous Magnetic Bead Rotation Microviscometer for Rapid, Sensitive, and Label-Free Studies of Bacterial Growth and Drug Sensitivity. <i>Analytical Chemistry</i> , 2012, 84, 5250-5256.	3.2	50
18	One-part geopolymers from mining residues – Effect of thermal treatment on three different tailings. <i>Minerals Engineering</i> , 2019, 144, 106026.	1.8	49

#	ARTICLE	IF	CITATIONS
19	Reactivity and self-hardening of fly ash from the fluidized bed combustion of wood and peat. <i>Fuel</i> , 2014, 135, 69-75.	3.4	48
20	Utilization of Mineral Wools as Alkali-Activated Material Precursor. <i>Materials</i> , 2016, 9, 312.	1.3	48
21	Feasibility of incorporating phosphogypsum in ettringite-based binder from ladle slag. <i>Journal of Cleaner Production</i> , 2019, 237, 117793.	4.6	48
22	Immobilization of sulfates and heavy metals in gold mine tailings by sodium silicate and hydrated lime. <i>Journal of Environmental Chemical Engineering</i> , 2018, 6, 6530-6536.	3.3	45
23	Strain hardening polypropylene fiber reinforced composite from hydrated ladle slag and gypsum. <i>Composites Part B: Engineering</i> , 2019, 158, 328-338.	5.9	42
24	Upcycling of mechanically treated silicate mine tailings as alkali activated binders. <i>Minerals Engineering</i> , 2020, 158, 106587.	1.8	42
25	Suitability of commercial superplasticizers for one-part alkali-activated blast-furnace slag mortar. <i>Journal of Sustainable Cement-Based Materials</i> , 2019, 8, 244-257.	1.7	41
26	Rockwool waste in fly ash geopolymer composites. <i>Journal of Material Cycles and Waste Management</i> , 2017, 19, 1220-1227.	1.6	40
27	Microstructural Analysis and Strength Development of One-Part Alkali-Activated Slag/Ceramic Binders Under Different Curing Regimes. <i>Waste and Biomass Valorization</i> , 2020, 11, 3081-3096.	1.8	39
28	Ettringite-based binder from ladle slag and gypsum – The effect of citric acid on fresh and hardened state properties. <i>Cement and Concrete Research</i> , 2019, 123, 105800.	4.6	38
29	Alkali Activation of Ladle Slag from Steel-Making Process. <i>Journal of Sustainable Metallurgy</i> , 2017, 3, 300-310.	1.1	37
30	Properties and durability of alkali-activated ladle slag. <i>Materials and Structures/Materiaux Et Constructions</i> , 2017, 50, 1.	1.3	37
31	Milling of peat-wood fly ash: Effect on water demand of mortar and rheology of cement paste. <i>Construction and Building Materials</i> , 2018, 180, 143-153.	3.2	37
32	High strength one-part alkali-activated slag blends designed by particle packing optimization. <i>Construction and Building Materials</i> , 2021, 299, 124004.	3.2	37
33	Ladle slag cement – Characterization of hydration and conversion. <i>Construction and Building Materials</i> , 2018, 193, 128-134.	3.2	36
34	Development of One-Part Alkali-Activated Ceramic/Slag Binders Containing Recycled Ceramic Aggregates. <i>Journal of Materials in Civil Engineering</i> , 2019, 31, .	1.3	36
35	Reuse of copper slag in high-strength building ceramics containing spodumene tailings as fluxing agent. <i>Minerals Engineering</i> , 2020, 155, 106448.	1.8	34
36	Partial Replacement of Portland-Composite Cement by Fluidized Bed Combustion Fly Ash. <i>Journal of Materials in Civil Engineering</i> , 2017, 29, .	1.3	33

#	ARTICLE	IF	CITATIONS
37	Recycling lithium mine tailings in the production of low temperature (700â€”900â€”Â°C) ceramics: Effect of ladle slag and sodium compounds on the processing and final properties. <i>Construction and Building Materials</i> , 2019, 221, 332-344.	3.2	32
38	Structural collapse in phlogopite mica-rich mine tailings induced by mechanochemical treatment and implications to alkali activation potential. <i>Minerals Engineering</i> , 2020, 151, 106331.	1.8	32
39	Magnetically uniform and tunable Janus particles. <i>Applied Physics Letters</i> , 2011, 98, .	1.5	31
40	Curing process and pore structure of metakaolin-based geopolymers: Liquid-state <sup>1</sup> H NMR investigation. <i>Cement and Concrete Research</i> , 2021, 143, 106394.	4.6	31
41	Using Carbonated BOF Slag Aggregates in Alkali-Activated Concretes. <i>Materials</i> , 2019, 12, 1288.	1.3	30
42	Nanostructural evolution of alkali-activated mineral wools. <i>Cement and Concrete Composites</i> , 2020, 106, 103472.	4.6	30
43	Surface Modification of Cured Inorganic Foams with Cationic Cellulose Nanocrystals and Their Use as Reactive Filter Media for Anionic Dye Removal. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 27745-27757.	4.0	30
44	Effects of Activator Properties and Curing Conditions on Alkali-Activation of Low-Alumina Mine Tailings. <i>Waste and Biomass Valorization</i> , 2020, 11, 5027-5039.	1.8	29
45	Self-hardening of fly ashes from a bubbling fluidized bed combustion of peat, forest industry residuals, and wastes. <i>Fuel</i> , 2016, 165, 440-446.	3.4	28
46	Cellulose-mineral interactions based on the DLVO theory and their correlation with flotability. <i>Minerals Engineering</i> , 2018, 122, 44-52.	1.8	26
47	Production of Lightweight Alkali Activated Mortars Using Mineral Wools. <i>Materials</i> , 2019, 12, 1695.	1.3	26
48	Utilisation of glass wool waste and mine tailings in high performance building ceramics. <i>Journal of Building Engineering</i> , 2020, 31, 101383.	1.6	26
49	Improvement of mechanical strength of alkali-activated materials using micro low-alumina mine tailings. <i>Construction and Building Materials</i> , 2020, 248, 118659.	3.2	26
50	Recycling mica and carbonate-rich mine tailings in alkali-activated composites: A synergy with metakaolin. <i>Minerals Engineering</i> , 2020, 157, 106535.	1.8	26
51	Compact sensor for measuring nonlinear rotational dynamics of driven magnetic microspheres with biomedical applications. <i>Journal of Magnetism and Magnetic Materials</i> , 2009, 321, 1648-1652.	1.0	25
52	Direct carbonation of peat-wood fly ash for carbon capture and utilization in construction application. <i>Journal of CO<sub>2</sub> Utilization</i> , 2020, 40, 101203.	3.3	25
53	High frequency asynchronous magnetic bead rotation for improved biosensors. <i>Applied Physics Letters</i> , 2010, 97, 223701.	1.5	24
54	Durability of ettringite-based composite reinforced with polypropylene fibers under combined chemical and physical attack. <i>Cement and Concrete Composites</i> , 2019, 102, 157-168.	4.6	24

#	ARTICLE	IF	CITATIONS
55	Towards sustainable bricks made with fiber-reinforced alkali-activated desulfurization slag mortars incorporating carbonated basic oxygen furnace aggregates. <i>Construction and Building Materials</i> , 2020, 232, 117258.	3.2	24
56	Radiological and leaching assessment of an ettringite-based mortar from ladle slag and phosphogypsum. <i>Cement and Concrete Research</i> , 2020, 128, 105954.	4.6	24
57	Field Strength of Network-Modifying Cation Dictates the Structure of (Na-Mg) Aluminosilicate Glasses. <i>Frontiers in Materials</i> , 2020, 7, .	1.2	24
58	On the retardation mechanisms of citric acid in ettringite-based binders. <i>Cement and Concrete Research</i> , 2021, 140, 106315.	4.6	24
59	Thermally treated phlogopite as magnesium-rich precursor for alkali activation purpose. <i>Minerals Engineering</i> , 2017, 113, 47-54.	1.8	22
60	Spodumene tailings for porcelain and structural materials: Effect of temperature (1050â€“1200â€“Â°C) on the sintering and properties. <i>Minerals Engineering</i> , 2019, 141, 105843.	1.8	22
61	Phase separation in alumina-rich glasses to increase glass reactivity for low-CO2 alkali-activated cements. <i>Journal of Cleaner Production</i> , 2019, 213, 126-133.	4.6	22
62	Multi-fiber reinforced ettringite-based composites from industrial side streams. <i>Journal of Cleaner Production</i> , 2019, 211, 1065-1077.	4.6	22
63	Recycling glass wool as a fluxing agent in the production of clay- and waste-based ceramics. <i>Journal of Cleaner Production</i> , 2021, 289, 125673.	4.6	21
64	Fiber reinforced alkali-activated stone wool composites fabricated by hot-pressing technique. <i>Materials and Design</i> , 2020, 186, 108315.	3.3	20
65	Experimental System for One-Dimensional Rotational Brownian Motion. <i>Journal of Physical Chemistry B</i> , 2011, 115, 5212-5218.	1.2	19
66	Impacts of Casting Scales and Harsh Conditions on the Thermal, Acoustic, and Mechanical Properties of Indoor Acoustic Panels Made with Fiber-Reinforced Alkali-Activated Slag Foam Concretes. <i>Materials</i> , 2019, 12, 825.	1.3	19
67	Label-acquired magnetorotation for biosensing: An asynchronous rotation assay. <i>Journal of Magnetism and Magnetic Materials</i> , 2011, 323, 272-278.	1.0	18
68	Valorization of Finnish mining tailings for use in the ceramics industry. <i>Bulletin of the Geological Society of Finland</i> , 2018, 90, 33-54.	0.2	18
69	On the carbonation of brucite: Effects of Mg-acetate on the precipitation of hydrated magnesium carbonates in aqueous environment. <i>Cement and Concrete Research</i> , 2022, 153, 106696.	4.6	18
70	Exploring Mechanisms of Hydration and Carbonation of MgO and Mg(OH) <sub>2</sub> in Reactive Magnesium Oxide-Based Cements. <i>Journal of Physical Chemistry C</i> , 2022, 126, 6196-6206.	1.5	18
71	Pulsed-laser creation and characterization of giant plasma membrane vesicles from cells. <i>Journal of Biological Physics</i> , 2009, 35, 279-295.	0.7	17
72	Pulverization of fibrous mineral wool waste. <i>Journal of Material Cycles and Waste Management</i> , 2018, 20, 1248-1256.	1.6	17

#	ARTICLE	IF	CITATIONS
73	The effect of peat and wood fly ash on the porosity of mortar. <i>Construction and Building Materials</i> , 2019, 223, 421-430.	3.2	16
74	Efficient entrapment and separation of anionic pollutants from aqueous solutions by sequential combination of cellulose nanofibrils and halloysite nanotubes. <i>Chemical Engineering Journal</i> , 2019, 374, 1013-1024.	6.6	16
75	Phase evolution and mechanical performance of an ettringite-based binder during hydrothermal aging. <i>Cement and Concrete Research</i> , 2021, 143, 106403.	4.6	16
76	Evidence of formation of an amorphous magnesium silicate (AMS) phase during alkali activation of (Na-Mg) aluminosilicate glasses. <i>Cement and Concrete Research</i> , 2021, 145, 106464.	4.6	15
77	Alkali-activated soapstone waste - Mechanical properties, durability, and economic prospects. <i>Sustainable Materials and Technologies</i> , 2019, 22, e00118.	1.7	13
78	Low-velocity impact of hot-pressed PVA fiber-reinforced alkali-activated stone wool composites. <i>Cement and Concrete Composites</i> , 2020, 114, 103805.	4.6	12
79	On the hydration of synthetic aluminosilicate glass as a sole cement precursor. <i>Cement and Concrete Research</i> , 2022, 159, 106859.	4.6	12
80	High strength fiber reinforced one-part alkali activated slag composites from industrial side streams. <i>Construction and Building Materials</i> , 2022, 319, 126124.	3.2	11
81	Thermal behaviour of ladle slag mortars containing ferrochrome slag aggregates. <i>Advances in Cement Research</i> , 2021, 33, 168-182.	0.7	10
82	Role of surfactants on the synthesis of impure kaolin-based alkali-activated, low-temperature porous ceramics. <i>Open Ceramics</i> , 2021, 6, 100097.	1.0	9
83	Incorporation of bioleached sulfidic mine tailings in one-part alkali-activated blast furnace slag mortar. <i>Construction and Building Materials</i> , 2022, 333, 127195.	3.2	9
84	Magnetic confinement of Brownian rotation to a single axis and application to Janus and cluster microparticles. <i>Applied Physics Letters</i> , 2010, 97, 144103.	1.5	8
85	Rapid bacterial growth and antimicrobial response using self-assembled magnetic bead sensors. <i>Sensors and Actuators B: Chemical</i> , 2014, 190, 265-269.	4.0	8
86	Sustainable batching water options for one-part alkali-activated slag mortar: Sea water and reverse osmosis reject water. <i>PLoS ONE</i> , 2020, 15, e0242462.	1.1	7
87	Potential of Mechanochemically Activated Sulfidic Mining Waste Rock for Alkali Activation. <i>Journal of Sustainable Metallurgy</i> , 2021, 7, 1575-1588.	1.1	7
88	Ultrafine Grinding of Limestone with Sodium Polyacrylates as Additives in Ordinary Portland Cement Mortar. <i>Chemical Engineering and Technology</i> , 2014, 37, 787-794.	0.9	6
89	Simultaneous magnetic actuation and observation with ferromagnetic sensors. <i>Measurement Science and Technology</i> , 2016, 27, 025301.	1.4	6
90	Towards designing reactive glasses for alkali activation: Understanding the origins of alkaline reactivity of Na-Mg aluminosilicate glasses. <i>PLoS ONE</i> , 2020, 15, e0244621.	1.1	6

#	ARTICLE	IF	CITATIONS
91	Development of Cold-Bonded Briquettes Using By-Product-Based Ettringite Binder from Ladle Slag. <i>Journal of Sustainable Metallurgy</i> , 2022, 8, 468-487.	1.1	6
92	Peat-Wood Fly Ash as Cold-Region Supplementary Cementitious Material: Air Content and Freeze-Thaw Resistance of Air-Entrained Mortars. <i>Journal of Materials in Civil Engineering</i> , 2020, 32, 04020119.	1.3	5
93	Porous alkali-activated materials. , 2020, , 529-563.		5
94	Note: A portable magnetic field for powering nanomotors, microswimmers, and sensors. <i>Review of Scientific Instruments</i> , 2013, 84, 086109.	0.6	4
95	Influence of cobinders on durability and mechanical properties of alkali-activated magnesium aluminosilicate binders from soapstone. , 2020, , 877-895.		4
96	Nanostructured and Advanced Designs from Biomass and Mineral Residues: Multifunctional Biopolymer Hydrogels and Hybrid Films Reinforced with Exfoliated Mica Nanosheets. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 57841-57850.	4.0	4
97	Alkali-Activation of Synthetic Aluminosilicate Glass With Basaltic Composition. <i>Frontiers in Chemistry</i> , 2021, 9, 715052.	1.8	3
98	Dual Measurement Mode Rotational Viscometer. , 2020, , .		2
99	<sup>129</sup> Xe NMR analysis reveals efficient gas transport between inborn micro-, meso- and macropores in geopolymers. <i>Cement and Concrete Research</i> , 2022, 155, 106779.	4.6	2
100	Investigation of different paper mill ashes as potential supplementary cementitious materials. <i>Journal of Cleaner Production</i> , 2022, 363, 132583.	4.6	2
101	Asynchronous Rotation as a Rapid and Sensitive Technique for Quantifying Cell Growth Dynamics. <i>Biophysical Journal</i> , 2009, 96, 633a.	0.2	1
102	Observation of viscoelastic solutions with ferromagnetic stirrers. <i>Sensors and Actuators A: Physical</i> , 2015, 236, 309-314.	2.0	1
103	Performance of Steel Fiber-Reinforced High-Performance One-Part Geopolymer Concrete. , 2018, , 533-539.		1
104	Alkali activation of low-alumina mine tailings for more sustainable raw material supply. <i>International Journal of Mining and Mineral Engineering</i> , 2019, 10, 255.	0.1	1
105	Alkali activation of low-alumina mine tailings for more sustainable raw material supply. <i>International Journal of Mining and Mineral Engineering</i> , 2019, 10, 255.	0.1	1
106	Single Cell Detection and Analysis with Asynchronous Rotation of Driven Magnetic Microspheres. <i>Biophysical Journal</i> , 2009, 96, 6a.	0.2	0
107	Prototype and Applications for Asynchronous Rotation of Magnetic Microspheres. <i>Biophysical Journal</i> , 2009, 96, 632a.	0.2	0
108	Magnetic Particle Biosensors. , 2020, , 197-239.		0