

# Kjell Fuxe

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1672914/kjell-fuxe-publications-by-citations.pdf>

**Version:** 2023-09-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

813  
papers

46,487  
citations

108  
h-index

174  
g-index

830  
ext. papers

48,868  
ext. citations

4.4  
avg, IF

7  
L-index

#	Paper	IF	Citations
813	Acetylcholine receptors containing the beta2 subunit are involved in the reinforcing properties of nicotine. <i>Nature</i> , <b>1998</b> , 391, 173-7	50.4	1111
812	Receptor activity and turnover of dopamine and noradrenaline after neuroleptics. <i>European Journal of Pharmacology</i> , <b>1970</b> , 11, 303-14	5.3	890
811	Evidence for dopamine receptor stimulation by apomorphine. <i>Journal of Pharmacy and Pharmacology</i> , <b>1967</b> , 19, 627-9	4.8	804
810	Adenosine-dopamine receptor-receptor interactions as an integrative mechanism in the basal ganglia. <i>Trends in Neurosciences</i> , <b>1997</b> , 20, 482-7	13.3	676
809	Effect of antidepressant drugs on the depletion of intraneuronal brain 5-hydroxytryptamine stores caused by 4-methyl-alpha-ethyl-meta-tyramine. <i>European Journal of Pharmacology</i> , <b>1969</b> , 5, 357-66	5.3	557
808	Mapping of glucocorticoid receptor immunoreactive neurons in the rat tel- and diencephalon using a monoclonal antibody against rat liver glucocorticoid receptor. <i>Endocrinology</i> , <b>1985</b> , 117, 1803-12	4.8	482
807	CELLULAR LOCALIZATION OF MONOAMINES IN THE SPINAL CORD. <i>Acta Physiologica Scandinavica</i> , <b>1964</b> , 60, 112-9		469
806	On the projections from the locus coeruleus noradrenaline neurons: the cerebellar innervation. <i>Brain Research</i> , <b>1971</b> , 28, 165-71	3.7	442
805	Coaggregation, cointernalization, and codesensitization of adenosine A2A receptors and dopamine D2 receptors. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 18091-7	5.4	393
804	Biochemical and histochemical studies on the effects of imipramine-like drugs and (+)-amphetamine on central and peripheral catecholamine neurons. <i>Acta Physiologica Scandinavica</i> , <b>1966</b> , 67, 481-97		392
803	Heterogeneity of striatal and limbic dopamine innervation: highly fluorescent islands in developing and adult rats. <i>Brain Research</i> , <b>1972</b> , 44, 283-8	3.7	375
802	Distribution of thyrotropin-releasing hormone (TRH) in the central nervous system as revealed with immunohistochemistry. <i>European Journal of Pharmacology</i> , <b>1975</b> , 34, 389-92	5.3	365
801	Targeting adenosine A2A receptors in Parkinson's disease. <i>Trends in Neurosciences</i> , <b>2006</b> , 29, 647-54	13.3	364
800	Evidence for the existence of monoamine neurons in the central nervous system. <i>Cell and Tissue Research</i> , <b>1965</b> , 65, 573-596	4.2	363
799	Biochemistry, molecular biology, and physiology of the glucocorticoid receptor. <i>Endocrine Reviews</i> , <b>1987</b> , 8, 185-234	27.2	360
798	Effects of some antidepressant drugs on the depletion of intraneuronal brain catecholamine stores caused by 4, alpha-dimethyl-meta-tyramine. <i>European Journal of Pharmacology</i> , <b>1969</b> , 5, 367-73	5.3	358
797	Adenosine A2A-dopamine D2 receptor-receptor heteromerization: qualitative and quantitative assessment by fluorescence and bioluminescence energy transfer. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 46741-9	5.4	353

796	THE DISTRIBUTION OF ADRENERGIC NERVE FIBRES TO THE BLOOD VESSELS IN SKELETAL MUSCLE. <i>Acta Physiologica Scandinavica</i> , <b>1965</b> , 64, 75-86		348
795	Functional role of the nigro-neostriatal dopamine neurons. <i>Acta Pharmacologica Et Toxicologica</i> , <b>1966</b> , 24, 263-74		340
794	Rat medulla oblongata. II. Dopaminergic, noradrenergic (A1 and A2) and adrenergic neurons, nerve fibers, and presumptive terminal processes. <i>Journal of Comparative Neurology</i> , <b>1985</b> , 233, 308-32	3.4	339
793	A quantitative study on the nigro-neostriatal dopamine neuron system in the rat. <i>Acta Physiologica Scandinavica</i> , <b>1966</b> , 67, 306-12		331
792	Building a new conceptual framework for receptor heteromers. <i>Nature Chemical Biology</i> , <b>2009</b> , 5, 131-4	11.7	313
791	Direct chemical stimulation of dopaminergic mechanisms in the neostriatum of the rat. <i>Brain Research</i> , <b>1969</b> , 14, 461-71	3.7	308
790	Synergistic interaction between adenosine A2A and glutamate mGlu5 receptors: implications for striatal neuronal function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 11940-5	11.5	299
789	CELLULAR LOCALIZATION OF MONOAMINES IN THE MEDIAN EMINENCE AND THE INFUNDIBULAR STEM OF SOME MAMMALS. <i>Cell and Tissue Research</i> , <b>1964</b> , 61, 710-24	4.2	299
788	Molecular mechanisms and therapeutical implications of intramembrane receptor/receptor interactions among heptahelical receptors with examples from the striatopallidal GABA neurons. <i>Pharmacological Reviews</i> , <b>2003</b> , 55, 509-50	22.5	280
787	Distribution of noradrenaline nerve terminals in cortical areas of the rat. <i>Brain Research</i> , <b>1968</b> , 8, 125-31	3.7	279
786	Central administration of neuropeptide Y induces hypotension bradypnea and EEG synchronization in the rat. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 118, 189-92		271
785	Morphological and Functional Aspects of Central Monoamine Neurons. <i>International Review of Neurobiology</i> , <b>1970</b> , 93-126	4.4	270
784	Further mapping out of central noradrenaline neuron systems: projections of the "subcoeruleus" area. <i>Brain Research</i> , <b>1972</b> , 43, 289-95	3.7	242
783	Detection of heteromerization of more than two proteins by sequential BRET-FRET. <i>Nature Methods</i> , <b>2008</b> , 5, 727-33	21.6	241
782	Integrated events in central dopamine transmission as analyzed at multiple levels. Evidence for intramembrane adenosine A2A/dopamine D2 and adenosine A1/dopamine D1 receptor interactions in the basal ganglia. <i>Brain Research Reviews</i> , <b>1998</b> , 26, 258-73		238
781	Minor tranquillizers, stress and central catecholamine neurons. <i>Brain Research</i> , <b>1971</b> , 29, 1-16	3.7	238
780	Distribution of neuropeptide immunoreactive nerve terminals within the subnuclei of the nucleus of the tractus solitarius of the rat. <i>Journal of Comparative Neurology</i> , <b>1984</b> , 222, 409-44	3.4	227
779	Cerebellar monoamine nerve terminals, a new type of afferent fibers to the cortex cerebelli. <i>Experimental Brain Research</i> , <b>1969</b> , 9, 63-72	2.3	217

778	Neurotensin in vitro markedly reduces the affinity in subcortical limbic 3H-N-propylnorapomorphine binding sites. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 119, 459-61		212
777	Evidence for adrenaline neurons in the rat brain. <i>Acta Physiologica Scandinavica</i> , <b>1973</b> , 89, 286-8		207
776	The discovery of central monoamine neurons gave volume transmission to the wired brain. <i>Progress in Neurobiology</i> , <b>2010</b> , 90, 82-100	10.9	204
775	FURTHER EVIDENCE FOR THE PRESENCE OF NIGRO-NEOSTRIATAL DOPAMINE NEURONS IN THE RAT. <i>American Journal of Anatomy</i> , <b>1965</b> , 116, 329-33		201
774	Adenosine receptor-dopamine receptor interactions in the basal ganglia and their relevance for brain function. <i>Physiology and Behavior</i> , <b>2007</b> , 92, 210-7	3.5	200
773	Understanding wiring and volume transmission. <i>Brain Research Reviews</i> , <b>2010</b> , 64, 137-59		196
772	The emergence of the volume transmission concept. <i>Brain Research Reviews</i> , <b>1998</b> , 26, 136-47		191
771	Immunohistochemical localization of three catecholamine synthesizing enzymes: aspects on methodology. <i>Histochemie Histochemistry Histochemie</i> , <b>1973</b> , 33, 231-54		190
770	From the Golgi-Cajal mapping to the transmitter-based characterization of the neuronal networks leading to two modes of brain communication: wiring and volume transmission. <i>Brain Research Reviews</i> , <b>2007</b> , 55, 17-54		189
769	Adenosine A2A and dopamine D2 heteromeric receptor complexes and their function. <i>Journal of Molecular Neuroscience</i> , <b>2005</b> , 26, 209-20	3.3	187
768	Effects of tyrosine hydroxylase inhibition on the amine levels of central monoamine neurons. <i>Life Sciences</i> , <b>1966</b> , 5, 561-568	6.8	186
767	Central nicotinic receptors, neurotrophic factors and neuroprotection. <i>Behavioural Brain Research</i> , <b>2000</b> , 113, 21-34	3.4	185
766	Rat medulla oblongata. III. Adrenergic (C1 and C2) neurons, nerve fibers and presumptive terminal processes. <i>Journal of Comparative Neurology</i> , <b>1985</b> , 233, 333-49	3.4	182
765	Combining mass spectrometry and pull-down techniques for the study of receptor heteromerization. Direct epitope-epitope electrostatic interactions between adenosine A2A and dopamine D2 receptors. <i>Analytical Chemistry</i> , <b>2004</b> , 76, 5354-63	7.8	181
764	Cholecystokinin peptides produce marked reduction of dopamine turnover in discrete areas in the rat brain following intraventricular injection. <i>European Journal of Pharmacology</i> , <b>1980</b> , 67, 329-31	5.3	181
763	The effect of immobilization stress on the activity of central monoamine neurons. <i>Life Sciences</i> , <b>1968</b> , 7, 107-12	6.8	181
762	Role of dopamine receptor mechanisms in the amygdaloid modulation of fear and anxiety: Structural and functional analysis. <i>Progress in Neurobiology</i> , <b>2010</b> , 90, 198-216	10.9	176
761	Prominent expression of acidic fibroblast growth factor in motor and sensory neurons. <i>Neuron</i> , <b>1991</b> , 7, 349-64	13.9	175

760	Identification of dopamine D1-D3 receptor heteromers. Indications for a role of synergistic D1-D3 receptor interactions in the striatum. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 26016-25	5.4	174
759	The effect of imipramine on central 5-hydroxytryptamine neurons. <i>Journal of Pharmacy and Pharmacology</i> , <b>1968</b> , 20, 150-1	4.8	168
758	Possible involvement of central adrenaline neurons in vasomotor and respiratory control. Studies with clonidine and its interactions with piperoxane and yohimbine. <i>European Journal of Pharmacology</i> , <b>1974</b> , 28, 89-94	5.3	164
757	Involvement of adenosine A1 and A2A receptors in the motor effects of caffeine after its acute and chronic administration. <i>Neuropsychopharmacology</i> , <b>2003</b> , 28, 1281-91	8.7	158
756	Noradrenaline nerve terminals in the hippocampal region of the rat and the guinea pig. <i>Cell and Tissue Research</i> , <b>1967</b> , 78, 463-73	4.2	158
755	Cardiovascular effects of morphine and opioid peptides following intracisternal administration in chloralose-anesthetized rats. <i>European Journal of Pharmacology</i> , <b>1978</b> , 48, 319-24	5.3	157
754	ET495 and brain catecholamine mechanisms: evidence for stimulation of dopamine receptors. <i>European Journal of Pharmacology</i> , <b>1972</b> , 20, 195-204	5.3	157
753	Neuropeptide Y in vitro selectivity increases the number of alpha 2-adrenergic binding sites in membranes of the medulla oblongata of the rat. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 118, 293-5		155
752	Further evidence for the existence of tubero-infundibular dopamine neurons. <i>Acta Physiologica Scandinavica</i> , <b>1966</b> , 66, 245-6		155
751	Modulation by cholecystokinins of 3H-spiroperidol binding in rat striatum: evidence for increased affinity and reduction in the number of binding sites. <i>Acta Physiologica Scandinavica</i> , <b>1981</b> , 113, 567-9		154
750	Pharmaco-histochemical evidence of the existence of dopamine nerve terminals in the limbic cortex. <i>European Journal of Pharmacology</i> , <b>1974</b> , 25, 108-12	5.3	154
749	Histochemical studies on the effect of (positive)-amphetamine, drugs of the imipramine group and tryptamine on central catecholamine and 5-hydroxytryptamine neurons after intraventricular injection of catecholamines and 5-hydroxytryptamine. <i>European Journal of Pharmacology</i> , <b>1968</b> , 4, 135-44	5.3	150
748	Functional regeneration of 5-hydroxytryptamine nerve terminals in the rat spinal cord following 5, 6-dihydroxytryptamine induced degeneration. <i>Brain Research</i> , <b>1974</b> , 78, 377-94	3.7	147
747	Effects of methionine-enkephalin on prolactin release and catecholamine levels and turnover in the median eminence. <i>European Journal of Pharmacology</i> , <b>1977</b> , 43, 89-90	5.3	147
746	Mapping out of catecholamine and 5-hydroxytryptamine neurons innervating the telencephalon and diencephalon. <i>Life Sciences</i> , <b>1965</b> , 4, 1275-9	6.8	145
745	Antagonistic cannabinoid CB1/dopamine D2 receptor interactions in striatal CB1/D2 heteromers. A combined neurochemical and behavioral analysis. <i>Neuropharmacology</i> , <b>2008</b> , 54, 815-23	5.5	139
744	Cellular localization of monoamines in the upper brain stem of the pigeon. <i>Journal of Comparative Neurology</i> , <b>1965</b> , 125, 355-81	3.4	139
743	Gangliosides increase the survival of lesioned nigral dopamine neurons and favour the recovery of dopaminergic synaptic function in striatum of rats by collateral sprouting. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 119, 347-63		138

742	Behavioral effects of 5, 7-dihydroxytryptamine lesions of ascending 5-hydroxytryptamine pathways. <i>Brain Research</i> , <b>1976</b> , 107, 385-99	3.7	137
741	Behavioral, biochemical, and histochemical analyses of the central effects of monoamine precursors after peripheral decarboxylase inhibition. <i>Brain Research</i> , <b>1972</b> , 41, 387-411	3.7	137
740	Further studies on the effects of central administration of neuropeptide Y on neuroendocrine function in the male rat: relationship to hypothalamic catecholamines. <i>Regulatory Peptides</i> , <b>1987</b> , 17, 167-79		136
739	Direct involvement of sigma-1 receptors in the dopamine D1 receptor-mediated effects of cocaine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 18676-81	11.5	135
738	A METHOD FOR THE DEMONSTRATION OF MONOAMINE-CONTAINING NERVE FIBRES IN THE CENTRAL NERVOUS SYSTEM. <i>Acta Physiologica Scandinavica</i> , <b>1964</b> , 60, 293-4		134
737	Barbiturates and meprobamate: decreases in catecholamine turnover of central dopamine and noradrenaline neuronal systems and the influence of immobilization stress. <i>Brain Research</i> , <b>1972</b> , 45, 507-24	3.7	133
736	Neuroendocrine actions of nicotine and of exposure to cigarette smoke: medical implications. <i>Psychoneuroendocrinology</i> , <b>1989</b> , 14, 19-41	5	132
735	Interaction between cholinergic and catecholaminergic neurones in rat brain. <i>Brain Research</i> , <b>1972</b> , 43, 397-416	3.7	131
734	Effect of prostaglandin E 2 on central and peripheral catecholamine neurons. <i>European Journal of Pharmacology</i> , <b>1973</b> , 21, 362-8	5.3	129
733	DL-5-hydroxytryptophan-induced changes in central monoamine neurons after peripheral decarboxylase inhibition. <i>Journal of Pharmacy and Pharmacology</i> , <b>1971</b> , 23, 420-4	4.8	127
732	Histochemical studies on the distribution of catecholamines and 5-hydroxytryptamine after intraventricular injections. <i>Histochemie Histochemistry Histochemie</i> , <b>1968</b> , 13, 16-28		127
731	Cellular localization of monoamines in the area postrema of certain mammals. <i>Journal of Comparative Neurology</i> , <b>1965</b> , 125, 337-53	3.4	126
730	The effect of neuroleptics on the activity of central catecholamine neurones. <i>Life Sciences</i> , <b>1967</b> , 6, 767-748		126
729	Adenosine A(2A) receptors, dopamine D(2) receptors and their interactions in Parkinson's disease. <i>Movement Disorders</i> , <b>2007</b> , 22, 1990-2017	7	125
728	Receptor-receptor interactions in the central nervous system. A new integrative mechanism in synapses. <i>Medicinal Research Reviews</i> , <b>1985</b> , 5, 441-82	14.4	124
727	Adenosine A2A agonists: a potential new type of atypical antipsychotic. <i>Neuropsychopharmacology</i> , <b>1997</b> , 17, 82-91	8.7	123
726	Homodimerization of adenosine A2A receptors: qualitative and quantitative assessment by fluorescence and bioluminescence energy transfer. <i>Journal of Neurochemistry</i> , <b>2004</b> , 88, 726-34	6	123
725	Adenosine A2A-dopamine D2 receptor-receptor heteromers. Targets for neuro-psychiatric disorders. <i>Parkinsonism and Related Disorders</i> , <b>2004</b> , 10, 265-71	3.6	122

724	Dopamine D1 receptor-mediated facilitation of GABAergic neurotransmission in the rat strioentopenduncular pathway and its modulation by adenosine A1 receptor-mediated mechanisms. <i>European Journal of Neuroscience</i> , <b>1996</b> , 8, 1545-53	3.5	122
723	Perforant path transections protect hippocampal granule cells from kainate lesion. <i>Neuroscience Letters</i> , <b>1978</b> , 10, 241-6	3.3	121
722	Evidence for adenosine/dopamine receptor interactions: indications for heteromerization. <i>Neuropsychopharmacology</i> , <b>2000</b> , 23, S50-9	8.7	120
721	Immunohistochemical studies on monoamine-containing cell systems. <i>Brain Research</i> , <b>1973</b> , 62, 461-9	3.7	120
720	SITE OF ACTION OF RESERPINE. <i>Acta Pharmacologica Et Toxicologica</i> , <b>1965</b> , 22, 277-92		119
719	On the catecholamine innervation of the hypothalamus, with special reference to the median eminence. <i>Brain Research</i> , <b>1972</b> , 40, 271-81	3.7	119
718	The effect of some psychoactive drugs on central monoamine neurons. <i>European Journal of Pharmacology</i> , <b>1967</b> , 1, 363-8	5.3	119
717	Postsynaptic antagonistic interaction between adenosine A1 and dopamine D1 receptors. <i>NeuroReport</i> , <b>1994</b> , 6, 73-6	1.7	118
716	The effect of lithium on cerebral monoamine neurons. <i>Psychopharmacology</i> , <b>1967</b> , 11, 345-53	4.7	118
715	Receptor-receptor interactions as an integrative mechanism in nerve cells. <i>Molecular Neurobiology</i> , <b>1993</b> , 7, 293-334	6.2	117
714	The vigilance promoting drug modafinil increases extracellular glutamate levels in the medial preoptic area and the posterior hypothalamus of the conscious rat: prevention by local GABAA receptor blockade. <i>Neuropsychopharmacology</i> , <b>1999</b> , 20, 346-56	8.7	116
713	Depletion of catecholamines in vivo induced by electrical stimulation of central monoamine pathways. <i>Brain Research</i> , <b>1970</b> , 24, 471-83	3.7	116
712	The selective mGlu(5) receptor agonist CHPG inhibits quinpirole-induced turning in 6-hydroxydopamine-lesioned rats and modulates the binding characteristics of dopamine D(2) receptors in the rat striatum: interactions with adenosine A(2a) receptors. <i>Neuropsychopharmacology</i> , <b>2001</b> , 25, 505-13	8.7	115
711	Effects of 5-methoxy-N,N-dimethyltryptamine on central monoamine neurons. <i>European Journal of Pharmacology</i> , <b>1972</b> , 19, 25-34	5.3	113
710	CELLULAR LOCALIZATION OF MONOAMINES IN THE MEDIAN EMINENCE AND IN THE INFUNDIBULAR STEM OF SOME MAMMALS. <i>Acta Physiologica Scandinavica</i> , <b>1963</b> , 58, 383-4		113
709	Modafinil: an antinarcotic drug with a different neurochemical profile to d-amphetamine and dopamine uptake blockers. <i>Biological Psychiatry</i> , <b>1997</b> , 42, 1181-3	7.9	112
708	Rotational behaviour in rats with unilateral striatal kainic acid lesions: a behavioural model for studies on intact dopamine receptors. <i>Brain Research</i> , <b>1979</b> , 170, 485-95	3.7	111
707	Selective reserpine-resistant accumulation of catecholamines in central dopamine neurones after DOPA administration. <i>Brain Research</i> , <b>1974</b> , 67, 439-56	3.7	111

706	Metabotropic glutamate mGlu5 receptor-mediated modulation of the ventral striopallidal GABA pathway in rats. Interactions with adenosine A(2A) and dopamine D(2) receptors. <i>Neuroscience Letters</i> , <b>2002</b> , 324, 154-8	3.3	110
705	Increased impulse flow in bulbospinal noradrenaline neurons produced by catecholamine receptor blocking agents. <i>European Journal of Pharmacology</i> , <b>1967</b> , 2, 59-64	5.3	108
704	Reciprocal interactions between adenosine A2A and dopamine D2 receptors in Chinese hamster ovary cells co-transfected with the two receptors. <i>Biochemical Pharmacology</i> , <b>1999</b> , 58, 1035-45	6	107
703	The vigilance promoting drug modafinil increases dopamine release in the rat nucleus accumbens via the involvement of a local GABAergic mechanism. <i>European Journal of Pharmacology</i> , <b>1996</b> , 306, 33-9	5.3	107
702	Chronic nicotine treatment counteracts the disappearance of tyrosine-hydroxylase-immunoreactive nerve cell bodies, dendrites and terminals in the mesostriatal dopamine system of the male rat after partial hemitransection. <i>Brain Research</i> , <b>1988</b> , 455, 332-45	3.7	106
701	Demonstration of extraneuronal 5-hydroxytryptamine accumulation in brain following membrane-pump blockade by chlorimipramine. <i>Brain Research</i> , <b>1969</b> , 12, 456-60	3.7	106
700	The G protein-coupled receptor heterodimer network (GPCR-HetNet) and its hub components. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 8570-90	6.3	103
699	Fibroblast growth factor receptor 1- 5-hydroxytryptamine 1A heteroreceptor complexes and their enhancement of hippocampal plasticity. <i>Biological Psychiatry</i> , <b>2012</b> , 71, 84-91	7.9	103
698	The effects of modafinil on striatal, pallidal and nigral GABA and glutamate release in the conscious rat: evidence for a preferential inhibition of striato-pallidal GABA transmission. <i>Neuroscience Letters</i> , <b>1998</b> , 253, 135-8	3.3	102
697	Adenosine/dopamine interaction: implications for the treatment of Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , <b>2001</b> , 7, 235-241	3.6	102
696	Adenosine A2A receptor and dopamine D3 receptor interactions: evidence of functional A2A/D3 heteromeric complexes. <i>Molecular Pharmacology</i> , <b>2005</b> , 67, 400-7	4.3	101
695	Organization of choroid plexus epithelial and endothelial cell tight junctions and regulation of claudin-1, -2 and -5 expression by protein kinase C. <i>NeuroReport</i> , <b>2000</b> , 11, 1427-31	1.7	100
694	Stimulation of adenosine A2 receptors induces catalepsy. <i>Neuroscience Letters</i> , <b>1991</b> , 130, 162-4	3.3	99
693	Neurotransmitter receptor heteromers and their integrative role in 'local modules': the striatal spine module. <i>Brain Research Reviews</i> , <b>2007</b> , 55, 55-67		98
692	Glucocorticoid and mineralocorticoid receptor-mediated regulation of neurotrophic factor gene expression in the dorsal hippocampus and the neocortex of the rat. <i>European Journal of Neuroscience</i> , <b>2000</b> , 12, 2918-34	3.5	98
691	A possible role played by central monoamine neurones in thermo-regulation. <i>Acta Physiologica Scandinavica</i> , <b>1967</b> , 71, 224-32		98
690	Alterations in neuropeptide Y levels and Y1 binding sites in the Flinders Sensitive Line rats, a genetic animal model of depression. <i>Neuroscience Letters</i> , <b>1999</b> , 265, 191-4	3.3	97
689	Alterations in neuropeptide Y and Y1 receptor mRNA expression in brains from an animal model of depression: region specific adaptation after fluoxetine treatment. <i>Molecular Brain Research</i> , <b>1998</b> , 59, 58-65		96



688	Dopamine denervation leads to an increase in the intramembrane interaction between adenosine A2 and dopamine D2 receptors in the neostriatum. <i>Brain Research</i> , <b>1992</b> , 594, 124-30	3.7	96
687	Dopamine and noradrenaline releasing action of amantadine in the central and peripheral nervous system: a possible mode of action in Parkinson's disease. <i>European Journal of Pharmacology</i> , <b>1971</b> , 16, 27-38	5.3	95
686	The antinarcotic drug modafinil increases glutamate release in thalamic areas and hippocampus. <i>NeuroReport</i> , <b>1997</b> , 8, 2883-7	1.7	94
685	Working memory deficits in transgenic rats overexpressing human adenosine A2A receptors in the brain. <i>Neurobiology of Learning and Memory</i> , <b>2007</b> , 87, 42-56	3.1	94
684	The vigilance promoting drug modafinil decreases GABA release in the medial preoptic area and in the posterior hypothalamus of the awake rat: possible involvement of the serotonergic 5-HT3 receptor. <i>Neuroscience Letters</i> , <b>1996</b> , 220, 5-8	3.3	94
683	Colocalization of peptide and glucocorticoid receptor immunoreactivities in rat central amygdaloid nucleus. <i>Neuroendocrinology</i> , <b>1992</b> , 55, 451-9	5.6	93
682	Blockade of p-chloromethamphetamine induced 5-hydroxytryptamine depletion by chlorimipramine, chlorpheniramine and meperidine. <i>Biochemical Pharmacology</i> , <b>1971</b> , 20, 707-9	6	93
681	G protein-coupled receptor heterodimerization in the brain. <i>Methods in Enzymology</i> , <b>2013</b> , 521, 281-94	1.7	92
680	Inhibitory role of dopamine and 5-hydroxytryptamine in the sexual behaviour of female rats. <i>European Journal of Pharmacology</i> , <b>1974</b> , 29, 187-91	5.3	91
679	Studies on the action of some psychoactive drugs on central noradrenaline neurons after inhibition of dopamine-beta-hydroxylase. <i>Brain Research</i> , <b>1970</b> , 24, 451-70	3.7	91
678	A METHOD FOR THE DEMONSTRATION OF ADRENERGIC NERVE FIBRES IN PERIPHERAL NERVES. <i>Cell and Tissue Research</i> , <b>1964</b> , 62, 602-7	4.2	90
677	Endothelin-1 induced lesions of the frontoparietal cortex of the rat. A possible model of focal cortical ischemia. <i>NeuroReport</i> , <b>1997</b> , 8, 2623-9	1.7	89
676	On the functional role of coexistence of 5-HT and substance P in bulbospinal 5-HT neurons. Substance P reduces affinity and increases density of 3H-5-HT binding sites. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 117, 299-301		88
675	Volume versus wiring transmission in the brain: a new theoretical frame for neuropsychopharmacology. <i>Medicinal Research Reviews</i> , <b>1995</b> , 15, 33-45	14.4	87
674	Aspects of neural plasticity in the central nervous system-I. Computer-assisted image analysis methods. <i>Neurochemistry International</i> , <b>1990</b> , 16, 383-418	4.4	87
673	Localization of indolealkylamines in CNS. <i>Advances in Pharmacology</i> , <b>1968</b> , 6, 235-51	5.7	87
672	The renin-angiotensin system in the brain: an update 1993. <i>Regulatory Peptides</i> , <b>1993</b> , 46, 487-509		86
671	Central catecholamine turnover and self-stimulation behaviour. <i>Brain Research</i> , <b>1971</b> , 27, 406-13	3.7	86

670	Effects of intracerebral injections of 5,6-dihydroxytryptamine on central monoamine neurons: evidence for selective degeneration of central 5-hydroxytryptamine neurons. <i>Brain Research</i> , <b>1973</b> , 49, 476-82	3.7	86
669	Characterization of the A2AR-D2R interface: focus on the role of the C-terminal tail and the transmembrane helices. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 402, 801-7	3.4	84
668	Adenosine A1 receptor-mediated modulation of dopamine D1 receptors in stably cotransfected fibroblast cells. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 4718-24	5.4	84
667	On the mechanism of action of the antidepressant drugs amitriptyline and nortriptyline. Evidence for 5-hydroxytryptamine receptor blocking activity. <i>Neuroscience Letters</i> , <b>1977</b> , 6, 339-43	3.3	83
666	The effect of prolonged lithium administration on cerebral monoamine neurons in the rat. <i>Life Sciences</i> , <b>1969</b> , 8, 643-51	6.8	83
665	Understanding the Role of GPCR Heteroreceptor Complexes in Modulating the Brain Networks in Health and Disease. <i>Frontiers in Cellular Neuroscience</i> , <b>2017</b> , 11, 37	6.1	82
664	Effects of piperoxane on sleep and waking in the rat. Evidence for increased waking by blocking inhibitory adrenaline receptors on the locus coeruleus. <i>Acta Physiologica Scandinavica</i> , <b>1974</b> , 91, 566-7		82
663	THE ADRENERGIC INNERVATION OF THE NASAL MUCOSA OF CERTAIN MAMMALS. <i>Acta Oto-Laryngologica</i> , <b>1965</b> , 59, 65-72	1.6	82
662	Evidence for specific N-terminal galanin fragment binding sites in the rat brain. <i>European Journal of Pharmacology</i> , <b>1992</b> , 224, 203-5	5.3	81
661	The histochemical fluorescence method for the demonstration of catecholamines. Theory, practice and application. <i>Journal of Histochemistry and Cytochemistry</i> , <b>1973</b> , 21, 293-311	3.4	81
660	OBSERVATIONS ON THE CELLULAR LOCALIZATION OF DOPAMINE IN THE CAUDATE NUCLEUS OF THE RAT. <i>Cell and Tissue Research</i> , <b>1964</b> , 63, 701-6	4.2	81
659	Galanin selectively modulates 5-hydroxytryptamine 1A receptors in the rat ventral limbic cortex. <i>Neuroscience Letters</i> , <b>1988</b> , 85, 163-7	3.3	80
658	Decreased turnover in central 5-HT nerve terminals induced by antidepressant drugs of the imipramine type. <i>European Journal of Pharmacology</i> , <b>1969</b> , 7, 56-9	5.3	80
657	Galanin receptor-1 modulates 5-hydroxytryptamine-1A signaling via heterodimerization. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 393, 767-72	3.4	79
656	Adenosine A2A receptors modulate the binding characteristics of dopamine D2 receptors in stably cotransfected fibroblast cells. <i>European Journal of Pharmacology</i> , <b>1996</b> , 316, 325-31	5.3	79
655	Effects of cholecystokinin peptides and neurotensin on dopamine release and metabolism in the rostral and caudal part of the nucleus accumbens using intracerebral dialysis in the anaesthetized rat. <i>Neurochemistry International</i> , <b>1987</b> , 10, 509-20	4.4	79
654	Moonlighting proteins and protein-protein interactions as neurotherapeutic targets in the G protein-coupled receptor field. <i>Neuropsychopharmacology</i> , <b>2014</b> , 39, 131-55	8.7	78
653	The role of transmitter diffusion and flow versus extracellular vesicles in volume transmission in the brain neural-glial networks. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2015</b> , 370,	5.8	78

652	Involvement of adenosine A2A and dopamine receptors in the locomotor and sensitizing effects of cocaine. <i>Brain Research</i> , <b>2006</b> , 1077, 67-80	3.7	78
651	Effect of some phosphodiesterase inhibitors on central dopamine mechanisms. <i>European Journal of Pharmacology</i> , <b>1976</b> , 38, 31-8	5.3	78
650	Mapping of central noradrenaline pathways with 6-hydroxy-DOPA. <i>Brain Research</i> , <b>1973</b> , 63, 249-61	3.7	78
649	Monoamines and the pituitary gland. <i>European Journal of Endocrinology</i> , <b>1966</b> , 51, 301-14	6.5	78
648	Prenatal development of glucocorticoid receptor gene expression and immunoreactivity in the rat brain and pituitary gland: a combined in situ hybridization and immunocytochemical analysis. <i>Neuroendocrinology</i> , <b>1993</b> , 57, 1133-47	5.6	77
647	A FLUORESCENCE AND ELECTRONMICROSCOPIC STUDY ON CERTAIN BRAIN REGIONS RICH IN MONOAMINE TERMINALS. <i>American Journal of Anatomy</i> , <b>1965</b> , 117, 33-45		77
646	Dopamine D2 and D4 receptor heteromerization and its allosteric receptor-receptor interactions. <i>Biochemical and Biophysical Research Communications</i> , <b>2011</b> , 404, 928-34	3.4	75
645	The brain renin-angiotensin system: localization and general significance. <i>Journal of Cardiovascular Pharmacology</i> , <b>1992</b> , 19 Suppl 6, S51-62	3.1	75
644	On the distribution and possible function of monamine nerve terminals in the olfactory bulb of the rabbit. <i>Life Sciences</i> , <b>1965</b> , 4, 2071-4	6.8	75
643	Dopamine D2 and 5-hydroxytryptamine 5-HT <sub>2A</sub> receptors assemble into functionally interacting heteromers. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 401, 605-10	3.4	74
642	Effects of acute and long-term treatment with neuroleptics on regional telencephalic neurotensin levels in the male rat. <i>Neurochemistry International</i> , <b>1986</b> , 8, 429-34	4.4	74
641	ASCENDING SYSTEMS OF CATECHOLAMINE NEURONS FROM THE LOWER BRAIN STEM. <i>Acta Physiologica Scandinavica</i> , <b>1964</b> , 62, 485-6		74
640	Fluorescence Microscopy in Neuroanatomy <b>1970</b> , 275-314		74
639	Basic FGF is present in dopaminergic neurons of the ventral midbrain of the rat. <i>NeuroReport</i> , <b>1991</b> , 2, 597-600	1.7	72
638	Adenosine receptor heteromers and their integrative role in striatal function. <i>Scientific World Journal, The</i> , <b>2007</b> , 7, 74-85	2.2	71
637	The two-state dimer receptor model: a general model for receptor dimers. <i>Molecular Pharmacology</i> , <b>2006</b> , 69, 1905-12	4.3	71
636	Antisense oligonucleotide to c-fos induces ipsilateral rotational behaviour to d-amphetamine. <i>NeuroReport</i> , <b>1993</b> , 5, 277-80	1.7	71
635	The distribution of angiotensin II AT1 receptor subtype mRNA in the rat brain. <i>Neuroscience Letters</i> , <b>1992</b> , 142, 155-8	3.3	71

634	Effects of single injections of nicotine on the ascending dopamine pathways in the rat. Evidence for increases of dopamine turnover in the mesostriatal and mesolimbic dopamine neurons. <i>Acta Physiologica Scandinavica</i> , <b>1981</b> , 112, 345-7		71
633	On the role of P2X(7) receptors in dopamine nerve cell degeneration in a rat model of Parkinson's disease: studies with the P2X(7) receptor antagonist A-438079. <i>Journal of Neural Transmission</i> , <b>2010</b> , 117, 681-7	4.3	70
632	Electroconvulsive stimuli selectively affect behavior and neuropeptide Y (NPY) and NPY Y(1) receptor gene expressions in hippocampus and hypothalamus of Flinders Sensitive Line rat model of depression. <i>European Neuropsychopharmacology</i> , <b>2007</b> , 17, 298-308	1.2	70
631	Regulation of heptaspanning-membrane-receptor function by dimerization and clustering. <i>Trends in Biochemical Sciences</i> , <b>2003</b> , 28, 238-43	10.3	70
630	Electrophysiological and behavioural evidence for an antagonistic modulatory role of adenosine A2A receptors in dopamine D2 receptor regulation in the rat dopamine-denervated striatum. <i>European Journal of Neuroscience</i> , <b>2000</b> , 12, 4033-7	3.5	70
629	On the role of brain noradrenaline and the pituitary-adrenal axis in avoidance learning. I. Studies with corticosterone. <i>Neuroscience Letters</i> , <b>1977</b> , 5, 291-6	3.3	69
628	Factors involved in the control of the activity of the tubero-infundibular dopamine neurons during pregnancy and lactation. <i>Neuroendocrinology</i> , <b>1969</b> , 5, 257-70	5.6	69
627	Effect of neuroleptic drugs on central catecholamine turnover assessed using tyrosine- and dopamine- -hydroxylase inhibitors. <i>Journal of Pharmacy and Pharmacology</i> , <b>1972</b> , 24, 177-82	4.8	68
626	Effects of sarizotan on the corticostriatal glutamate pathways. <i>Synapse</i> , <b>2005</b> , 58, 193-9	2.4	68
625	Inhibitory effects of neuropeptide Y on cyclic AMP accumulation in slices of the nucleus tractus solitarius region of the rat. <i>Neuroscience Letters</i> , <b>1987</b> , 76, 185-90	3.3	68
624	Activity changes in the tubero-infundibular dopamine neurons of the rat during various states of the reproductive cycle. <i>Life Sciences</i> , <b>1967</b> , 6, 2057-61	6.8	68
623	Bioluminescence resonance energy transfer methods to study G protein-coupled receptor-receptor tyrosine kinase heteroreceptor complexes. <i>Methods in Cell Biology</i> , <b>2013</b> , 117, 141-64	1.8	67
622	Dopaminergic transmission in the rat retina: evidence for volume transmission. <i>Journal of Chemical Neuroanatomy</i> , <b>1996</b> , 12, 37-50	3.2	67
621	Preferential vulnerability of A8 dopamine neurons in the primate to the neurotoxin 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine. <i>Neuroscience Letters</i> , <b>1986</b> , 68, 51-6	3.3	67
620	Intravenous injections of nicotine induce very rapid and discrete reductions of hypothalamic catecholamine levels associated with increases of ACTH, vasopressin and prolactin secretion. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 118, 35-40		67
619	Refillment of the catecholamine stores with 3,4-dihydroxyphenylalanine after depletion induced by inhibition of tyrosine-hydroxylase. <i>Life Sciences</i> , <b>1966</b> , 5, 605-11	6.8	67
618	On the existence of a possible A2A-D2-βArrestin2 complex: A2A agonist modulation of D2 agonist-induced βArrestin2 recruitment. <i>Journal of Molecular Biology</i> , <b>2011</b> , 406, 687-99	6.5	66
617	Adenosine A2A agonist CGS 21680 decreases the affinity of dopamine D2 receptors for dopamine in human striatum. <i>NeuroReport</i> , <b>2001</b> , 12, 1831-4	1.7	66

616	Rat medulla oblongata. I. Cytoarchitectonic considerations. <i>Journal of Comparative Neurology</i> , <b>1985</b> , 233, 285-307	3.4	66
615	Receptor-heteromer mediated regulation of endocannabinoid signaling in activated microglia. Role of CB and CB receptors and relevance for Alzheimer's disease and levodopa-induced dyskinesia. <i>Brain, Behavior, and Immunity</i> , <b>2018</b> , 67, 139-151	16.6	65
614	Adenosine A1 receptor blockade selectively potentiates the motor effects induced by dopamine D1 receptor stimulation in rodents. <i>Neuroscience Letters</i> , <b>1996</b> , 218, 209-13	3.3	65
613	Presence of glucocorticoid receptor immunoreactivity in corticotrophin releasing factor and in growth hormone releasing factor immunoreactive neurons of the rat di- and telencephalon. <i>Neuroscience Letters</i> , <b>1987</b> , 77, 25-30	3.3	65
612	Pharmacological studies on the hypotensive effects of clonidine. <i>European Journal of Pharmacology</i> , <b>1971</b> , 13, 168-74	5.3	65
611	Volume Transmission in Central Dopamine and Noradrenaline Neurons and Its Astroglial Targets. <i>Neurochemical Research</i> , <b>2015</b> , 40, 2600-14	4.6	64
610	Role of electrostatic interaction in receptor-receptor heteromerization. <i>Journal of Molecular Neuroscience</i> , <b>2005</b> , 26, 125-32	3.3	64
609	D1- and D2-receptor antagonists induce catalepsy via different efferent striatal pathways [corrected]. <i>Neuroscience Letters</i> , <b>1988</b> , 85, 333-8	3.3	64
608	On the role of ascending dopamine systems in the control of voluntary ethanol intake and ethanol intoxication. <i>Pharmacology Biochemistry and Behavior</i> , <b>1979</b> , 10, 603-8	3.9	64
607	Central catecholamine neurons and conditioned avoidance behaviour. <i>Psychopharmacology</i> , <b>1967</b> , 11, 439-47	4.7	64
606	Hallucinogenic 5-HT <sub>2A</sub> R agonists LSD and DOI enhance dopamine D <sub>2R</sub> protomer recognition and signaling of D <sub>2</sub> -5-HT <sub>2A</sub> heteroreceptor complexes. <i>Biochemical and Biophysical Research Communications</i> , <b>2014</b> , 443, 278-84	3.4	63
605	The changing world of G protein-coupled receptors: from monomers to dimers and receptor mosaics with allosteric receptor-receptor interactions. <i>Journal of Receptor and Signal Transduction Research</i> , <b>2010</b> , 30, 272-83	2.6	63
604	Differential effects of selective adenosine A1 and A <sub>2A</sub> receptor agonists on dopamine receptor agonist-induced behavioural responses in rats. <i>European Journal of Pharmacology</i> , <b>1998</b> , 347, 153-8	5.3	63
603	The striatal neurotensin receptor modulates striatal and pallidal glutamate and GABA release: functional evidence for a pallidal glutamate-GABA interaction via the pallidal-subthalamic nucleus loop. <i>Journal of Neuroscience</i> , <b>1998</b> , 18, 6977-89	6.6	62
602	Subcellular localization of angiotensin II immunoreactivity in the rat cerebellar cortex. <i>Hypertension</i> , <b>1996</b> , 28, 818-24	8.5	62
601	Molecular integration via allosteric interactions in receptor heteromers. A working hypothesis. <i>Current Opinion in Pharmacology</i> , <b>2010</b> , 10, 14-22	5.1	61
600	Extrasynaptic neurotransmission in the modulation of brain function. Focus on the striatal neuronal-glia networks. <i>Frontiers in Physiology</i> , <b>2012</b> , 3, 136	4.6	61
599	Coexistence of c-Fos and glucocorticoid receptor immunoreactivities in the CRF immunoreactive neurons of the paraventricular hypothalamic nucleus of the rat after acute immobilization stress. <i>Neuroscience Letters</i> , <b>1993</b> , 149, 149-52	3.3	61

598	A serine point mutation in the adenosine A2AR C-terminal tail reduces receptor heteromerization and allosteric modulation of the dopamine D2R. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 394, 222-7	3.4	60
597	Characterization of NPY mRNA-expressing cells in the human brain: co-localization with Y2 but not Y1 mRNA in the cerebral cortex, hippocampus, amygdala, and striatum. <i>Journal of Chemical Neuroanatomy</i> , <b>2000</b> , 20, 327-37	3.2	60
596	Adenosine A1 receptor-dopamine D1 receptor interaction in the rat limbic system: modulation of dopamine D1 receptor antagonist binding sites. <i>Neuroscience Letters</i> , <b>1996</b> , 208, 109-12	3.3	60
595	Galanin-(1-15), but not galanin-(1-29), modulates 5-HT1A receptors in the dorsal hippocampus of the rat brain: possible existence of galanin receptor subtypes. <i>Brain Research</i> , <b>1994</b> , 634, 163-7	3.7	60
594	Accumbal and pallidal dopamine, glutamate and GABA overflow during cocaine self-administration and its extinction in rats. <i>Addiction Biology</i> , <b>2013</b> , 18, 307-24	4.6	59
593	NPY Y1 receptor like immunoreactivity exists in a subpopulation of beta-endorphin immunoreactive nerve cells in the arcuate nucleus: a double immunolabelling analysis in the rat. <i>Neuroscience Letters</i> , <b>1997</b> , 225, 49-52	3.3	59
592	Receptor-receptor interactions, receptor mosaics, and basic principles of molecular network organization: possible implications for drug development. <i>Journal of Molecular Neuroscience</i> , <b>2005</b> , 26, 193-208	3.3	59
591	Dimer-based model for heptaspanning membrane receptors. <i>Trends in Biochemical Sciences</i> , <b>2005</b> , 30, 360-6	10.3	59
590	Dopamine D1 and D2 receptor antagonism differentially modulates stimulation of striatal neurotransmitter levels by N-methyl-D-aspartic acid. <i>European Journal of Pharmacology</i> , <b>1994</b> , 256, 23-30	5.3	59
589	Dopaminergic Systems in the Brain and Pituitary. <i>Basic and Clinical Aspects of Neuroscience</i> , <b>1985</b> , 11-25		59
588	Dopamine heteroreceptor complexes as therapeutic targets in Parkinson's disease. <i>Expert Opinion on Therapeutic Targets</i> , <b>2015</b> , 19, 377-98	6.4	58
587	Somatostatin produces apnea and is localized in medullary respiratory nuclei: a possible role in apneic syndromes. <i>Brain Research</i> , <b>1984</b> , 296, 339-44	3.7	58
586	Studies on uptake of intraventricularly administered tritiated noradrenaline and 5-hydroxytryptamine with combined fluorescence histochemical and autoradiographic technics. <i>Histochemie Histochemistry Histochemie</i> , <b>1968</b> , 16, 186-94		58
585	Activation of adenosine A1 and A2A receptors modulates dopamine D2 receptor-induced responses in stably transfected human neuroblastoma cells. <i>Journal of Neurochemistry</i> , <b>2000</b> , 74, 432-9	6	57
584	On the action of nicotine and cotinine on central 5-hydroxytryptamine neurons. <i>Pharmacology Biochemistry and Behavior</i> , <b>1979</b> , 10, 671-7	3.9	57
583	Dopamine in the nucleus accumbens: preferential increase of DA turnover by rat prolactin. <i>Brain Research</i> , <b>1977</b> , 122, 177-82	3.7	56
582	Adenosine receptor containing oligomers: their role in the control of dopamine and glutamate neurotransmission in the brain. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2011</b> , 1808, 1245-55	3.8	55
581	How receptor mosaics decode transmitter signals. Possible relevance of cooperativity. <i>Trends in Biochemical Sciences</i> , <b>2005</b> , 30, 188-93	10.3	55

580	Hallucinogenic phenylethylamines: interactions with serotonin turnover and receptors. <i>European Journal of Pharmacology</i> , <b>1974</b> , 25, 176-84	5.3	55
579	Adenosine A receptor ligand recognition and signaling is blocked by A receptors. <i>Oncotarget</i> , <b>2018</b> , 9, 13593-13611	3.3	55
578	Increased density of galanin binding sites in the dorsal raphe in a genetic rat model of depression. <i>Neuroscience Letters</i> , <b>2002</b> , 317, 101-5	3.3	54
577	Pharmacological characterization of dopamine-stimulated [35S]-guanosine 5' (gamma-thiotriphosphate) ([35S]GTPgammaS) binding in rat striatal membranes. <i>Biochemical Pharmacology</i> , <b>1999</b> , 57, 155-62	6	54
576	The effects of neurotensin on GABA and acetylcholine release in the dorsal striatum of the rat: an in vivo microdialysis study. <i>Brain Research</i> , <b>1992</b> , 573, 209-16	3.7	54
575	Interactions between calmodulin, adenosine A2A, and dopamine D2 receptors. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 28058-28068	5.4	53
574	Adenosine A1 and A2A receptor antagonists stimulate motor activity: evidence for an increased effectiveness in aged rats. <i>Neuroscience Letters</i> , <b>1998</b> , 251, 201-4	3.3	53
573	Modafinil and cortical gamma-aminobutyric acid outflow. Modulation by 5-hydroxytryptamine neurotoxins. <i>European Journal of Pharmacology</i> , <b>1995</b> , 273, 63-71	5.3	53
572	Effect of some antiparkinsonian drugs on catecholamine neurons. <i>Journal of Pharmacy and Pharmacology</i> , <b>1970</b> , 22, 733-7	4.8	52
571	Anxiolytic-like effects of the selective metabotropic glutamate receptor 5 antagonist MPEP after its intra-amygdaloid microinjection in three different non-conditioned rat models of anxiety. <i>European Journal of Neuroscience</i> , <b>2006</b> , 23, 2749-59	3.5	52
570	Differential enhancement of dialysate serotonin levels in distinct brain regions of the awake rat by modafinil: possible relevance for wakefulness and depression. <i>Journal of Neuroscience Research</i> , <b>2002</b> , 68, 107-12	4.4	52
569	Neurotensin decreases the affinity of dopamine D2 agonist binding by a G protein-independent mechanism. <i>Journal of Neurochemistry</i> , <b>1991</b> , 56, 178-83	6	52
568	Cholecystokinin peptides in vitro modulate the characteristics of the striatal 3H-N-propylnorapomorphine sites. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 118, 79-81		52
567	Localization of catecholamine uptake in rat brain after intraventricular injection. <i>Life Sciences</i> , <b>1966</b> , 5, 1817-24	6.8	52
566	Receptor-receptor interactions: A novel concept in brain integration. <i>Progress in Neurobiology</i> , <b>2010</b> , 90, 157-75	10.9	51
565	Adrenergic and cholinergic nerve terminals in skeletal muscle vessels. <i>Acta Physiologica Scandinavica</i> , <b>1970</b> , 78, 52-9		51
564	UPTAKE OF L-DOPA AND NORADRENALINE BY CENTRAL CATECHOLAMINE NEURONS. <i>Life Sciences</i> , <b>1964</b> , 3, 1403-6	6.8	51
563	The Effect of Haloperidol and Chlorpromazine on the Amine Levels of Central Monoamine Neurons. <i>Acta Physiologica Scandinavica</i> , <b>1966</b> , 68, 419-420		51

562	On the role of volume transmission and receptor-receptor interactions in social behaviour: focus on central catecholamine and oxytocin neurons. <i>Brain Research</i> , <b>2012</b> , 1476, 119-31	3.7	50
561	FAILURE OF RESERPINE TO DEplete NORADRENALINE NEURONS OF ALPHA-METHYLNORADRENALINE FORMED FROM ALPHA-METHYL DOPA. <i>Acta Pharmacologica Et Toxicologica</i> , <b>1965</b> , 22, 270-6		50
560	Protection but maintained dysfunction of nigral dopaminergic nerve cell bodies and striatal dopaminergic terminals in MPTP-lesioned mice after acute treatment with the mGluR5 antagonist MPEP. <i>Brain Research</i> , <b>2005</b> , 1033, 216-20	3.7	50
559	The brain renin-angiotensin system: molecular mechanisms of cell to cell interactions. <i>Clinical and Experimental Hypertension</i> , <b>1995</b> , 17, 251-66	2.2	50
558	Feeding and drinking responses to neuropeptide Y injections in the paraventricular hypothalamic nucleus of aged rats. <i>Brain Research</i> , <b>1992</b> , 575, 265-71	3.7	50
557	Studies on neurotensin catecholamine interactions in the hypothalamus and in the forebrain of the male rat. <i>Neurochemistry International</i> , <b>1984</b> , 6, 737-50	4.4	50
556	Regional in vivo binding of [3H]N-propylnorapomorphine in the mouse brain. Evidence for labelling of central dopamine receptors. <i>European Journal of Pharmacology</i> , <b>1981</b> , 72, 397-402	5.3	50
555	Hyperactivity to novelty induced by social isolation is not correlated with changes in D2 receptor function and binding in striatum. <i>Psychopharmacology</i> , <b>2004</b> , 171, 148-55	4.7	49
554	Long distance pathways of diffusion for dextran along fibre bundles in brain. Relevance for volume transmission. <i>NeuroReport</i> , <b>1995</b> , 6, 1005-9	1.7	49
553	Effect of ergot drugs on central 5-hydroxytryptamine neurons: evidence for 5-hydroxytryptamine release or 5-hydroxytryptamine receptor stimulation. <i>European Journal of Pharmacology</i> , <b>1975</b> , 30, 172-81 <sup>53</sup>	5.3	49
552	Central monoamine neurons and pituitary-adrenal activity. <i>Progress in Brain Research</i> , <b>1970</b> , 32, 42-56	2.9	49
551	Moonlighting characteristics of G protein-coupled receptors: focus on receptor heteromers and relevance for neurodegeneration. <i>IUBMB Life</i> , <b>2011</b> , 63, 463-72	4.7	48
550	On the existence and function of galanin receptor heteromers in the central nervous system. <i>Frontiers in Endocrinology</i> , <b>2012</b> , 3, 127	5.7	48
549	Fibroblast growth factor-2 and its receptor expression in proliferating precursor cells of the subventricular zone in the adult rat brain. <i>Neuroscience Letters</i> , <b>2008</b> , 447, 20-5	3.3	48
548	Molecular mechanisms involved in the adenosine A and A receptor-induced neuronal differentiation in neuroblastoma cells and striatal primary cultures. <i>Journal of Neurochemistry</i> , <b>2005</b> , 92, 337-48	6	48
547	Opposing actions of an adenosine A2 receptor agonist and a GTP analogue on the regulation of dopamine D2 receptors in rat neostriatal membranes. <i>European Journal of Pharmacology</i> , <b>1993</b> , 244, 311-5		48
546	Compensatory bilateral changes in dopamine turnover after striatal kainate lesion. <i>Nature</i> , <b>1980</b> , 283, 94-6	50.4	48
545	Toluene-induced activation of certain hypothalamic and median eminence catecholamine nerve terminal systems of the male rat and its effects on anterior pituitary hormone secretion. <i>Toxicology Letters</i> , <b>1980</b> , 5, 393-8	4.4	48



544	A fluorescence and electron microscopic study on central monoamine nerve cells. <i>The Anatomical Record</i> , <b>1966</b> , 155, 33-40		48
543	Volume transmission and its different forms in the central nervous system. <i>Chinese Journal of Integrative Medicine</i> , <b>2013</b> , 19, 323-9	2.9	47
542	Localization of neuropeptide Y Y1 mRNA in the human brain: abundant expression in cerebral cortex and striatum. <i>European Journal of Neuroscience</i> , <b>1997</b> , 9, 1212-25	3.5	47
541	Antagonistic A2a/D2 receptor interactions in the striatum as a basis for adenosine/dopamine interactions in the central nervous system. <i>Drug Development Research</i> , <b>1993</b> , 28, 374-380	5.1	47
540	Polyamines, ornithine decarboxylase, and diamine oxidase in the substantia nigra and striatum of the male rat after hemitransection. <i>Journal of Neurochemistry</i> , <b>1988</b> , 51, 25-31	6	47
539	Toluene and telencephalic dopamine: selective reduction of amine turnover in discrete DA nerve terminal systems of the anterior caudate nucleus by low concentrations of toluene. <i>Toxicology Letters</i> , <b>1982</b> , 12, 115-23	4.4	47
538	Purinergic signaling in Parkinson's disease. Relevance for treatment. <i>Neuropharmacology</i> , <b>2016</b> , 104, 161-8	5.5	46
537	Extracellular-vesicle type of volume transmission and tunnelling-nanotube type of wiring transmission add a new dimension to brain neuro-glial networks. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2014</b> , 369,	5.8	46
536	The concept of astrocyte-kinetic drug in the treatment of neurodegenerative diseases: evidence for L-deprenyl-induced activation of reactive astrocytes. <i>Neurochemistry International</i> , <b>1994</b> , 25, 17-22	4.4	46
535	3H-kainic acid binding: relevance for evaluating the neurotoxicity of kainic acid. <i>Life Sciences</i> , <b>1979</b> , 24, 1471-80	6.8	46
534	Serotonin accumulation after monoamine oxidase inhibition. Effects of decreased impulse flow and of some anti-depressants and hallucinogens. <i>Biochemical Pharmacology</i> , <b>1971</b> , 20, 693-706	6	46
533	DEPLETION OF THE AMINE STORES IN BRAIN CATECHOLAMINE TERMINALS ON AMYGDALOID STIMULATION. <i>Acta Physiologica Scandinavica</i> , <b>1964</b> , 62, 493-4		46
532	Increase in A2A receptors in the nucleus accumbens after extended cocaine self-administration and its disappearance after cocaine withdrawal. <i>Brain Research</i> , <b>2007</b> , 1143, 208-20	3.7	45
531	Allosteric modulation of dopamine D2 receptors by homocysteine. <i>Journal of Proteome Research</i> , <b>2006</b> , 5, 3077-83	5.6	45
530	Effect of some drugs on central monoamine nerve terminals lacking nerve impulse flow. <i>European Journal of Pharmacology</i> , <b>1967</b> , 1, 226-32	5.3	45
529	Mapping the Interface of a GPCR Dimer: A Structural Model of the A Adenosine and D Dopamine Receptor Heteromer. <i>Frontiers in Pharmacology</i> , <b>2018</b> , 9, 829	5.6	45
528	Multiple D2 heteroreceptor complexes: new targets for treatment of schizophrenia. <i>Therapeutic Advances in Psychopharmacology</i> , <b>2016</b> , 6, 77-94	4.9	44
527	Increased affinity of dopamine for D(2) -like versus D(1) -like receptors. Relevance for volume transmission in interpreting PET findings. <i>Synapse</i> , <b>2012</b> , 66, 196-203	2.4	44

526	Nuclear organization and morphology of cholinergic, putative catecholaminergic and serotonergic neurons in the brain of the rock hyrax, <i>Procavia capensis</i> . <i>Journal of Chemical Neuroanatomy</i> , <b>2009</b> , 38, 57-74	3.2	44
525	Anxiolytic effects of intra-amygdaloid injection of the D1 antagonist SCH23390 in the rat. <i>Neuroscience Letters</i> , <b>2005</b> , 377, 101-5	3.3	44
524	Corticosterone increases FGF-2 (bFGF) immunoreactivity in the substantia nigra of the rat. <i>NeuroReport</i> , <b>1993</b> , 4, 783-6	1.7	44
523	Further evidence that methergoline is a central 5-hydroxytryptamine receptor blocking agent. <i>Neuroscience Letters</i> , <b>1978</b> , 9, 195-200	3.3	44
522	Heteroreceptor Complexes and their Allosteric Receptor-Receptor Interactions as a Novel Biological Principle for Integration of Communication in the CNS: Targets for Drug Development. <i>Neuropsychopharmacology</i> , <b>2016</b> , 41, 380-2	8.7	43
521	Endogenous kynurenic acid regulates extracellular GABA levels in the rat prefrontal cortex. <i>Neuropharmacology</i> , <b>2014</b> , 82, 11-8	5.5	43
520	Phorbol ester induced changes in tight and adherens junctions in the choroid plexus epithelium and in the ependyma. <i>Brain Research</i> , <b>2000</b> , 854, 197-206	3.7	43
519	The semi-quantitative distribution and cellular localization of angiotensinogen mRNA in the rat brain. <i>Journal of Chemical Neuroanatomy</i> , <b>1992</b> , 5, 245-62	3.2	43
518	Effects of chronic striatal kainate lesions on some dopaminergic parameters and enkephalin immunoreactive neurons in the basal ganglia. <i>Journal of Neurochemistry</i> , <b>1980</b> , 34, 772-8	6	43
517	Failure of neuropeptide Y in vitro to increase the number of alpha 2-adrenergic binding sites in membranes of medulla oblongata of the spontaneous hypertensive rat. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 119, 309-12		43
516	Cellular Localization of Dopamine-β-hydroxylase and Phenylethanolamine-N-methyl Transferase as Revealed by Immunohistochemistry. <i>Progress in Brain Research</i> , <b>1971</b> , 127-138	2.9	43
515	Reduction of the monoamine stores in the terminals of bulbospinal neurones following stimulation in the medulla oblongata. <i>Life Sciences</i> , <b>1965</b> , 4, 1207-12	6.8	43
514	Molecular determinants of A2AR-D2R allosterism: role of the intracellular loop 3 of the D2R. <i>Journal of Neurochemistry</i> , <b>2012</b> , 123, 373-84	6	42
513	The intercalated paracapsular islands as a module for integration of signals regulating anxiety in the amygdala. <i>Brain Research</i> , <b>2012</b> , 1476, 211-34	3.7	42
512	Kynurenic acid, by targeting $\alpha 7$ nicotinic acetylcholine receptors, modulates extracellular GABA levels in the rat striatum in vivo. <i>European Journal of Neuroscience</i> , <b>2013</b> , 37, 1470-7	3.5	42
511	G-protein-coupled receptor heteromer dynamics. <i>Journal of Cell Science</i> , <b>2010</b> , 123, 4215-20	5.3	42
510	Differential effects of intrastriatal neurotensin(1-13) and neurotensin(8-13) on striatal dopamine and pallidal GABA release. A dual-probe microdialysis study in the awake rat. <i>European Journal of Neuroscience</i> , <b>1997</b> , 9, 1838-46	3.5	42
509	Computer-assisted mapping of basic fibroblast growth factor immunoreactive nerve cell populations in the rat brain. <i>Journal of Chemical Neuroanatomy</i> , <b>1996</b> , 11, 13-35	3.2	42

508	On the role of glucocorticoid receptors in brain plasticity. <i>Cellular and Molecular Neurobiology</i> , <b>1996</b> , 16, 239-58	4.6	42
507	Indole-pyruvic acid, a tryptophan ketoanalogue, antagonizes the endocrine but not the behavioral effects of repeated stress in a model of depression. <i>Biological Psychiatry</i> , <b>1993</b> , 33, 712-9	7.9	42
506	Chronic haloperidol affects striatal D2-dopamine receptor reappearance after irreversible receptor blockade. <i>Brain Research</i> , <b>1987</b> , 435, 147-52	3.7	42
505	Cocaine self-administration specifically increases A2AR-D2R and D2R-sigma1R heteroreceptor complexes in the rat nucleus accumbens shell. Relevance for cocaine use disorder. <i>Pharmacology Biochemistry and Behavior</i> , <b>2017</b> , 155, 24-31	3.9	41
504	Diversity and Bias through Receptor-Receptor Interactions in GPCR Heteroreceptor Complexes. Focus on Examples from Dopamine D2 Receptor Heteromerization. <i>Frontiers in Endocrinology</i> , <b>2014</b> , 5, 71	5.7	41
503	Intraventricular galanin modulates a 5-HT1A receptor-mediated behavioural response in the rat. <i>European Journal of Neuroscience</i> , <b>1998</b> , 10, 1230-40	3.5	41
502	Biochemical identification of the dopamine D2 receptor domains interacting with the adenosine A2A receptor. <i>Journal of Molecular Neuroscience</i> , <b>2004</b> , 24, 173-80	3.3	41
501	Cellular localization of angiotensin type 1 receptor and angiotensinogen mRNAs in the subfornical organ of the rat brain. <i>Neuroscience Letters</i> , <b>1993</b> , 150, 153-8	3.3	41
500	Intraventricular beta-endorphin accumulates in DARPP-32 immunoreactive tanycytes. <i>NeuroReport</i> , <b>1993</b> , 5, 265-8	1.7	41
499	Evidence for volume transmission in the dopamine denervated neostriatum of the rat after a unilateral nigral 6-OHDA microinjection. Studies with systemic D-amphetamine treatment. <i>Brain Research</i> , <b>1994</b> , 662, 11-24	3.7	41
498	Photochemically induced focal cerebral ischemia in rat: time dependent and global increase in expression of basic fibroblast growth factor mRNA. <i>Brain Research</i> , <b>1993</b> , 625, 45-56	3.7	41
497	New concepts on the structure of the neuronal networks: the miniaturization and hierarchical organization of the central nervous system. (Hypothesis). <i>Bioscience Reports</i> , <b>1984</b> , 4, 93-8	4.1	41
496	Determinations of catecholamine half-lives and turnover rates in discrete catecholamine nerve terminal systems of the hypothalamus, the preoptic region and the forebrain by quantitative histofluorimetry. <i>Acta Physiologica Scandinavica</i> , <b>1985</b> , 123, 411-26		41
495	5,7-Dihydroxytryptamine as a tool to study the functional role of central 5-hydroxytryptamine neurons. <i>Annals of the New York Academy of Sciences</i> , <b>1978</b> , 305, 346-69	6.5	41
494	Evidence for the existence of FGFR1-5-HT1A heteroreceptor complexes in the midbrain raphe 5-HT system. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 456, 489-93	3.4	40
493	Architectural organization of the african elephant diencephalon and brainstem. <i>Brain, Behavior and Evolution</i> , <b>2013</b> , 82, 83-128	1.5	40
492	Determination of histamine in microdialysis samples from rat brain by microbore column liquid chromatography following intramolecular excimer-forming derivatization with pyrene-labeling reagent. <i>Journal of Neuroscience Methods</i> , <b>2003</b> , 127, 11-7	3	40
491	Trafficking of adenosine A2A and dopamine D2 receptors. <i>Journal of Molecular Neuroscience</i> , <b>2005</b> , 25, 191-200	3.3	40

490	New methods to evaluate colocalization of fluorophores in immunocytochemical preparations as exemplified by a study on A2A and D2 receptors in Chinese hamster ovary cells. <i>Journal of Histochemistry and Cytochemistry</i> , <b>2005</b> , 53, 941-53	3.4	40
489	Basic fibroblast growth factor (bFGF, FGF-2) immunoreactivity exists in the noradrenaline, adrenaline and 5-HT nerve cells of the rat brain. <i>Neuroscience Letters</i> , <b>1993</b> , 160, 171-6	3.3	40
488	Dopamine and sexual behaviour in female rats. Effects of dopamine receptor agonists and sulpiride. <i>Neuroscience Letters</i> , <b>1977</b> , 4, 209-13	3.3	40
487	Hypothalamic Vasopressinergic Projections Innervate Central Amygdala GABAergic Neurons: Implications for Anxiety and Stress Coping. <i>Frontiers in Neural Circuits</i> , <b>2016</b> , 10, 92	3.5	40
486	Nuclear organization and morphology of cholinergic, putative catecholaminergic and serotonergic neurons in the brains of two species of African mole-rat. <i>Journal of Chemical Neuroanatomy</i> , <b>2008</b> , 35, 371-87	3.2	39
485	Heterodimers and receptor mosaics of different types of G-protein-coupled receptors. <i>Physiology</i> , <b>2008</b> , 23, 322-32	9.8	39
484	L-deprenyl increases GFAP immunoreactivity selectively in activated astrocytes in rat brain. <i>NeuroReport</i> , <b>1993</b> , 4, 955-8	1.7	39
483	Rat prolactin and hypothalamic catecholamine nerve terminal systems. Evidence for rapid and discrete increases in dopamine and noradrenaline turnover in the hypophysectomized male rat. <i>European Journal of Pharmacology</i> , <b>1981</b> , 76, 261-5	5.3	39
482	Effects of bromocriptine on 3H-spiroperidol binding sites in rat striatum. Evidence for actions of dopamine receptors not linked to adenylate cyclase. <i>Life Sciences</i> , <b>1978</b> , 23, 465-9	6.8	39
481	A2A-D2 receptor-receptor interaction modulates gliotransmitter release from striatal astrocyte processes. <i>Journal of Neurochemistry</i> , <b>2017</b> , 140, 268-279	6	38
480	How calmodulin interacts with the adenosine A(2A) and the dopamine D(2) receptors. <i>Journal of Proteome Research</i> , <b>2008</b> , 7, 3428-34	5.6	38
479	Choline acetyltransferase immunoreactive cortical interneurons do not occur in all rodents: a study of the phylogenetic occurrence of this neural characteristic. <i>Journal of Chemical Neuroanatomy</i> , <b>2006</b> , 32, 208-16	3.2	38
478	Neurotensin increases endogenous glutamate release in the neostriatum of the awake rat. <i>Synapse</i> , <b>1995</b> , 20, 362-4	2.4	38
477	Effects of Long-Term Alcohol Drinking on the Dopamine D2 Receptor: Gene Expression and Heteroreceptor Complexes in the Striatum in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2018</b> , 42, 338-351	3.7	38
476	Integrated signaling in heterodimers and receptor mosaics of different types of GPCRs of the forebrain: relevance for schizophrenia. <i>Journal of Neural Transmission</i> , <b>2009</b> , 116, 923-39	4.3	37
475	Experimental studies and theoretical aspects on A2A/D2 receptor interactions in a model of Parkinson's disease. Relevance for L-dopa induced dyskinesias. <i>Journal of the Neurological Sciences</i> , <b>2006</b> , 248, 16-22	3.2	37
474	Cholecystokinin-8 increases K(+)-evoked [3H] gamma-aminobutyric acid release in slices from various brain areas. <i>European Journal of Pharmacology</i> , <b>1993</b> , 250, 423-30	5.3	37
473	Microinjections of subpicomolar amounts of NPY(13-36) into the nucleus tractus solitarius of the rat counteract the vasodepressor responses of NPY(1-36) and of a NPY Y1 receptor agonist. <i>Brain Research</i> , <b>1993</b> , 621, 126-32	3.7	37

472	Effects of subacute treatment with toluene on central monoamine receptors in the rat. Reduced affinity in [3H]5-hydroxytryptamine binding sites and in [3H]spiperone binding sites linked to dopamine receptors. <i>Toxicology Letters</i> , <b>1983</b> , 17, 275-81	4.4	37
471	Dopamine receptors and ergot drugs. Evidence that an ergolene derivative is a differential agonist at subcortical limbic dopamine receptors. <i>Brain Research</i> , <b>1978</b> , 146, 295-311	3.7	37
470	Dopamine D2 receptor signaling dynamics of dopamine D2-neurotensin 1 receptor heteromers. <i>Biochemical and Biophysical Research Communications</i> , <b>2013</b> , 435, 140-6	3.4	36
469	On the role of receptor-receptor interactions and volume transmission in learning and memory. <i>Brain Research Reviews</i> , <b>2007</b> , 55, 119-33		36
468	The distribution and morphological characteristics of catecholaminergic cells in the diencephalon and midbrain of the bottlenose dolphin ( <i>Tursiops truncatus</i> ). <i>Brain, Behavior and Evolution</i> , <b>2004</b> , 64, 42-60	1.5	36
467	On the regional distribution of heparan sulfate proteoglycan immunoreactivity in the rat brain. <i>Brain Research</i> , <b>1994</b> , 636, 131-8	3.7	36
466	Cellular expression of angiotensin type-1 receptor mRNA in the kidney. <i>Kidney International</i> , <b>1993</b> , 44, 331-6	9.9	36
465	Galanin (1-15) enhances the antidepressant effects of the 5-HT1A receptor agonist 8-OH-DPAT: involvement of the raphe-hippocampal 5-HT neuron system. <i>Brain Structure and Function</i> , <b>2016</b> , 221, 4491-4504	4	35
464	Fluorescence resonance energy transfer-based technologies in the study of protein-protein interactions at the cell surface. <i>Methods</i> , <b>2012</b> , 57, 467-72	4.6	35
463	6-hydroxytryptamine--a new tool in monoamine fluorescence histochemistry. <i>Brain Research</i> , <b>1969</b> , 13, 190-5	3.7	35
462	A role for galanin N-terminal fragment (1-15) in anxiety- and depression-related behaviors in rats. <i>International Journal of Neuropsychopharmacology</i> , <b>2014</b> , 18,	5.8	34
461	Disruption of A2AR-D2R Heteroreceptor Complexes After A2AR Transmembrane 5 Peptide Administration Enhances Cocaine Self-Administration in Rats. <i>Molecular Neurobiology</i> , <b>2018</b> , 55, 7038-7048	6.2	34
460	Dopamine D2 heteroreceptor complexes and their receptor-receptor interactions in ventral striatum: novel targets for antipsychotic drugs. <i>Progress in Brain Research</i> , <b>2014</b> , 211, 113-39	2.9	34
459	Existence of Brain 5-HT1A-5-HT2A Isoreceptor Complexes with Antagonistic Allosteric Receptor-Receptor Interactions Regulating 5-HT1A Receptor Recognition. <i>ACS Omega</i> , <b>2017</b> , 2, 4779-4789	2.3	34
458	Failure of dopamine to accumulate in central noradrenaline neurons after depletion with diethyldithiocarbamate. <i>Journal of Pharmacy and Pharmacology</i> , <b>1967</b> , 19, 481-3	4.8	34
457	Computer-assisted image analysis of caveolin-1 involvement in the internalization process of adenosine A2A-dopamine D2 receptor heterodimers. <i>Journal of Molecular Neuroscience</i> , <b>2005</b> , 26, 177-84	2.3	34
456	Neurotensin-induced modulation of dopamine D2 receptors and their function in rat striatum: counteraction by a NTR1-like receptor antagonist. <i>NeuroReport</i> , <b>2002</b> , 13, 763-6	1.7	34
455	Systemic oxytocin treatment modulates alpha 2-adrenoceptors in telencephalic and diencephalic regions of the rat. <i>Brain Research</i> , <b>2000</b> , 887, 421-5	3.7	34

454	Different classes of volume transmission signals exist in the central nervous system and are affected by metabolic signals, temperature gradients and pressure waves. <i>NeuroReport</i> , <b>1994</b> , 6, 9-12	1.7	34
453	Morphometrical and microdensitometrical studies on peptide- and tyrosine hydroxylase-like immunoreactivities in the forebrain of rats prenatally exposed to methylazoxymethanol acetate. <i>Developmental Brain Research</i> , <b>1990</b> , 51, 45-61		34
452	HISTOCHEMICAL AND BIOCHEMICAL OBSERVATIONS ON THE EFFECT OF RESERPINE ON NORADRENALINE STORAGE IN VASOCONSTRICTOR NERVES. <i>Acta Physiologica Scandinavica</i> , <b>1964</b> , 61, 121-9		34
451	FGFR1-5-HT1A Heteroreceptor Complexes: Implications for Understanding and Treating Major Depression. <i>Trends in Neurosciences</i> , <b>2016</b> , 39, 5-15	13.3	33
450	Role of the amygdaloid cholecystokinin (CCK)/gastrin-2 receptors and terminal networks in the modulation of anxiety in the rat. Effects of CCK-4 and CCK-8S on anxiety-like behaviour and [3H]GABA release. <i>European Journal of Neuroscience</i> , <b>2007</b> , 26, 3614-30	3.5	33
449	Kinetic and functional properties of [3H]ZM241385, a high affinity antagonist for adenosine A2A receptors. <i>Life Sciences</i> , <b>2005</b> , 76, 1513-26	6.8	33
448	Modafinil enhances the increase of extracellular serotonin levels induced by the antidepressant drugs fluoxetine and imipramine: a dual probe microdialysis study in awake rat. <i>Synapse</i> , <b>2005</b> , 55, 230-41	4.4	33
447	The nicotinic acetylcholine receptor agonist (+/-)-epibatidine increases FGF-2 mRNA and protein levels in the rat brain. <i>Molecular Brain Research</i> , <b>1999</b> , 74, 98-110		33
446	Region-specific inhibition of potassium-evoked [3H]noradrenaline release from rat brain synaptosomes by neuropeptide Y-(13-36). Involvement of NPY receptors of the Y2 type. <i>European Journal of Pharmacology</i> , <b>1993</b> , 230, 231-4	5.3	33
445	Evidence for an exclusive localization of 3H-ADTN binding sites to postsynaptic nerve cells in the striatum of the rat. <i>European Journal of Pharmacology</i> , <b>1979</b> , 58, 515-7	5.3	33
444	Benzodiazepines and barbiturates: turnover changes in central 5-hydroxytryptamine pathways. <i>European Journal of Pharmacology</i> , <b>1974</b> , 26, 35-40	5.3	33
443	Preferential activation by galanin 1-15 fragment of the GalR1 protomer of a GalR1-GalR2 heteroreceptor complex. <i>Biochemical and Biophysical Research Communications</i> , <b>2014</b> , 452, 347-53	3.4	32
442	Understanding neuronal molecular networks builds on neuronal cellular network architecture. <i>Brain Research Reviews</i> , <b>2008</b> , 58, 379-99		32
441	Nuclear parcellation of certain immunohistochemically identifiable neuronal systems in the midbrain and pons of the Highveld molerat ( <i>Cryptomys hottentotus</i> ). <i>Journal of Chemical Neuroanatomy</i> , <b>2006</b> , 31, 37-50	3.2	32
440	Detection of beta-endorphin in the cerebrospinal fluid after intrastriatal microinjection into the rat brain. <i>Brain Research</i> , <b>2005</b> , 1041, 167-80	3.7	32
439	Intraventricular galanin produces a time-dependent modulation of 5-HT1A receptors in the dorsal raphe of the rat. <i>NeuroReport</i> , <b>2000</b> , 11, 3943-8	1.7	32
438	Prolonged effects of intraventricular galanin on a 5-hydroxytryptamine(1A) receptor mediated function in the rat. <i>Neuroscience Letters</i> , <b>2001</b> , 299, 145-9	3.3	32
437	Intracisternally injected galanin-(1-15) modulates the cardiovascular responses of galanin-(1-29) and the 5-HT1A receptor agonist 8-OH-DPAT. <i>European Journal of Pharmacology</i> , <b>1994</b> , 257, 257-65	5.3	32

436	Rat growth hormone and hypothalamic catecholamine nerve terminal systems. Evidence for rapid and discrete reductions in dopamine and noradrenaline levels and turnover in the median eminence of the hypophysectomized male rat. <i>European Journal of Pharmacology</i> , <b>1983</b> , 95, 271-5	5.3	32
435	Effects of acute intermittent exposure to cigarette smoke on catecholamine levels and turnover in various types of hypothalamic DA and NA nerve terminal systems as well as on the secretion of adenohipophyseal hormones and corticosterone. <i>Acta Physiologica Scandinavica</i> , <b>1985</b> , 124, 277-85		32
434	Vasopressor effects of substance P and C-terminal sequences after intracisternal injection to alpha-chloralose-anaesthetized rats: blockade by a substance P antagonist. <i>European Journal of Pharmacology</i> , <b>1982</b> , 77, 171-6	5.3	32
433	HISTOCHEMICAL AND BIOCHEMICAL DETECTION OF MONOAMINE RELEASE FROM BRAIN NEURONS. <i>Life Sciences</i> , <b>1965</b> , 4, 809-16	6.8	32
432	Adrenergic innervation of the bronchial muscle of the cat. <i>Acta Physiologica Scandinavica</i> , <b>1966</b> , 66, 507-8		32
431	Enhancement of the FGFR1 signaling in the FGFR1-5-HT1A heteroreceptor complex in midbrain raphe 5-HT neuron systems. Relevance for neuroplasticity and depression. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 463, 180-6	3.4	31
430	Cocaine self-administration differentially affects allosteric A2A-D2 receptor-receptor interactions in the striatum. Relevance for cocaine use disorder. <i>Pharmacology Biochemistry and Behavior</i> , <b>2016</b> , 144, 85-91	3.9	31
429	Understanding the Role of Adenosine A2AR Heteroreceptor Complexes in Neurodegeneration and Neuroinflammation. <i>Frontiers in Neuroscience</i> , <b>2018</b> , 12, 43	5.1	31
428	G-protein-coupled receptor type A heteromers as an emerging therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , <b>2015</b> , 19, 265-83	6.4	31
427	Effects of intracerebral injections of 6-hydroxydopamine on sleep and waking in the rat. <i>Journal of Pharmacy and Pharmacology</i> , <b>1973</b> , 25, 84-7	4.8	31
426	International Workshop at the Nobel Forum, Karolinska Institutet on G protein-coupled receptors: finding the words to describe monomers, oligomers, and their molecular mechanisms and defining their meaning. Can a consensus be reached?. <i>Journal of Receptor and Signal Transduction Research</i> , <b>2010</b> , 30, 284-6	2.6	31
425	Distribution and morphology of catecholaminergic and serotonergic neurons in the brain of the highveld gerbil, <i>Tatera brantsii</i> . <i>Journal of Chemical Neuroanatomy</i> , <b>2007</b> , 34, 134-44	3.2	31
424	Quantitative dual-probe microdialysis: evaluation of [3H]mannitol diffusion in agar and rat striatum. <i>Journal of Neurochemistry</i> , <b>2002</b> , 81, 80-93	6	31
423	Galanin and 5-HT1A receptor interactions as an integrative mechanism in 5-HT neurotransmission in the brain. <i>Annals of the New York Academy of Sciences</i> , <b>1996</b> , 780, 193-212	6.5	31
422	Functional role of striatal A2A, D2, and mGlu5 receptor interactions in regulating striatopallidal GABA neuronal transmission. <i>Journal of Neurochemistry</i> , <b>2016</b> , 138, 254-64	6	31
421	A2AR-D2R Heteroreceptor Complexes in Cocaine Reward and Addiction. <i>Trends in Pharmacological Sciences</i> , <b>2018</b> , 39, 1008-1020	13.2	31
420	On the role of A <sub>2A</sub> and D <sub>2</sub> receptors in control of cocaine and food-seeking behaviors in rats. <i>Psychopharmacology</i> , <b>2015</b> , 232, 1767-78	4.7	30
419	On the role of the extracellular space on the holistic behavior of the brain. <i>Reviews in the Neurosciences</i> , <b>2015</b> , 26, 489-506	4.7	30

418	Signaling in dopamine D2 receptor-oxytocin receptor heterocomplexes and its relevance for the anxiolytic effects of dopamine and oxytocin interactions in the amygdala of the rat. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2016</b> , 1862, 2075-2085	6.9	30
417	The fast-off hypothesis revisited: A functional kinetic study of antipsychotic antagonism of the dopamine D2 receptor. <i>European Neuropsychopharmacology</i> , <b>2016</b> , 26, 467-76	1.2	30
416	Effects of cocaine self-administration and extinction on D2-like and A2A receptor recognition and D2-like/Gi protein coupling in rat striatum. <i>Addiction Biology</i> , <b>2013</b> , 18, 455-66	4.6	30
415	Nuclear organization of cholinergic, putative catecholaminergic and serotonergic nuclei in the brain of the eastern rock elephant shrew, <i>Elephantulus myurus</i> . <i>Journal of Chemical Neuroanatomy</i> , <b>2010</b> , 39, 175-88	3.2	30
414	Neurotensin receptors as modulators of glutamatergic transmission. <i>Brain Research Reviews</i> , <b>2008</b> , 58, 365-73		30
413	Neurotensin enhances endogenous extracellular glutamate levels in primary cultures of rat cortical neurons: involvement of neurotensin receptor in NMDA induced excitotoxicity. <i>Cerebral Cortex</i> , <b>2004</b> , 14, 466-73	5.1	30
412	Cholecystokinin/dopamine/GABA interactions in the nucleus accumbens: biochemical and functional correlates. <i>Peptides</i> , <b>2001</b> , 22, 1229-34	3.8	30
411	Subpicomolar amounts of NPY(13-36) injected into the nucleus tractus solitarius of the rat counteract the cardiovascular responses to L-glutamate. <i>Neuroscience Letters</i> , <b>1993</b> , 151, 182-6	3.3	30
410	The effects of 5,7-dihydroxytryptamine-induced lesions of the ascending 5-hydroxytryptamine pathways on the sleep wakefulness cycle. <i>Brain Research</i> , <b>1977</b> , 131, 287-301	3.7	30
409	Basimglurant for treatment of major depressive disorder: a novel negative allosteric modulator of metabotropic glutamate receptor 5. <i>Expert Opinion on Investigational Drugs</i> , <b>2015</b> , 24, 1247-60	5.9	29
408	Nuclear organization and morphology of cholinergic, putative catecholaminergic and serotonergic neurons in the brain of the Cape porcupine ( <i>Hystrix africaeaustralis</i> ): increased brain size does not lead to increased organizational complexity. <i>Journal of Chemical Neuroanatomy</i> , <b>2008</b> , 36, 33-52	3.2	29
407	Uncoupling protein-2 promotes nigrostriatal dopamine neuronal function. <i>European Journal of Neuroscience</i> , <b>2006</b> , 24, 32-6	3.5	29
406	Theory relating in vitro and in vivo microdialysis with one or two probes. <i>Journal of Neurochemistry</i> , <b>2002</b> , 81, 108-21	6	29
405	Group I mGluR antagonist AIDA protects nigral DA cells from MPTP-induced injury. <i>NeuroReport</i> , <b>2001</b> , 12, 2615-7	1.7	29
404	Volume transmission and receptor-receptor interactions in heteroreceptor complexes: understanding the role of new concepts for brain communication. <i>Neural Regeneration Research</i> , <b>2016</b> , 11, 1220-3	4.5	29
403	Receptor-receptor interactions in heteroreceptor complexes: a new principle in biology. Focus on their role in learning and memory. <i>Neuroscience Discovery</i> , <b>2014</b> , 2, 6	0	29
402	CHARACTERISATION, LOCALISATION AND REGULATION OF CATECHOLAMINE SYNTHESIZING ENZYMES <b>1973</b> , 69-78		29
401	Dynamic modulation of FGFR1-5-HT1A heteroreceptor complexes. Agonist treatment enhances participation of FGFR1 and 5-HT1A homodimers and recruitment of $\beta$ arrestin2. <i>Biochemical and Biophysical Research Communications</i> , <b>2013</b> , 441, 387-92	3.4	28



400	Age-related alteration of the adenosine/dopamine balance in the rat striatum. <i>Brain Research</i> , <b>1998</b> , 795, 297-300	3.7	28
399	Neuroprotective effect of L-DOPA co-administered with the adenosine A2A receptor agonist CGS 21680 in an animal model of Parkinson's disease. <i>Brain Research Bulletin</i> , <b>2004</b> , 64, 155-64	3.9	28
398	Stimulation of adenosine A1 receptors attenuates dopamine D1 receptor-mediated increase of NGFI-A, c-fos and jun-B mRNA levels in the dopamine-denervated striatum and dopamine D1 receptor-mediated turning behaviour. <i>European Journal of Neuroscience</i> , <b>1999</b> , 11, 3884-92	3.5	28
397	Chronic haloperidol treatment leads to an increase in the intramembrane interaction between adenosine A2 and dopamine D2 receptors in the neostriatum. <i>Psychopharmacology</i> , <b>1994</b> , 116, 279-84	4.7	28
396	Pertussis toxin treatment counteracts intramembrane interactions between neuropeptide Y receptors and alpha 2-adrenoceptors. <i>European Journal of Pharmacology</i> , <b>1989</b> , 172, 435-41		28
395	Neurotensin reduces the affinity of dopamine D2 receptors in membranes from post mortem human caudate-putamen. <i>Neuroscience Letters</i> , <b>1990</b> , 109, 325-30	3.3	28
394	Involvement of cholinergic nicotine-like receptors as modulators of amine turnover in various types of hypothalamic dopamine and noradrenaline nerve terminal systems and of prolactin, LH, FSH and TSH secretion in the castrated male rat. <i>Acta Physiologica Scandinavica</i> , <b>1982</b> , 116, 41-50		28
393	ADRENERGIC MECHANISMS IN THE PUPILLARY LIGHT-REFLEX PATH. <i>Acta Physiologica Scandinavica</i> , <b>1964</b> , 62, 119-24		28
392	Galanin (1-15) enhancement of the behavioral effects of Fluoxetine in the forced swimming test gives a new therapeutic strategy against depression. <i>Neuropharmacology</i> , <b>2017</b> , 118, 233-241	5.5	27
391	Brain Dopamine Transmission in Health and Parkinson's Disease: Modulation of Synaptic Transmission and Plasticity Through Volume Transmission and Dopamine Heteroreceptors. <i>Frontiers in Synaptic Neuroscience</i> , <b>2018</b> , 10, 20	3.5	27
390	Organization and number of orexinergic neurons in the hypothalamus of two species of Cetartiodactyla: a comparison of giraffe ( <i>Giraffa camelopardalis</i> ) and harbour porpoise ( <i>Phocoena phocoena</i> ). <i>Journal of Chemical Neuroanatomy</i> , <b>2012</b> , 44, 98-109	3.2	27
389	Organization of cholinergic, putative catecholaminergic and serotonergic nuclei in the diencephalon, midbrain and pons of sub-adult male giraffes. <i>Journal of Chemical Neuroanatomy</i> , <b>2010</b> , 39, 189-203	3.2	27
388	Regulation of DARPP-32 phosphorylation by Delta9-tetrahydrocannabinol. <i>Neuropharmacology</i> , <b>2008</b> , 54, 31-5	5.5	27
387	Neurotensin receptor involvement in the rise of extracellular glutamate levels and apoptotic nerve cell death in primary cortical cultures after oxygen and glucose deprivation. <i>Cerebral Cortex</i> , <b>2008</b> , 18, 1748-57	5.1	27
386	Galanin/alpha2-receptor interactions in central cardiovascular control. <i>Neuropharmacology</i> , <b>2000</b> , 39, 1377-85	5.5	27
385	Chronic nicotine treatment counteracts dopamine D2 receptor upregulation induced by a partial meso-diencephalic hemitransection in the rat. <i>Brain Research</i> , <b>1994</b> , 655, 25-32	3.7	27
384	Ganglioside GM1 treatment prevents the effects of subacute exposure to toluene on N-[3H]propylnorapomorphine binding characteristics in rat striatal membranes. <i>Neuroscience Letters</i> , <b>1987</b> , 82, 181-4	3.3	27
383	Studies on the relationship of tyrosine hydroxylase, dopamine and cyclic amp-regulated phosphoprotein-32 immunoreactive neuronal structures and d1 receptor antagonist binding sites in various brain regions of the male rat-mismatches indicate a role of d1 receptors in volume transmission. <i>Neurochemistry International</i> , <b>1988</b> , 13, 179-87	4.4	27

- 382 l-Glutamate reduces the affinity of [3H]N-propylnorapomorphine binding sites in striatal membranes. *European Journal of Pharmacology*, **1984**, 100, 127-30 5.3 27
- 381 Evidence for a selective reduction of adrenaline turnover in the dorsal midline area of the caudal medulla oblongata of young spontaneous hypertensive rats. *Acta Physiologica Scandinavica*, **1979**, 107, 397-9 27
- 380 Depletion of noradrenaline in brainstem neurons during sham rage behaviour produced by acute brainstem transection in cat. *Brain Research*, **1968**, 7, 448-51 3.7 27
- 379 Understanding the Functional Plasticity in Neural Networks of the Basal Ganglia in Cocaine Use Disorder: A Role for Allosteric Receptor-Receptor Interactions in A2A-D2 Heteroreceptor Complexes. *Neural Plasticity*, **2016**, 2016, 4827268 3.3 27
- 378 On the role of adenosine (A)<sub>2A</sub> receptors in cocaine-induced reward: a pharmacological and neurochemical analysis in rats. *Psychopharmacology*, **2015**, 232, 421-35 4.7 26
- 377 In vitro effects of cocaine on tunneling nanotube formation and extracellular vesicle release in glioblastoma cell cultures. *Journal of Molecular Neuroscience*, **2015**, 55, 42-50 3.3 26
- 376 Neuroglobin as a regulator of mitochondrial-dependent apoptosis: a bioinformatics analysis. *International Journal of Molecular Medicine*, **2014**, 33, 111-6 4.4 26
- 375 Dopamine D4 receptor oligomerization--contribution to receptor biogenesis. *FEBS Journal*, **2011**, 278, 1333-44 5.7 26
- 374 An integrated view on the role of receptor mosaics at perisynaptic level: focus on adenosine A(2A), dopamine D(2), cannabinoid CB(1), and metabotropic glutamate mGlu(5) receptors. *Journal of Receptor and Signal Transduction Research*, **2010**, 30, 355-69 2.6 26
- 373 Distribution and morphology of putative catecholaminergic and serotonergic neurons in the brain of the greater canerat, *Thryonomys swinderianus*. *Journal of Chemical Neuroanatomy*, **2008**, 35, 108-22 3.2 26
- 372 Galanin-(1-16) modulates 5-HT1A receptors in the ventral limbic cortex of the rat. *NeuroReport*, **2000**, 11, 515-9 1.7 26
- 371 Modafinil prevents glutamate cytotoxicity in cultured cortical neurons. *NeuroReport*, **1998**, 9, 4209-13 1.7 26
- 370 Antagonistic regulation of alpha 2-adrenoceptors by neuropeptide Y receptor subtypes in the nucleus tractus solitarii. *European Journal of Pharmacology*, **1994**, 271, 201-12 5.3 26
- 369 Antiparkinsonian drugs and central dopamine neurons. *Life Sciences*, **1970**, 9, 811-24 6.8 26
- 368 Receptor?Receptor Interactions in Multiple 5-HT1A Heteroreceptor Complexes in Raphe-Hippocampal 5-HT Transmission and Their Relevance for Depression and Its Treatment. *Molecules*, **2018**, 23, 4.8 25
- 367 G protein-coupled receptor oligomerization and brain integration: focus on adenosinergic transmission. *Brain Research*, **2012**, 1476, 86-95 3.7 25
- 366 One century of progress in neuroscience founded on Golgi and Cajal's outstanding experimental and theoretical contributions. *Brain Research Reviews*, **2007**, 55, 167-89 25
- 365 How proteins come together in the plasma membrane and function in macromolecular assemblies: focus on receptor mosaics. *Journal of Molecular Neuroscience*, **2005**, 26, 133-54 3.3 25

364	Kinetic evidence for isomerization of the dopamine receptor-raclopride complex. <i>Neurochemistry International</i> , <b>1996</b> , 28, 591-5	4.4	25
363	Neurotensin and cholecystokinin octapeptide control synergistically dopamine release and dopamine D2 receptor affinity in rat neostriatum. <i>European Journal of Pharmacology</i> , <b>1993</b> , 230, 159-66	5.3	25
362	Chronic imipramine treatment reduces (+)2-[125I]iodolysergic acid, diethylamide but not 125I-neuropeptide Y binding in layer IV of rat cerebral cortex. <i>Neuroscience Letters</i> , <b>1987</b> , 75, 152-6	3.3	25
361	Possible mechanism of the hypotensive action of 2,6-dichlorobenzylidene aminoguanidine: evidence for central noradrenaline receptor stimulation. <i>European Journal of Pharmacology</i> , <b>1973</b> , 23, 175-82	5.3	25
360	Potentialiation of cannabinoid signaling in microglia by adenosine A receptor antagonists. <i>Glia</i> , <b>2019</b> , 67, 2410-2423	9	24
359	Nuclear organization of cholinergic, putative catecholaminergic, serotonergic and orexinergic systems in the brain of the African pygmy mouse ( <i>Mus minutoides</i> ): organizational complexity is preserved in small brains. <i>Journal of Chemical Neuroanatomy</i> , <b>2012</b> , 44, 45-56	3.2	24
358	Nicotine-induced fibroblast growth factor-2 restores the age-related decline of precursor cell proliferation in the subventricular zone of rat brain. <i>Brain Research</i> , <b>2008</b> , 1193, 12-24	3.7	24
357	On the molecular basis of the receptor mosaic hypothesis of the engram. <i>Cellular and Molecular Neurobiology</i> , <b>2004</b> , 24, 501-16	4.6	24
356	Dopamine D1 receptors are involved in the modulation of D2 receptors induced by cholecystokinin receptor subtypes in rat neostriatal membranes. <i>Brain Research</i> , <b>1994</b> , 650, 289-98	3.7	24
355	Chronic continuous nicotine treatment causes decreased burst firing of nigral dopamine neurons in rats partially hemitranssected at the meso-diencephalic junction. <i>Brain Research</i> , <b>1991</b> , 562, 347-51	3.7	24
354	Studies on the mechanism of action of substituted benzamide drugs. <i>Acta Psychiatrica Scandinavica</i> , <b>1984</b> , 311, 125-37	6.5	24
353	Effects of chronic exposure to cigarette smoke on amine levels and turnover in various hypothalamic catecholamine nerve terminal systems and on the secretion of pituitary hormones in the male rat. <i>Neuroendocrinology</i> , <b>1985</b> , 41, 462-6	5.6	24
352	Adenosine heteroreceptor complexes in the basal ganglia are implicated in Parkinson's disease and its treatment. <i>Journal of Neural Transmission</i> , <b>2019</b> , 126, 455-471	4.3	24
351	Neurotensin: A role in substance use disorder?. <i>Journal of Psychopharmacology</i> , <b>2016</b> , 30, 112-27	4.6	23
350	The zinc binding receptor GPR39 interacts with 5-HT1A and GalR1 to form dynamic heteroreceptor complexes with signaling diversity. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2015</b> , 1852, 2585-92	6.9	23
349	Distribution of orexin-A immunoreactive neurons and their terminal networks in the brain of the rock hyrax, <i>Procavia capensis</i> . <i>Journal of Chemical Neuroanatomy</i> , <b>2011</b> , 41, 86-96	3.2	23
348	Cocaine produces D2R-mediated conformational changes in the adenosine A(2A)R-dopamine D2R heteromer. <i>Biochemical and Biophysical Research Communications</i> , <b>2010</b> , 394, 988-92	3.4	23
347	Homocysteine potentiates seizures and cell loss induced by pilocarpine treatment. <i>NeuroMolecular Medicine</i> , <b>2010</b> , 12, 248-59	4.6	23

- 346 Oxytocin increases the density of high affinity alpha(2)-adrenoceptors within the hypothalamus, the amygdala and the nucleus of the solitary tract in ovariectomized rats. *Brain Research*, **2005**, 1049, 234-9 3.7 23
- 345 Effects of the vigilance promoting drug modafinil on the synthesis of GABA and glutamate in slices of rat hypothalamus. *Neuroscience Letters*, **1999**, 259, 181-5 3.3 23
- 344 The nicotinic acetylcholine receptor agonist ABT-594 increases FGF-2 expression in various rat brain regions. *NeuroReport*, **1999**, 10, 3909-13 1.7 23
- 343 Increase of basic fibroblast growth factor (bFGF, FGF-2) messenger RNA and protein following implantation of a microdialysis probe into rat hippocampus. *Experimental Brain Research*, **1994**, 98, 229-37<sup>3</sup> 23
- 342 Evidence for an antagonistic angiotensin II/alpha 2-adrenoceptor interaction in the nucleus tractus solitarii. *European Journal of Pharmacology*, **1994**, 262, 271-82 5.3 23
- 341 Evidence for differential localization of angiotensin-I converting enzyme and renin in the corpus striatum of rat. *Acta Physiologica Scandinavica*, **1980**, 110, 321-3 23
- 340 Immobilization stress-induced changes in discrete hypothalamic catecholamine levels and turnover, their modulation by nicotine and relationship to neuroendocrine function. *Acta Physiologica Scandinavica*, **1983**, 117, 421-6 23
- 339 Diversity and bias through dopamine D2R heteroreceptor complexes. *Current Opinion in Pharmacology*, **2017**, 32, 16-22 5.1 22
- 338 Agonist-specific voltage sensitivity at the dopamine D2S receptor--molecular determinants and relevance to therapeutic ligands. *Neuropharmacology*, **2011**, 61, 937-49 5.5 22
- 337 Neurochemical modulation of central cardiovascular control: the integrative role of galanin. *Exs*, **2010**, 102, 113-31 22
- 336 On the expanding terminology in the GPCR field: the meaning of receptor mosaics and receptor heteromers. *Journal of Receptor and Signal Transduction Research*, **2010**, 30, 287-303 2.6 22
- 335 Central nervous system and computation. *Quarterly Review of Biology*, **2011**, 86, 265-85 5.4 22
- 334 Muscarinic receptor family interacting proteins: role in receptor function. *Journal of Neuroscience Methods*, **2011**, 195, 161-9 3 22
- 333 Nanomolar concentrations of cocaine enhance D2-like agonist-induced inhibition of the K<sup>+</sup>-evoked [3H]-dopamine efflux from rat striatal synaptosomes: a novel action of cocaine. *Journal of Neural Transmission*, **2010**, 117, 593-7 4.3 22
- 332 Chronic A2A antagonist treatment alleviates parkinsonian locomotor deficiency in MitoPark mice. *Neurobiology of Disease*, **2010**, 40, 460-6 7.5 22
- 331 Voltage-dependence of the human dopamine D2 receptor. *Synapse*, **2008**, 62, 476-80 2.4 22
- 330 Partners for adenosine A1 receptors. *Journal of Molecular Neuroscience*, **2005**, 26, 221-32 3.3 22
- 329 On the relationship of 5-hydroxytryptamine neurons to 5-hydroxytryptamine 2A receptor-immunoreactive neuronal processes in the brain stem of rats. A double immunolabelling analysis. *NeuroReport*, **1998**, 9, 2505-11 1.7 22

328	Presynaptic A2-adrenoceptors and neuropeptide Y Y2 receptors inhibit [3H]noradrenaline release from rat hypothalamic synaptosomes via different mechanisms. <i>Neuroscience Letters</i> , <b>1995</b> , 188, 9-12	3-3	22
327	Intramembrane receptor-receptor interactions: integration of signal transduction pathways in the nervous system. <i>Neurochemistry International</i> , <b>1993</b> , 22, 213-22	4-4	22
326	Autoradiographic evidence for a bradykinin/angiotensin II receptor-receptor interaction in the rat brain. <i>Neuroscience Letters</i> , <b>1993</b> , 163, 58-62	3-3	22
325	Reduction of adrenaline turnover in cardiovascular areas of rat medulla oblongata by clonidine. <i>Acta Physiologica Scandinavica</i> , <b>1979</b> , 107, 177-9		22
324	Dopamine receptor agonists in brain research and as therapeutic agents. <i>Trends in Neurosciences</i> , <b>1979</b> , 2, 1-4	13-3	22
323	On the Role of the Balance of GPCR Homo/ Heteroreceptor Complexes in the Brain <b>2015</b> , 2, 36-44		22
322	Role of iso-receptors in receptor-receptor interactions with a focus on dopamine iso-receptor complexes. <i>Reviews in the Neurosciences</i> , <b>2016</b> , 27, 1-25	4-7	21
321	Dopamine D receptor stimulation prevents nigrostriatal dopamine pathway activation by morphine: relevance for drug addiction. <i>Addiction Biology</i> , <b>2017</b> , 22, 1232-1245	4-6	21
320	Mesolimbic dopamine and cortico-accumbens glutamate afferents as major targets for the regulation of the ventral striato-pallidal GABA pathways by neurotensin peptides. <i>Brain Research Reviews</i> , <b>2007</b> , 55, 144-54		21
319	Nicotine-induced FGF-2 mRNA in rat brain is preserved during aging. <i>Neurobiology of Aging</i> , <b>2004</b> , 25, 1333-42	5-6	21
318	A brief appraisal on some aspects of the receptor-receptor interaction. <i>Neurochemistry International</i> , <b>1995</b> , 27, 139-46	4-4	21
317	Adrenalectomy alters discrete galanin mRNA levels in the hypothalamus and mesencephalon of the rat. <i>Neuroscience Letters</i> , <b>1994</b> , 170, 77-82	3-3	21
316	Strongly glucocorticoid receptor immunoreactive neurons in the neonatal rat brain. <i>NeuroReport</i> , <b>1991</b> , 2, 85-8	1-7	21
315	In Situ Proximity Ligation Assay to Study and Understand the Distribution and Balance of GPCR Homo- and Heteroreceptor Complexes in the Brain. <i>Neuromethods</i> , <b>2016</b> , 109-124	0-4	21
314	The neuropeptides Galanin and Galanin(1-15) in depression-like behaviours. <i>Neuropeptides</i> , <b>2017</b> , 64, 39-45	3-3	20
313	Striatal adenosine-cannabinoid receptor interactions in rats over-expressing adenosine A2A receptors. <i>Journal of Neurochemistry</i> , <b>2016</b> , 136, 907-17	6	20
312	Extrasynaptic neurotransmission as a way of modulating neuronal functions. <i>Frontiers in Physiology</i> , <b>2012</b> , 3, 16	4-6	20
311	Agonist-induced formation of FGFR1 homodimers and signaling differ among members of the FGF family. <i>Biochemical and Biophysical Research Communications</i> , <b>2011</b> , 409, 764-8	3-4	20

310	Distribution of orexinergic neurons and their terminal networks in the brains of two species of African mole rats. <i>Journal of Chemical Neuroanatomy</i> , <b>2011</b> , 41, 32-42	3.2	20
309	Galanin receptor/Neuropeptide Y receptor interactions in the dorsal raphe nucleus of the rat. <i>Neuropharmacology</i> , <b>2011</b> , 61, 80-6	5.5	20
308	Effect of acute and continuous morphine treatment on transcription factor expression in subregions of the rat caudate putamen. Marked modulation by D4 receptor activation. <i>Brain Research</i> , <b>2011</b> , 1407, 47-61	3.7	20
307	G protein-coupled receptor oligomerization for what?. <i>Journal of Receptor and Signal Transduction Research</i> , <b>2010</b> , 30, 322-30	2.6	20
306	Codistribution of the dopamine D3 receptor and glucocorticoid receptor mRNAs during striatal prenatal development in the rat. <i>Neuroscience Letters</i> , <b>1997</b> , 227, 119-22	3.3	20
305	Dopamine D(4) receptor activation decreases the expression of mu-opioid receptors in the rat striatum. <i>Journal of Comparative Neurology</i> , <b>2007</b> , 502, 358-66	3.4	20
304	Wiring and volume transmission in rat amygdala. Implications for fear and anxiety. <i>Neurochemical Research</i> , <b>2008</b> , 33, 1618-33	4.6	20
303	Distribution and morphology of putative catecholaminergic and serotonergic neurons in the medulla oblongata of a sub-adult giraffe, <i>Giraffa camelopardalis</i> . <i>Journal of Chemical Neuroanatomy</i> , <b>2007</b> , 34, 69-79	3.2	20
302	On the Nested Hierarchical Organization of CNS: Basic Characteristics of Neuronal Molecular Networks. <i>Lecture Notes in Computer Science</i> , <b>2004</b> , 24-54	0.9	20
301	Quantitative dual-probe microdialysis: mathematical model and analysis. <i>Journal of Neurochemistry</i> , <b>2002</b> , 81, 94-107	6	20
300	Subchronic haloperidol increases CB(1) receptor binding and G protein coupling in discrete regions of the basal ganglia. <i>Journal of Neuroscience Research</i> , <b>2005</b> , 82, 264-72	4.4	20
299	Regulation of dopamine D2 receptor affinity by cholecystokinin octapeptide in fibroblast cells cotransfected with human CCKB and D2L receptor cDNAs. <i>Molecular Brain Research</i> , <b>1996</b> , 36, 292-9		20
298	Neuropharmacology of the adenosine A2A receptors. <i>Drug Development Research</i> , <b>1996</b> , 39, 450-460	5.1	20
297	On the plasticity of the cerebellar renin-angiotensin system: localization of components and effects of mechanical perturbation. <i>Brain Research</i> , <b>1994</b> , 668, 144-59	3.7	20
296	6-hydroxy-dopamine treatment counteracts the reduction of cortical GABA release produced by the vigilance promoting drug modafinil in the awake freely moving guinea-pig. <i>Neuroscience Letters</i> , <b>1994</b> , 171, 201-4	3.3	20
295	Strong effects of NT/NN peptides on DA D2 receptors in rat neostriatal sections. <i>NeuroReport</i> , <b>1994</b> , 5, 1621-4	1.7	20
294	Involvement of D1 dopamine receptors in the nicotine-induced neuro-endocrine effects and depletion of diencephalic catecholamine stores in the male rat. <i>Neuroendocrinology</i> , <b>1988</b> , 48, 188-200	5.6	20
293	Rapid and discrete changes in hypothalamic catecholamine nerve terminal systems induced by audiogenic stress, and their modulation by nicotine-relationship to neuroendocrine function. <i>European Journal of Pharmacology</i> , <b>1983</b> , 91, 49-56	5.3	20

292	Somatostatin-induced apnea: interaction with hypoxia and hypercapnea in the rat. <i>Neuroscience Letters</i> , <b>1984</b> , 50, 37-42	3.3	20
291	5-Hydroxytryptamine neurons and the sleep-wakefulness cycle. Effects of methergoline and zimelidine. <i>Neuroscience Letters</i> , <b>1978</b> , 8, 55-8	3.3	20
290	Mechanisms of noradrenaline and 5-hydroxytryptamine disappearance induced by alpha-methyl-dopa and alpha-methyl-metatyrosine. <i>European Journal of Pharmacology</i> , <b>1969</b> , 8, 302-9	5.3	20
289	Cocaine modulates allosteric D- $\beta$ -receptor-receptor interactions on dopamine and glutamate nerve terminals from rat striatum. <i>Cellular Signalling</i> , <b>2017</b> , 40, 116-124	4.9	19
288	Glutamate heteroreceptor complexes in the brain. <i>Pharmacological Reports</i> , <b>2018</b> , 70, 936-950	3.9	19
287	Nuclear organization of cholinergic, catecholaminergic, serotonergic and orexinergic systems in the brain of the Tasmanian devil ( <i>Sarcophilus harrisii</i> ). <i>Journal of Chemical Neuroanatomy</i> , <b>2014</b> , 61-62, 94-106 <sup>2</sup>	2.2	19
286	A novel mechanism of cocaine to enhance dopamine d2-like receptor mediated neurochemical and behavioral effects. An in vivo and in vitro study. <i>Neuropsychopharmacology</i> , <b>2012</b> , 37, 1856-66	8.7	19
285	Impaired M(3) muscarinic acetylcholine receptor signal transduction through blockade of binding of multiple proteins to its third intracellular loop. <i>Cellular Physiology and Biochemistry</i> , <b>2010</b> , 25, 397-408	3.9	19
284	Motor response to amphetamine treatment, task-specific training, and limited motor experience in a postacute animal stroke model. <i>Experimental Neurology</i> , <b>2004</b> , 190, 102-8	5.7	19
283	Existence and theoretical aspects of homomeric and heteromeric dopamine receptor complexes and their relevance for neurological diseases. <i>NeuroMolecular Medicine</i> , <b>2005</b> , 7, 61-78	4.6	19
282	Serotonergic agonists behave as partial agonists at the dopamine D2 receptor. <i>NeuroReport</i> , <b>1999</b> , 10, 493-5	1.7	19
281	Functional coupling of dopamine D2 and muscarinic cholinergic receptors to their respective G proteins assessed by agonist-induced activation of high-affinity GTPase activity in rat striatal membranes. <i>Biochemical Pharmacology</i> , <b>1995</b> , 50, 325-35	6	19
280	Centrally infused galanin-(1-15) but not galanin-(1-29) reduces the baroreceptor reflex sensitivity in the rat. <i>Brain Research</i> , <b>1996</b> , 741, 32-7	3.7	19
279	Evidence for a regional distribution of hyaluronic acid in the rat brain using a highly specific hyaluronic acid recognizing protein. <i>Neuroscience Letters</i> , <b>1994</b> , 169, 25-30	3.3	19
278	Colocalization of fos- and glucocorticoid receptor-like immunoreactivities in the rat amygdaloid complex after immobilization stress. <i>Journal of Neuroendocrinology</i> , <b>1992</b> , 4, 547-55	3.8	19
277	Somatostatin induced apnoea: prevention by central and peripheral administration of the opiate receptor blocking agent naloxone. <i>Acta Physiologica Scandinavica</i> , <b>1985</b> , 125, 91-5		19
276	The Role of Central Serotonin Neurons and 5-HT Heteroreceptor Complexes in the Pathophysiology of Depression: A Historical Perspective and Future Prospects. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	19
275	Galanin receptor 2-neuropeptide Y Y1 receptor interactions in the amygdala lead to increased anxiolytic actions. <i>Brain Structure and Function</i> , <b>2015</b> , 220, 2289-301	4	18

274	Disturbances in the FGFR1-5-HT1A Heteroreceptor Complexes in the Raphe-Hippocampal 5-HT System Develop in a Genetic Rat Model of Depression. <i>Frontiers in Cellular Neuroscience</i> , <b>2017</b> , 11, 309	6.1	18
273	Possible new targets for GPCR modulation: allosteric interactions, plasma membrane domains, intercellular transfer and epigenetic mechanisms. <i>Journal of Receptor and Signal Transduction Research</i> , <b>2011</b> , 31, 315-31	2.6	18
272	GABA(A) $\alpha$ Receptor mechanisms in the rat amygdala and its role in the modulation of fear and anxiety. <i>Psychopharmacology</i> , <b>2010</b> , 212, 475-84	4.7	18
271	Differential sensitivity of A2A and especially D2 receptor trafficking to cocaine compared with lipid rafts in cotransfected CHO cell lines. Novel actions of cocaine independent of the DA transporter. <i>Journal of Molecular Neuroscience</i> , <b>2010</b> , 41, 347-57	3.3	18
270	The M(5) muscarinic acetylcholine receptor third intracellular loop regulates receptor function and oligomerization. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2010</b> , 1803, 813-25	4.9	18
269	Corticosterone strongly increases the affinity of dorsal raphe 5-HT1A receptors. <i>NeuroReport</i> , <b>2004</b> , 15, 1457-9	1.7	18
268	Oxytocin/alpha(2)-Adrenoceptor interactions in feeding responses. <i>Neuroendocrinology</i> , <b>2000</b> , 71, 209-18	3.6	18
267	Adenosine as a volume transmission signal. A feedback detector of neuronal activation. <i>Progress in Brain Research</i> , <b>2000</b> , 125, 353-61	2.9	18
266	5-HT1A, GABAB, and pirenzepine-insensitive muscarinic receptors are functionally coupled to distinct pools of the same kind of G proteins in rat hippocampus. <i>Brain Research</i> , <b>1995</b> , 689, 129-35	3.7	18
265	Coinjections of NPY(1-36) or [Leu31,Pro34]NPY with adrenaline in the nucleus tractus solitarius of the rat counteract the vasodepressor responses to adrenaline. <i>Neuroscience Letters</i> , <b>1994</b> , 171, 27-31	3.3	18
264	Computer-assisted image analysis techniques allow a characterization of the compartments within the basal ganglia. Focus on functional compartments produced by d-amphetamine activation of the c-fos gene and its relationship to the glucocorticoid receptor. <i>Journal of Chemical Neuroanatomy</i> , <b>1991</b> , 4, 355-72	3.2	18
263	Regional increases in ornithine decarboxylase mRNA levels in the rat brain after partial mesodiencephalic hemitransection as revealed by in situ hybridization histochemistry. <i>Neurochemistry International</i> , <b>1991</b> , 18, 347-52	4.4	18
262	Toluene induces changes in the morphology of astroglia and neurons in striatal primary cell cultures. <i>Toxicology</i> , <b>1988</b> , 49, 155-63	4.4	18
261	Evidence for interactions between striatal cholecystokinin and glutamate receptors. CCK-8 in vitro produces a marked downregulation of 3H-glutamate binding sites in striatal membranes. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 118, 75-7		18
260	Neurotensin NTS1-dopamine D2 receptor-receptor interactions in putative receptor heteromers: relevance for Parkinson's disease and schizophrenia. <i>Current Protein and Peptide Science</i> , <b>2014</b> , 15, 681-90	2.8	18
259	Participation of Central Monoamine Neurons in the Regulation of Anterior Pituitary Function with Special Regard to the Neuro-Endocrine Role of Tubero-Infundibular Dopamine Neurons <b>1970</b> , 192-205		18
258	Telocytes in their context with other intercellular communication agents. <i>Seminars in Cell and Developmental Biology</i> , <b>2016</b> , 55, 9-13	7.5	18
257	Oligomeric Receptor Complexes and Their Allosteric Receptor-Receptor Interactions in the Plasma Membrane Represent a New Biological Principle for Integration of Signals in the CNS. <i>Frontiers in Molecular Neuroscience</i> , <b>2019</b> , 12, 230	6.1	17



256	Adenosine (A)(2A)receptor modulation of nicotine-induced locomotor sensitization. A pharmacological and transgenic approach. <i>Neuropharmacology</i> , <b>2014</b> , 81, 318-26	5.5	17
255	Brain receptor mosaics and their intramembrane receptor-receptor interactions: molecular integration in transmission and novel targets for drug development. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , <b>2009</b> , 2, 1-25	1.2	17
254	Time-course of immediate early gene expression in hippocampal subregions of adrenalectomized rats after acute corticosterone challenge. <i>Brain Research</i> , <b>2008</b> , 1215, 1-10	3.7	17
253	Voltage-sensitivity at the human dopamine D2S receptor is agonist-specific. <i>Biochemical and Biophysical Research Communications</i> , <b>2008</b> , 377, 1216-21	3.4	17
252	Additivity and non-additivity between dopamine-, norepinephrine-, carbachol- and GABA-stimulated GTPase activity. <i>European Journal of Pharmacology</i> , <b>1995</b> , 291, 245-53		17
251	Stimulation of adenosine A1 receptors prevents the EEG arousal due to dopamine D1 receptor activation in rabbits. <i>European Journal of Pharmacology</i> , <b>1996</b> , 305, 123-6	5.3	17
250	Expression of cytochrome P45011B1 mRNA in the brain of normal and hypertensive transgenic rats. <i>Brain Research</i> , <b>1996</b> , 733, 73-82	3.7	17
249	The C-terminal neurotensin-(8-13) fragment potently modulates rat neostriatal dopamine D2 receptors. <i>European Journal of Pharmacology</i> , <b>1993</b> , 234, 125-8	5.3	17
248	Neurochemical alterations but not nerve cell loss in aged rat neostriatum. <i>Journal of Chemical Neuroanatomy</i> , <b>1993</b> , 6, 131-45	3.2	17
247	Possible genetic and epigenetic links between human inner speech, schizophrenia and altruism. <i>Brain Research</i> , <b>2012</b> , 1476, 38-57	3.7	16
246	Theoretical considerations on the topological organization of receptor mosaics. <i>Current Protein and Peptide Science</i> , <b>2009</b> , 10, 559-69	2.8	16
245	Adrenalectomy counteracts the local modulation of astroglial fibroblast growth factor system without interfering with the pattern of 6-OHDA-induced dopamine degeneration in regions of the ventral midbrain. <i>Brain Research</i> , <b>2008</b> , 1190, 23-38	3.7	16
244	Galanin-neuropeptide Y (NPY) interactions in central cardiovascular control: involvement of the NPY Y receptor subtype. <i>European Journal of Neuroscience</i> , <b>2006</b> , 24, 499-508	3.5	16
243	The galanin receptor antagonist M40 blocks the central cardiovascular actions of the galanin N-terminal fragment (1-15). <i>European Journal of Pharmacology</i> , <b>2000</b> , 399, 197-203	5.3	16
242	Fetal ventral mesencephalic grafts functionally reduce the dopamine D2 receptor supersensitivity in partially dopamine reinnervated host striatum. <i>Experimental Neurology</i> , <b>2000</b> , 164, 154-65	5.7	16
241	The receptor mosaic hypothesis of the engram: possible relevance of Boolean network modeling. <i>International Journal of Neural Systems</i> , <b>1996</b> , 7, 363-8	6.2	16
240	Involvement of cholecystokinin receptors in the control of striatal dopamine autoreceptors. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1990</b> , 342, 300-4	3.4	16
239	Distribution of neurophysin II immunoreactive nerve fibers within the subnuclei of the nucleus of the tractus solitarius of the rat. <i>Brain Research</i> , <b>1984</b> , 321, 71-82	3.7	16

238	Distribution of VIP neurons in the peripheral and central nervous system. <i>Endocrinologia Japonica</i> , <b>1980</b> , 27 Suppl 1, 23-30		16
237	Serotonin and sexual behaviour in female rats. Effects of hallucinogenic indolealkylamines and phenylethylamines. <i>Neuroscience Letters</i> , <b>1977</b> , 4, 215-20	3.3	16
236	Absence of monoamines in olivo-cochlear fibres in cat. <i>Acta Physiologica Scandinavica</i> , <b>1965</b> , 64, 259-62		16
235	Interactions between cholinergic and fibroblast growth factor receptors in brain trophism and plasticity. <i>Current Protein and Peptide Science</i> , <b>2014</b> , 15, 691-702	2.8	16
234	Understanding the balance and integration of volume and synaptic transmission. Relevance for psychiatry. <i>Neurology Psychiatry and Brain Research</i> , <b>2013</b> , 19, 141-158	2.1	15
233	Typical and atypical antipsychotics do not differ markedly in their reversibility of antagonism of the dopamine D2 receptor. <i>International Journal of Neuropsychopharmacology</i> , <b>2014</b> , 17, 149-55	5.8	15
232	Neuronal correlates to consciousness. The "Hall of Mirrors" metaphor describing consciousness as an epiphenomenon of multiple dynamic mosaics of cortical functional modules. <i>Brain Research</i> , <b>2012</b> , 1476, 3-21	3.7	15
231	A(2A)/D(2) receptor heteromerization in a model of Parkinson's disease. Focus on striatal aminoacidergic signaling. <i>Brain Research</i> , <b>2012</b> , 1476, 96-107	3.7	15
230	Striatal NTS1, dopamine D2 and NMDA receptor regulation of pallidal GABA and glutamate release--a dual-probe microdialysis study in the intranigral 6-hydroxydopamine unilaterally lesioned rat. <i>European Journal of Neuroscience</i> , <b>2012</b> , 35, 207-20	3.5	15
229	The existence of FGFR1-5-HT1A receptor heterocomplexes in midbrain 5-HT neurons of the rat: relevance for neuroplasticity. <i>Journal of Neuroscience</i> , <b>2012</b> , 32, 6295-303	6.6	15
228	Muscarinic acetylcholine receptor-interacting proteins (mAChRIPs): targeting the receptorsome. <i>Current Drug Targets</i> , <b>2012</b> , 13, 53-71	3	15
227	Modulation of [ <sup>3</sup> H]quinpirole binding to dopaminergic receptors by adenosine A2A receptors. <i>Neuroscience Letters</i> , <b>1997</b> , 239, 61-4	3.3	15
226	Evidence for a striatal NMDA receptor modulation of nigral glutamate release. A dual probe microdialysis study in the awake freely moving rat. <i>European Journal of Neuroscience</i> , <b>1998</b> , 10, 1716-22	3.5	15
225	Glutamate mGlu5-Adenosine A2A-Dopamine D2 Receptor Interactions in the Striatum. Implications for Drug Therapy in Neuro-psychiatric Disorders and Drug Abuse. <i>Current Medicinal Chemistry - Central Nervous System Agents</i> , <b>2003</b> , 3, 1-26		15
224	A single (-)-nicotine injection causes change with a time delay in the affinity of striatal D2 receptors for antagonist, but not for agonist, nor in the D2 receptor mRNA levels in the rat substantia nigra. <i>Brain Research</i> , <b>1995</b> , 679, 157-67	3.7	15
223	Intracisternal administration of cholecystokinin-8 counteracts the central cardiovascular effects of adrenaline and NPY. A study based on the coexistence of cholecystokinin, phenylethanolamine N-methyltransferase and neuropeptide Y immunoreactivity in neurons of the nucleus tractus solitarius. <i>Neurochemistry International</i> , <b>1987</b> , 10, 481-94	4.4	15
222	Evidence for in vivo binding of apomorphine and bromocriptine to receptor sites not labelled by [ <sup>3</sup> H]-spiperone. <i>European Journal of Pharmacology</i> , <b>1979</b> , 58, 339-40	5.3	15
221	Some observations on the site of action of oxypertin. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1967</b> , 256, 450-63	3.4	15

220	Adenosine A2A-D2 receptor-receptor interactions in putative heteromers in the regulation of the striato-pallidal gaba pathway: possible relevance for parkinson's disease and its treatment. <i>Current Protein and Peptide Science</i> , <b>2014</b> , 15, 673-80	2.8	15
219	BEHAVIOURAL EFFECTS OF ERGOT DRUGS <b>1979</b> , 187-205		15
218	Attenuation of Oxytocin and Serotonin 2A Receptor Signaling through Novel Heteroreceptor Formation. <i>ACS Chemical Neuroscience</i> , <b>2019</b> , 10, 3225-3240	5.7	14
217	Galanin receptor 2-neuropeptide Y Y1 receptor interactions in the dentate gyrus are related with antidepressant-like effects. <i>Brain Structure and Function</i> , <b>2016</b> , 221, 4129-4139	4	14
216	Voltage sensitivities and deactivation kinetics of histamine H <sub>1</sub> and H <sub>2</sub> receptors. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2012</b> , 1818, 3081-9	3.8	14
215	On the g-protein-coupled receptor heteromers and their allosteric receptor-receptor interactions in the central nervous system: focus on their role in pain modulation. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2013</b> , 2013, 563716	2.3	14
214	Nuclear organization and morphology of serotonergic neurons in the brain of the Nile crocodile, <i>Crocodylus niloticus</i> . <i>Journal of Chemical Neuroanatomy</i> , <b>2008</b> , 35, 133-45	3.2	14
213	Differential voltage-sensitivity of D2-like dopamine receptors. <i>Biochemical and Biophysical Research Communications</i> , <b>2008</b> , 374, 496-501	3.4	14
212	Evidence for a differential modulation of the alpha-2 adrenoceptors by angiotensin II in the nucleus tractus solitarii of the spontaneously hypertensive and the Wistar-Kyoto normotensive rats. <i>Brain Research</i> , <b>1995</b> , 679, 168-77	3.7	14
211	Counteraction of NYP-induced c-Fos expression in the nucleus tractus solitarii by alpha 2 receptor agonists. <i>NeuroReport</i> , <b>1995</b> , 6, 384-8	1.7	14
210	Effects of toluene treatment in vivo and in vitro on the binding characteristics of [3H]neurotensin in rat striatal membranes. <i>Toxicology</i> , <b>1988</b> , 49, 149-54	4.4	14
209	Multiple Adenosine-Dopamine (A2A-D2 Like) Heteroreceptor Complexes in the Brain and Their Role in Schizophrenia. <i>Cells</i> , <b>2020</b> , 9,	7.9	13
208	Existence of FGFR1-5-HT1AR heteroreceptor complexes in hippocampal astrocytes. Putative link to 5-HT and FGF2 modulation of hippocampal gamma oscillations. <i>Neuropharmacology</i> , <b>2020</b> , 170, 108070	5.5	13
207	Information handling by the brain: proposal of a new "paradigm" involving the roamer type of volume transmission and the tunneling nanotube type of wiring transmission. <i>Journal of Neural Transmission</i> , <b>2014</b> , 121, 1431-49	4.3	13
206	Dopamine D <sub>1</sub> receptor counteracts morphine-induced changes in $\mu$ opioid receptor signaling in the striosomes of the rat caudate putamen. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 1481-98	6.3	13
205	Potential of caveolae in the therapy of cardiovascular and neurological diseases. <i>Frontiers in Physiology</i> , <b>2014</b> , 5, 370	4.6	13
204	Neurotensin regulates cortical glutamate transmission by modulating N-methyl-D-aspartate receptor functional activity: an in vivo microdialysis study. <i>Journal of Neuroscience Research</i> , <b>2011</b> , 89, 1618-26	4.4	13
203	Dissecting the conserved NPxxY motif of the M3 muscarinic acetylcholine receptor: critical role of Asp-7.49 for receptor signaling and multiprotein complex formation. <i>Cellular Physiology and Biochemistry</i> , <b>2011</b> , 28, 1009-22	3.9	13

202	FGF-2/FGFR1 neurotrophic system expression level and its basal activation do not account for the age-dependent decline of precursor cell proliferation in the subventricular zone of rat brain. <i>Brain Research</i> , <b>2010</b> , 1358, 39-45	3.7	13
201	Neuronal A1 receptors mediate increase in extracellular kynurenic acid after local intrastriatal adenosine infusion. <i>Journal of Neurochemistry</i> , <b>2004</b> , 90, 621-8	6	13
200	Biphasic autoregulation of mineralocorticoid receptor mRNA in the medial septal nucleus by aldosterone. <i>Neuroendocrinology</i> , <b>2002</b> , 75, 358-66	5.6	13
199	A view of renin in the brain. <i>Journal of Molecular Medicine</i> , <b>2001</b> , 79, 71-3	5.5	13
198	K(+)-Evoked [(3)H]D-aspartate release in rat spinal cord synaptosomes: modulation by neuropeptide Y and calcium channel antagonists. <i>Journal of Neuroscience Research</i> , <b>2000</b> , 62, 722-9	4.4	13
197	Studies of neurotensin-dopamine receptor interactions in striatal membranes of the male rat. The influence of 6-hydroxydopamine-induced dopamine receptor supersensitivity. <i>Acta Physiologica Scandinavica</i> , <b>1986</b> , 126, 147-9		13
196	Acute sino-aortic denervation in rats produces a selective increase of adrenaline turnover in the dorsal midline area of the caudal medulla oblongata and a reduction of adrenaline levels in the anterior and posterior hypothalamus. <i>European Journal of Pharmacology</i> , <b>1981</b> , 69, 361-5	5.3	13
195	Dopamine D Receptor Supersensitivity as a Spectrum of Neurotoxicity and Status in Psychiatric Disorders. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2018</b> , 366, 519-526	4.7	12
194	Bioinformatics and mathematical modelling in the study of receptor-receptor interactions and receptor oligomerization: focus on adenosine receptors. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , <b>2011</b> , 1808, 1267-83	3.8	12
193	A window into the heterogeneity of human cerebrospinal fluid A $\beta$ peptides. <i>Journal of Biomedicine and Biotechnology</i> , <b>2011</b> , 2011, 697036		12
192	Does the human brain have unique genetically determined networks coding logical and ethical principles and aesthetics? From Plato to novel mirror networks. <i>Brain Research Reviews</i> , <b>2007</b> , 55, 68-77		12
191	Effects of withdrawal from chronic exposure to cigarette smoke on hypothalamic and preoptic catecholamine nerve terminal systems and on the secretion of pituitary hormones in the male rat. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1989</b> , 339, 387-96	3.4	12
190	Corticosterone treatment counteracts lesions induced by neonatal treatment with monosodium glutamate in the mediobasal hypothalamus of the male rat. <i>Neuroscience Letters</i> , <b>1991</b> , 132, 225-8	3.3	12
189	Influence of Central Catecholamines on LHRH-Containing Pathways. <i>Clinics in Obstetrics and Gynaecology</i> , <b>1978</b> , 5, 251-269		12
188	Differential allosteric modulation within dopamine DR - neurotensin NTS1R and DR - serotonin 5-HT <sub>2</sub> receptor complexes gives bias to intracellular calcium signalling. <i>Scientific Reports</i> , <b>2019</b> , 9, 16312	4.9	11
187	Protection of the neostriatal dopamine stores against reserpine by local treatment with metatyramine. <i>Acta Pharmacologica Et Toxicologica</i> , <b>1970</b> , 28, 39-48		11
186	A new theoretical approach to the functional meaning of sleep and dreaming in humans based on the maintenance of 'predictive psychic homeostasis'. <i>Communicative and Integrative Biology</i> , <b>2011</b> , 4, 640-54	1.7	11
185	The human histamine H <sub>3</sub> receptor couples to GIRK channels in <i>Xenopus</i> oocytes. <i>European Journal of Pharmacology</i> , <b>2007</b> , 567, 206-10	5.3	11

184	Modafinil does not affect serotonin efflux from rat frontal cortex synaptosomes: comparison with known serotonergic drugs. <i>Brain Research</i> , <b>2001</b> , 894, 307-10	3.7	11
183	Neuromedin N is a potent modulator of dopamine D2 receptor agonist binding in rat neostriatal membranes. <i>Neuroscience Letters</i> , <b>1993</b> , 155, 121-4	3.3	11
182	Changes in striatal mu and delta opioid receptors after transient forebrain ischemia: a quantitative autoradiographic study. <i>Brain Research</i> , <b>1991</b> , 546, 171-5	3.7	11
181	D1 receptor mechanisms in the median eminence and their inhibitory regulation of LHRH release. <i>Neurochemistry International</i> , <b>1988</b> , 13, 165-78	4.4	11
180	Identification of dopamine, noradrenaline and 5-hydroxytryptamine varicosities in a fraction containing nerve ending particles. <i>Brain Research</i> , <b>1967</b> , 6, 475-80	3.7	11
179	Central Glucocorticoid Receptors and Neuronal Plasticity. <i>Methods in Neurosciences</i> , <b>1994</b> , 372-382		11
178	Modulation of Dopamine D1 and D2 Transmission Lines in the Central Nervous System <b>1990</b> , 203-243		11
177	Galanin (1-15)-fluoxetine interaction in the novel object recognition test. Involvement of 5-HT1A receptors in the prefrontal cortex of the rats. <i>Neuropharmacology</i> , <b>2019</b> , 155, 104-112	5.5	10
176	Classic and Modern Meridian Studies: A Review of Low Hydraulic Resistance Channels along Meridians and Their Relevance for Therapeutic Effects in Traditional Chinese Medicine. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2015</b> , 2015, 410979	2.3	10
175	Intracisternal galanin/angiotensin II interactions in central cardiovascular control. <i>Regulatory Peptides</i> , <b>2005</b> , 127, 133-40		10
174	5-HT1A receptor-mediated activation of high-affinity GTPase in rat hippocampal membranes. <i>European Journal of Pharmacology</i> , <b>1995</b> , 288, 385-8		10
173	The non-peptide neuropeptide Y Y1 receptor antagonist BIBP3226 blocks the [Leu31,Pro34]neuropeptide Y-induced modulation of alpha 2-adrenoceptors in the nucleus tractus solitarius of the rat. <i>NeuroReport</i> , <b>1996</b> , 7, 2701-5	1.7	10
172	A2a/D2 receptor interactions are not observed in COS-7 cells transiently transfected with dopamine D2 and adenosine A2a receptor cDNA. <i>Biochemical Pharmacology</i> , <b>1994</b> , 48, 2043-7	6	10
171	Galanin increases potassium evoked release of [3H]5-hydroxytryptamine from rat hypothalamic synaptosomal preparations. <i>Neuroscience Letters</i> , <b>1991</b> , 122, 87-90	3.3	10
170	Survival of adenohipophyseal homologous transplants in the rat striatum associated with prolactin-like immunoreactivity in the surrounding neuropil of the striatum. <i>Neuroscience Letters</i> , <b>1988</b> , 93, 139-45	3.3	10
169	The brain isorenin-angiotensin system: localization and biological function. <i>Progress in Brain Research</i> , <b>1977</b> , 47, 155-9	2.9	10
168	The vigilance promoting drug modafinil modulates serotonin transmission in the rat prefrontal cortex and dorsal raphe nucleus. Possible relevance for its postulated antidepressant activity. <i>Mini-Reviews in Medicinal Chemistry</i> , <b>2013</b> , 13, 478-92	3.2	10
167	Adenosine AReceptors in Substance Use Disorders: A Focus on Cocaine. <i>Cells</i> , <b>2020</b> , 9,	7.9	9

166	Alterations in ventral and dorsal striatal allosteric A2AR-D2R receptor-receptor interactions after amphetamine challenge: Relevance for schizophrenia. <i>Life Sciences</i> , <b>2016</b> ,	6.8	9
165	Evidence for the existence of dopamine D2R and Sigma 1 allosteric receptor-receptor interaction in the rat brain: role in brain plasticity and cocaine action. <i>SpringerPlus</i> , <b>2015</b> , 4,		9
164	Early modulation by the dopamine D4 receptor of morphine-induced changes in the opioid peptide systems in the rat caudate putamen. <i>Journal of Neuroscience Research</i> , <b>2013</b> , 91, 1533-40	4.4	9
163	Angiotensin II modulates the cardiovascular responses to microinjection of NPY Y1 and NPY Y2 receptor agonists into the nucleus tractus solitarii of the rat. <i>Brain Research</i> , <b>2003</b> , 983, 193-200	3.7	9
162	Adenosine/dopamine receptor-receptor interactions in the central nervous system. <i>Drug Development Research</i> , <b>2001</b> , 52, 296-302	5.1	9
161	Propranolol blocks the tachycardia induced by galanin (1-15) but not by galanin (1-29). <i>Regulatory Peptides</i> , <b>2002</b> , 107, 29-36		9
160	Striatal dopamine denervation decreases the GDP binding affinity in rat striatal membranes. <i>NeuroReport</i> , <b>2000</b> , 11, 2691-4	1.7	9
159	Modulation of [(35)S]GTPgammaS binding to chinese hamster ovary cell membranes by D(2(short)) dopamine receptors. <i>Neuroscience Letters</i> , <b>2000</b> , 280, 135-8	3.3	9
158	D2 dopamine receptor-G protein coupling. Cross-regulation of agonist and guanosine nucleotide binding sites. <i>Neuroscience Letters</i> , <b>2001</b> , 302, 5-8	3.3	9
157	Basic fibroblast growth factor expression and tenascin C immunoreactivity after partial unilateral hemitranssection of the rat brain. <i>Brain Research</i> , <b>1996</b> , 730, 1-16	3.7	9
156	Regional expression of angiotensinogen mRNA in the brain of one-week-old, adult and old male rats. <i>Developmental Brain Research</i> , <b>1993</b> , 73, 41-5		9
155	Human angiotensinogen is highly expressed in astrocytes in human cortical grafts. <i>Glia</i> , <b>1994</b> , 10, 186-92g		9
154	Selective modulation of the NPY receptors of the Y2 subtype by alpha 2 receptors in the nucleus tractus solitarii of the rat. A cardiovascular and quantitative receptor autoradiographical analysis. <i>Brain Research</i> , <b>1994</b> , 654, 137-44	3.7	9
153	On the role of neuropeptide Y receptors of the Y2 type in the control of hypothalamic catecholaminergic mechanisms and neuroendocrine function. Central effects of the NPY fragment (13B6). <i>Neurochemistry International</i> , <b>1991</b> , 19, 261-270	4.4	9
152	Aging brain and dopamine receptors: abnormal regulation by CCK-8 of 3H-spiroperone labeled dopamine receptors in striatal membranes. <i>Acta Physiologica Scandinavica</i> , <b>1984</b> , 120, 465-7		9
151	Acute continuous exposure to cigarette smoke produces discrete changes in cholecystokinin and substance P levels in the hypothalamus and preoptic area of the male rat. <i>Acta Physiologica Scandinavica</i> , <b>1985</b> , 125, 437-43		9
150	RECENT MORPHOLOGICAL AND FUNCTIONAL STUDIES ON HYPOTHALAMIC DOPAMINERGIC AND NORADRENERGIC MECHANISMS <b>1973</b> , 787-794		9
149	CENTRAL CATECHOLAMINE SYSTEMS AND NEUROENDOCRINE REGULATION. CONTROLLERS OF ANTERIOR PITUITARY SECRETION <b>1979</b> , 1187-1203		9

148	Conventional and Novel Pharmacological Approaches to Treat Dopamine-Related Disorders: Focus on Parkinson's Disease and Schizophrenia. <i>Neuroscience</i> , <b>2020</b> , 439, 301-318	3.9	9
147	Acute Cocaine Enhances Dopamine DR Recognition and Signaling and Counteracts DR Internalization in Sigma1R-DR Heteroreceptor Complexes. <i>Molecular Neurobiology</i> , <b>2019</b> , 56, 7045-7055	6.2	8
146	Heterodimerization of Mu Opioid Receptor Protomer with Dopamine D Receptor Modulates Agonist-Induced Internalization of Mu Opioid Receptor. <i>Biomolecules</i> , <b>2019</b> , 9,	5.9	8
145	Differential expression of muscarinic acetylcholine receptor subtypes in Jurkat cells and their signaling. <i>Journal of Neuroimmunology</i> , <b>2011</b> , 237, 13-22	3.5	8
144	On the role of c-fos expression in striatal transmission. The antisense oligonucleotide approach. <i>Neurochemistry International</i> , <b>1997</b> , 31, 425-36	4.4	8
143	The novel cyclooxygenase-2 inhibitor GW637185X protects against l-methyl-4-phenyl-1,2,3,6-tetrahydropyridine toxicity. <i>NeuroReport</i> , <b>2008</b> , 19, 657-60	1.7	8
142	Increased diffusion of prolactin-like material into the brain neuropil from homologous adenohipophyseal transplants in the rat neostriatum after a 6-OH-dopamine induced degeneration of the mesostriatal dopamine neurons. <i>Neuroscience Letters</i> , <b>1989</b> , 107, 33-8	3.3	8
141	Effects of acute intermittent exposure to cigarette smoke on hypothalamic and preoptic catecholamine nerve terminal systems and on neuroendocrine function in the diestrous rat. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>1988</b> , 337, 131-9	3.4	8
140	Guanylate cyclase activity increases after kainic acid lesion of rat striatum. <i>Brain Research</i> , <b>1979</b> , 171, 567-72	3.7	8
139	Selective reduction of adrenaline turnover in the dorsal midline area of the caudal medulla oblongata and increase of hypothalamic adrenaline levels in the Lyon strain of genetically hypertensive rats. <i>European Journal of Pharmacology</i> , <b>1982</b> , 77, 187-91	5.3	8
138	Intracisternal administration of avian pancreatic polypeptide lowers respiration rate and enhances the clonidine induced reduction of respiration rate in alpha-chloralose anesthetized rats: possible interactions with an alpha 2-adrenergic receptor. <i>Acta Physiologica Scandinavica</i> , <b>1982</b> , 115, 381-4		8
137	The effect of mepiprazole on central monoamine neurons. Evidence for increased 5-hydroxytryptamine and dopamine receptor activity. <i>European Journal of Pharmacology</i> , <b>1976</b> , 35, 93-108	5.3	8
136	The mouse uterine surface epithelium during the estrous cycle. <i>The Anatomical Record</i> , <b>1963</b> , 145, 541-8		8
135	Effect of desmethylimipramine, protriptyline and (+)-amphetamine on fluorescence of central adrenergic neurons of rats pretreated with alpha-methyl-DOPA and tetrabenazine or reserpine. <i>European Journal of Pharmacology</i> , <b>1967</b> , 2, 196-201	5.3	8
134	G-protein-coupled receptors oligomerization: emerging signaling units and new opportunities for drug design. <i>Current Protein and Peptide Science</i> , <b>2014</b> , 15, 648-58	2.8	8
133	Neuronal adenosine A receptor overexpression is neuroprotective towards 3-nitropropionic acid-induced striatal toxicity: a rat model of Huntington's disease. <i>Purinergic Signalling</i> , <b>2018</b> , 14, 235-243	3.8	8
132	The Galanin N-terminal fragment (1-15) interacts with neuropeptide Y in central cardiovascular control: Involvement of the NPY Y2 receptor subtype. <i>Regulatory Peptides</i> , <b>2010</b> , 163, 130-6		7
131	Involvement of astroglial fibroblast growth factor-2 and microglia in the nigral 6-OHDA parkinsonism and a possible role of glucocorticoid hormone on the glial mediated local trophism and wound repair. <i>Journal of Neural Transmission Supplementum</i> , <b>2009</b> , 185-202		7

130	Hyper-homocysteinemia alters amyloid peptide-clusterin interactions and neuroglial network morphology and function in the caudate after intrastriatal injection of amyloid peptides. <i>Current Alzheimer Research</i> , <b>2007</b> , 4, 305-13	3	7
129	Galanin/alpha2-adrenoceptor interactions in telencephalic and diencephalic regions of the rat. <i>NeuroReport</i> , <b>2001</b> , 12, 151-5	1.7	7
128	Cholecystokinin octapeptide and the D2 antagonist raclopride induce Fos-like immunoreactivity in the shell part of the rat nucleus accumbens via different mechanisms. <i>Brain Research</i> , <b>1995</b> , 684, 225-9	3.7	7
127	Neurotensin-like immunoreactivity in odontoblasts and their processes in rat maxillary molar teeth and the effect of pulpotomy. <i>Regulatory Peptides</i> , <b>1995</b> , 58, 141-7		7
126	Involvement of D1 dopamine receptors in the nicotine-induced noradrenaline release from hypothalamic and preoptic noradrenaline nerve terminal systems. <i>Neurochemistry International</i> , <b>1988</b> , 13, 159-63	4.4	7
125	STUDIES ON CENTRAL 5-HYDROXYTRYPTAMINE NEURONS USING DIHYDROXYTRYPTAMINES: EVIDENCE FOR REGENERATION OF BULBOSPINAL 5-HYDROXYTRYPTAMINE AXONS AND TERMINALS <b>1974</b> , 169-179		7
124	DOPAMINE AND HUNTINGTON'S DISEASE: ASSESSMENT USING THE KAINIC ACID MODEL <b>1979</b> , 115-126		7
123	Molecular, biochemical and behavioural evidence for a novel oxytocin receptor and serotonin 2C receptor heterocomplex. <i>Neuropharmacology</i> , <b>2021</b> , 183, 108394	5.5	7
122	Role of the galanin N-terminal fragment (1-15) in anhedonia: Involvement of the dopaminergic mesolimbic system. <i>Journal of Psychopharmacology</i> , <b>2019</b> , 33, 737-747	4.6	6
121	Acute cocaine treatment enhances the antagonistic allosteric adenosine A2A-dopamine D2 receptor-receptor interactions in rat dorsal striatum without increasing significantly extracellular dopamine levels. <i>Pharmacological Reports</i> , <b>2020</b> , 72, 332-339	3.9	6
120	Differential activation of arginine-vasopressin receptor subtypes in the amygdaloid modulation of anxiety in the rat by arginine-vasopressin. <i>Psychopharmacology</i> , <b>2018</b> , 235, 1015-1027	4.7	6
119	A Novel Integrative Mechanism in Anxiolytic Behavior Induced by Galanin 2/Neuropeptide Y Y1 Receptor Interactions on Medial Paracapsular Intercalated Amygdala in Rats. <i>Frontiers in Cellular Neuroscience</i> , <b>2018</b> , 12, 119	6.1	6
118	IL1R2, CCR2, and CXCR4 May Form Heteroreceptor Complexes with NMDAR and D2R: Relevance for Schizophrenia. <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 24	5	6
117	Acute isoproterenol induces anxiety-like behavior in rats and increases plasma content of extracellular vesicles. <i>Physiology and Behavior</i> , <b>2015</b> , 142, 79-84	3.5	6
116	Cannabinoid CB1 and cholecystokinin CCK2 receptors modulate, in an opposing way, electrically evoked [3H]GABA efflux from rat cerebral cortex cell cultures: possible relevance for cortical GABA transmission and anxiety. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2009</b> , 329, 708-17	4.7	6
115	5-HT1A receptor activation: short-term effects on the mRNA expression of the 5-HT1A receptor and galanin in the raphe nuclei. <i>NeuroReport</i> , <b>1997</b> , 8, 3565-70	1.7	6
114	Ontogeny of the motor inhibitory role of dopamine D(3) receptor subtype in rats. <i>European Journal of Pharmacology</i> , <b>2000</b> , 392, 35-9	5.3	6
113	Indole-pyruvic acid treatment reduces damage in striatum but not in hippocampus after transient forebrain ischemia in the rat. <i>Neurochemistry International</i> , <b>1993</b> , 23, 139-48	4.4	6



112	Codistribution of cholera toxin binding sites and tyrosine hydroxylase/FGF-2 immunoreactive nigral nerve cells. <i>NeuroReport</i> , <b>1993</b> , 4, 857-60	1.7	6
111	A trypsin inhibitor-like peptide PEC-60 reduces the affinity of dopamine D2 agonist binding sites in rat neostriatal membranes. <i>European Journal of Pharmacology</i> , <b>1991</b> , 207, 365-6		6
110	Ganglioside GM1 modulation of calcium/calmodulin-dependent protein kinase II activity and autophosphorylation. <i>Neurochemistry International</i> , <b>1991</b> , 19, 271-279	4.4	6
109	Effects of chronic sino-aortic denervation in male rats on regional catecholamine levels and turnover and on neuroendocrine function. <i>European Journal of Pharmacology</i> , <b>1983</b> , 87, 145-9	5.3	6
108	Nicotine-induced increases in brain luteinizing hormone releasing hormone-like immunoreactivity and in serum luteinizing hormone levels of the male rat. <i>Neuroscience Letters</i> , <b>1986</b> , 71, 289-92	3.3	6
107	"Neuro-semeiotics" and "free-energy minimization" suggest a unified perspective for integrative brain actions: focus on receptor heteromers and Roamer type of volume transmission. <i>Current Protein and Peptide Science</i> , <b>2014</b> , 15, 703-18	2.8	6
106	IMMUNOCYTOCHEMICAL STUDIES ON CATECHOLAMINE CELL SYSTEMS WITH ASPECTS ON RELATIONS TO PUTATIVE PEPTIDE TRANSMITTERS <b>1979</b> , 1007-1019		6
105	OSU-6162, a Sigma1R Ligand in Low Doses, Can Further Increase the Effects of Cocaine Self-Administration on Accumbal D2R Heteroreceptor Complexes. <i>Neurotoxicity Research</i> , <b>2020</b> , 37, 433-444	4.4	6
104	Dopamine D1 receptor activity is involved in the increased anxiety levels observed in STZ-induced diabetes in rats. <i>Behavioural Brain Research</i> , <b>2016</b> , 313, 293-301	3.4	6
103	Characterization of the interaction between the dopamine D4 receptor, KLHL12 and Barrestins. <i>Cellular Signalling</i> , <b>2016</b> , 28, 1001-14	4.9	6
102	The triplet puzzle theory indicates extensive formation of heteromers between opioid and chemokine receptor subtypes. <i>Journal of Neural Transmission</i> , <b>2015</b> , 122, 1509-14	4.3	5
101	Bioinformatics aggregation predictors in the study of protein conformational diseases of the human nervous system. <i>Electrophoresis</i> , <b>2012</b> , 33, 3669-79	3.6	5
100	Agonist-induced high-affinity GTP hydrolysis as an index of receptor-mediated G protein activation in mammalian brain membranes. <i>Methods in Molecular Biology</i> , <b>1997</b> , 83, 133-41	1.4	5
99	Mechanism of modulation of [ <sup>3</sup> H]raclopride binding to dopaminergic receptors in rat striatal membranes by sodium ions. <i>Neurochemistry International</i> , <b>1997</b> , 30, 575-81	4.4	5
98	Diffusion of radiolabeled dopamine, its metabolites and mannitol in the rat striatum studied by dual-probe microdialysis. <i>Progress in Brain Research</i> , <b>2000</b> , 125, 179-90	2.9	5
97	The autonomic nervous system and the histochemical fluorescence method for the microscopical localization of catecholamines and serotonin. <i>Brain Research Bulletin</i> , <b>1999</b> , 50, 365-7	3.9	5
96	A new interpretative paradigm for Conformational Protein Diseases. <i>Current Protein and Peptide Science</i> , <b>2013</b> , 14, 141-60	2.8	5
95	Volume Transmission and the Russian-Doll Organization of Brain Cell Networks: Aspects of Their Integrative Actions <b>2014</b> , 103-119		5

94	The Balance of MU-Opioid, Dopamine D2 and Adenosine A2A Heteroreceptor Complexes in the Ventral Striatal-Pallidal GABA Antireward Neurons May Have a Significant Role in Morphine and Cocaine Use Disorders. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 627032	5.6	5
93	Amplification of potential thermogenetic mechanisms in cetacean brains compared to artiodactyl brains. <i>Scientific Reports</i> , <b>2021</b> , 11, 5486	4.9	5
92	Galanin and neuropeptide Y interactions elicit antidepressant activity linked to neuronal precursor cells of the dentate gyrus in the ventral hippocampus. <i>Journal of Cellular Physiology</i> , <b>2021</b> , 236, 3565-3578	7	5
91	Transcriptomic integration of DR and MOR signaling in the rat caudate putamen. <i>Scientific Reports</i> , <b>2018</b> , 8, 7337	4.9	4
90	Brain of the tree pangolin ( <i>Manis tricuspis</i> ). III. The unusual locus coeruleus complex. <i>Journal of Comparative Neurology</i> , <b>2018</b> , 526, 2570-2684	3.4	4
89	The Concept of Protein Mosaics: Physiological Role and Relevance for Prion Disease. <i>Current Proteomics</i> , <b>2006</b> , 3, 171-179	0.7	4
88	Muscarinic modulation of acetylcholine release from slices of guinea pig nucleus basalis magnocellularis. <i>Neuroscience Letters</i> , <b>1992</b> , 140, 235-8	3.3	4
87	Ganglioside GM1 counteracts the enhancing effects of subacute toluene exposure on apomorphine-induced locomotor activity. <i>Toxicology Letters</i> , <b>1992</b> , 63, 165-9	4.4	4
86	Interactions of a partial ergoline with dopamine receptors in vivo and in vitro. <i>Acta Physiologica Scandinavica</i> , <b>1983</b> , 117, 303-5		4
85	Antiparkinsonian drugs and dopaminergic neostriatal mechanisms: studies in rats with unilateral 6-hydroxydopamine (=6-OH-DA)-induced degeneration of the nigro-neostriatal DA pathway and quantitative recording of rotational behaviour. <i>Pharmacology &amp; Therapeutics</i> , <b>1976</b> , 2, 41-7		4
84	Freezing by liquid nitrogen, cryostat sectioning, and vapor fixation of tissue sections. <i>Biotechnic &amp; Histochemistry</i> , <b>1962</b> , 37, 377-8		4
83	Co-immunoprecipitation from Brain. <i>Neuromethods</i> , <b>2016</b> , 19-29	0.4	4
82	PARTICIPATION OF CENTRAL MONOAMINERGIC NEURONS IN THE REGULATION OF ANTERIOR PITUITARY SECRETION <b>1970</b> , 61-83		4
81	Central administration of galanin N-terminal fragment 1-15 decreases the voluntary alcohol intake in rats. <i>Addiction Biology</i> , <b>2019</b> , 24, 76-87	4.6	4
80	On the G Protein-Coupled Receptor Neuromodulation of the Claustrum. <i>Neurochemical Research</i> , <b>2020</b> , 45, 5-15	4.6	4
79	The coming together of allosteric and phosphorylation mechanisms in the molecular integration of A2A heteroreceptor complexes in the dorsal and ventral striatal-pallidal GABA neurons. <i>Pharmacological Reports</i> , <b>2021</b> , 73, 1096-1108	3.9	4
78	Is There Volume Transmission Along Extracellular Fluid Pathways Corresponding to the Acupuncture Meridians?. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , <b>2017</b> , 10, 5-19	1.2	3
77	Evidence for the existence of A2AR-TrkB heteroreceptor complexes in the dorsal hippocampus of the rat brain: Potential implications of A2AR and TrkB interplay upon ageing. <i>Mechanisms of Ageing and Development</i> , <b>2020</b> , 190, 111289	5.6	3

76	The multi-facet aspects of cell sentience and their relevance for the integrative brain actions: role of membrane protein energy landscape. <i>Reviews in the Neurosciences</i> , <b>2016</b> , 27, 347-63	4.7	3
75	The influence of benzquinamide, oxypertine and prenylamine on monoamine levels and on monoamine effects in the spinal cord. <i>Acta Pharmacologica Et Toxicologica</i> , <b>1971</b> , 30, 225-37		3
74	Introductory remarks. <i>Journal of Molecular Neuroscience</i> , <b>2005</b> , 26, 109-12	3.3	3
73	Concluding remarks. <i>Journal of Molecular Neuroscience</i> , <b>2005</b> , 26, 299-302	3.3	3
72	Restoration of dopamine transmission in graft reinnervated striatum. Evidence for regulation of dopamine D2 receptor function in regions lacking dopamine. <i>Progress in Brain Research</i> , <b>2000</b> , 125, 309-15	2.9	3
71	Induction of hippocampal glial cells expressing basic fibroblast growth factor RNA by corticosterone. <i>NeuroReport</i> , <b>2001</b> , 12, 141-5	1.7	3
70	Existence of striatal nerve cells coexpressing CCK(B) and D2 receptor mRNAs. <i>NeuroReport</i> , <b>1998</b> , 9, 2035-8	1.8	3
69	Steroid regulation of coexisting neuronal messengers: Focus on double and triple immunolabeling procedures and on indirect evaluation of coexistence. <i>Methods</i> , <b>1992</b> , 1, 77-86		3
68	Coactivation of dopamine D1 and D2 receptors increases the affinity of cholecystokinin-8 receptors in membranes from post-mortem human caudate-putamen. <i>Brain Research</i> , <b>1992</b> , 584, 157-62	3.7	3
67	Galanin(1-15) Potentiates the Antidepressant-like Effects Induced by Escitalopram in a Rat Model of Depression. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
66	Detection, Analysis, and Quantification of GPCR Homo- and Heteroreceptor Complexes in Specific Neuronal Cell Populations Using the In Situ Proximity Ligation Assay. <i>Neuromethods</i> , <b>2018</b> , 299-315	0.4	3
65	Small Interference RNA Knockdown Rats in Behavioral Functions: GALR1/GALR2 Heteroreceptor in Anxiety and Depression-Like Behavior. <i>Neuromethods</i> , <b>2018</b> , 133-148	0.4	3
64	Participation of protein kinases in cytotoxic and proapoptotic effects of ethylene glycol ethers and their metabolites in SH-SY5Y cells. <i>Toxicology in Vitro</i> , <b>2016</b> , 36, 153-163	3.6	3
63	A2AR Transmembrane 2 Peptide Administration Disrupts the A2AR-A2AR Homoreceptor but Not the A2AR-D2R Heteroreceptor Complex: Lack of Actions on Rodent Cocaine Self-Administration. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	3
62	Serotonin Heteroreceptor Complexes and Their Integration of Signals in Neurons and Astroglia-Relevance for Mental Diseases. <i>Cells</i> , <b>2021</b> , 10,	7.9	3
61	Evidence for the Existence of Antagonistic Intramembrane Adenosine A2a/dopamine D2 Receptor Interactions in the Basal Ganglia: Analysis from the Network to the Molecular Level <b>1995</b> , 499-507		3
60	Increased Ethanol Consumption and Locomotion Develop upon Ethanol Deprivation in Rats Overexpressing the Adenosine (A) Receptor. <i>Neuroscience</i> , <b>2019</b> , 418, 133-148	3.9	2
59	Identification of sympathetic cholinergic nerve terminals in arterioles of skeletal muscle. <i>Acta Pharmacologica Et Toxicologica</i> , <b>1967</b> , 25, Suppl 4:79		2

58	Modulation of a 5-HT <sub>1A</sub> receptor-mediated behavioral response by the neuropeptide galanin. <i>Annals of the New York Academy of Sciences</i> , <b>1998</b> , 863, 442-4	6.5	2
57	Electrophysiology-based analysis of human histamine H <sub>4</sub> receptor pharmacology using GIRK channel coupling in <i>Xenopus oocytes</i> . <i>European Journal of Pharmacology</i> , <b>2008</b> , 591, 52-8	5.3	2
56	Acute intermittent nicotine treatment produces a reduction in the total number of FGF-2 immunoreactive astroglial cells in the substantia nigra of the rat: a stereological analysis. <i>Neuroscience Letters</i> , <b>2004</b> , 355, 181-4	3.3	2
55	Studies on the cholinergic and dopaminergic innervation of the neostriatum with the help of intraneostriatal injections of drugs. <i>Pharmacology &amp; Therapeutics</i> , <b>1976</b> , 2, 29-36		2
54	Molecular Integration in Adenosine Heteroreceptor Complexes Through Allosteric and De-Phosphorylation (STEP) Mechanisms and its Role in Brain Disease.. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 781381	5.6	2
53	Transmitter-Receptor Mismatches in Central Dopamine, Serotonin, and Neuropeptide Systems: Further Evidence for Volume Transmission 083-108		2
52	Electrophysiological Approach to GPCR/BTK Interaction Study in Hippocampus of Adult Rats. <i>Neuromethods</i> , <b>2018</b> , 71-90	0.4	2
51	New Aspects on the Catecholamine Innervation of the Hypothalamus and the Limbic System <b>1974</b> , 223-228		2
50	ACTIONS OF ERGOT DERIVATIVES AT DOPAMINE SYNAPSES <b>1979</b> , 141-157		2
49	Adenosine and Kynurenic Acid Interactions: Possible Relevance for Schizophrenia Treatment?. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 654426	5.6	2
48	K <sup>+</sup> -evoked [ <sup>3</sup> H]D-aspartate release in rat spinal cord synaptosomes: Modulation by neuropeptide Y and calcium channel antagonists <b>2000</b> , 62, 722		2
47	On the Role of Receptor-Receptor Interactions in Central Cardiovascular Regulation: Functional Studies on the Interactions between $\alpha$ -adrenergic and Neuropeptide Y Receptors in the Rat Medulla Oblongata <b>1987</b> , 519-530		2
46	Heteromerization of Adenosine and Dopamine Receptor Subtypes: Relevance for Neuronal Integration in Normal and Pathological States. <i>Advances in Behavioral Biology</i> , <b>2002</b> , 199-204		2
45	Methods to Identify the Signature of Trimers Formed by Three G Protein-Coupled Receptors or by Two G Protein-Coupled and One Ionotropic Receptor with Special Emphasis in the Functional Role in the Central Nervous System. <i>Neuromethods</i> , <b>2018</b> , 187-203	0.4	1
44	Desipramine restores the alterations in circadian entrainment induced by prenatal exposure to glucocorticoids. <i>Translational Psychiatry</i> , <b>2019</b> , 9, 263	8.6	1
43	Heteroreceptor Complexes Implicated in Parkinson's Disease <b>2017</b> , 477-501		1
42	Studies on uptake mechanisms in central monoamine neurones. <i>Acta Pharmacologica Et Toxicologica</i> , <b>1967</b> , 25, Suppl 4:8		1
41	Chronic nicotine treatment differentially regulates substance P and tyrosine hydroxylase immunoreactivity in substantia nigra ipsilateral to a unilateral lesion. <i>Experimental Neurology</i> , <b>1997</b> , 146, 575-86	5.7	1

40	Prolonged treatment with haloperidol and clozapine in the rat: differential effects on spontaneous and theophylline-induced motor activity. <i>Neuroscience Letters</i> , <b>1997</b> , 232, 21-4	3.3	1
39	Reversible and irreversible components of [(3)H]-N-propylnorapomorphine interaction with rat striatal membranes. <i>Neuroscience Letters</i> , <b>2002</b> , 325, 111-4	3.3	1
38	Cholecystokinin receptor subtypes regulate dopamine D2 receptors in rat neostriatal membranes. Involvement of D1 receptors. <i>Annals of the New York Academy of Sciences</i> , <b>1994</b> , 713, 386-7	6.5	1
37	Characterization, localization and regulation of dopamine-β-hydroxylase and of other catecholamine synthesizing enzymes. <i>Life Sciences</i> , <b>1973</b> , 13, liii-lv	6.8	1
36	Co-immunoprecipitation (Co-IP) of G Protein-Coupled Receptor (GPCR)-Receptor Tyrosine Kinase (RTK) Complexes from the Dorsal Hippocampus of the Rat Brain. <i>Neuromethods</i> , <b>2019</b> , 157-164	0.4	1
35	Neurochemical and Behavioral Studies on L-dopa Toxicity in the Model of Manganese Lesioned Nigrostriatal Pathway in the Rat: Evidence for a Protective Effect of the GM1 Lactone Siagoside <b>1994</b> , 381-407		1
34	Immunocytochemical Studies on Glucocorticoid Receptor. <i>Methods in Neurosciences</i> , <b>1994</b> , 22, 143-161		1
33	Dopamine Receptor Oligomerization <b>2010</b> , 255-280		1
32	Study of GPCR Homo- and Heteroreceptor Complexes in Specific Neuronal Cell Populations Using the In Situ Proximity Ligation Assay. <i>Neuromethods</i> , <b>2021</b> , 117-134	0.4	1
31	Intranasal Delivery of Galanin 2 and Neuropeptide Y1 Agonists Enhanced Spatial Memory Performance and Neuronal Precursor Cells Proliferation in the Dorsal Hippocampus in Rats.. <i>Frontiers in Pharmacology</i> , <b>2022</b> , 13, 820210	5.6	1
30	GALANIN (1-15) ENHANCES THE BEHAVIORAL EFFECTS OF FLUOXETINE IN THE OLFACTORY BULBECTOMY RAT SUGGESTING A NEW AUGMENTATION STRATEGY IN DEPRESSION. <i>International Journal of Neuropsychopharmacology</i> , <b>2021</b> ,	5.8	1
29	Galanin and Neuropeptide Y Interaction Enhances Proliferation of Granule Precursor Cells and Expression of Neuroprotective Factors in the Rat Hippocampus with Consequent Augmented Spatial Memory. <i>Biomedicines</i> , <b>2022</b> , 10, 1297	4.8	1
28	Possible relevance of receptor-receptor interactions between viral- and host-coded receptors for viral-induced disease. <i>Scientific World Journal, The</i> , <b>2007</b> , 7, 1073-81	2.2	0
27	Use of Superfused Synaptosomes to Understand the Role of Receptor Receptor Interactions as Integrative Mechanisms in Nerve Terminals from Selected Brain Region. <i>Neuromethods</i> , <b>2018</b> , 41-55	0.4	0
26	Co-Immunoprecipitation from Brain. <i>Neuromethods</i> , <b>2021</b> , 19-30	0.4	0
25	Dysfunctional Heteroreceptor Complexes as Novel Targets for the Treatment of Major Depressive and Anxiety Disorders. <i>Cells</i> , <b>2022</b> , 11, 1826	7.9	0
24	Can Allosteric Receptor-Protein Interactions in Receptor Complexes Be a Molecular Mechanism Involved in Cancer Immune Therapy?. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 574	5.7	
23	Analysis and Quantification of GPCR Allosteric Receptor Receptor Interactions Using Radioligand Binding Assays: The A2AR-D2R Heteroreceptor Complex Example. <i>Neuromethods</i> , <b>2018</b> , 1-14	0.4	

- 22 Life without glutamate: the epigenetic effects of glutamate deletion. *Frontiers in Molecular Neuroscience*, **2014**, 7, 14 6.1
- 21 Possible involvement of G-proteins in the regulation of striatal dopamine D2 receptor affinity by cholecystinin octapeptide. *Neuroscience Letters*, **1997**, 228, 171-4 3.3
- 20 Voltage-operated Ca(2+) channels involved in K(+)-evoked release of vasoactive intestinal polypeptide from the rat hypothalamus. *Neurochemistry International*, **2001**, 38, 359-65 4.4
- 19 Recent morphological and functional studies on hypothalamic dopaminergic and noradrenergic mechanisms. *Biochemical Pharmacology*, **1974**, 23, 649-656 6
- 18 Analysis and Quantification of GPCR Heteroreceptor Complexes and Their Allosteric Receptor-Receptor Interactions Using Radioligand Binding Autoradiography. *Neuromethods*, **2018**, 15-23<sup>0.4</sup>
- 17 Searching the GPCR Heterodimer Network (GPCR-hetnet) Database for Information to Deduce the Receptor-Receptor Interface and Its Role in the Integration of Receptor Heterodimer Functions. *Neuromethods*, **2018**, 283-298 0.4
- 16 On the Study of D4R-MOR Receptor-Receptor Interaction in the Rat Caudate Putamen: Relevance on Morphine Addiction. *Neuromethods*, **2018**, 25-39 0.4
- 15 Detection of Fibroblast Growth Factor Receptor 1 (FGFR1) Transactivation by Muscarinic Acetylcholine Receptors (mAChRs) in Primary Neuronal Hippocampal Cultures Through Use of Biochemical and Morphological Approaches. *Neuromethods*, **2018**, 57-70 0.4
- 14 Behavioral Methods to Study the Impact of Receptor-Receptor Interactions in Fear and Anxiety. *Neuromethods*, **2018**, 109-131 0.4
- 13 In Vivo Microdialysis Technique Applications to Understand the Contribution of Receptor-Receptor Interactions to the Central Nervous System Signaling. *Neuromethods*, **2018**, 91-107 0.4
- 12 Coimmunoprecipitation (co-IP) Analysis for Protein-Protein Interactions in the Neurons of the Cerebral Ganglia of the Land Snails of the Genus *Polymita* During Aestivation. *Neuromethods*, **2019**, 147-156<sup>0.4</sup>
- 11 Isolation and Detection of G Protein-Coupled Receptor (GPCR) Heteroreceptor Complexes in Rat Brain Synaptosomal Preparation Using a Combined Brain Subcellular Fractionation/Co-immunoprecipitation (Co-IP) Procedures. *Neuromethods*, **2019**, 123-135 0.4
- 10 On the Role of Receptor-Receptor Interactions in Central Cardiovascular Regulation: Functional Studies on the Interactions between  $\alpha$ -adrenergic and Neuropeptide Y Receptors in the Rat Medulla Oblongata **1987**, 519-530
- 9 The MPTP Model of Parkinson's Disease in the Mouse. Modafinil: A New Potential Neuroprotective Agent **1994**, 409-423
- 8 Responses of Neostriatal Dopaminoceptive Cells to the Ischemic Insult **1994**, 517-533
- 7 ENHANCED SENSITIVITY TO THE NORADRENALINE RECEPTOR STIMULATING AGENT, CLONIDINE, FOLLOWING DEGENERATION OF NORADRENALINE PATHWAYS: STUDIES ON ARTERIAL PRESSURE, HEART RATE, AND RESPIRATION **1974**, 597-602
- 6 Aspects on the Role of Neuropeptide Y and Atrial Peptides in Control of Vascular Resistance **1986**, 503-526
- 5 On the Role of Receptor-Receptor Interactions in Synaptic Transmission: Biochemical and Autoradiographical Studies on the Interactions between  $\alpha$ -adrenergic and Neuropeptide Y Receptors in the Nucleus Tractus Solitarius **1987**, 222-235

- 4 Role of D<sub>2</sub>-like Heteroreceptor Complexes in the Effects of Cocaine, Morphine, and Hallucinogens **2016**, 93-101
- 3 The integrative role of G protein-coupled receptor heterocomplexes in Parkinson's disease.. *Neural Regeneration Research*, **2022**, 17, 2211-2212 4.5
- 2 Increased density and antagonistic allosteric interactions in A2AR-D2R heterocomplexes in extinction from cocaine use, lost in cue induced reinstatement of cocaine seeking.. *Pharmacology Biochemistry and Behavior*, **2022**, 215, 173375 3.9
- 1 Susceptibility of GPCR Heteroreceptor Complexes to Neurotoxins. Relevance for Neurodegenerative and Psychiatric Disorders **2022**, 1-11