

Luis Enrique Roche Seruendo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1673610/luis-enrique-roche-seruendo-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29
papers

173
citations

8
h-index

11
g-index

40
ext. papers

277
ext. citations

2.8
avg, IF

3.51
L-index

#	Paper	IF	Citations
29	Stiffness in Running: A Narrative Integrative Review. <i>Strength and Conditioning Journal</i> , 2021 , 43, 104-115		1
28	Influence of footwear, foot-strike pattern and step frequency on spatiotemporal parameters and lower-body stiffness in running. <i>Journal of Sports Sciences</i> , 2021 , 1-11	3.6	2
27	Absolute Reliability and Concurrent Validity of the Stryd System for the Assessment of Running Stride Kinematics at Different Velocities. <i>Journal of Strength and Conditioning Research</i> , 2021 , 35, 78-84	3.2	17
26	Absolute reliability and agreement between Stryd and RunScribe systems for the assessment of running power. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 2021 , 235, 182-187	0.7	1
25	Estimating Functional Threshold Power in Endurance Running from Shorter Time Trials Using a 6-Axis Inertial Measurement Sensor. <i>Sensors</i> , 2021 , 21,	3.8	3
24	Is There a Relationship between the Morphology of Connective Tissue and Reactivity during a Drop Jump? Influence of Sex and Athletic Performance Level. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
23	Test-retest reliability of the OptoGait system for the analysis of spatiotemporal running gait parameters and lower body stiffness in healthy adults. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 2020 , 234, 154-161	0.7	4
22	Agreement Between Spatiotemporal Gait Parameters Measured by a Markerless Motion Capture System and Two Reference Systems-a Treadmill-Based Photoelectric Cell and High-Speed Video Analyses: Comparative Study. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e19498	5.5	1
21	How do Amateur Endurance Runners Alter Spatiotemporal Parameters and Step Variability as Running Velocity Increases? a Sex Comparison. <i>Journal of Human Kinetics</i> , 2020 , 72, 39-49	2.6	4
20	Does fatigue alter step characteristics and stiffness during running?. <i>Gait and Posture</i> , 2020 , 76, 259-263	2.6	13
19	Mechanical Power in Endurance Running: A Scoping Review on Sensors for Power Output Estimation during Running. <i>Sensors</i> , 2020 , 20,	3.8	6
18	Validation of mDurance, A Wearable Surface Electromyography System for Muscle Activity Assessment. <i>Frontiers in Physiology</i> , 2020 , 11, 606287	4.6	12
17	Absolute reliability and validity of the OptoGait™ system to measure spatiotemporal gait parameters during running. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 2020 , 175433712097740	0.7	
16	Influence of RunScribe placement on the accuracy of spatiotemporal gait characteristics during running. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 2020 , 234, 11-18	0.7	3
15	Agreement between the spatiotemporal gait parameters from two different wearable devices and high-speed video analysis. <i>PLoS ONE</i> , 2019 , 14, e0222872	3.7	13
14	Effectiveness of lumbar supports in low back functionality and disability in assembly-line workers. <i>Industrial Health</i> , 2019 , 57, 588-595	2.5	4
13	How do recreational endurance runners warm-up and cool-down? A descriptive study on the use of continuous runs. <i>International Journal of Performance Analysis in Sport</i> , 2019 , 19, 102-109	1.8	2

12	How Does Power During Running Change when Measured at Different Time Intervals?. <i>International Journal of Sports Medicine</i> , 2019 , 40, 609-613	3.6	3
11	Do sex and body structure influence spatiotemporal step characteristics in endurance runners?. <i>Science and Sports</i> , 2019 , 34, 412.e1-412.e9	0.8	2
10	Agreement between spatiotemporal parameters from a photoelectric system with different filter settings and high-speed video analysis during running on a treadmill at comfortable velocity. <i>Journal of Biomechanics</i> , 2019 , 93, 213-219	2.9	7
9	How Do Spatiotemporal Parameters and Lower-Body Stiffness Change with Increased Running Velocity? A Comparison Between Novice and Elite Level Runners. <i>Journal of Human Kinetics</i> , 2019 , 70, 25-38	2.6	17
8	How does the slope gradient affect spatiotemporal parameters during running? Influence of athletic level and vertical and leg stiffness. <i>Gait and Posture</i> , 2019 , 68, 72-77	2.6	12
7	How long is required to undertake step variability analysis during running? A pilot study. <i>Isokinetics and Exercise Science</i> , 2019 , 27, 63-67	0.6	
6	Prediction of power output at different running velocities through the two-point method with the Stryd power meter. <i>Gait and Posture</i> , 2019 , 68, 238-243	2.6	11
5	Lack of Influence of Muscular Performance Parameters on Spatiotemporal Adaptations With Increased Running Velocity. <i>Journal of Strength and Conditioning Research</i> , 2018 , 32, 409-415	3.2	13
4	Effects of different percentages of body weight support on spatiotemporal step characteristics during running. <i>Journal of Sports Sciences</i> , 2018 , 36, 1441-1446	3.6	5
3	Is there any relationship between functional movement and weight status? A study in Spanish school-age children. <i>Nutricion Hospitalaria</i> , 2018 , 35, 805-810	1	5
2	Minimum time required for assessing step variability during running at submaximal velocities. <i>Journal of Biomechanics</i> , 2018 , 80, 186-195	2.9	7
1	Agreement between muscle oxygen saturation from two commercially available systems in endurance running: Moxy Monitor versus Humon Hex. <i>Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology</i> , 175433712110157	0.7	0