
## Kyung Sil Yoon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/167460/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Synthetic cannabinoid, JWH-030, induces QT prolongation through hERG channel inhibition. Toxicology Research, 2016, 5, 1663-1671.	2.1	38
2	4-Hydroxynonenal: A Superior Oxidative Biomarker Compared to Malondialdehyde and Carbonyl Content Induced by Carbon Tetrachloride in Rats. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2015, 78, 1051-1062.	2.3	16
3	P21 (Cdc42/Rac)-activated kinase 1 (pak1) is associated with cardiotoxicity induced by antihistamines. Archives of Pharmacal Research, 2016, 39, 1644-1652.	6.3	14
4	2-(2,5-Dimethoxy-4-methylphenyl)-N-(2-methoxybenzyl)ethanamine (25D-NBOMe) and N-(2-methoxybenzyl)-2,5-dimethoxy-4-chlorophenethylamine (25C-NBOMe) induce adverse cardiac effects in vitro and in vivo. Toxicology Letters, 2019, 304, 50-57.	0.8	14
5	<i>In vitro and in vivo</i> estrogenic activity of triclosan. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2021, 84, 800-809.	2.3	10
6	A One-Generation Reproductive Toxicity Study of 3,4-Methylenedioxy- <i>N</i> -Methamphetamine (MDMA, Ecstasy), an Amphetamine Derivative, in C57BL/6 Mice. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2014, 77, 1431-1442.	2.3	7
7	Methoxetamine Induces Cytotoxicity in H9c2 Cells: Possible Role of p21 Protein (Cdc42/Rac)-Activated Kinase 1. Cardiovascular Toxicology, 2019, 19, 229-236.	2.7	7
8	Cardiotoxic effects of [3-[2-(diethylamino)ethyl]-1H-indol-4-yl] acetate and 3-[2-[ethyl(methyl)amino]ethyl]-1H-indol-4-ol. Toxicology Letters, 2020, 319, 40-48.	0.8	7
9	Estrogenic activity of zinc pyrithione: an in vivo and in vitro study. Environmental Health and Toxicology, 2017, 32, e2017004.	1.8	7
10	25I-NBOMe, a phenethylamine derivative, induces adverse cardiovascular effects in rodents: possible involvement of p21 (CDC42/RAC)-activated kinase 1. Drug and Chemical Toxicology, 2022, 45, 898-906.	2.3	5
11	2-((2-(4-lodo-2,5-dimethoxyphenyl)ethylamino)methyl)phenol (25I-NBOH) and 2-(((2-(4-chloro-2,5-dimethoxyphenyl)ethyl)amino)methyl)phenol (25C-NBOH) induce adverse effects on the cardiovascular system. Toxicology Letters, 2022, 355, 160-169.	0.8	2
12	A Presumptive Identification of New Psychoactive Substances using Coloring Test. Journal of the Pharmaceutical Society of Korea, 2017, 61, 65-74.	0.2	1
13	Neurotoxic and cardiotoxic effects of <i>N</i> -methyl-1-(naphthalen-2-yl)propan-2-amine (methamnetamine) and 1-phenyl-2-pyrrolidinylpentane (prolintane). Drug and Chemical Toxicology, 2022, , 1-11.	2.3	0
14	The designer benzodiazepine, flubromazepam, induces reward-enhancing and cardiotoxic effects in rodents. Toxicology Research, 0, , .	2.1	0