

Gonzalo de la Morena

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1674928/publications.pdf>

Version: 2024-02-01

73
papers

2,681
citations

279487

23
h-index

189595

50
g-index

90
all docs

90
docs citations

90
times ranked

3702
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Echocardiographic reference ranges for normal cardiac chamber size: results from the NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 680-690. | 0.5 | 324 |
| 2 | Prevalence of Fabry Disease in a Cohort of 508 Unrelated Patients With Hypertrophic Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2007, 50, 2399-2403. | 1.2 | 254 |
| 3 | Echocardiographic reference ranges for normal left ventricular 2D strain: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 833-840. | 0.5 | 228 |
| 4 | Echocardiographic reference ranges for normal non-invasive myocardial work indices: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 582-590. | 0.5 | 204 |
| 5 | Echocardiographic reference ranges for normal cardiac Doppler data: results from the NORRE Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1031-41. | 0.5 | 184 |
| 6 | Echocardiographic reference ranges for normal left atrial function parameters: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 630-638. | 0.5 | 159 |
| 7 | Current Epidemiology and Outcome of Infective Endocarditis. <i>Medicine (United States)</i> , 2015, 94, e1816. | 0.4 | 129 |
| 8 | Normal Reference Ranges for Echocardiography: rationale, study design, and methodology (NORRE) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i> | 0.5 | 91 |
| 9 | Serum Levels of High-Sensitivity Troponin T: A Novel Marker for Cardiac Remodeling in Hypertrophic Cardiomyopathy. <i>Journal of Cardiac Failure</i> , 2010, 16, 950-956. | 0.7 | 82 |
| 10 | Two-dimensional transthoracic echocardiographic normal reference ranges for proximal aorta dimensions: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 167-179. | 0.5 | 81 |
| 11 | Matrix metalloproteinases and tissue remodeling in hypertrophic cardiomyopathy. <i>American Heart Journal</i> , 2008, 156, 85-91. | 1.2 | 80 |
| 12 | 3D echocardiographic reference ranges for normal left ventricular volumes and strain: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 475-483. | 0.5 | 74 |
| 13 | Correlation between non-invasive myocardial work indices and main parameters of systolic and diastolic function: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 533-541. | 0.5 | 63 |
| 14 | Guías de práctica clínica de la Sociedad Española de Cardiología en pruebas de esfuerzo. <i>Revista Española De Cardiología</i> , 2000, 53, 1063-1094. | 0.6 | 51 |
| 15 | Reproducibility of echocardiographic measurements of epicardial fat thickness. <i>International Journal of Cardiology</i> , 2010, 141, 311-313. | 0.8 | 51 |
| 16 | Penetrance and Risk Profile in Inherited Cardiac Diseases Studied in a Dedicated Screening Clinic. <i>American Journal of Cardiology</i> , 2009, 104, 406-410. | 0.7 | 38 |
| 17 | Three-Dimensional Morphology of the Left Ventricular Outflow Tract: Impact on Grading Aortic Stenosis Severity. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 28-35. | 1.2 | 38 |
| 18 | Variables Associated With Contrast-Enhanced Cardiovascular Magnetic Resonance in Hypertrophic Cardiomyopathy: Clinical Implications. <i>Journal of Cardiac Failure</i> , 2008, 14, 414-419. | 0.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Protective Effect of Triflusal against Acute Myocardial Infarction in Patients with Unstable Angina: Results of a Spanish Multicenter Trial. <i>Cardiology</i> , 1993, 82, 388-398. | 0.6 | 31 |
| 20 | Echocardiographic reference ranges for normal left ventricular layer-specific strain: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 896-905. | 0.5 | 29 |
| 21 | Real-time three-dimensional transoesophageal echocardiography in the assessment of aortic valve stenosis. <i>European Journal of Echocardiography</i> , 2010, 11, 9-13. | 2.3 | 28 |
| 22 | Evaluation of cardiac function before and after liver transplantation. <i>Transplantation Proceedings</i> , 1999, 31, 2369-2370. | 0.3 | 26 |
| 23 | Comparison of 1-Year Outcome in Patients With Severe Aorta Stenosis Treated Conservatively or by Aortic Valve Replacement or by Percutaneous Transcatheter Aortic Valve Implantation (Data from a Tj ETQq1 1 0.784314 rg06 /Overloc | 0.7 | 16 |
| 24 | Left atrial remodelling in hypertrophic cardiomyopathy: relation with exercise capacity and biochemical markers of tissue strain and remodelling. <i>International Journal of Clinical Practice</i> , 2009, 63, 1465-1471. | 0.8 | 23 |
| 25 | Relation of B-Type Natriuretic Peptide Levels Before and After Exercise and Functional Capacity in Patients With Idiopathic Dilated Cardiomyopathy. <i>American Journal of Cardiology</i> , 2007, 99, 1279-1283. | 0.7 | 16 |
| 26 | Plasma levels of Von Willebrand factor are increased in patients with hypertrophic cardiomyopathy. <i>Thrombosis Research</i> , 2010, 126, e46-e50. | 0.8 | 16 |
| 27 | Prognostic value of two polymorphisms in non-sarcomeric genes for the development of atrial fibrillation in patients with hypertrophic cardiomyopathy. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014, 107, 613-621. | 0.2 | 14 |
| 28 | Left-sided infective endocarditis in patients with liver cirrhosis. <i>Journal of Infection</i> , 2015, 71, 627-641. | 1.7 | 14 |
| 29 | Anabolic Status and Functional Impairment in Men With Mild Chronic Heart Failure. <i>American Journal of Cardiology</i> , 2011, 108, 862-866. | 0.7 | 13 |
| 30 | Aortic Valve Stenosis Planimetry by Means of Three-Dimensional Transesophageal Echocardiography in the Real Clinical Setting: Feasibility, Reliability and Systematic Deviations. <i>Echocardiography</i> , 2015, 32, 508-515. | 0.3 | 13 |
| 31 | Noninvasive assessment of coronary flow velocity reserve in left anterior descending artery adds diagnostic value to both clinical variables and dobutamine echocardiography: a study based on clinical practice. <i>European Journal of Echocardiography</i> , 2005, 6, 251-259. | 2.3 | 12 |
| 32 | Eco-Doppler de ejercicio en pacientes con miocardiopatía hipertrófica. Factores determinantes de la limitación funcional. <i>Revista Española De Cardiología</i> , 2013, 66, 98-103. | 0.6 | 12 |
| 33 | Implantable Cardioverter Defibrillator and Hypertrophic Cardiomyopathy. Experience at Three Centers. <i>Revista Española De Cardiología (English Ed)</i> , 2006, 59, 537-544. | 0.4 | 11 |
| 34 | Enzyme Replacement Therapy in Fabry Disease: Influence on Cardiac Manifestations. <i>Current Medicinal Chemistry</i> , 2010, 17, 1679-1689. | 1.2 | 11 |
| 35 | An Insight of Novel Pharmacological Therapies in Hypertrophic Cardiomyopathy. <i>Medicinal Chemistry</i> , 2011, 7, 275-285. | 0.7 | 10 |
| 36 | Systolic aortic regurgitation. <i>European Journal of Echocardiography</i> , 2007, 9, 284-5. | 2.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The Frequency of Systolic Aortic Regurgitation and Its Relationship to Heart Failure in a Consecutive Series of Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 771-774. | 0.4 | 7 |
| 38 | Heartâ€‘hand syndrome. <i>International Journal of Cardiology</i> , 2008, 129, e7-e9. | 0.8 | 7 |
| 39 | Methylergonovine-induced Spasm of Saphenous Vein Coronary Bypass Graft. <i>Chest</i> , 1985, 87, 545-547. | 0.4 | 6 |
| 40 | Congenital Diverticulum of the Right Ventricle Associated with Coarctation of Aorta, Atrial and Ventricular Septal Defect and Ductus. <i>European Journal of Echocardiography</i> , 2001, 2, 205-206. | 2.3 | 6 |
| 41 | Transient global amnesia after dobutamineâ€‘atropine stress echocardiography. <i>European Journal of Echocardiography</i> , 2007, 9, 567-8. | 2.3 | 6 |
| 42 | Relationship Between Intraventricular Cardiac Asynchrony and Degree of Systolic Dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 214-218. | 1.2 | 6 |
| 43 | Treatment of right heart thromboemboli: The need of a randomized multicentre trial. <i>International Journal of Cardiology</i> , 2009, 134, 419-420. | 0.8 | 6 |
| 44 | Alternative explanations to the differences of femoral and brachial saline contrast injections for echocardiographic detection of patent foramen ovale. <i>Medical Hypotheses</i> , 2007, 68, 1378-1381. | 0.8 | 5 |
| 45 | Real-time three-dimensional transesophageal echocardiographic evaluation of the association of bicuspid aortic valve and mitral posterior leaflet hypoplasia. <i>International Journal of Cardiology</i> , 2015, 195, 334-335. | 0.8 | 5 |
| 46 | Influence of aortic regurgitation after <sc>TAVI</sc> on left ventricular filling pattern. <i>European Journal of Clinical Investigation</i> , 2015, 45, 18-26. | 1.7 | 5 |
| 47 | <sc>TWEAK</sc> and <sc>NT</sc>â€‘pro<sc>BNP</sc> levels predict exercise capacity in hypertrophic cardiomyopathy. <i>European Journal of Clinical Investigation</i> , 2015, 45, 179-186. | 1.7 | 5 |
| 48 | Exercise Eco-Doppler in Hypertrophic Cardiomyopathy Patients. Determinant Factors of Exercise Intolerance. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 98-103. | 0.4 | 4 |
| 49 | Prognosis of Patients With Severe Aortic Stenosis After the Decision to Perform an Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 392-397. | 0.4 | 4 |
| 50 | Cardiac evaluation of patients with familial amyloidotic polyneuropathy proposed for liver transplantation. <i>Transplantation Proceedings</i> , 1999, 31, 2372. | 0.3 | 3 |
| 51 | Pulmonary Surfactant Protein B in the Peripheral Circulation and Functional Impairment in Patients With Chronic Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 136-142. | 0.4 | 3 |
| 52 | Systolic aortic regurgitation: A not-so-rare phenomenon. <i>International Journal of Cardiology</i> , 2010, 145, 291-292. | 0.8 | 3 |
| 53 | Recovery of global systolic function after primary angioplasty. Influence of coronary flow velocity reserve measured by transthoracic echocardiography. <i>International Journal of Cardiology</i> , 2007, 114, 315-322. | 0.8 | 2 |
| 54 | Intraoperative Myocardial Rupture Heralded by Contrast Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 906.e5-906.e8. | 1.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Accuracy of systolic aortic regurgitation in the diagnosis of heart failure: a predictive approach. <i>International Journal of Clinical Practice</i> , 2015, 69, 485-490. | 0.8 | 2 |
| 56 | Agreement Between Centers on the Interpretation of Exercise Echocardiography. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006, 59, 33-40. | 0.4 | 1 |
| 57 | Prognostic Value of BNP and Cardiopulmonary Exercise Testing in Patients With Systolic Heart Failure on Beta-Blocker Therapy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 260-268. | 0.4 | 1 |
| 58 | Gadolinium-Enhanced Cardiovascular Magnetic Resonance and Exercise Capacity in Hypertrophic Cardiomyopathy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 853-860. | 0.4 | 1 |
| 59 | A simple echo-Doppler sign to assess improved myocardial performance after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2012, 155, e16-e17. | 0.8 | 1 |
| 60 | Doppler peak-plateau morphology in pulmonary regurgitation flow with respiratory changes of its profile revealing hemodynamic features of restrictive cardiomyopathy. <i>International Journal of Cardiology</i> , 2012, 158, e35-e37. | 0.8 | 1 |
| 61 | How far do we want to go in the treatment of obstruction in Hypertrophic Cardiomyopathy?. <i>International Journal of Cardiology</i> , 2015, 195, 95-97. | 0.8 | 1 |
| 62 | Galectin-3 and Î²-trace protein concentrations are higher in clinically unaffected patients with Fabry disease. <i>Scientific Reports</i> , 2019, 9, 6235. | 1.6 | 1 |
| 63 | Femoral versus antecubital vein contrast injection. <i>European Journal of Echocardiography</i> , 2007, 8, 416-417. | 2.3 | 0 |
| 64 | Unable to speakâ€”because of a drip. <i>Lancet, The</i> , 2008, 371, 1636. | 6.3 | 0 |
| 65 | Severe Aortic Valve Stenosis With Low-gradient and Preserved Ejection Fraction: A Misclassification Issue?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 255-260. | 0.4 | 0 |
| 66 | EcocardiografÃa de ejercicio en pacientes con miocardiopatÃa hipertrÃ3fica. Â¿La evaluaciÃ³n ortostÃtica es necesaria despuÃ©s de todo? Respuesta. <i>Revista Espanola De Cardiologia</i> , 2013, 66, 514. | 0.6 | 0 |
| 67 | Exercise Echocardiography in Hypertrophic Cardiomyopathy: Is Upright Evaluation Needed After All? Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 514. | 0.4 | 0 |
| 68 | <sc>D</sc>oppler Echocardiography Unraveling <sc>L</sc>ewis and <sc>W</sc>iggers Diagrams. <i>Echocardiography</i> , 2013, 30, E21-2. | 0.3 | 0 |
| 69 | Historical note on the attribution of the first description of aortic stenosis in the modern era. <i>International Journal of Cardiology</i> , 2014, 172, 229-230. | 0.8 | 0 |
| 70 | Aortic valve haematoma as a complication after coronary angiography: a clinical case with spontaneous resolution. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1043. | 0.5 | 0 |
| 71 | Evidence From Pacing in Obstructive Hypertrophic Cardiomyopathy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 532. | 0.4 | 0 |
| 72 | Evidencia del tratamiento con marcapasos en la miocardiopatÃa hipertrÃ3fica obstructiva. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 532. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Experiencia inicial con la pr ³ tesis de despliegue r ³ pido en posici ³ n a ³ rtica Edwards Intuity. Cirugia Cardiovascular, 2016, 23, 70-75. | 0.1 | 0 |