

Gonzalo de la Morena

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1674928/publications.pdf>

Version: 2024-02-01

73
papers

2,681
citations

279487

23
h-index

189595

50
g-index

90
all docs

90
docs citations

90
times ranked

3702
citing authors

#	ARTICLE	IF	CITATIONS
1	Correlation between non-invasive myocardial work indices and main parameters of systolic and diastolic function: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 533-541.	0.5	63
2	Echocardiographic reference ranges for normal left ventricular layer-specific strain: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 896-905.	0.5	29
3	Prognosis of Patients With Severe Aortic Stenosis After the Decision to Perform an Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2019, 72, 392-397.	0.4	4
4	Galectin-3 and Î²-trace protein concentrations are higher in clinically unaffected patients with Fabry disease. <i>Scientific Reports</i> , 2019, 9, 6235.	1.6	1
5	Echocardiographic reference ranges for normal non-invasive myocardial work indices: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 582-590.	0.5	204
6	Echocardiographic reference ranges for normal left atrial function parameters: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 630-638.	0.5	159
7	Two-dimensional transthoracic echocardiographic normal reference ranges for proximal aorta dimensions: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 167-179.	0.5	81
8	Echocardiographic reference ranges for normal left ventricular 2D strain: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 833-840.	0.5	228
9	3D echocardiographic reference ranges for normal left ventricular volumes and strain: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 475-483.	0.5	74
10	Three-Dimensional Morphology of the Left Ventricular Outflow Tract: Impact on Grading Aortic Stenosis Severity. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 28-35.	1.2	38
11	Evidence From Pacing in Obstructive Hypertrophic Cardiomyopathy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2016, 69, 532.	0.4	0
12	Evidencia del tratamiento con marcapasos en la miocardiopatía hipertrófica obstructiva. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 532.	0.6	0
13	Comparison of 1-Year Outcome in Patients With Severe Aorta Stenosis Treated Conservatively or by Aortic Valve Replacement or by Percutaneous Transcatheter Aortic Valve Implantation (Data from a Tj ETQq1 1 0.784314 rg36 /Over	0.7	36
14	Experiencia inicial con la prótesis de despliegue rápido en posición aórtica Edwards Intuity. <i>Cirugia Cardiovascular</i> , 2016, 23, 70-75.	0.1	0
15	Real-time three-dimensional transesophageal echocardiographic evaluation of the association of bicuspid aortic valve and mitral posterior leaflet hypoplasia. <i>International Journal of Cardiology</i> , 2015, 195, 334-335.	0.8	5
16	Current Epidemiology and Outcome of Infective Endocarditis. <i>Medicine (United States)</i> , 2015, 94, e1816.	0.4	129
17	Aortic valve haematoma as a complication after coronary angiography: a clinical case with spontaneous resolution. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1043.	0.5	0
18	Influence of aortic regurgitation after <sc>TAVI</sc> on left ventricular filling pattern. <i>European Journal of Clinical Investigation</i> , 2015, 45, 18-26.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Accuracy of systolic aortic regurgitation in the diagnosis of heart failure: a predictive approach. <i>International Journal of Clinical Practice</i> , 2015, 69, 485-490.	0.8	2
20	<scp>TWEAK</scp> and <scp>NT</scp>â€pro<scp>BNP</scp> levels predict exercise capacity in hypertrophic cardiomyopathy. <i>European Journal of Clinical Investigation</i> , 2015, 45, 179-186.	1.7	5
21	Aortic Valve Stenosis Planimetry by Means of Threeâ€Dimensional Transesophageal Echocardiography in the Real Clinical Setting: Feasibility, Reliability and Systematic Deviations. <i>Echocardiography</i> , 2015, 32, 508-515.	0.3	13
22	How far do we want to go in the treatment of obstruction in Hypertrophic Cardiomyopathy?. <i>International Journal of Cardiology</i> , 2015, 195, 95-97.	0.8	1
23	Echocardiographic reference ranges for normal cardiac Doppler data: results from the NORRE Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1031-41.	0.5	184
24	Left-sided infective endocarditis in patients with liver cirrhosis. <i>Journal of Infection</i> , 2015, 71, 627-641.	1.7	14
25	Prognostic value of two polymorphisms in non-sarcomeric genes for the development of atrial fibrillation in patients with hypertrophic cardiomyopathy. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2014, 107, 613-621.	0.2	14
26	Echocardiographic reference ranges for normal cardiac chamber size: results from the NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 680-690.	0.5	324
27	Historical note on the attribution of the first description of aortic stenosis in the modern era. <i>International Journal of Cardiology</i> , 2014, 172, 229-230.	0.8	0
28	Severe Aortic Valve Stenosis With Low-gradient and Preserved Ejection Fraction: A Misclassification Issue?. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 255-260.	0.4	0
29	Normal Reference Ranges for Echocardiography: rationale, study design, and methodology (NORRE) Tj ETQq1 1 0.784314 rgBT /Overloc 0,5 91	0.5	91
30	Eco-Doppler de ejercicio en pacientes con miocardiopatÃa hipertrÃfica. Factores determinantes de la limitaciÃn funcional. <i>Revista Espanola De Cardiologia</i> , 2013, 66, 98-103.	0.6	12
31	Exercise Eco-Doppler in Hypertrophic Cardiomyopathy Patients. Determinant Factors of Exercise Intolerance. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 98-103.	0.4	4
32	EcocardiografÃa de ejercicio en pacientes con miocardiopatÃa hipertrÃfica. ÂLa evaluaciÃn ortostÃtica es necesaria despuÃs de todo? Respuesta. <i>Revista Espanola De Cardiologia</i> , 2013, 66, 514.	0.6	0
33	Exercise Echocardiography in Hypertrophic Cardiomyopathy: Is Upright Evaluation Needed After All? Response. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2013, 66, 514.	0.4	0
34	<scp>D</scp>oppler Echocardiography Unraveling <scp>L</scp>ewis and <scp>W</scp>iggers Diagrams. <i>Echocardiography</i> , 2013, 30, E21-2.	0.3	0
35	A simple echo-Doppler sign to assess improved myocardial performance after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2012, 155, e16-e17.	0.8	1
36	Doppler peak-plateau morphology in pulmonary regurgitation flow with respiratory changes of its profile revealing hemodynamic features of restrictive cardiomyopathy. <i>International Journal of Cardiology</i> , 2012, 158, e35-e37.	0.8	1

#	ARTICLE	IF	CITATIONS
37	Anabolic Status and Functional Impairment in Men With Mild Chronic Heart Failure. <i>American Journal of Cardiology</i> , 2011, 108, 862-866.	0.7	13
38	An Insight of Novel Pharmacological Therapies in Hypertrophic Cardiomyopathy. <i>Medicinal Chemistry</i> , 2011, 7, 275-285.	0.7	10
39	Real-time three-dimensional transoesophageal echocardiography in the assessment of aortic valve stenosis. <i>European Journal of Echocardiography</i> , 2010, 11, 9-13.	2.3	28
40	Enzyme Replacement Therapy in Fabry Disease: Influence on Cardiac Manifestations. <i>Current Medicinal Chemistry</i> , 2010, 17, 1679-1689.	1.2	11
41	Reproducibility of echocardiographic measurements of epicardial fat thickness. <i>International Journal of Cardiology</i> , 2010, 141, 311-313.	0.8	51
42	Systolic aortic regurgitation: A not-so-rare phenomenon. <i>International Journal of Cardiology</i> , 2010, 145, 291-292.	0.8	3
43	Serum Levels of High-Sensitivity Troponin T: A Novel Marker for Cardiac Remodeling in Hypertrophic Cardiomyopathy. <i>Journal of Cardiac Failure</i> , 2010, 16, 950-956.	0.7	82
44	Plasma levels of Von Willebrand factor are increased in patients with hypertrophic cardiomyopathy. <i>Thrombosis Research</i> , 2010, 126, e46-e50.	0.8	16
45	Penetrance and Risk Profile in Inherited Cardiac Diseases Studied in a Dedicated Screening Clinic. <i>American Journal of Cardiology</i> , 2009, 104, 406-410.	0.7	38
46	Left atrial remodelling in hypertrophic cardiomyopathy: relation with exercise capacity and biochemical markers of tissue strain and remodelling. <i>International Journal of Clinical Practice</i> , 2009, 63, 1465-1471.	0.8	23
47	Treatment of right heart thromboemboli: The need of a randomized multicentre trial. <i>International Journal of Cardiology</i> , 2009, 134, 419-420.	0.8	6
48	Pulmonary Surfactant Protein B in the Peripheral Circulation and Functional Impairment in Patients With Chronic Heart Failure. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 136-142.	0.4	3
49	Prognostic Value of BNP and Cardiopulmonary Exercise Testing in Patients With Systolic Heart Failure on Beta-Blocker Therapy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 260-268.	0.4	1
50	The Frequency of Systolic Aortic Regurgitation and Its Relationship to Heart Failure in a Consecutive Series of Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 771-774.	0.4	7
51	Gadolinium-Enhanced Cardiovascular Magnetic Resonance and Exercise Capacity in Hypertrophic Cardiomyopathy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 853-860.	0.4	1
52	Heartâ€hand syndrome. <i>International Journal of Cardiology</i> , 2008, 129, e7-e9.	0.8	7
53	Matrix metalloproteinases and tissue remodeling in hypertrophic cardiomyopathy. <i>American Heart Journal</i> , 2008, 156, 85-91.	1.2	80
54	Variables Associated With Contrast-Enhanced Cardiovascular Magnetic Resonance in Hypertrophic Cardiomyopathy: Clinical Implications. <i>Journal of Cardiac Failure</i> , 2008, 14, 414-419.	0.7	33

#	ARTICLE	IF	CITATIONS
55	Unable to speakâ€”because of a drip. <i>Lancet, The</i> , 2008, 371, 1636.	6.3	0
56	Relationship Between Intraventricular Cardiac Asynchrony and Degree of Systolic Dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 214-218.	1.2	6
57	Systolic aortic regurgitation. <i>European Journal of Echocardiography</i> , 2007, 9, 284-5.	2.3	8
58	Femoral versus antecubital vein contrast injection. <i>European Journal of Echocardiography</i> , 2007, 8, 416-417.	2.3	0
59	Transient global amnesia after dobutamineâ€”atropine stress echocardiography. <i>European Journal of Echocardiography</i> , 2007, 9, 567-8.	2.3	6
60	Alternative explanations to the differences of femoral and brachial saline contrast injections for echocardiographic detection of patent foramen ovale. <i>Medical Hypotheses</i> , 2007, 68, 1378-1381.	0.8	5
61	Recovery of global systolic function after primary angioplasty. Influence of coronary flow velocity reserve measured by transthoracic echocardiography. <i>International Journal of Cardiology</i> , 2007, 114, 315-322.	0.8	2
62	Intraoperative Myocardial Rupture Heralded by Contrast Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2007, 20, 906.e5-906.e8.	1.2	2
63	Prevalence of Fabry Disease in a Cohort of 508 Unrelated Patients With Hypertrophic Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2007, 50, 2399-2403.	1.2	254
64	Relation of B-Type Natriuretic Peptide Levels Before and After Exercise and Functional Capacity in Patients With Idiopathic Dilated Cardiomyopathy. <i>American Journal of Cardiology</i> , 2007, 99, 1279-1283.	0.7	16
65	Agreement Between Centers on the Interpretation of Exercise Echocardiography. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006, 59, 33-40.	0.4	1
66	Implantable Cardioverter Defibrillator and Hypertrophic Cardiomyopathy. Experience at Three Centers. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2006, 59, 537-544.	0.4	11
67	Noninvasive assessment of coronary flow velocity reserve in left anterior descending artery adds diagnostic value to both clinical variables and dobutamine echocardiography: a study based on clinical practice. <i>European Journal of Echocardiography</i> , 2005, 6, 251-259.	2.3	12
68	Congenital Diverticulum of the Right Ventricle Associated with Coarctation of Aorta, Atrial and Ventricular Septal Defect and Ductus. <i>European Journal of Echocardiography</i> , 2001, 2, 205-206.	2.3	6
69	GuÃ±as de prÃ¡ctica clÃ¡nica de la Sociedad EspaÃ±ola de CardiologÃ­a en pruebas de esfuerzo. <i>Revista Espanola De Cardiologia</i> , 2000, 53, 1063-1094.	0.6	51
70	Evaluation of cardiac function before and after liver transplantation. <i>Transplantation Proceedings</i> , 1999, 31, 2369-2370.	0.3	26
71	Cardiac evaluation of patients with familial amyloidotic polyneuropathy proposed for liver transplantation. <i>Transplantation Proceedings</i> , 1999, 31, 2372.	0.3	3
72	Protective Effect of Triflusal against Acute Myocardial Infarction in Patients with Unstable Angina: Results of a Spanish Multicenter Trial. <i>Cardiology</i> , 1993, 82, 388-398.	0.6	31

#	ARTICLE	IF	CITATIONS
73	Methylergonovine-induced Spasm of Saphenous Vein Coronary Bypass Graft. Chest, 1985, 87, 545-547.	0.4	6