

Haifeng Jiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1676619/publications.pdf>

Version: 2024-02-01

58
papers

943
citations

471509

17
h-index

526287

27
g-index

61
all docs

61
docs citations

61
times ranked

1246
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolomics changes after rTMS intervention reveal potential peripheral biomarkers in methamphetamine dependence. <i>European Neuropsychopharmacology</i> , 2022, 56, 80-88.	0.7	4
2	Euphoric effect induced by zolpidem: a case study of magnetoencephalography. <i>Annals of General Psychiatry</i> , 2022, 35, e100729.	3.1	5
3	A Case Report of Excessive Use of Clozapine Combined With Clonazepam. <i>Frontiers in Psychiatry</i> , 2022, 13, 831276.	2.6	1
4	Effectiveness and utility of an electronic intervention for appropriate benzodiazepine and Z-drugs prescription in psychiatric clinics: protocol for a multicentric, real-world randomised controlled trial in China. <i>BMJ Open</i> , 2022, 12, e055341.	1.9	0
5	The transcranial direct current stimulation over prefrontal cortex combined with the cognitive training reduced the cue-induced craving in female individuals with methamphetamine use disorder: A randomized controlled trial. <i>Journal of Psychiatric Research</i> , 2021, 134, 102-110.	3.1	19
6	Impulsivity and craving in subjects with opioid use disorder on methadone maintenance treatment. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108483.	3.2	13
7	The Potential Regulatory Network of Glutamate Metabolic Pathway Disturbance in Chinese Han Withdrawal Methamphetamine Abusers. <i>Frontiers in Genetics</i> , 2021, 12, 653443.	2.3	2
8	Feasibility and Preliminary Efficacy of a Community-Based Addiction Rehabilitation Electronic System in Substance Use Disorder: Pilot Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e21087.	3.7	7
9	Modulation of Methamphetamine-Related Attention Bias by Intermittent Theta-Burst Stimulation on Left Dorsolateral Prefrontal Cortex. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 667476.	3.7	7
10	Nature of glutamate alterations in substance dependence: A systematic review and meta-analysis of proton magnetic resonance spectroscopy studies. <i>Psychiatry Research - Neuroimaging</i> , 2021, 315, 111329.	1.8	5
11	Aberrant expression of <i>BDNF</i> might serve as a candidate target for cocaine-induced psychosis: insights from bioinformatics analysis and microarray validation. <i>Annals of General Psychiatry</i> , 2021, 34, e100587.	3.1	2
12	Altered Fecal Microbiota Correlated With Systemic Inflammation in Male Subjects With Methamphetamine Use Disorder. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 783917.	3.9	11
13	Application of Digital Medicine in Addiction. <i>Journal of Shanghai Jiaotong University (Science)</i> , 2021, , 1-9.	0.9	2
14	The Clinical Consistency and Utility of ICD-11 Diagnostic Guidelines for Gaming Disorder: A Field Study Among the Chinese Population. <i>Frontiers in Psychiatry</i> , 2021, 12, 781992.	2.6	3
15	A transcranial magnetic stimulation protocol for decreasing the craving of methamphetamine-dependent patients. <i>STAR Protocols</i> , 2021, 2, 100944.	1.2	4
16	Effectiveness of music therapy on improving treatment motivation and emotion in female patients with methamphetamine use disorder: A randomized controlled trial. <i>Substance Abuse</i> , 2020, 41, 493-500.	2.3	9
17	An association study between methamphetamine use disorder with psychosis and polymorphisms in MiRNA. <i>Neuroscience Letters</i> , 2020, 717, 134725.	2.1	4
18	Intermittent theta burst transcranial magnetic stimulation for methamphetamine addiction: A randomized clinical trial. <i>European Neuropsychopharmacology</i> , 2020, 31, 158-161.	0.7	26

#	ARTICLE	IF	CITATIONS
19	Decreased GABA concentrations in left prefrontal cortex of methamphetamine dependent patients: A proton magnetic resonance spectroscopy study. <i>Journal of Clinical Neuroscience</i> , 2020, 71, 15-20.	1.5	15
20	Initial Heroin Use Patterns Predict 5-Year Relapse: Results from a Longitudinal Cohort Study in Shanghai, China. <i>International Journal of Mental Health and Addiction</i> , 2020, , 1.	7.4	0
21	The exploration of optimized protocol for repetitive transcranial magnetic stimulation in the treatment of methamphetamine use disorder: A randomized sham-controlled study. <i>EBioMedicine</i> , 2020, 60, 103027.	6.1	23
22	β -aminobutyric acid and glutamate/glutamine alterations of the left prefrontal cortex in individuals with methamphetamine use disorder: a combined transcranial magnetic stimulation-magnetic resonance spectroscopy study. <i>Annals of Translational Medicine</i> , 2020, 8, 347-347.	1.7	15
23	Risky decision-making in individuals with substance use disorder: A meta-analysis and meta-regression review. <i>Psychopharmacology</i> , 2020, 237, 1893-1908.	3.1	42
24	Smaller Feedback-Related Negativity (FRN) Reflects the Risky Decision-Making Deficits of Methamphetamine Dependent Individuals. <i>Frontiers in Psychiatry</i> , 2020, 11, 320.	2.6	17
25	Neuroplastic changes in resting-state functional connectivity after rTMS intervention for methamphetamine craving. <i>Neuropharmacology</i> , 2020, 175, 108177.	4.1	28
26	Disrupted brain network dynamics and cognitive functions in methamphetamine use disorder: insights from EEG microstates. <i>BMC Psychiatry</i> , 2020, 20, 334.	2.6	16
27	Aberrant Resting-State Cerebellar-Cerebral Functional Connectivity in Methamphetamine-Dependent Individuals After Six Months Abstinence. <i>Frontiers in Psychiatry</i> , 2020, 11, 191.	2.6	10
28	Challenges of methadone maintenance treatment during the COVID-19 epidemic in China: Policy and service recommendations. <i>European Neuropsychopharmacology</i> , 2020, 35, 136-137.	0.7	17
29	Trajectories of heroin use predict relapse risk among heroin-dependent patients: A 5-year follow-up study. <i>Journal of Clinical Neuroscience</i> , 2020, 76, 134-139.	1.5	4
30	Cognitive and emotional predictors of real versus sham repetitive transcranial magnetic stimulation treatment response in methamphetamine use disorder. <i>Journal of Psychiatric Research</i> , 2020, 126, 73-80.	3.1	16
31	History of Alcohol and Opioid Use Impacts on the Long-Term Recovery Trajectories of Methamphetamine-Dependent Patients. <i>Frontiers in Psychiatry</i> , 2019, 10, 398.	2.6	3
32	Drug-related Virtual Reality Cue Reactivity is Associated with Gamma Activity in Reward and Executive Control Circuit in Methamphetamine Use Disorders. <i>Archives of Medical Research</i> , 2019, 50, 509-517.	3.3	22
33	Treatment of opioid dependence with buprenorphine/naloxone sublingual tablets: A phase 3 randomized, double-blind, placebo-controlled trial. <i>Asia-Pacific Psychiatry</i> , 2019, 11, e12344.	2.2	10
34	Polydrug use patterns and their impact on relapse among heroin-dependent patients in Shanghai, China. <i>Addiction</i> , 2019, 114, 259-267.	3.3	30
35	Impact of aerobic exercise on cognitive impairment and oxidative stress markers in methamphetamine-dependent patients. <i>Psychiatry Research</i> , 2018, 266, 328-333.	3.3	30
36	Gray matter volume showed dynamic alterations in methamphetamine users at 6 and 12 months abstinence: A longitudinal voxel-based morphometry study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 350-355.	4.8	19

#	ARTICLE	IF	CITATIONS
37	A Research of Methamphetamine Induced Psychosis in 1,430 Individuals With Methamphetamine Use Disorder: Clinical Features and Possible Risk Factors. <i>Frontiers in Psychiatry</i> , 2018, 9, 551.	2.6	16
38	Methadone Dosage and Plasma Levels, SNPs of OPRM1 Gene and Age of First Drug Use Were Associated With Outcomes of Methadone Maintenance Treatment. <i>Frontiers in Genetics</i> , 2018, 9, 450.	2.3	17
39	Variants in GABBR1 Gene Are Associated with Methamphetamine Dependence and Two Yearsâ€™ Relapse after Drug Rehabilitation. <i>Journal of Neuroimmune Pharmacology</i> , 2018, 13, 523-531.	4.1	5
40	A Newly Designed Mobile-Based Computerized Cognitive Addiction Therapy App for the Improvement of Cognition Impairments and Risk Decision Making in Methamphetamine Use Disorder: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10292.	3.7	40
41	High frequency repetitive transcranial magnetic stimulation of the left dorsolateral prefrontal cortex for methamphetamine use disorders: A randomised clinical trial. <i>Drug and Alcohol Dependence</i> , 2017, 175, 84-91.	3.2	91
42	miR-181a is a negative regulator of GRIA2 in methamphetamine-use disorder. <i>Scientific Reports</i> , 2016, 6, 35691.	3.3	19
43	Association study of GABA system genes polymorphisms with amphetamine-induced psychotic disorder in a Han Chinese population. <i>Neuroscience Letters</i> , 2016, 622, 37-44.	2.1	2
44	The cognitive impairments and psychological wellbeing of methamphetamine dependent patients compared with health controls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 69, 31-37.	4.8	63
45	Dose, Plasma Level, and Treatment Outcome Among Methadone Patients in Shanghai, China. <i>Neuroscience Bulletin</i> , 2016, 32, 538-544.	2.9	7
46	Persistent Microstructural Deficits of Internal Capsule in One-Year Abstinent Male Methamphetamine Users: a Longitudinal Diffusion Tensor Imaging Study. <i>Journal of Neuroimmune Pharmacology</i> , 2016, 11, 523-530.	4.1	12
47	Decreased Expression of Plasma MicroRNA in Patients with Methamphetamine (MA) Use Disorder. <i>Journal of Neuroimmune Pharmacology</i> , 2016, 11, 542-548.	4.1	34
48	Brain-derived neurotrophic factor serum levels in heroin-dependent patients after 26weeks of withdrawal. <i>Comprehensive Psychiatry</i> , 2016, 65, 150-155.	3.1	30
49	Predictors of heroin relapse: Personality traits, impulsivity, COMT gene Val158met polymorphism in a 5â€­year prospective study in Shanghai, China. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 712-719.	1.7	19
50	Hippocampal volume reduction in female but not male recent abstinent methamphetamine users. <i>Behavioural Brain Research</i> , 2015, 289, 78-83.	2.2	22
51	Efficacy of Cognitive Behavioral Therapy on Opiate Use and Retention in Methadone Maintenance Treatment in China: A Randomised Trial. <i>PLoS ONE</i> , 2015, 10, e0127598.	2.5	32
52	Impaired processing speed and attention in first-episode drug naive schizophrenia with deficit syndrome. <i>Schizophrenia Research</i> , 2014, 159, 478-484.	2.0	29
53	Use trajectories of amphetamine-type stimulants (ATS) in Shanghai, China. <i>Drug and Alcohol Dependence</i> , 2014, 143, 44-50.	3.2	10
54	Biofeedback combined with cue-exposure as a treatment for heroin addicts. <i>Physiology and Behavior</i> , 2014, 130, 34-39.	2.1	15

#	ARTICLE	IF	CITATIONS
55	Reliability and Validity of the CogState Battery Chinese Language Version in Schizophrenia. PLoS ONE, 2013, 8, e74258.	2.5	26
56	Case-control study of error-related negativity among males with heroin dependence undergoing rehabilitation. Shanghai Archives of Psychiatry, 2013, 25, 141-8.	0.7	5
57	Efficacy of contingency management in improving retention and compliance to methadone maintenance treatment: a random controlled study. Shanghai Archives of Psychiatry, 2012, 24, 11-9.	0.7	8
58	Drug-related virtual reality cue reactivity is associated with gamma activity in reward and executive control circuit in methamphetamine use disorders (Preprint). JMIR Mental Health, 0, , .	3.3	0