

Anselm Uebing

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1678919/anselm-uebing-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

4,387
citations

34
h-index

63
g-index

151
ext. papers

5,240
ext. citations

4.6
avg, IF

5.05
L-index

#	Paper	IF	Citations
136	Impact of Right Ventricular Pressure Load After Repair of Tetralogy of Fallot.. <i>Journal of the American Heart Association</i> , 2022 , e022694	6	0
135	Reference Values for Wristband Accelerometry Data in Children Aged 6-11 Years of Age.. <i>Frontiers in Pediatrics</i> , 2022 , 10, 808372	3.4	
134	Predicting Survival in Repaired Tetralogy of Fallot: A Lesion-Specific and Personalized Approach. <i>JACC: Cardiovascular Imaging</i> , 2021 , 15, 257-257	8.4	3
133	Reference Values for Ventricular Volumes and Pulmonary Artery Dimensions in Pediatric Patients with Transposition of the Great Arteries After Arterial Switch Operation. <i>Journal of Magnetic Resonance Imaging</i> , 2021 , 54, 1233-1245	5.6	
132	Antiarrhythmic drugs-safety and efficacy during pregnancy. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 2021 , 32, 145-151	0.8	0
131	Surveillance of Fontan Associated Liver Disease in Childhood and Adolescence. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2021 ,	1.7	3
130	Serial right ventricular assessment in patients with hypoplastic left heart syndrome: a multiparametric cardiovascular magnetic resonance study. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 ,	3	2
129	Rare variants in KDR, encoding VEGF Receptor 2, are associated with tetralogy of Fallot. <i>Genetics in Medicine</i> , 2021 , 23, 1952-1960	8.1	1
128	Abnormal aortic arch shape and vortical flow patterns are associated with descending aortic dilatation in patients with hypoplastic left heart syndrome. <i>International Journal of Cardiology</i> , 2021 , 323, 65-67	3.2	1
127	Acquired Comorbidities in Adults with Congenital Heart Disease: An Analysis of the German National Register for Congenital Heart Defects. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
126	Pulmonary vascular disease in Fontan circulation-is there a rationale for pulmonary vasodilator therapies?. <i>Cardiovascular Diagnosis and Therapy</i> , 2021 , 11, 1111-1121	2.6	1
125	Ventricular and atrial function and deformation is largely preserved after arterial switch operation. <i>Heart</i> , 2021 , 107, 1644-1650	5.1	0
124	Pulmonary sling in a patient with common arterial trunk. <i>Annals of Pediatric Cardiology</i> , 2021 , 14, 239-240.8		
123	Cardiovascular magnetic resonance normal values in children for biventricular wall thickness and mass. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021 , 23, 1	6.9	6
122	Cardiac catheter intervention complexity and safety outcomes in adult congenital heart disease. <i>Heart</i> , 2020 , 106, 1432-1437	5.1	5
121	Three-Dimensional Late Gadolinium Enhancement Cardiovascular Magnetic Resonance Predicts Inducibility of Ventricular Tachycardia in Adults With Repaired Tetralogy of Fallot. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e008321	6.4	12
120	Catheter ablation for patients with end-stage complex congenital heart disease or cardiomyopathy considered for transplantation: Trials and tribulations. <i>International Journal of Cardiology</i> , 2020 , 301, 127-134	3.2	4

119	Tricuspid regurgitation severity after atrial septal defect closure or pulmonic valve replacement. <i>Heart</i> , 2020 , 106, 455-461	5.1	6
118	Utility of machine learning algorithms in assessing patients with a systemic right ventricle. <i>European Heart Journal Cardiovascular Imaging</i> , 2019 , 20, 925-931	4.1	25
117	Surgical and percutaneous pulmonary valve replacement in England over the past two decades. <i>Heart</i> , 2019 , 105, 932-937	5.1	6
116	Machine learning algorithms estimating prognosis and guiding therapy in adult congenital heart disease: data from a single tertiary centre including 10 019 patients. <i>European Heart Journal</i> , 2019 , 40, 1069-1077	9.5	72
115	Acute and midterm outcomes of the post-approval MELODY Registry: a multicentre registry of transcatheter pulmonary valve implantation. <i>European Heart Journal</i> , 2019 , 40, 2255-2264	9.5	33
114	Long-term mortality and cardiovascular burden for adult survivors of coarctation of the aorta. <i>Heart</i> , 2019 , 105, 1190-1196	5.1	12
113	Atrial septal defect closure in adulthood is associated with normal survival in the mid to longer term. <i>Heart</i> , 2019 , 105, 1014-1019	5.1	17
112	Severe heart failure and the need for mechanical circulatory support and heart transplantation in pediatric patients with myocarditis: Results from the prospective multicenter registry "MYKKE". <i>Pediatric Transplantation</i> , 2019 , 23, e13548	1.8	11
111	Dietary protein restriction throughout intrauterine and postnatal life results in potentially beneficial myocardial tissue remodeling in the adult mouse heart. <i>Scientific Reports</i> , 2019 , 9, 15126	4.9	1
110	Atrial Septal Defect-Associated Pulmonary Hypertension: Outcomes of Closure With a Fenestrated Device. <i>Advances in Pulmonary Hypertension</i> , 2019 , 18, 4-9	0.5	10
109	The outcome of adults born with pulmonary atresia: High morbidity and mortality irrespective of repair. <i>International Journal of Cardiology</i> , 2019 , 280, 61-66	3.2	6
108	Evaluation of the relationship between ventricular end-diastolic pressure and echocardiographic measures of diastolic function in adults with a Fontan circulation. <i>International Journal of Cardiology</i> , 2018 , 259, 71-75	3.2	16
107	Percutaneous pulmonary valve implantation in small conduits: A multicenter experience. <i>International Journal of Cardiology</i> , 2018 , 254, 64-68	3.2	9
106	Aortic Dilatation in Repaired Tetralogy of Fallot. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 150-152	8.4	8
105	Platelet count and mean platelet volume predict outcome in adults with Eisenmenger syndrome. <i>Heart</i> , 2018 , 104, 45-50	5.1	22
104	Major adverse events and atrial tachycardia in Ebstein's anomaly predicted by cardiovascular magnetic resonance. <i>Heart</i> , 2018 , 104, 37-44	5.1	16
103	Infective endocarditis in adults with congenital heart disease remains a lethal disease. <i>Heart</i> , 2018 , 104, 161-165	5.1	37
102	New York Heart Association (NYHA) classification in adults with congenital heart disease: relation to objective measures of exercise and outcome. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018 , 4, 51-58	4.6	70

101 Ventricular Septal Defect **2018**, 316-325

100	Ramipril and left ventricular diastolic function in stable patients with pulmonary regurgitation after repair of tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2018 , 272, 64-69	3.2	8
99	Long-term single-center experience of defibrillator therapy in children and adolescents. <i>International Journal of Cardiology</i> , 2018 , 271, 105-108	3.2	1
98	Role of Intervention and Surgery. <i>Congenital Heart Disease in Adolescents and Adults</i> , 2018 , 165-186	0	
97	Threading the Eye of a Needle: Successful Implantation of Defibrillator Leads Through a Stent Strut After Treatment for Complex Superior Vena Cava Obstruction. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 528-529	4.6	
96	Body mass index in adult congenital heart disease. <i>Heart</i> , 2017 , 103, 1250-1257	5.1	31
95	Preconception counseling, predicting risk and outcomes in women with mWHO 3 and 4 heart disease. <i>International Journal of Cardiology</i> , 2017 , 234, 76-80	3.2	10
94	Pre-pregnancy counseling for women with heart disease: A prospective study. <i>International Journal of Cardiology</i> , 2017 , 240, 374-378	3.2	19
93	Ventricular function and ventriculo-arterial coupling after palliation of hypoplastic left heart syndrome: A comparative study with Fontan patients with LV morphology. <i>International Journal of Cardiology</i> , 2017 , 227, 691-697	3.2	15
92	Management of Marfan Syndrome during pregnancy: A real world experience from a Joint Cardiac Obstetric Service. <i>International Journal of Cardiology</i> , 2017 , 243, 180-184	3.2	5
91	The management of the third stage of labour in women with heart disease. <i>Heart</i> , 2017 , 103, 945-951	5.1	16
90	Effect of Pregnancy on Ventricular and Aortic Dimensions in Repaired Tetralogy of Fallot. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	13
89	Immediate and Midterm Cardiac Remodeling After Surgical Pulmonary Valve Replacement in Adults With Repaired Tetralogy of Fallot: A Prospective Cardiovascular Magnetic Resonance and Clinical Study. <i>Circulation</i> , 2017 , 136, 1703-1713	16.7	51
88	Device closure for patent foramen ovale following cryptogenic stroke: a survey of current practice in the UK. <i>Open Heart</i> , 2017 , 4, e000636	3	5
87	Adverse outcome of coarctation stenting in patients with Turner syndrome. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 280-287	2.7	11
86	Outcome of cardiac surgery in patients with congenital heart disease in England between 1997 and 2015. <i>PLoS ONE</i> , 2017 , 12, e0178963	3.7	34
85	Transcatheter mitral valve replacement: long-term outcomes of first-in-man experience with an apically tethered device- a case series from a single centre. <i>EuroIntervention</i> , 2017 , 13, e1047-e1057	3.1	20
84	Pregnancy in Repaired Tetralogy of Fallot. <i>Congenital Heart Disease in Adolescents and Adults</i> , 2017 , 99-102		1

83	Depression requiring anti-depressant drug therapy in adult congenital heart disease: prevalence, risk factors, and prognostic value. <i>European Heart Journal</i> , 2016 , 37, 771-82	9.5	25
82	The management of the second stage of labour in women with cardiac: A mixed methods study. <i>International Journal of Cardiology</i> , 2016 , 222, 732-736	3.2	6
81	P5 Aortic dilatation in repaired tetralogy of fallot: Features, determinants and progression. <i>Heart</i> , 2016 , 102, A2.2-A3	5.1	
80	YI-3 Early cardiac remodelling after pulmonary valve replacement in patients with repaired tetralogy of fallot. <i>Heart</i> , 2016 , 102, A26-A26	5.1	0
79	YI-5 Mortality and VT in ebstein's anomaly of the tricuspid valve: A prospective cardiovascular magnetic resonance study. <i>Heart</i> , 2016 , 102, A27.2-A27	5.1	
78	Loeys Dietz Syndrome and pregnancy: A case report with literature review and a proposed focused management protocol. <i>International Journal of Cardiology</i> , 2016 , 214, 491-2	3.2	5
77	Clinical course and potential complications of small ventricular septal defects in adulthood: Late development of left ventricular dysfunction justifies lifelong care. <i>International Journal of Cardiology</i> , 2016 , 208, 102-6	3.2	31
76	A cohort study of women with a Fontan circulation undergoing preconception counselling. <i>Heart</i> , 2016 , 102, 534-40	5.1	30
75	P11 Intraoperative management of paravalvular leak of the melody valve in mitral position. <i>Heart</i> , 2016 , 102, A5.2-A6	5.1	
74	Determinants of outpatient clinic attendance amongst adults with congenital heart disease and outcome. <i>International Journal of Cardiology</i> , 2016 , 203, 245-50	3.2	48
73	Why is post-partum haemorrhage more common in women with congenital heart disease?. <i>International Journal of Cardiology</i> , 2016 , 218, 285-290	3.2	36
72	Dyssynchrony and electromechanical delay are associated with focal fibrosis in the systemic right ventricle - Insights from echocardiography. <i>International Journal of Cardiology</i> , 2016 , 220, 382-8	3.2	15
71	The management of third stage of labour in women with heart disease needs more attention. <i>International Journal of Cardiology</i> , 2016 , 223, 23-24	3.2	6
70	Neurohormonal activation and its relation to outcomes late after repair of tetralogy of Fallot. <i>Heart</i> , 2015 , 101, 447-54	5.1	24
69	Brock procedure: 52 years of effective palliation for Tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2015 , 199, 195-6	3.2	
68	Hypoalbuminaemia predicts outcome in adult patients with congenital heart disease. <i>Heart</i> , 2015 , 101, 699-705	5.1	23
67	Survival Prospects and Circumstances of Death in Contemporary Adult Congenital Heart Disease Patients Under Follow-Up at a Large Tertiary Centre. <i>Circulation</i> , 2015 , 132, 2118-25	16.7	299
66	Prevalence and prognostic implication of restenosis or dilatation at the aortic coarctation repair site assessed by cardiovascular MRI in adult patients late after coarctation repair. <i>International Journal of Cardiology</i> , 2014 , 173, 209-15	3.2	23

65	New-generation stent grafts for endovascular management of thoracic pseudoaneurysms after aortic coarctation repair. <i>Journal of Vascular Surgery</i> , 2014 , 60, 330-6	3.5	14
64	Long-term natural history and postoperative outcome of double-chambered right ventricle--experience from two tertiary adult congenital heart centres and review of the literature. <i>International Journal of Cardiology</i> , 2014 , 174, 662-8	3.2	29
63	Congenital heart disease beyond the age of 60: emergence of a new population with high resource utilization, high morbidity, and high mortality. <i>European Heart Journal</i> , 2014 , 35, 725-32	9.5	156
62	Two-dimensional global longitudinal strain rate is a preload independent index of systemic right ventricular contractility in hypoplastic left heart syndrome patients after Fontan operation. <i>Circulation: Cardiovascular Imaging</i> , 2014 , 7, 880-6	3.9	49
61	Successful Bentall procedure in a patient with a Fontan circulation. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014 , 19, 520-2	1.8	5
60	Disease targeting therapies in patients with Eisenmenger syndrome: response to treatment and long-term efficiency. <i>International Journal of Cardiology</i> , 2013 , 167, 840-7	3.2	53
59	Arterial elastance and its impact on intrinsic right ventricular function in palliated hypoplastic left heart syndrome. <i>International Journal of Cardiology</i> , 2013 , 168, 5385-9	3.2	26
58	Percutaneous patent foramen ovale occlusion: current evidence and evolving clinical practice. <i>International Journal of Cardiology</i> , 2013 , 169, 238-43	3.2	12
57	Six-minute walk test distance and resting oxygen saturations but not functional class predict outcome in adult patients with Eisenmenger syndrome. <i>International Journal of Cardiology</i> , 2013 , 168, 4784-9	3.2	42
56	Meeting the challenge: the evolving global landscape of adult congenital heart disease. <i>International Journal of Cardiology</i> , 2013 , 168, 5182-9	3.2	29
55	Paracardiac mass on chest X-ray in a patient with Eisenmenger syndrome. <i>International Journal of Cardiology</i> , 2013 , 165, e6-8	3.2	
54	Tricuspid valve implantation after Bjork procedure to establish biventricular physiology. <i>Annals of Thoracic Surgery</i> , 2013 , 96, 309-11	2.7	
53	Right atrial area and right ventricular outflow tract akinetic length predict sustained tachyarrhythmia in repaired tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2013 , 168, 3280-6	3.2	44
52	Does left ventricular size impact on intrinsic right ventricular function in hypoplastic left heart syndrome?. <i>International Journal of Cardiology</i> , 2013 , 167, 1305-10	3.2	23
51	Outcome in adult patients after arterial switch operation for transposition of the great arteries. <i>International Journal of Cardiology</i> , 2013 , 167, 2588-93	3.2	61
50	Giant saphenous vein graft aneurysm compressing right ventricular outflow tract and main pulmonary artery. <i>Circulation</i> , 2013 , 127, 650-1	16.7	2
49	Successful ablation of two right atrial tachycardias on either side of the lateral tunnel patch in a patient with double inlet left ventricle and total cavopulmonary connection: Two sites and two mechanisms. <i>Global Cardiology Science & Practice</i> , 2013 , 2013, 198-202	0.7	
48	Systemic right ventricular longitudinal strain is reduced in adults with transposition of the great arteries, relates to subpulmonary ventricular function, and predicts adverse clinical outcome. <i>American Heart Journal</i> , 2012 , 163, 859-66	4.9	80

47	Randomised trial of ramipril in repaired tetralogy of Fallot and pulmonary regurgitation: the APPROPRIATE study (Ace inhibitors for Potential PRevention Of the deleterious effects of Pulmonary Regurgitation In Adults with repaired TEtralogy of Fallot). <i>International Journal of Cardiology</i> , 2012 , 154, 299-305	3.2	81
46	Reference values for exercise limitations among adults with congenital heart disease. Relation to activities of daily life--single centre experience and review of published data. <i>European Heart Journal</i> , 2012 , 33, 1386-96	9.5	253
45	Angiographic evaluation of the coronary artery anatomy in patients with hypoplastic left heart syndrome. <i>European Journal of Cardio-thoracic Surgery</i> , 2012 , 41, 561-8	3	10
44	B-type natriuretic peptide concentrations in contemporary Eisenmenger syndrome patients: predictive value and response to disease targeting therapy. <i>Heart</i> , 2012 , 98, 736-42	5.1	77
43	Cardiac catheterization and interventional procedures as part of staged surgical palliation for hypoplastic left heart syndrome. <i>Congenital Heart Disease</i> , 2012 , 7, 565-74	3.1	11
42	Left ventricular longitudinal function predicts life-threatening ventricular arrhythmia and death in adults with repaired tetralogy of Fallot. <i>Circulation</i> , 2012 , 125, 2440-6	16.7	199
41	Changes of right ventricular function and longitudinal deformation in children with hypoplastic left heart syndrome before and after the Norwood operation. <i>Journal of the American Society of Echocardiography</i> , 2011 , 24, 1226-32	5.8	52
40	Can we use the end systolic volume index to monitor intrinsic right ventricular function after repair of tetralogy of Fallot?. <i>International Journal of Cardiology</i> , 2011 , 147, 52-7	3.2	19
39	Comprehensive evaluation of right ventricular function in children with different anatomical subtypes of hypoplastic left heart syndrome after Fontan surgery. <i>International Journal of Cardiology</i> , 2011 , 150, 45-9	3.2	11
38	Perioperative cerebral and somatic oxygenation in neonates with hypoplastic left heart syndrome or transposition of the great arteries. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011 , 142, 523-30	1.5	33
37	Risk factors for adverse outcome after superior cavopulmonary anastomosis for hypoplastic left heart syndrome. <i>European Journal of Cardio-thoracic Surgery</i> , 2011 , 40, e43-9	3	26
36	Comparison of right ventricular deformation and dyssynchrony in patients with different subtypes of hypoplastic left heart syndrome after Fontan surgery using two-dimensional speckle tracking. <i>Cardiology in the Young</i> , 2011 , 21, 677-83	1	26
35	Impact of restrictive physiology on intrinsic diastolic right ventricular function and lusitropy in children and adolescents after repair of tetralogy of Fallot. <i>Heart</i> , 2010 , 96, 1837-41	5.1	31
34	Optimised rate-responsive pacing does not improve either right ventricular haemodynamics or exercise capacity in adults with a systemic right ventricle. <i>Cardiology in the Young</i> , 2010 , 20, 485-94	1	10
33	Effect of pregnancy on clinical status and ventricular function in women with heart disease. <i>International Journal of Cardiology</i> , 2010 , 139, 50-9	3.2	63
32	The impact of afterload reduction on the early postoperative course after the Norwood operation - a 12-year single-centre experience. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 37, 289-95	3	5
31	Assessment of ventricular function and dyssynchrony before and after stage 2 palliation of hypoplastic left heart syndrome using two-dimensional speckle tracking. <i>Pediatric Cardiology</i> , 2010 , 31, 1037-42	2.1	24
30	Outcome of the Norwood operation in patients with hypoplastic left heart syndrome: a 12-year single-center survey. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 139, 359-65	1.5	112

29	Percutaneous pulmonary polyurethane valved stent implantation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 139, 748-52	1.5	12
28	Reply to Kestelli et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2009 , 35, 1113	3	
27	Exercise capacity of a contemporary cohort of children with hypoplastic left heart syndrome after staged palliation. <i>European Journal of Cardio-thoracic Surgery</i> , 2009 , 36, 980-5	3	20
26	Right ventricular dysfunction and B-type natriuretic peptide in asymptomatic patients after repair for tetralogy of Fallot. <i>Pediatric Cardiology</i> , 2009 , 30, 898-904	2.1	11
25	Impaired heart rate response to exercise in adult patients with a systemic right ventricle or univentricular circulation: prevalence, relation to exercise, and potential therapeutic implications. <i>International Journal of Cardiology</i> , 2009 , 134, 59-66	3.2	28
24	Restrictive enlargement of the pulmonary annulus at surgical repair of tetralogy of Fallot: 10-year experience with a uniform surgical strategy. <i>European Journal of Cardio-thoracic Surgery</i> , 2008 , 34, 1041-5	3	20
23	Congenital heart disease in pregnancy. <i>Deutsches A&#x0308;rztblatt International</i> , 2008 , 105, 347-54	5.4	11
22	Cardiac disease in pregnancy. Part 1: congenital heart disease. <i>The Obstetrician and Gynaecologist</i> , 2007 , 9, 15-20	0.9	5
21	Adult patients with Eisenmenger syndrome report flying safely on commercial airlines. <i>Heart</i> , 2007 , 93, 1599-603	5.1	47
20	Right ventricular mechanics and QRS duration in patients with repaired tetralogy of Fallot: implications of infundibular disease. <i>Circulation</i> , 2007 , 116, 1532-9	16.7	109
19	Long-term safety, tolerability and efficacy of bosentan in adults with pulmonary arterial hypertension associated with congenital heart disease. <i>Heart</i> , 2007 , 93, 974-6	5.1	66
18	Adult presentation with vascular ring due to double aortic arch. <i>Congenital Heart Disease</i> , 2006 , 1, 346-50	0.1	4
17	Impact of preoperative treatment strategies on the early perioperative outcome in neonates with hypoplastic left heart syndrome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006 , 131, 1122-1129.e2	1.5	35
16	Abnormal ventilatory response to exercise in adults with congenital heart disease relates to cyanosis and predicts survival. <i>Circulation</i> , 2006 , 113, 2796-802	16.7	229
15	Analytical identification of ideal pulmonary-systemic flow balance in patients with bidirectional cavopulmonary shunt and univentricular circulation: oxygen delivery or tissue oxygenation?. <i>Circulation</i> , 2006 , 114, 1243-50	16.7	14
14	Presentation, survival prospects, and predictors of death in Eisenmenger syndrome: a combined retrospective and case-control study. <i>European Heart Journal</i> , 2006 , 27, 1737-42	9.5	222
13	Cardiac resynchronization therapy for adult congenital heart disease patients with a systemic right ventricle: analysis of feasibility and review of early experience. <i>Europace</i> , 2006 , 8, 267-72	3.9	67
12	Blood viscosity and its relationship to iron deficiency, symptoms, and exercise capacity in adults with cyanotic congenital heart disease. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 356-65	15.1	117

11	Heart rate response during exercise predicts survival in adults with congenital heart disease. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 1250-6	15.1	178
10	Pregnancy and congenital heart disease 2006 , 332, 401-406		117
9	Pregnancy and congenital heart disease. <i>BMJ, The</i> , 2006 , 332, 401-6	5.9	22
8	Angiocardiographic pressure volume loops in the analysis of right ventricular function after repair of tetralogy of Fallot. <i>International Journal of Cardiovascular Imaging</i> , 2005 , 21, 469-80	2.5	6
7	Long term follow-up of left ventricular performance and size of the great arteries before and after one- and two-stage arterial switch operation of simple transposition. <i>European Journal of Cardio-thoracic Surgery</i> , 2003 , 24, 898-905	3	12
6	Intracoronary SIN-1C during reperfusion reduces infarct size in dog. <i>Journal of Cardiovascular Pharmacology</i> , 1995 , 25, 424-31	3.1	12
5	Regional contractile blockade at the onset of reperfusion reduces infarct size in the dog heart. <i>Pflugers Archiv European Journal of Physiology</i> , 1994 , 428, 134-41	4.6	34
4	Adenosine A2-receptor activation at reperfusion reduces infarct size and improves myocardial wall function in dog heart. <i>Journal of Cardiovascular Pharmacology</i> , 1993 , 22, 89-96	3.1	60
3	Management of right heart lesions in pregnancy 131-143		
2	Surgical and catheter intervention during pregnancy in women with heart disease 65-83		
1	Adult Congenital Heart Disease 227-238		