Patrizia Boracchi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1679959/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Breast conservation is the treatment of choice in small breast cancer: Long-term results of a randomized trial. European Journal of Cancer & Clinical Oncology, 1990, 26, 668-670.	0.9	444
2	Intratumoral microvessel density and L53 protein: Correlation with metastasis in head-and-neck squamous-cell carcinoma. International Journal of Cancer, 1993, 55, 739-744.	2.3	302
3	p53 as an Independent Prognostic Marker in Lymph Node-Negative Breast Cancer Patients. Journal of the National Cancer Institute, 1993, 85, 965-970.	3.0	226
4	Feed forward neural networks for the analysis of censored survival data: a partial logistic regression approach. , 1998, 17, 1169-1186.		202
5	A time-dependent discrimination index for survival data. Statistics in Medicine, 2005, 24, 3927-3944.	0.8	186
6	A Randomized Trial Comparing Axillary Dissection to No Axillary Dissection in Older Patients With T1NO Breast Cancer. Annals of Surgery, 2005, 242, 1-6.	2.1	181
7	Serum human epididymis protein 4 vs carbohydrate antigen 125 for ovarian cancer diagnosis: a systematic review. Journal of Clinical Pathology, 2013, 66, 273-281.	1.0	150
8	Response to Cyclophosphamide, Methotrexate, and Fluorouracil in Lymph Node–Positive Breast Cancer According to HER2 Overexpression and Other Tumor Biologic Variables. Journal of Clinical Oncology, 2001, 19, 329-335.	0.8	147
9	Trop-2 Is a Determinant of Breast Cancer Survival. PLoS ONE, 2014, 9, e96993.	1.1	131
10	Prognostic and predictive value of tumour angiogenesis in ovarian carcinomas. , 1996, 69, 205-211.		115
11	Axillary Dissection Versus No Axillary Dissection in Older Patients With T1NO Breast Cancer. Annals of Surgery, 2012, 256, 920-924.	2.1	114
12	Prognostic model based on nailfold capillaroscopy for identifying Raynaud's phenomenon patients at high risk for the development of a scleroderma spectrum disorder: PRINCE (Prognostic Index for) Tj ETQq0 0 0 rg	BT&Øverlo	c k100 Tf 50 2
13	Prognostic value of intratumoral microvessel density, a measure of tumor angiogenesis, in node-negative breast carcinoma ? results of a multiparametric study. Breast Cancer Research and Treatment, 1995, 36, 205-217.	1.1	102
14	Nailfold capillaroscopy in systemic sclerosis: Data from the EULAR scleroderma trials and research (EUSTAR) database. Microvascular Research, 2013, 89, 122-128.	1.1	101
15	HER2 Overexpression and Doxorubicin in Adjuvant Chemotherapy for Resectable Breast Cancer. Journal of Clinical Oncology, 2003, 21, 458-462.	0.8	99
16	Multivariate analysis of prognostic factors in sporadic medullary carcinoma of the thyroid: A retrospective study of 109 consecutive patients. Cancer, 1996, 78, 2173-2183.	2.0	96
17	Improving outcome prediction of systemic sclerosis from isolated Raynaud's phenomenon: role of autoantibodies and nail-fold capillaroscopy. Rheumatology, 2010, 49, 797-805.	0.9	86
18	Nailfold capillary patterns in healthy subjects: A real issue in capillaroscopy. Microvascular Research, 2013, 90, 90-95.	1.1	79

2

#	Article	IF	CITATIONS
19	Cell kinetics in human breast cancer: Comparison between the prognostic value of the cytofluorimetric S-phase fraction and that of the antibodies to Ki-67 and PCNA antigens detected by immunocytochemistry. International Journal of Cancer, 1994, 57, 822-829.	2.3	75
20	Randomized trial of fenretinide (4â€HPR) to prevent recurrences, new localizations and carcinomas in patients operated on for oral leukoplakia: Longâ€ŧerm results. International Journal of Cancer, 2005, 115, 625-629.	2.3	73
21	Axillary Lymph Node Nanometastases Are Prognostic Factors for Disease-Free Survival and Metastatic Relapse in Breast Cancer Patients. Clinical Cancer Research, 2006, 12, 6696-6701.	3.2	71
22	A general framework for neural network models on censored survival data. Neural Networks, 2002, 15, 209-218.	3.3	67
23	Feasibility of Different Capillaroscopic Measures for Identifying Nailfold Microvascular Alterations. Seminars in Arthritis and Rheumatism, 2009, 38, 289-295.	1.6	66
24	67-kDa laminin-receptor expression adds prognostic information to intra-tumoral microvessel density in node-negative breast cancer. International Journal of Cancer, 1995, 60, 604-610.	2.3	65
25	Prognostic factors for metachronous contralateral breast cancer: A comparison of the linear Cox regression model and its artificial neural network extension. Breast Cancer Research and Treatment, 1997, 44, 167-178.	1.1	63
26	Fenretinide (4-HPR) in chemoprevention of oral leukoplakia. Journal of Cellular Biochemistry, 1993, 53, 255-261.	1.2	62
27	The definition of valvular and non-valvular atrial fibrillation: results of a physicians' survey. Europace, 2014, 16, 1720-1725.	0.7	60
28	p53 Status Identifies Two Subgroups of Triple-negative Breast Cancers with Distinct Biological Features. Japanese Journal of Clinical Oncology, 2011, 41, 172-179.	0.6	59
29	Interstitial lung disease outcomes by high-resolution computed tomography (HRCT) in Anti-Jo1 antibody-positive polymyositis patients: A single centre study and review of the literature. Autoimmunity Reviews, 2012, 11, 335-340.	2.5	58
30	Recurrence dynamics does not depend on the recurrence site. Breast Cancer Research, 2008, 10, R83.	2.2	55
31	A methodology to identify consensus classes from clustering algorithms applied to immunohistochemical data from breast cancer patients. Computers in Biology and Medicine, 2010, 40, 318-330.	3.9	55
32	Risk of preneoplastic and neoplastic events in operated oral leukoplakias. European Journal of Cancer Part B, Oral Oncology, 1993, 29, 23-28.	0.9	54
33	Time-Dependent Relevance of Steroid Receptors in Breast Cancer. Journal of Clinical Oncology, 2000, 18, 2702-2709.	0.8	47
34	Molecular Subtyping of Breast Cancer from Traditional Tumor Marker Profiles Using Parallel Clustering Methods. Clinical Cancer Research, 2006, 12, 781-790.	3.2	41
35	Partial Logistic Artificial Neural Network for Competing Risks Regularized With Automatic Relevance Determination. IEEE Transactions on Neural Networks, 2009, 20, 1403-1416.	4.8	40
36	Angiogenesis Sustains Tumor Dormancy in Patients with Breast Cancer Treated with Adjuvant Chemotherapy. Breast Cancer Research and Treatment, 2001, 65, 71-75.	1.1	39

#	Article	IF	CITATIONS
37	A Comparative Study of the Toxicity of Mercury Dichloride and Methylmercury, Assayed by the Frog Embryo Teratogenesis <i>Assay-Xenopus</i> (FETAX). ATLA Alternatives To Laboratory Animals, 2002, 30, 23-32.	0.7	39
38	Development of a Cardiopulmonary Exercise Prognostic Score for Optimizing Risk Stratification in Heart Failure: The (P)e(R)i(O)dic (B)reathing During (E)xercise (PROBE) Study. Journal of Cardiac Failure, 2010, 16, 799-805.	0.7	39
39	Type 1 diabetes onset in Lombardy region, Italy, during the COVID-19 pandemic: The double-wave occurrence. EClinicalMedicine, 2021, 39, 101067.	3.2	39
40	Joint modelling of cause-specific hazard functions with cubic splines: an application to a large series of breast cancer patients. Computational Statistics and Data Analysis, 2003, 42, 243-262.	0.7	35
41	Thrombospondin-1 and -2 in Node-Negative Breast Cancer: Correlation with Angiogenic Factors, p53, Cathepsin D, Hormone Receptors and Prognosis. Oncology, 2001, 60, 72-80.	0.9	34
42	Recurrence and mortality according to Estrogen Receptor status for breast cancer patients undergoing conservative surgery. Ipsilateral breast tumour recurrence dynamics provides clues for tumour biology within the residual breast. BMC Cancer, 2010, 10, 656.	1.1	34
43	An international SUrvey on non-iNvaSive tecHniques to assess the mIcrocirculation in patients with RayNaud's phEnomenon (SUNSHINE survey). Rheumatology International, 2017, 37, 1879-1890.	1.5	33
44	Recurrence and mortality dynamics for breast cancer patients undergoing mastectomy according to estrogen receptor status: Different mortality but similar recurrence. Cancer Science, 2010, 101, 826-830.	1.7	31
45	A multiparametric study on the prognostic value of epidermal growth factor receptor in operable breast carcinoma. Breast Cancer Research and Treatment, 1994, 29, 59-71.	1.1	30
46	An immunohistochemically positive E-cadherin status is not always predictive for a good prognosis in human breast cancer. British Journal of Cancer, 2010, 103, 1835-1839.	2.9	30
47	Epithelial-to-mesenchymal transition, cell polarity and stemness-associated features in malignant pleural mesothelioma. Cancer Letters, 2011, 302, 136-143.	3.2	30
48	Surgical resection plus tamoxifen as treatment of breast cancer in elderly patients: a retrospective study. European Journal of Cancer, 1993, 29, 2080-2082.	1.3	29
49	Estimates of clinically useful measures in competing risks survival analysis. Statistics in Medicine, 2008, 27, 6407-6425.	0.8	29
50	Contribution of vascular endothelial growth factor to the Nottingham prognostic index in node-negative breast cancer. British Journal of Cancer, 2001, 85, 795-797.	2.9	28
51	Prognostic value of cystatin C in acute coronary syndromes: enhancer of atherosclerosis and promising therapeutic target. Clinical Chemistry and Laboratory Medicine, 2011, 49, 1397-404.	1.4	28
52	Title is missing!. Applied Immunohistochemistry & Molecular Morphology, 2000, 8, 49-56.	2.0	28
53	Ecotoxicological soil evaluation by FETAX. Chemosphere, 2000, 41, 1621-1628.	4.2	27
54	Co-determination of the angiogenic factors thymidine phosphorylase and vascular endothelial growth factor in node-negative breast cancer: prognostic implications. Angiogenesis, 1997, 1, 71-83.	3.7	26

#	Article	IF	CITATIONS
55	Prognosis in node-negative primary breast cancer: a neural network analysis of risk profiles using routinely assessed factors. Annals of Oncology, 2003, 14, 1484-1493.	0.6	26
56	<i>TP53</i> Mutation, Epithelial-Mesenchymal Transition, and Stemlike Features in Breast Cancer Subtypes. Journal of Biomedicine and Biotechnology, 2012, 2012, 1-13.	3.0	26
57	p53 status identifies triple-negative breast cancer patients who do not respond to adjuvant chemotherapy. Breast, 2015, 24, 294-297.	0.9	24
58	Evidence of macro- and micro-angiopathy in scleroderma: An integrated approach combining 22-MHz power Doppler ultrasonography and video-capillaroscopy. Microvascular Research, 2019, 122, 125-130.	1.1	24
59	Modelling cause-specific hazards with radial basis function artificial neural networks: application to 2233 breast cancer patients. Statistics in Medicine, 2001, 20, 3677-3694.	0.8	23
60	Thromboprophylaxis with enoxaparin and direct oral anticoagulants in major orthopedic surgery and acutely ill medical patients: a meta-analysis. Internal and Emergency Medicine, 2017, 12, 1291-1305.	1.0	23
61	Artificial neural network for the joint modelling of discrete cause-specific hazards. Artificial Intelligence in Medicine, 2006, 37, 119-130.	3.8	21
62	Omission of radiotherapy in elderly patients with early breast cancer: 15-Year results of a prospective non-randomised trial. European Journal of Cancer, 2015, 51, 1358-1364.	1.3	21
63	Reliability and validity of the Italian version of the hand functional disability scale in patients with systemic sclerosis. Clinical Rheumatology, 2008, 27, 743-749.	1.0	20
64	Quantitative measurement of soluble cytokeratin fragments in tissue cytosol of 599 node negative breast cancer patients: a prognostic marker possibly associated with apoptosis. Breast Cancer Research and Treatment, 2000, 59, 211-221.	1.1	19
65	Lack of prognostic significance of the monoclonal antibody Ki-S1, a novel marker of proliferative activity, in node-negative breast carcinoma. Breast Cancer Research and Treatment, 1996, 37, 123-133.	1.1	18
66	Vascular endothelial growth factor in node-positive breast cancer patients treated with adjuvant tamoxifen. British Journal of Cancer, 2003, 89, 268-270.	2.9	18
67	Feedback effects between plant and flower-visiting insect communities along a primary succession gradient. Arthropod-Plant Interactions, 2016, 10, 485-495.	0.5	18
68	Multiple correspondence analysis in S-PLUS. Computer Methods and Programs in Biomedicine, 2005, 79, 161-167.	2.6	17
69	Double-blind evaluation and benchmarking of survival models in a multi-centre study. Computers in Biology and Medicine, 2007, 37, 1108-1120.	3.9	17
70	Cell proliferation as a long-term prognostic factor in diffuse large-cell lymphomas. International Journal of Cancer, 1993, 54, 231-236.	2.3	16
71	Exercise Oscillatory Breathing and NT-proBNP Levels in Stable Heart Failure Provide the Strongest Prediction of Cardiac Outcome When Combining Biomarkers With Cardiopulmonary Exercise Testing. Journal of Cardiac Failure, 2012, 18, 313-320.	0.7	16
72	Inside ST-elevation myocardial infarction by monitoring concentrations of cardiovascular risk biomarkers in blood. Clinica Chimica Acta, 2012, 413, 888-893.	0.5	16

#	ARTICLE	IF	CITATIONS
73	Comorbidity assessment as predictor of short and long-term mortality in elderly patients with hemodynamically stable acute pulmonary embolism. Journal of Thrombosis and Thrombolysis, 2017, 44, 316-323.	1.0	15
74	Peritumoral lymphatic vessel invasion compared with DNA ploidy, proliferative activity, and other pathologic features as prognostic indicators in operable breast cancer. Breast Cancer Research and Treatment, 1991, 20, 195-204.	1.1	14
75	Prediction of cancer outcome with microarrays. Lancet, The, 2005, 365, 1683.	6.3	14
76	Selection of artificial neural network models for survival analysis with Genetic Algorithms. Computational Statistics and Data Analysis, 2007, 52, 30-42.	0.7	14
77	Differentiation in paediatric peripheral primitive neuroectodermal tumours of bone. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1998, 432, 505.	1.4	13
78	Uniphasic Blanching of the Fingers, Abnormal Capillaroscopy in Nonsymptomatic Digits, and Autoantibodies: Expanding Options to Increase the Level of Suspicion of Connective Tissue Diseases beyond the Classification of Raynaud's Phenomenon. Journal of Immunology Research, 2015, 2015, 1-7.	0.9	13
79	A comparison between nailfold capillaroscopy patterns in adulthood in juvenile and adult-onset systemic sclerosis: A EUSTAR exploratory study. Microvascular Research, 2015, 102, 19-24.	1.1	13
80	Acute and chronic effects of two different intravenous iloprost regimens in systemic sclerosis: a pragmatic non-randomized trial. Rheumatology, 2018, 57, 1408-1416.	0.9	13
81	Estimating crude cumulative incidences through multinomial logit regression on discrete cause-specific hazards. Computational Statistics and Data Analysis, 2009, 53, 2767-2779.	0.7	12
82	Factors Influencing Wound Healing Complications After Wide Excision of Injection Site Sarcomas of the Trunk of Cats. Veterinary Surgery, 2014, 43, 783-790.	0.5	12
83	A Posteriori Dietary Patterns and Rheumatoid Arthritis Disease Activity: A Beneficial Role of Vegetable and Animal Unsaturated Fatty Acids. Nutrients, 2020, 12, 3856.	1.7	12
84	Old and new markers for breast cancer prognosis: the need for integrated research on quantitative issues. European Journal of Cancer, 2004, 40, 1803-1806.	1.3	11
85	Fibrosis biomarkers in isolated Raynaud's phenomenon: too little, too soon?. Annals of the Rheumatic Diseases, 2014, 73, 940-941.	0.5	11
86	Prognostic value of D-dimer in elderly patients with Pulmonary Embolism. Journal of Thrombosis and Thrombolysis, 2016, 42, 386-392.	1.0	11
87	Padua prediction score and IMPROVE score do predict in-hospital mortality in Internal Medicine patients. Internal and Emergency Medicine, 2020, 15, 997-1003.	1.0	11
88	Adherence to Mediterranean diet and patient perception of rheumatoid arthritis. Complementary Therapies in Medicine, 2020, 52, 102519.	1.3	11
89	Effect of steroid receptors, pS2 and cathepsin D on the outcome of elderly breast cancer patients: An exploratory investigation. , 1998, 79, 305-311.		10
90	Differential expression of genes involved in the epigenetic regulation of cell identity in normal human mammary cell commitment and differentiation. Chinese Journal of Cancer, 2014, 33, 501-10.	4.9	10

#	Article	IF	CITATIONS
91	Cytoplasmic Trop-1/Ep-CAM Overexpression is Associated with a Favorable Outcome in Node-positive Breast Cancer. Japanese Journal of Clinical Oncology, 2012, 42, 1128-1137.	0.6	9
92	Nasal spray live attenuated influenza vaccine: the first experience in Italy in children and adolescents during the 2020–21 season. Italian Journal of Pediatrics, 2021, 47, 225.	1.0	9
93	Risk of Venous Thromboembolism in Patients Nursed at Home or in Long-Term Care Residential Facilities. International Journal of Vascular Medicine, 2011, 2011, 1-7.	0.4	8
94	Kaplan-Meier Curves, Cox Model, and <i>P</i> -Values Are Not Enough for the Prognostic Evaluation of Tumor Markers: Statistical Suggestions for a More Comprehensive Approach. Veterinary Pathology, 2021, 58, 795-808.	0.8	8
95	Acute pulmonary embolism in patients presenting pulmonary deterioration after hospitalisation for nonâ€critical COVID â€19. Internal Medicine Journal, 2021, 51, 1236-1242.	0.5	8
96	Prognostic Impact of Thyroid Lymphocytic Infiltration in Patients With Medullary Thyroid Carcinoma. Thyroid, 1996, 6, 613-617.	2.4	7
97	Cell Polarity, Epithelial-Mesenchymal Transition, and Cell-Fate Decision Gene Expression in Ductal Carcinoma In Situ. International Journal of Surgical Oncology, 2012, 2012, 1-9.	0.3	7
98	Thromboprophylaxis with Low-Molecular-Weight Heparins: An Assessment of the Methodological Quality of Studies. Seminars in Thrombosis and Hemostasis, 2015, 41, 113-132.	1.5	7
99	Piecewise Exponential Artificial Neural Networks (PEANN) for Modeling Hazard Function with Right Censored Data. Lecture Notes in Computer Science, 2014, , 125-136.	1.0	7
100	Argyrophilia and chromogranin A and B immunostaining in patients with sporadic medullary thyroid carcinoma. a critical appraisal of their prognostic utility. , 1998, 184, 414-419.		6
101	Behaviour of metastasis in relation to vascular index in patients with node-positive breast cancer treated with adjuvant tamoxifen. Clinical and Experimental Metastasis, 2000, 18, 15-20.	1.7	6
102	Prolonged Double Antiplatelet Therapy in a Cohort of "De Novo―Diabetic Patients Treated With Drug-Eluting Stent Implantation. American Journal of Cardiology, 2010, 105, 1395-1401.	0.7	6
103	Ipsilateral breast tumour recurrence (IBTR) dynamics in breast conserving treatments with or without radiotherapy. International Journal of Radiation Biology, 2010, 86, 542-547.	1.0	6
104	Partial logistic relevance vector machines in survival analysis. Journal of Applied Statistics, 2011, 38, 2445-2458.	0.6	6
105	New insights in the pathophysiology of acute myocardial infarction detectable by a contemporary troponin assay. Clinical Biochemistry, 2013, 46, 999-1006.	0.8	6
106	Comorbidity burden conditions the prognostic performance of D-dimer in elderly patients with acute pulmonary embolism. American Journal of Emergency Medicine, 2019, 37, 799-804.	0.7	6
107	Predictors of medium- and long-term mortality in elderly patients with acute pulmonary embolism. Heliyon, 2020, 6, e04857.	1.4	6
108	Performance of lymph node cytopathology in diagnosis and characterization of lymphoma in dogs. Journal of Veterinary Internal Medicine, 2022, 36, 204-214.	0.6	6

#	Article	IF	CITATIONS
109	Allometric Scaling Law Questions the Traditional Mechanical Model for Axillary Lymph Node Involvement in Breast Cancer. Journal of Clinical Oncology, 2006, 24, 4391-4396.	0.8	5
110	Exploration of distributional models for a novel intensity-dependent normalization procedure in censored gene expression data. Computational Statistics and Data Analysis, 2009, 53, 1906-1922.	0.7	5
111	The In-Out dispositional affective style questionnaire (IN-OUT DASQ): an exploratory factorial analysis. Frontiers in Psychology, 2014, 5, 1005.	1.1	5
112	Model-based estimation of measures of association for time-to-event outcomes. BMC Medical Research Methodology, 2014, 14, 97.	1.4	5
113	Epithelial cell identity in hyperplastic precursors of breast cancer. Chinese Journal of Cancer, 2015, 34, 121-9.	4.9	5
114	Clinically Useful Measures to Assess the Effectiveness of Treatments: Hints for a Proper Choice with Special Emphasis on Cancer Research. Tumori, 1990, 76, 1-9.	0.6	4
115	Different patterns of NT-proBNP secretion in acute coronary syndromes. Clinica Chimica Acta, 2009, 402, 176-181.	0.5	4
116	Flexible parametric modelling of the hazard function in breast cancer studies. Journal of Applied Statistics, 2012, 39, 1409-1421.	0.6	4
117	Elderly people: propensity to be vaccinated for seasonal influenza in Italy. Human Vaccines and Immunotherapeutics, 2020, 16, 1772-1781.	1.4	4
118	Partial logistic artificial neural networks (PLANN) for flexible modeling of censored survival data. , 2009, , .		3
119	Ultra-sensitive troponin I levels to exclude acute myocardial infarction from myocardial injury. Clinical Chemistry and Laboratory Medicine, 2012, 50, 159-66.	1.4	3
120	Investigation on Dabigatran Etexilate and Worsening of Renal Function in Patients with Atrial fibrillation: The IDEA Study. Clinical Drug Investigation, 2019, 39, 355-362.	1.1	3
121	Evaluation of influenza vaccination efficacy in reducing influenza-related complications and excess mortality in Northern Italy (2014-2017). Expert Review of Vaccines, 2021, 20, 73-81.	2.0	3
122	From multimarker approach to multiplex assays in acute coronary syndromes: What are we searching for?. Acute Cardiac Care, 2010, 12, 18-24.	0.2	2
123	Comparative Analysis of Different Specific Indices of Hand Impairment in Systemic Sclerosis. Journal of Rheumatology, 2010, 37, 2192-2193.	1.0	2
124	Patterns and determinants of use of pharmacological therapies for intermittent claudication in PAD outpatients: results of the IDOMENEO study. International Angiology, 2017, 36, 254-260.	0.4	2
125	Short and long-term mortality in elderly patients with suspected not confirmed pulmonary embolism. European Journal of Internal Medicine, 2020, 73, 36-42.	1.0	2
126	Differential Expression of Genes Involved in Cell Polarity, EMT and Cell-Fate in Breast Cancer and Corresponding Normal Tissue. Advances in Breast Cancer Research, 2012, 01, 12-19.	0.1	2

#	Article	IF	CITATIONS
127	A pseudo-values regression model for non-fatal event free survival in the presence of semi-competing risks. Statistical Methods and Applications, 0, , 1.	0.7	2
128	Cancer Profiles by Affinity Propagation. , 2008, , .		1
129	Impact of calibration fitting models on the clinical value of chromogranin A. Clinical Chemistry and Laboratory Medicine, 2009, 47, 1297-303.	1.4	1
130	The Role of Ultrasonography in the Assessment of Skeletal Hand Involvement in Systemic Sclerosis. Journal of Medical Ultrasound, 2011, 19, 141-142.	0.2	1
131	Modeling the covariates effects on the hazard function by piecewise exponential artificial neural networks: an application to a controlled clinical trial on renal carcinoma. BMC Bioinformatics, 2018, 19, 186.	1.2	1
132	A Critical Appraisal of the Prognostic Utility of Four Separate Immunocytochemical Markers (Somatostatin, Gastrin-releasing Peptide, Neuropeptide Y, and Opioid Peptides) in Sporadic Medullary Thyroid Carcinoma. Applied Immunohistochemistry & Molecular Morphology, 1997, 5, 23-28.	2.0	1
133	SIMPLE WAY TO ESTIMATE THE MEDIAN TIME AND COMPARE SURVIVAL DISTRIBUTIONS IN ANALGESIC TRIALS UNDER INFORMATIVE CENSORING. Journal of Biopharmaceutical Statistics, 2001, 11, 81-82.	0.4	0
134	Evaluation of short- and long-term response to treatment in GIMEMA protocol for Acute Myeloid Leukaemia. International Journal of Biomedical Engineering and Technology, 2010, 3, 329.	0.2	0
135	Complementary use of cluster analysis and biplots to discover and validate patterns of gene expression in microarray data. , 2010, , .		0
136	Flexible parametric modelling of the hazard function in breast cancer studies. , 2010, , .		0
137	EpCAM Expression Is an Indicator of Increased Incidence of Relapse in p53-Positive Breast Cancer. Cancer and Clinical Oncology, 2012, 2, .	0.2	0
138	Comments on the use of a single or multiple probe-set approach for microarray-based analyses of routine molecular markers in breast cancer. Breast Cancer Research and Treatment, 2013, 137, 647-651.	1.1	0
139	Flexible Hazard Modelling for Outcome Prediction in Cancer: Perspectives for the Use of Bioinformatics Knowledge. , 2007, , 147-170.		0
140	Bioinformatics and Nanotechnologies: Nanomedicine. Springer Handbooks, 2014, , 517-532.	0.3	0
141	Is breast cancer curable: a study of long-term crude cumulative incidence. Tumori, 2014, 100, 406-14.	0.6	0