

Sang Ki Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1680611/publications.pdf>

Version: 2024-02-01

26
papers

686
citations

687363

13
h-index

642732

23
g-index

26
all docs

26
docs citations

26
times ranked

1230
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Resistance Training on NADPH Oxidase and Adiponectin in PVAT of OVX Rats. <i>Exercise Science</i> , 2021, 30, 205-212.	0.3	0
2	Honokiol ameliorates angiotensin II-induced hypertension and endothelial dysfunction by inhibiting HDAC6-mediated cystathionine β -lyase degradation. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 10663-10676.	3.6	16
3	Aerobic Exercise Training Inhibits Neointimal Formation via Reduction of PCSK9 and LOX-1 in Atherosclerosis. <i>Biomedicines</i> , 2020, 8, 92.	3.2	6
4	PCSK9 and LDL-C: The Role of Exercise. <i>Exercise Science</i> , 2020, 29, 347-351.	0.3	0
5	Simulated altitude exercise training damages small intestinal mucosa barrier in the rats. <i>Journal of Exercise Rehabilitation</i> , 2018, 14, 341-348.	1.0	11
6	Effects of Functional Gait Exercise on Balance Ability and Gait Ability in Female Elderly with Chronic Arthritis. <i>Exercise Science</i> , 2017, 26, 281-287.	0.3	2
7	P66Shc-Induced MicroRNA-34a Causes Diabetic Endothelial Dysfunction by Downregulating Sirtuin1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 2394-2403.	2.4	67
8	Resistance exercise training increase activation of AKT-eNOS and Ref-1 expression by FOXO-1 activation in aorta of F344 rats. <i>Journal of Exercise Nutrition & Biochemistry</i> , 2015, 19, 165-171.	1.3	5
9	Mitochondrial APE1/Ref-1 suppressed protein kinase C-induced mitochondrial dysfunction in mouse endothelial cells. <i>Mitochondrion</i> , 2014, 17, 42-49.	3.4	14
10	Endurance exercise training inhibits neointimal formation via enhancement of FOXOs expression in balloon-induced atherosclerosis rat model. <i>Journal of Exercise Nutrition & Biochemistry</i> , 2014, 18, 105-110.	1.3	8
11	The Effect of Endurance Exercise Training on Inflammatory Cytokines, Apoptosis, and FOXO Expression in Adipose Tissue of Hypertensive Rats. <i>Exercise Science</i> , 2014, 23, 89-98.	0.3	1
12	Tat-Mediated p66shc Transduction Decreased Phosphorylation of Endothelial Nitric Oxide Synthase in Endothelial Cells. <i>Korean Journal of Physiology and Pharmacology</i> , 2012, 16, 199.	1.2	7
13	951 PROTECTIVE ROLE OF APURINIC/APYRIMIDINIC ENDONUCLEASE 1 ON THE OXLDL-INDUCED P66SHC PHOSPHORYLATION IN VASCULAR ENDOTHELIAL CELLS. <i>Journal of Hypertension</i> , 2012, 30, e274-e275.	0.5	0
14	Human HOXA5 homeodomain enhances protein transduction and its application to vascular inflammation. <i>Biochemical and Biophysical Research Communications</i> , 2011, 410, 312-316.	2.1	13
15	Apurinic/apyrimidinic endonuclease 1 inhibits protein kinase C-mediated p66shc phosphorylation and vasoconstriction. <i>Cardiovascular Research</i> , 2011, 91, 502-509.	3.8	28
16	The orphan nuclear receptor SHP acts as a negative regulator in inflammatory signaling triggered by Toll-like receptors. <i>Nature Immunology</i> , 2011, 12, 742-751.	14.5	167
17	Redox Factor-1 Inhibits Cyclooxygenase-2 Expression via Inhibiting of p38 MAPK in the A549 Cells. <i>Korean Journal of Physiology and Pharmacology</i> , 2010, 14, 139.	1.2	3
18	Overexpression of Ref-1 Inhibits Lead-induced Endothelial Cell Death via the Upregulation of Catalase. <i>Korean Journal of Physiology and Pharmacology</i> , 2009, 13, 431.	1.2	8

#	ARTICLE	IF	CITATIONS
19	A Dual Regulatory Role of Apurinic/Apyrimidinic Endonuclease 1/Redox Factor-1 in HMGB1-Induced Inflammatory Responses. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 575-588.	5.4	24
20	Gene Transfer of Redox Factor-1 Inhibits Neointimal Formation. <i>Circulation Research</i> , 2009, 104, 219-227.	4.5	54
21	Endothelial nitric oxide synthase activation contributes to post-exercise hypotension in spontaneously hypertensive rats. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 711-714.	2.1	12
22	Midazolam Inhibits Tumor Necrosis Factor- α -induced Endothelial Activation. <i>Anesthesiology</i> , 2009, 110, 106-112.	2.5	26
23	Alteration of p66shc is associated with endothelial dysfunction in the abdominal aortic coarctation of rats. <i>FEBS Letters</i> , 2008, 582, 2561-2566.	2.8	17
24	Alteration of APE1/ref-1 expression in non-small cell lung cancer: The implications of impaired extracellular superoxide dismutase and catalase antioxidant systems. <i>Lung Cancer</i> , 2008, 60, 277-284.	2.0	115
25	Tat-APE1/ref-1 protein inhibits TNF- α -induced endothelial cell activation. <i>Biochemical and Biophysical Research Communications</i> , 2008, 368, 68-73.	2.1	15
26	Midazolam Inhibits Proinflammatory Mediators in the Lipopolysaccharide-activated Macrophage. <i>Anesthesiology</i> , 2006, 105, 105-110.	2.5	67