

Marco Picardi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1680939/publications.pdf>

Version: 2024-02-01

105
papers

3,572
citations

159585

30
h-index

149698

56
g-index

106
all docs

106
docs citations

106
times ranked

4389
citing authors

#	ARTICLE	IF	CITATIONS
1	The epidemiology of fungal infections in patients with hematologic malignancies: the SEIFEM-2004 study. <i>Haematologica</i> , 2006, 91, 1068-75.	3.5	650
2	Invasive aspergillosis in patients with acute myeloid leukemia: a SEIFEM-2008 registry study. <i>Haematologica</i> , 2010, 95, 644-650.	3.5	273
3	Randomized comparison of consolidation radiation versus observation in bulky Hodgkin's lymphoma with post-chemotherapy negative positron emission tomography scans. <i>Leukemia and Lymphoma</i> , 2007, 48, 1721-1727.	1.3	129
4	<i>Pneumocystis carinii</i> pneumonia in patients with malignant haematological diseases: 10 years' experience of infection in GIMEMA centres. <i>British Journal of Haematology</i> , 2002, 117, 379-386.	2.5	123
5	Fine-needle cytology and flow cytometry immunophenotyping and subclassification of non-hodgkin lymphoma. <i>Cancer</i> , 2003, 102, 55-65.	4.1	117
6	Invasive Aspergillosis in Patients with Acute Leukemia: Update on Morbidity and Mortality--SEIFEM-C Report. <i>Clinical Infectious Diseases</i> , 2007, 44, 1524-1525.	5.8	102
7	Brentuximab vedotin with chemotherapy for stage III/IV classical Hodgkin lymphoma: 3-year update of the ECHELON-1 study. <i>Blood</i> , 2020, 135, 735-742.	1.4	86
8	Brentuximab vedotin with chemotherapy for stage III or IV classical Hodgkin lymphoma (ECHELON-1): 5-year update of an international, open-label, randomised, phase 3 trial. <i>Lancet Haematology</i> , 2021, 8, e410-e421.	4.6	83
9	High prevalence of hepatitis C virus infection in patients with B-cell lymphoproliferative disorders in Italy. <i>Journal of Hepatology</i> , 1997, 55, 77-82.		82
10	Evaluation of the Practice of Antifungal Prophylaxis Use in Patients With Newly Diagnosed Acute Myeloid Leukemia: Results From the SEIFEM 2010-B Registry. <i>Clinical Infectious Diseases</i> , 2012, 55, 1515-1521.	5.8	77
11	Thyroid V30 Predicts Radiation-Induced Hypothyroidism in Patients Treated With Sequential Chemo-Radiotherapy for Hodgkin's Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1802-1808.	0.8	76
12	Efficacy of lamivudine to prevent hepatitis reactivation in hepatitis B virus-infected patients treated for non-Hodgkin lymphoma. <i>Blood</i> , 2002, 99, 724-725.	1.4	68
13	Pre-chemotherapy risk factors for invasive fungal diseases: prospective analysis of 1,192 patients with newly diagnosed acute myeloid leukemia (SEIFEM 2010-a multicenter study). <i>Haematologica</i> , 2015, 100, 284-292.	3.5	64
14	Massive-Scale RNA-Seq Analysis of Non Ribosomal Transcriptome in Human Trisomy 21. <i>PLoS ONE</i> , 2011, 6, e18493.	2.5	62
15	Results of a Multicenter, Controlled, Randomized Clinical Trial Evaluating the Combination of Piperacillin/Tazobactam and Tigecycline in High-Risk Hematologic Patients With Cancer With Febrile Neutropenia. <i>Journal of Clinical Oncology</i> , 2014, 32, 1463-1471.	1.6	55
16	Modeling the risk of radiation-induced lung fibrosis: Irradiated heart tissue is as important as irradiated lung. <i>Radiotherapy and Oncology</i> , 2015, 117, 36-43.	0.6	53
17	SHP-1 expression accounts for resistance to imatinib treatment in Philadelphia chromosome-positive cells derived from patients with chronic myeloid leukemia. <i>Blood</i> , 2011, 118, 3634-3644.	1.4	46
18	Dosimetric predictors of asymptomatic heart valvular dysfunction following mediastinal irradiation for Hodgkin's lymphoma. <i>Radiotherapy and Oncology</i> , 2011, 101, 316-321.	0.6	43

#	ARTICLE	IF	CITATIONS
19	Measurement of spleen volume by ultrasound scanning in patients with thrombocytosis: a prospective study. <i>Blood</i> , 2002, 99, 4228-4230.	1.4	42
20	Lymph Node Fine-Needle Cytology of Non-Hodgkin Lymphoma: Diagnosis and Classification by Flow Cytometry. <i>Acta Cytologica</i> , 2016, 60, 302-314.	1.3	42
21	Hepatitis B virus reactivation after fludarabine-based regimens for indolent non-Hodgkin's lymphomas: high prevalence of acquired viral genomic mutations. <i>Haematologica</i> , 2003, 88, 1296-303.	3.5	41
22	Excellent prognosis and prevalence of HCV infection of primary hepatic and splenic non-Hodgkin's lymphoma. <i>European Journal of Haematology</i> , 2008, 81, 51-57.	2.2	39
23	Cytologic, flow cytometry, and molecular assessment of lymphoid infiltrate in fine-needle cytology samples of Hashimoto thyroiditis. <i>Cancer Cytopathology</i> , 2009, 117, 174-184.	2.4	39
24	Complication Probability Models for Radiation-Induced Heart Valvular Dysfunction: Do Heart-Lung Interactions Play a Role?. <i>PLoS ONE</i> , 2014, 9, e111753.	2.5	39
25	Invasive fungal infections in patients with acute myeloid leukemia and in those submitted to allogeneic hemopoietic stem cell transplant: who is at highest risk?. <i>European Journal of Haematology</i> , 2008, 81, 242-243.	2.2	38
26	Contrast-enhanced Harmonic Compound US of the Spleen to Increase Staging Accuracy in Patients with Hodgkin Lymphoma: A Prospective Study. <i>Radiology</i> , 2009, 251, 574-582.	7.3	37
27	Advanced-stage Hodgkin Lymphoma: US/Chest Radiography for Detection of Relapse in Patients in First Complete Remission? A Randomized Trial of Routine Surveillance Imaging Procedures. <i>Radiology</i> , 2014, 272, 262-274.	7.3	37
28	Impairment of circulating endothelial progenitors in Down syndrome. <i>BMC Medical Genomics</i> , 2010, 3, 40.	1.5	36
29	Consolidation Radiotherapy Could Be Safely Omitted in Advanced Hodgkin Lymphoma With Large Nodal Mass in Complete Metabolic Response After ABVD: Final Analysis of the Randomized GITIL/FIL HD0607 Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 3905-3913.	1.6	36
30	Pulmonary damage in Hodgkin's lymphoma patients treated with sequential chemo-radiotherapy: Predictors of radiation-induced lung injury. <i>Acta Oncologica</i> , 2014, 53, 613-619.	1.8	34
31	Impact of endoscopic ultrasound-guided fine needle aspiration (EUS-FNA) in lymph nodal and mediastinal lesions: A multicenter experience. <i>Diagnostic Cytopathology</i> , 2011, 39, 723-729.	1.0	32
32	Randomized Comparison of Power Doppler Ultrasound-Directed Excisional Biopsy With Standard Excisional Biopsy for the Characterization of Lymphadenopathies in Patients With Suspected Lymphoma. <i>Journal of Clinical Oncology</i> , 2004, 22, 3733-3740.	1.6	30
33	Clonal B-cell population in a reactive lymph node in acquired immunodeficiency syndrome. <i>Diagnostic Cytopathology</i> , 2009, 37, 910-914.	1.0	30
34	Lymph node fine needle Cytology in the staging and follow-up of Cutaneous Lymphomas. <i>BMC Cancer</i> , 2014, 14, 8.	2.6	30
35	Predicting radiation-induced valvular heart damage. <i>Acta Oncologica</i> , 2015, 54, 1796-1804.	1.8	30
36	CD10, BCL6, and MUM1 expression in diffuse large B-cell lymphoma on FNA samples. <i>Cancer Cytopathology</i> , 2016, 124, 135-143.	2.4	30

#	ARTICLE	IF	CITATIONS
37	Hashimoto Thyroiditis in Primary Thyroid Non-Hodgkin Lymphoma. American Journal of Clinical Pathology, 2020, 153, 156-164.	0.7	30
38	Stage I-II nodular lymphocyte-predominant Hodgkin lymphoma: a multi-institutional study of adult patients by ILROG. Blood, 2020, 135, 2365-2374.	1.4	30
39	Fine-needle aspiration biopsy and flow cytometry immunophenotyping of lymphoid and myeloproliferative disorders of the spleen. Cancer, 2002, 99, 118-127.	4.1	29
40	Longitudinal strain of left ventricular basal segments and E/e' ratio differentiate primary cardiac amyloidosis at presentation from hypertensive hypertrophy: an automated function imaging study. Echocardiography, 2016, 33, 1335-1343.	0.9	27
41	Intestinal toxicity during induction chemotherapy with cytarabine-based regimens in adult acute myeloid leukemia. The Hematology Journal, 2003, 4, 346-350.	1.4	26
42	Toxoplasma gondii infection in patients with hematological malignancies. Annals of Hematology, 2004, 83, 592-595.	1.8	25
43	Immunoglobulin heavy chain fluorescence in situ hybridization chromogenic in situ hybridization DNA probe split signal in the clonality assessment of lymphoproliferative processes on cytological samples. Cancer Cytopathology, 2012, 120, 390-400.	2.4	25
44	Selective strong synergism of Ruxolitinib and second generation tyrosine kinase inhibitors to overcome bone marrow stroma related drug resistance in chronic myelogenous leukemia. Leukemia Research, 2014, 38, 236-242.	0.8	24
45	Brentuximab vedotin followed by bendamustine supercharge for refractory or relapsed Hodgkin lymphoma. Blood Advances, 2019, 3, 1546-1552.	5.2	23
46	Systemic antifungal treatment after posaconazole prophylaxis: results from the SEIFEM 2010-C survey. Journal of Antimicrobial Chemotherapy, 2014, 69, 3142-3147.	3.0	21
47	Pegfilgrastim in primary prophylaxis of febrile neutropenia following frontline bendamustine plus rituximab treatment in patients with indolent non-Hodgkin lymphoma: a single center, real-life experience. Supportive Care in Cancer, 2017, 25, 839-845.	2.2	20
48	Viral Outcome in Patients with Occult HBV Infection or HCV-Ab Positivity Treated for Lymphoma. Annals of Hepatology, 2017, 16, 198-206.	1.5	20
49	Fungaemia in haematological malignancies: SEIFEM 2015 survey. European Journal of Clinical Investigation, 2019, 49, e13083.	3.4	20
50	Clinical Relevance of Intrahepatic Hepatitis B Virus DNA in HBsAg-negative HBcAb-positive Patients Undergoing Hematopoietic Stem Cell Transplantation for Hematological Malignancies. Transplantation, 2006, 82, 141.	1.0	19
51	Fine-Needle Cytology and Flow Cytometry Assessment of Reactive and Lymphoproliferative Processes of the Breast. Acta Cytologica, 2012, 56, 130-138.	1.3	17
52	Changes in the incidence of candidemia and related mortality in patients with hematologic malignancies in the last ten years. A SEIFEM 2015-B report. Haematologica, 2017, 102, e407-e410.	3.5	17
53	Tenofovir vs lamivudine for the prevention of hepatitis B virus reactivation in advanced-stage DLBCL. Blood, 2019, 133, 498-501.	1.4	16
54	Borrelia burgdorferi in primary cutaneous lymphomas: a systematic review and meta-analysis. JDDG - Journal of the German Society of Dermatology, 2020, 18, 1379-1384.	0.8	16

#	ARTICLE	IF	CITATIONS
55	A Novel Approach to Classification and Reporting of Lymph Node Fine-Needle Cytology: Application of the Proposed Sydney System. <i>Diagnostics</i> , 2021, 11, 1314.	2.6	15
56	Risk of invasive fungal infection in patients affected by acute promyelocytic leukaemia. A report by the <sc>SEIFEM</sc> registry. <i>British Journal of Haematology</i> , 2015, 170, 434-439.	2.5	14
57	Ultrasonography-driven combination antibiotic therapy with tigecycline significantly increases survival among patients with neutropenic enterocolitis following cytarabine-containing chemotherapy for the remission induction of acute myeloid leukemia. <i>Cancer Medicine</i> , 2017, 6, 1500-1511.	2.8	14
58	Hepatitis B and NAFLD: Lives Crossed. <i>Annals of Hepatology</i> , 2017, 16, 185-187.	1.5	14
59	HIV prevalence in primary central nervous system lymphoma: A systematic review and meta-analysis. <i>Pathology Research and Practice</i> , 2020, 216, 153192.	2.3	14
60	Sjögren Syndrome in Primary Salivary Gland Lymphoma. <i>American Journal of Clinical Pathology</i> , 2020, 153, 719-724.	0.7	14
61	Imatinib mesylate therapy in chronic myeloid leukemia patients in stable complete cytogenetic response after interferon-alpha results in a very high complete molecular response rate. <i>Leukemia Research</i> , 2008, 32, 255-261.	0.8	13
62	Pegfilgrastim in primary prophylaxis of febrile neutropenia during chemotherapy of relapsed and refractory multiple myeloma: a real-life experience. <i>Supportive Care in Cancer</i> , 2015, 23, 301-302.	2.2	13
63	Improved Management of Neutropenic Enterocolitis Using Early Ultrasound Scan and Vigorous Medical Treatment. <i>Clinical Infectious Diseases</i> , 2007, 45, 403-404.	5.8	12
64	Role of lenalidomide in the management of myelodysplastic syndromes with del(5q) associated with pure red cell aplasia (PRCA). <i>Annals of Hematology</i> , 2015, 94, 531-534.	1.8	12
65	Managing neutropenia by pegfilgrastim in patients affected by relapsed/refractory multiple myeloma treated with bendamustine-bortezomib-dexamethasone. <i>Supportive Care in Cancer</i> , 2016, 24, 4835-4837.	2.2	12
66	Estimation of bulky lymph nodes by power Doppler ultrasound scanning in patients with Hodgkin's lymphoma: a prospective study. <i>Haematologica</i> , 2006, 91, 960-3.	3.5	11
67	Ruxolitinib rechallenge in combination with hydroxyurea is effective in reverting cachexia and reducing blood transfusion demand and splenomegaly symptoms in a patient with primary myelofibrosis. <i>Annals of Hematology</i> , 2017, 96, 697-699.	1.8	10
68	Febrile events in acute lymphoblastic leukemia: a prospective observational multicentric SEIFEM study (SEIFEM-2012/B ALL). <i>Annals of Hematology</i> , 2018, 97, 791-798.	1.8	10
69	Pegfilgrastim in primary prophylaxis of febrile neutropenia in elderly patients with hematological malignancies: bendamustine and G-CSF support. <i>Supportive Care in Cancer</i> , 2019, 27, 1587-1588.	2.2	10
70	Candidaemia in haematological malignancy patients from a SEIFEM study: Epidemiological patterns according to antifungal prophylaxis. <i>Mycoses</i> , 2020, 63, 900-910.	4.0	10
71	Efficacy and safety of rituximab treatment in patients with progressive transformation of germinal centers after Hodgkin lymphoma in complete remission post-induction chemotherapy and radiotherapy. <i>Leukemia and Lymphoma</i> , 2011, 52, 2082-2089.	1.3	9
72	Impact of a cardio-oncology unit on prevention of cardiovascular events in cancer patients. <i>ESC Heart Failure</i> , 2022, 9, 1666-1676.	3.1	9

#	ARTICLE	IF	CITATIONS
73	Liposomal doxorubicin supercharge-containing front-line treatment in patients with advanced-stage diffuse large B-cell lymphoma or classical Hodgkin lymphoma: Preliminary results of a single-centre phase II study. <i>British Journal of Haematology</i> , 2022, 198, 847-860.	2.5	9
74	Hepatitis C virus in MALT-lymphoma of the ocular adnexa. <i>Pathology Research and Practice</i> , 2020, 216, 152864.	2.3	8
75	Early Treatment Intensification in Advanced-Stage High-Risk Hodgkin Lymphoma (HL) Patients, with a Positive FDG-PET Scan After Two ABVD Courses – First Interim Analysis of the GITIL/FIL HD0607 Clinical Trial. <i>Blood</i> , 2012, 120, 550-550.	1.4	8
76	Expression of NK-associated antigens in extramedullary lymph nodal blast crisis of chronic myeloid leukemia on fine-needle cytology. <i>Diagnostic Cytopathology</i> , 2002, 27, 158-160.	1.0	7
77	Adding hydroxyurea in combination with ruxolitinib improves clinical responses in hyperproliferative forms of myelofibrosis. <i>Cancer Medicine</i> , 2019, 8, 2802-2809.	2.8	7
78	Rituximab-Containing Risk-Adapted Treatment Strategy in Nodular Lymphocyte Predominant Hodgkin Lymphoma: 7-Years Follow-Up. <i>Cancers</i> , 2021, 13, 1760.	3.7	7
79	Clinical features associated with high pathological grade in primary thyroid lymphoma. <i>Pathology Research and Practice</i> , 2020, 216, 152819.	2.3	7
80	Involvement of Helicobacter Pylori in Ocular Adnexa Lymphoma. <i>Pathology and Oncology Research</i> , 2020, 26, 2075-2081.	1.9	6
81	Prognostic Significance of CD30 in Transformed Mycosis Fungoides. <i>American Journal of Clinical Pathology</i> , 2021, 156, 350-355.	0.7	6
82	Fine-needle aspiration cytology in the follow-up of Hodgkin lymphoma. <i>Diagnostic Cytopathology</i> , 2008, 36, 467-472.	1.0	5
83	Consolidation radiotherapy following positron emission tomography complete response in early-stage Hodgkin lymphoma: a meta-analysis. <i>Leukemia and Lymphoma</i> , 2020, 61, 1610-1617.	1.3	5
84	Role of chromatin assembly factor-1/p60 and poly [ADP-ribose] polymerase 1 in mycosis fungoides. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 961-968.	2.8	5
85	Retreatment with Bendamustine-Bortezomib-Dexamethasone in a Patient with Relapsed/Refractory Multiple Myeloma. <i>Case Reports in Hematology</i> , 2016, 2016, 1-3.	0.4	4
86	Rituximab in a risk-adapted treatment strategy gives excellent therapeutic results in nodular lymphocyte-predominant Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2018, 182, 715-718.	2.5	4
87	Combined Oral Fentanyl Citrate and Midazolam as Premedication for Bone Marrow Aspiration and Biopsy in Patients with Hematological Malignancies: A Randomized, Controlled and Patient-Blinded Clinical Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 395.	2.4	4
88	Infections in Patients with Lymphoproliferative Diseases Treated with Target Therapy. Italian Multicentric Retrospective Study Seifem 2017. <i>Blood</i> , 2018, 132, 4164-4164.	1.4	4
89	Microfluidic chip technology applied to fine-needle aspiration cytology samples for IGH clonality assessment. <i>Diagnostic Cytopathology</i> , 2019, 47, 749-757.	1.0	3
90	Sulfur Hexafluoride Contrast-Enhanced Ultrasound Showing Early Wash-Out of Marked Degree Identifies Lymphoma Invasion of Spleen with Excellent Diagnostic Accuracy: A Monocentric Study of 260 Splenic Nodules. <i>Cancers</i> , 2022, 14, 1927.	3.7	3

#	ARTICLE	IF	CITATIONS
91	Safety and comfort of domestic bortezomib injection in real-life experience. Supportive Care in Cancer, 2018, 26, 3111-3116.	2.2	2
92	Automatic Prediction and Assessment of Treatment Response in Patients with Hodgkin's Lymphoma Using a Whole-Body DW-MRI Based Approach. Diagnostics, 2020, 10, 702.	2.6	2
93	Prognostic value of Bcl2 and p53 in Hodgkin lymphoma: A systematic review and meta-analysis. Pathology Research and Practice, 2021, 219, 153370.	2.3	2
94	Correspondence in reference to the previously published Epub manuscript by Peter Hokland et al. "How I treat advanced Hodgkin lymphoma" a global view. Br J Haematol. 2020;190:837-850. British Journal of Haematology, 2021, 193, e5-e8.	2.3	2
95	Prognostic value of Bcl2 and Bcl6 in primary cutaneous large B-cell lymphoma: A systematic review and meta-analysis. Pathology Research and Practice, 2022, 232, 153812.	2.3	2
96	An 1H NMR study of the cytarabine degradation in clinical conditions to avoid drug waste, decrease therapy costs and improve patient compliance in acute leukemia. Anti-Cancer Drugs, 2020, 31, 67-72.	1.4	1
97	Regarding "Hepatitis B Surface Antigen Positivity is an Independent Unfavorable Prognostic Factor in Diffuse Large B-Cell Lymphoma in the Rituximab Era". Oncologist, 2021, 26, e1083-e1084.	3.7	1
98	Correspondence in reference to the previously published Epub manuscript: "Murt Ahmet et al. Hepatitis B reactivation in hematopoietic stem cell transplanted patients: 20 years of experience of a single center from a middle endemic country. Annals of Hematology 2020; 99: 2671-2677". Annals of Hematology, 2021, 100, 1631-1633.	1.8	1
99	Chemotherapy-Induced Remission of Steroid-Dependent Ulcerative Colitis Associated With Rectal Hodgkin Lymphoma. Inflammatory Bowel Diseases, 2021, 27, e81-e82.	1.9	1
100	Epidemiology of Fungemia in Hematological Malignancies: Preliminary Report of Seifem-2015 Survey. Blood, 2015, 126, 4887-4887.	1.4	1
101	Bloodstream Infections in Hematological Cancer Patients Colonized By Multiresistant Bacteria: Results of a Multicentric Prospective Observational Seifem Study. Blood, 2015, 126, 1023-1023.	1.4	0
102	Adding Hydroxyurea in Combination with Ruxolitinib Improves Clinical Responses in Hyperproliferative Forms of Myelofibrosis. Blood, 2018, 132, 4290-4290.	1.4	0
103	Prognostic Relevance of Neutrophil to Lymphocyte Ratio (NLR) and Lymphocyte to Monocyte Ratio (LMR) in Newly Diagnosed Advanced-Stage Hodgkin Lymphoma Patients Treated up-Front with a PET-2 Risk Adapted Protocol. Blood, 2018, 132, 2934-2934.	1.4	0
104	Brentuximab Vedotin with Chemotherapy for Stage 3/4 Classical Hodgkin Lymphoma (cHL): 4-Year Update of the Echelon-1 Study. Blood, 2019, 134, 4026-4026.	1.4	0
105	Management of iron overload in myelodysplastic syndromes: combined deferasirox and deferoxamine in a patient with liver disease. Blood Transfusion, 2018, 16, 32-35.	0.4	0