Xinjiang Hu

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1681459/xinjiang-hu-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 6,538 39 80 g-index

96 7,628 6.8 5.83 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
94	Chitosan and biochar synergize the efficient elimination of lead from wastewater by sulfidised nano-zero-valent iron. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 107101	6.8	O
93	Iron Carbon Catalyst Initiated the Generation of Active Free Radicals without Oxidants for Decontamination of Methylene Blue from Waters. <i>Catalysts</i> , 2022 , 12, 388	4	0
92	Cd(II) and Pb(II) absorbed on humic acid-iron-pillared bentonite: Kinetics, thermodynamics and mechanism of adsorption. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 612, 126005	5.1	29
91	Light-driven breakdown of microcystin-LR in water: A critical review. <i>Chemical Engineering Journal</i> , 2021 , 417, 129244	14.7	5
90	A novel preparation of S-nZVI and its high efficient removal of Cr(VI) in aqueous solution. <i>Journal of Hazardous Materials</i> , 2021 , 416, 125924	12.8	19
89	Simultaneous remediation of methylene blue and Cr(VI) by mesoporous BiVO4 photocatalyst under visible-light illumination. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2020 , 112, 357-365	5.3	10
88	Coupling of kenaf Biochar and Magnetic BiFeO onto Cross-linked Chitosan for Enhancing Separation Performance and Cr(VI) Ions Removal Efficiency. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	7
87	Three-dimensional microspheric g-CN coupled by biochar: facile sodium alginate immobilization and excellent photocatalytic Cr(iv) reduction <i>RSC Advances</i> , 2020 , 10, 6121-6128	3.7	15
86	Rice waste biochars produced at different pyrolysis temperatures for arsenic and cadmium abatement and detoxification in sediment. <i>Chemosphere</i> , 2020 , 250, 126268	8.4	28
85	Synthesis a graphene-like magnetic biochar by potassium ferrate for 17Destradiol removal: Effects of AlO nanoparticles and microplastics. <i>Science of the Total Environment</i> , 2020 , 715, 136723	10.2	24
84	Synergistic adsorption-photocatalytic degradation effect and norfloxacin mechanism of ZnO/ZnS@BC under UV-light irradiation. <i>Scientific Reports</i> , 2020 , 10, 11903	4.9	20
83	Optimization of Cadmium Adsorption by Magnetic Graphene Oxide Using a Fractional Factorial Design. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
82	Mechanisms underlying the photocatalytic degradation pathway of ciprofloxacin with heterogeneous TiO2. <i>Chemical Engineering Journal</i> , 2020 , 380, 122366	14.7	113
81	Synergy of Photocatalysis and Adsorption for Simultaneous Removal of Hexavalent Chromium and Methylene Blue by g-CN/BiFeO/Carbon Nanotubes Ternary Composites. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	10
80	Exogenous spermidine elevating cadmium tolerance in Salix matsudana involves cadmium detoxification and antioxidant defense. <i>International Journal of Phytoremediation</i> , 2019 , 21, 305-315	3.9	8
79	Removal of 17Destradiol from aqueous solution by graphene oxide supported activated magnetic biochar: Adsorption behavior and mechanism. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019 , 102, 330-339	5.3	26
78	Functionalized Biochar/Clay Composites for Reducing the Bioavailable Fraction of Arsenic and Cadmium in River Sediment. <i>Environmental Toxicology and Chemistry</i> , 2019 , 38, 2337-2347	3.8	31

77	Catalytic degradation of estrogen by persulfate activated with iron-doped graphitic biochar: Process variables effects and matrix effects. <i>Chemical Engineering Journal</i> , 2019 , 378, 122141	14.7	97
76	Design and Preparation of Chitosan-Crosslinked Bismuth Ferrite/Biochar Coupled Magnetic Material for Methylene Blue Removal. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 17,	4.6	15
75	Biochar synthesized via pyrolysis of Broussonetia papyrifera leaves: mechanisms and potential applications for phosphate removal. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 6565-6575	5.1	8
74	Ternary assembly of g-CN/graphene oxide sheets /BiFeO heterojunction with enhanced photoreduction of Cr(VI) under visible-light irradiation. <i>Chemosphere</i> , 2019 , 216, 733-741	8.4	52
73	Performance of magnetic graphene oxide/diethylenetriaminepentaacetic acid nanocomposite for the tetracycline and ciprofloxacin adsorption in single and binary systems. <i>Journal of Colloid and Interface Science</i> , 2018 , 521, 150-159	9.3	88
72	Decontamination of Cr(VI) by graphene oxide@TiO2 in an aerobic atmosphere: effects of pH, ferric ions, inorganic anions, and formate. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 2226-2	233	17
71	Removal of copper ions by few-layered graphene oxide nanosheets from aqueous solutions: external influences and adsorption mechanisms. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 2447-2455	3.5	18
70	Adsorption of estrogen contaminants (17Destradiol and 17Dethynylestradiol) by graphene nanosheets from water: Effects of graphene characteristics and solution chemistry. <i>Chemical Engineering Journal</i> , 2018 , 339, 296-302	14.7	31
69	Effects of cadmium on calcium homeostasis in the white-rot fungus Phanerochaete chrysosporium. Ecotoxicology and Environmental Safety, 2018 , 157, 95-101	7	10
68	Titanium dioxide-coated biochar composites as adsorptive and photocatalytic degradation materials for the removal of aqueous organic pollutants. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 783-791	3.5	47
67	H3PO4-Activated Cattail Carbon Production and Application in Chromium Removal from Aqueous Solution: Process Optimization and Removal Mechanism. <i>Water (Switzerland)</i> , 2018 , 10, 754	3	8
66	Enhanced Removal of Antibiotic in Wastewater Using Liquid Nitrogen-Treated Carbon Material: Material Properties and Removal Mechanisms. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	8
65	Decontamination of tetracycline by thiourea-dioxide-reduced magnetic graphene oxide: Effects of pH, ionic strength, and humic acid concentration. <i>Journal of Colloid and Interface Science</i> , 2017 , 495, 68-	79 ⁷³	55
64	Adsorption of Estrogen Contaminants by Graphene Nanomaterials under Natural Organic Matter Preloading: Comparison to Carbon Nanotube, Biochar, and Activated Carbon. <i>Environmental Science & Emp; Technology</i> , 2017 , 51, 6352-6359	10.3	119
63	Cu(II)-influenced adsorption of ciprofloxacin from aqueous solutions by magnetic graphene oxide/nitrilotriacetic acid nanocomposite: Competition and enhancement mechanisms. <i>Chemical Engineering Journal</i> , 2017 , 319, 219-228	14.7	122
62	Biochar as potential sustainable precursors for activated carbon production: Multiple applications in environmental protection and energy storage. <i>Bioresource Technology</i> , 2017 , 227, 359-372	11	347
61	Exogenous spermidine enhanced Pb tolerance in Salix matsudana by promoting Pb accumulation in roots and spermidine, nitric oxide, and antioxidant system levels in leaves. <i>Ecological Engineering</i> , 2017 , 107, 41-48	3.9	11
60	Mechanisms underlying degradation pathways of microcystin-LR with doped TiO2 photocatalysis. <i>Chemical Engineering Journal</i> , 2017 , 330, 355-371	14.7	45

59	Immobilization of visible light-sensitive (N, Cu) co-doped TiO 2 onto rectorite for photocatalytic degradation of p- chlorophenol in aqueous solution. <i>Applied Clay Science</i> , 2017 , 142, 128-135	5.2	28
58	Tetracycline absorbed onto nitrilotriacetic acid-functionalized magnetic graphene oxide: Influencing factors and uptake mechanism. <i>Journal of Colloid and Interface Science</i> , 2017 , 485, 269-279	9.3	106
57	Fabrication of <code>Degree Common </code>	14.7	144
56	Efficient Removal of Tetracycline from Aqueous Media with a Fe®lNanoparticles@graphene Oxide Nanosheets Assembly. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	27
55	Ethylenediamine grafted to graphene oxide@Fe3O4 for chromium(VI) decontamination: Performance, modelling, and fractional factorial design. <i>PLoS ONE</i> , 2017 , 12, e0187166	3.7	16
54	Statistical Analysis of Main and Interaction Effects on Cu(II) and Cr(VI) Decontamination by Nitrogen-Doped Magnetic Graphene Oxide. <i>Scientific Reports</i> , 2016 , 6, 34378	4.9	28
53	Growth inhibition and oxidative damage of Microcystis aeruginosa induced by crude extract of Sagittaria trifolia tubers. <i>Journal of Environmental Sciences</i> , 2016 , 43, 40-47	6.4	38
52	Production of biochars from Ca impregnated ramie biomass (Boehmeria nivea (L.) Gaud.) and their phosphate removal potential. <i>RSC Advances</i> , 2016 , 6, 5871-5880	3.7	65
51	The use of microbial-earthworm ecofilters for wastewater treatment with special attention to influencing factors in performance: A review. <i>Bioresource Technology</i> , 2016 , 200, 999-1007	11	42
50	Decontamination of methylene blue from aqueous solution by magnetic chitosan lignosulfonate grafted with graphene oxide: effects of environmental conditions and surfactant. <i>RSC Advances</i> , 2016 , 6, 19298-19307	3.7	34
49	Removal of 17Destradiol by few-layered graphene oxide nanosheets from aqueous solutions: External influence and adsorption mechanism. <i>Chemical Engineering Journal</i> , 2016 , 284, 93-102	14.7	201
48	Investigation of the adsorption-reduction mechanisms of hexavalent chromium by ramie biochars of different pyrolytic temperatures. <i>Bioresource Technology</i> , 2016 , 218, 351-9	11	211
47	One-pot synthesis of carbon supported calcined-Mg/Al layered double hydroxides for antibiotic removal by slow pyrolysis of biomass waste. <i>Scientific Reports</i> , 2016 , 6, 39691	4.9	66
46	Biochar-based nano-composites for the decontamination of wastewater: A review. <i>Bioresource Technology</i> , 2016 , 212, 318-333	11	479
45	Biochar pyrolyzed from MgAl-layered double hydroxides pre-coated ramie biomass (Boehmeria nivea (L.) Gaud.): Characterization and application for crystal violet removal. <i>Journal of Environmental Management</i> , 2016 , 184, 85-93	7.9	63
44	Effect of Pb(II) on phenanthrene degradation by new isolated Bacillus sp. P1. RSC Advances, 2015 , 5, 55	81 <i>2</i> -55	81/8
43	Immobilization of Cd(II) in acid soil amended with different biochars with a long term of incubation. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 12597-604	5.1	57
42	Spatial distribution, health risk assessment and statistical source identification of the trace elements in surface water from the Xiangjiang River, China. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 9400-12	5.1	87

Time-dependent antioxidative responses of ramie (Boehmeria nivea (L.) Gaudich) to moderate 41 cadmium stress and its up-regulation mechanism by spermidine antioxidant. RSC Advances, 2015, 5, 761 $\frac{2}{4}$ 761 $\frac{2}{4}$ 9 Adsorption of copper by magnetic graphene oxide-supported \(\Pi\)cyclodextrin: Effects of pH, ionic strength, background electrolytes, and citric acid. Chemical Engineering Research and Design, 2015, 40 5.5 75 93, 675-683 The Optimal Root Length for Vetiveria zizanioides When Transplanted to Cd Polluted Soil. 39 3.9 5 International Journal of Phytoremediation, **2015**, 17, 563-7 Biochar amendment to lead-contaminated soil: Effects on fluorescein diacetate hydrolytic activity 38 3.8 9 and phytotoxicity to rice. Environmental Toxicology and Chemistry, 2015, 34, 1962-8 Cadmium accumulation and apoplastic and symplastic transport in Boehmeria nivea (L.) Gaudich on 26 37 3.7 cadmium-contaminated soil with the addition of EDTA or NTA. RSC Advances, 2015. 5, 47584-47591 Adsorption behavior of Cr(VI) from aqueous solution onto magnetic graphene oxide functionalized 36 3.7 53 with 1,2-diaminocyclohexanetetraacetic acid. RSC Advances, 2015, 5, 45384-45392 Synthesis of graphene oxide decorated with core@double-shell nanoparticles and application for 35 3.7 24 Cr(VI) removal. RSC Advances, **2015**, 5, 106339-106349 Effects of inorganic electrolyte anions on enrichment of Cu(II) ions with aminated Fe3O4/graphene 8.4 27 34 oxide: Cu(II) speciation prediction and surface charge measurement. Chemosphere, 2015, 127, 35-41 Effect of exogenous nitric oxide on antioxidative system and S-nitrosylation in leaves of Boehmeria 33 5.1 41 nivea (L.) Gaud under cadmium stress. Environmental Science and Pollution Research, 2015, 22, 3489-97 Application of biochar for the removal of pollutants from aqueous solutions. Chemosphere, 2015, 8.4 989 32 125, 70-85 Plasma membrane behavior, oxidative damage, and defense mechanism in Phanerochaete 31 4.8 72 chrysosporium under cadmium stress. Process Biochemistry, 2014, 49, 589-598 Influence of thinning on acidic deposition in Chinese fir plantations. Journal of Central South 30 2.1 *University*, **2014**, 21, 694-700 Hydrogen sulfide alleviates 2,4-dichlorophenol toxicity and promotes its degradation in 8.4 29 33 Phanerochaete chrysosporium. Chemosphere, 2014, 109, 208-12 Bioaccumulation of zinc, lead, copper, and cadmium from contaminated sediments by native plant 28 27 species and Acrida cinerea in South China. Environmental Monitoring and Assessment, 2014, 186, 1735-45 $^{3.1}$ An integrated treatment of domestic wastewater using sequencing batch biofilm reactor combined with vertical flow constructed wetland and its artificial neural network simulation study. Ecological 27 3.9 32 Engineering, 2014, 64, 18-26 Fast adsorption of Cd \Box + and Pb \Box + by EGTA dianhydride (EGTAD) modified ramie fiber. Journal of 26 9.3 35 Colloid and Interface Science, 2014, 434, 152-8 Effects of background electrolytes and ionic strength on enrichment of Cd(II) ions with magnetic 25 58 9.3 graphene oxide-supported sulfanilic acid. Journal of Colloid and Interface Science, 2014, 435, 138-44 Grafting of Ecyclodextrin to magnetic graphene oxide via ethylenediamine and application for 24 10.3 110 Cr(VI) removal. Carbohydrate Polymers, 2014, 113, 166-73

23	Effects of indole-3-acetic, kinetin and spermidine assisted with EDDS on metal accumulation and tolerance mechanisms in ramie (Boehmeria nivea (L.) Gaud.). <i>Ecological Engineering</i> , 2014 , 71, 108-112	3.9	20
22	Removal of cadmium from aqueous solution by immobilized Microcystis aeruginosa: Isotherms, kinetics and thermodynamics. <i>Journal of Central South University</i> , 2014 , 21, 2810-2818	2.1	3
21	A restoration-promoting integrated floating bed and its experimental performance in eutrophication remediation. <i>Journal of Environmental Sciences</i> , 2014 , 26, 1090-8	6.4	26
20	Effects of d-menthol stress on the growth of and microcystin release by the freshwater cyanobacterium Microcystis aeruginosa FACHB-905. <i>Chemosphere</i> , 2014 , 113, 30-5	8.4	9
19	Effect of aniline on cadmium adsorption by sulfanilic acid-grafted magnetic graphene oxide sheets. Journal of Colloid and Interface Science, 2014 , 426, 213-20	9.3	38
18	Effects of limonene stress on the growth of and microcystin release by the freshwater cyanobacterium Microcystis aeruginosa FACHB-905. <i>Ecotoxicology and Environmental Safety</i> , 2014 , 105, 121-7	7	22
17	Preparation, Photoelectricity Property and Photocatalytic Activity of Alkaline-Earth Metals Modified TiO2 Nanoparticles. <i>Asian Journal of Chemistry</i> , 2014 , 26, 5447-5452	0.4	2
16	Mechanism of exogenous selenium alleviates cadmium induced toxicity in Bechmeria nivea (L.) Gaud (Ramie). <i>Transactions of Nonferrous Metals Society of China</i> , 2014 , 24, 3964-3970	3.3	13
15	Enhanced efficiency of cadmium removal by Boehmeria nivea (L.) Gaud. in the presence of exogenous citric and oxalic acids. <i>Journal of Environmental Sciences</i> , 2014 , 26, 2508-16	6.4	42
14	Photoreduction of Cr(VI) from acidic aqueous solution using TiO2-impregnated glutaraldehyde-crosslinked alginate beads and the effects of Fe(III) ions. <i>Chemical Engineering Journal</i> , 2013 , 226, 131-138	14.7	44
13	Adsorption of Cr(VI) by modified chitosan from heavy-metal polluted water of Xiangjiang River, China. <i>Transactions of Nonferrous Metals Society of China</i> , 2013 , 23, 3095-3103	3.3	25
12	Competitive adsorption of Cu(II) and Pb(II) ions from aqueous solutions by Ca-alginate immobilized activated carbon and Saccharomyces cerevisiae. <i>Journal of Central South University</i> , 2013 , 20, 2478-2486	8 ^{2.1}	19
11	Biosorption of copper(II) from aqueous solution by Bacillus subtilis cells immobilized into chitosan beads. <i>Transactions of Nonferrous Metals Society of China</i> , 2013 , 23, 1804-1814	3.3	40
10	Removal of lead(II) from aqueous solution with ethylenediamine-modified yeast biomass coated with magnetic chitosan microparticles: Kinetic and equilibrium modeling. <i>Chemical Engineering Journal</i> , 2013 , 214, 189-197	14.7	108
9	Removal of Cu(II) ions from aqueous solution using sulfonated magnetic graphene oxide composite. <i>Separation and Purification Technology</i> , 2013 , 108, 189-195	8.3	176
8	Responses of Phanerochaete chrysosporium to toxic pollutants: physiological flux, oxidative stress, and detoxification. <i>Environmental Science & Environmental Science & Envir</i>	10.3	69
7	Novel thiourea-modified magnetic ion-imprinted chitosan/TiO2 composite for simultaneous removal of cadmium and 2,4-dichlorophenol. <i>Chemical Engineering Journal</i> , 2012 , 191, 85-94	14.7	133
6	Simultaneous cadmium removal and 2,4-dichlorophenol degradation from aqueous solutions by Phanerochaete chrysosporium. <i>Applied Microbiology and Biotechnology</i> , 2011 , 91, 811-21	5.7	70

LIST OF PUBLICATIONS

5	Impacts of land-use change on ecosystem service value in Changsha, China. <i>Journal of Central South University</i> , 2011 , 18, 420-428	2.1	14
4	Preparation of ethylenediamine-modified magnetic chitosan complex for adsorption of uranyl ions. <i>Carbohydrate Polymers</i> , 2011 , 84, 1169-1175	10.3	120
3	Adsorption of chromium (VI) by ethylenediamine-modified cross-linked magnetic chitosan resin: isotherms, kinetics and thermodynamics. <i>Journal of Hazardous Materials</i> , 2011 , 185, 306-14	12.8	638
2	Biosorption of uranium (VI) by immobilized Aspergillus fumigatus beads. <i>Journal of Environmental Radioactivity</i> , 2010 , 101, 504-8	2.4	100
1	The tolerance of Rhizopus arrihizus to U(VI) and biosorption behavior of U(VI) onto R. arrihizus. <i>Biochemical Engineering Journal</i> , 2010 , 51, 19-23	4.2	39