

# Thierry Galli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1684051/publications.pdf>

Version: 2024-02-01

143  
papers

10,222  
citations

26610

56  
h-index

36008

97  
g-index

229  
all docs

229  
docs citations

229  
times ranked

10668  
citing authors

#	ARTICLE	IF	CITATIONS
1	SNAREs: Membrane Fusion and Beyond. , 2022, , .		1
2	A Phosphosite Mutant Approach on LRRK2 Links Phosphorylation and Dephosphorylation to Protective and Deleterious Markers, Respectively. <i>Cells</i> , 2022, 11, 1018.	1.8	4
3	Contributions of Andr�e Tixier-Vidal (1923-2021) to modern cell biology. <i>Biology of the Cell</i> , 2022, , .	0.7	0
4	ER-PM Contact Sites - SNARING Actors in Emerging Functions. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 635518.	1.8	7
5	Introducing secretory reticulophagy/ER-phagy (SERP), a VAMP7-dependent pathway involved in neurite growth. <i>Autophagy</i> , 2021, 17, 1037-1039.	4.3	11
6	MICAL-L1 is required for cargo protein delivery to the cell surface. <i>Biology Open</i> , 2021, 10, .	0.6	3
7	Protocol to study starvation-induced autophagy in developing rat neurons. <i>STAR Protocols</i> , 2021, 2, 100713.	0.5	3
8	Role of the Sec22-E-Syt complex in neurite growth and ramification. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	26
9	SNAP iN, SNAP oLIT-SNAREs at ER-PM Contact Sites. <i>Contact (Thousand Oaks (Ventura County, Calif ))</i> , 2020, 3, 251525642097958.	0.4	1
10	Role of VAMP7-Dependent Secretion of Reticulon 3 in Neurite Growth. <i>Cell Reports</i> , 2020, 33, 108536.	2.9	28
11	Post-synaptic Release of the Neuronal Tissue-Type Plasminogen Activator (tPA). <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 164.	1.8	12
12	MemBright: A Family of Fluorescent Membrane Probes for Advanced Cellular Imaging and Neuroscience. <i>Cell Chemical Biology</i> , 2019, 26, 600-614.e7.	2.5	128
13	Downregulation of Membrane Trafficking Proteins and Lactate Conditioning Determine Loss of Dendritic Cell Function in Lung Cancer. <i>Cancer Research</i> , 2018, 78, 1685-1699.	0.4	72
14	Rab6-dependent retrograde traffic of LAT controls immune synapse formation and T cell activation. <i>Journal of Experimental Medicine</i> , 2018, 215, 1245-1265.	4.2	42
15	Ultrabright and Fluorogenic Probes for Multicolor Imaging and Tracking of Lipid Droplets in Cells and Tissues. <i>Journal of the American Chemical Society</i> , 2018, 140, 5401-5411.	6.6	294
16	A new actin-binding domain glues autophagy together. <i>Journal of Biological Chemistry</i> , 2018, 293, 4575-4576.	1.6	16
17	ARAP1 Bridges Actin Dynamics and AP-3-Dependent Membrane Traffic in Bone-Digesting Osteoclasts. <i>IScience</i> , 2018, 6, 199-211.	1.9	12
18	Biomechanical Control of Lysosomal Secretion Via the VAMP7 Hub: A Tug-of-War between VARP and LRRK1. <i>IScience</i> , 2018, 4, 127-143.	1.9	22

#	ARTICLE	IF	CITATIONS
19	Reciprocal link between cell biomechanics and exocytosis. <i>Traffic</i> , 2018, 19, 741-749.	1.3	29
20	Comparative study of commercially available and homemade anti-VAMP7 antibodies using CRISPR/Cas9-depleted HeLa cells and VAMP7 knockout mice. <i>F1000Research</i> , 2018, 7, 1649.	0.8	2
21	VAMP1/2/3/7. , 2018, , 5873-5883.		0
22	Comparative study of commercially available and homemade anti-VAMP7 antibodies using CRISPR/Cas9-depleted HeLa cells and VAMP7 knockout mice. <i>F1000Research</i> , 2018, 7, 1649.	0.8	3
23	Spastin regulates VAMP7-containing vesicles trafficking in cortical neurons. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 1666-1677.	1.8	12
24	Soluble N-ethylmaleimide-sensitive factor attachment protein receptors required during <i>Trypanosoma cruzi</i> parasitophorous vacuole development. <i>Cellular Microbiology</i> , 2017, 19, e12713.	1.1	15
25	VAMP7 regulates constitutive membrane incorporation of the cold-activated channel TRPM8. <i>Nature Communications</i> , 2016, 7, 10489.	5.8	44
26	The SNARE VAMP7 Regulates Exocytic Trafficking of Interleukin-12 in Dendritic Cells. <i>Cell Reports</i> , 2016, 14, 2624-2636.	2.9	36
27	BLOC-1 and BLOC-3 regulate VAMP7 cycling to and from melanosomes via distinct tubular transport carriers. <i>Journal of Cell Biology</i> , 2016, 214, 293-308.	2.3	67
28	Membrane traffic during axon development. <i>Developmental Neurobiology</i> , 2016, 76, 1185-1200.	1.5	40
29	Endoplasmic Reticulum-Plasma Membrane Associations: Structures and Functions. <i>Annual Review of Cell and Developmental Biology</i> , 2016, 32, 279-301.	4.0	65
30	Identification and Characterization of Botulinum Neurotoxin A Substrate Binding Pockets and Their Re-Engineering for Human SNAP-23. <i>Journal of Molecular Biology</i> , 2016, 428, 372-384.	2.0	28
31	VAMP1/2/3/7. , 2016, , 1-11.		0
32	VAMP-7 links granule exocytosis to actin reorganization during platelet activation. <i>Blood</i> , 2015, 126, 651-660.	0.6	49
33	EMBO Workshopal fin del mundo: a meeting on membrane trafficking and its implication for polarity and diseases. <i>Biology of the Cell</i> , 2015, 107, 245-248.	0.7	0
34	Structure and function of longin SNAREs. <i>Journal of Cell Science</i> , 2015, 128, 4263-72.	1.2	88
35	Migration Speed of Cajal-Retzius Cells Modulated by Vesicular Trafficking Controls the Size of Higher-Order Cortical Areas. <i>Current Biology</i> , 2015, 25, 2466-2478.	1.8	54
36	Role of tetanus neurotoxin insensitive vesicle-associated membrane protein in membrane domains transport and homeostasis. <i>Cellular Logistics</i> , 2015, 5, e1025182.	0.9	17

#	ARTICLE	IF	CITATIONS
37	The Q-soluble N-Ethylmaleimide-sensitive Factor Attachment Protein Receptor (Q-SNARE) SNAP-47 Regulates Trafficking of Selected Vesicle-associated Membrane Proteins (VAMPs). <i>Journal of Biological Chemistry</i> , 2015, 290, 28056-28069.	1.6	31
38	Role of VAMP3 and VAMP7 in the commitment of <i>Yersinia pseudotuberculosis</i> to LC3-associated pathways involving single- or double-membrane vacuoles. <i>Autophagy</i> , 2014, 10, 1588-1602.	4.3	39
39	Biogenesis and transport of membrane domains-potential implications in brain pathologies. <i>Biochimie</i> , 2014, 96, 75-84.	1.3	2
40	Inhibition of very long acyl chain sphingolipid synthesis modifies membrane dynamics during plant cytokinesis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 1422-1430.	1.2	24
41	The SNARE Sec22b has a non-fusogenic function in plasma membrane expansion. <i>Nature Cell Biology</i> , 2014, 16, 434-444.	4.6	123
42	Dependence of Immunoglobulin Class Switch Recombination in B Cells on Vesicular Release of ATP and CD73 Ectonucleotidase Activity. <i>Cell Reports</i> , 2013, 3, 1824-1831.	2.9	72
43	VAMP7 controls T cell activation by regulating the recruitment and phosphorylation of vesicular Lat at TCR-activation sites. <i>Nature Immunology</i> , 2013, 14, 723-731.	7.0	118
44	Increased activity of the Vesicular Soluble N-Ethylmaleimide-sensitive Factor Attachment Protein Receptor TI-VAMP/VAMP7 by Tyrosine Phosphorylation in the Longin Domain. <i>Journal of Biological Chemistry</i> , 2013, 288, 11960-11972.	1.6	30
45	Absence of TI-VAMP/Vamp7 Leads to Increased Anxiety in Mice. <i>Journal of Neuroscience</i> , 2012, 32, 1962-1968.	1.7	63
46	The vesicular SNARE Synaptobrevin is required for Semaphorin 3A axonal repulsion. <i>Journal of Cell Biology</i> , 2012, 196, 37-46.	2.3	44
47	Vezatin Is Essential for Dendritic Spine Morphogenesis and Functional Synaptic Maturation. <i>Journal of Neuroscience</i> , 2012, 32, 9007-9022.	1.7	20
48	Glutamate Controls tPA Recycling by Astrocytes, Which in Turn Influences Glutamatergic Signals. <i>Journal of Neuroscience</i> , 2012, 32, 5186-5199.	1.7	67
49	A Molecular Network for the Transport of the TI-VAMP/VAMP7 Vesicles from Cell Center to Periphery. <i>Developmental Cell</i> , 2012, 23, 166-180.	3.1	108
50	TI-VAMP/VAMP7 is the SNARE of secretory lysosomes contributing to ATP secretion from astrocytes. <i>Biology of the Cell</i> , 2012, 104, 213-228.	0.7	79
51	Vesicular traffic in cell navigation. <i>FEBS Journal</i> , 2011, 278, 4497-4505.	2.2	62
52	Syntaxin1A Lateral Diffusion Reveals Transient and Local SNARE Interactions. <i>Journal of Neuroscience</i> , 2011, 31, 17590-17602.	1.7	59
53	Transport of the Major Myelin Proteolipid Protein Is Directed by VAMP3 and VAMP7. <i>Journal of Neuroscience</i> , 2011, 31, 5659-5672.	1.7	78
54	Role of TI-VAMP and CD82 in EGFR cell-surface dynamics and signaling. <i>Journal of Cell Science</i> , 2010, 123, 723-735.	1.2	77

#	ARTICLE	IF	CITATIONS
55	Role of TI-VAMP and CD82 in EGFR cell-surface dynamics and signaling. <i>Development (Cambridge)</i> , 2010, 137, e1-e1.	1.2	0
56	Dynamic Interaction of Amphiphysin with N-WASP Regulates Actin Assembly. <i>Journal of Biological Chemistry</i> , 2009, 284, 34244-34256.	1.6	65
57	Subcellular localization of the carbohydrate Lewisx adhesion structure in hippocampus cell cultures. <i>Brain Research</i> , 2009, 1287, 39-46.	1.1	8
58	Multiple roles of the vesicularâ€SNARE TIâ€VAMP in postâ€Golgi and endosomal trafficking. <i>FEBS Letters</i> , 2009, 583, 3817-3826.	1.3	136
59	Role of Varp, a Rab21 exchange factor and TIâ€VAMP/VAMP7 partner, in neurite growth. <i>EMBO Reports</i> , 2009, 10, 1117-1124.	2.0	90
60	Bric-a-Brac at the Golgi. <i>Developmental Cell</i> , 2009, 16, 775-776.	3.1	1
61	Quantifying Neurite Growth Mediated by Interactions among Secretory Vesicles, Microtubules, and Actin Networks. <i>Biophysical Journal</i> , 2009, 96, 840-857.	0.2	55
62	<i>Biology of the Cell</i>: serving the cell biology community. <i>Biology of the Cell</i> , 2009, 101, e1-2.	0.7	1
63	Vesicle associated membrane protein (VAMP)â€7 and VAMPâ€8, but not VAMPâ€2 or VAMPâ€3, are required for activationâ€induced degranulation of mature human mast cells. <i>European Journal of Immunology</i> , 2008, 38, 855-863.	1.6	97
64	Confocal imaging and tracking of the exocytotic routes for <sc>D</sc>â€serineâ€mediated gliotransmission. <i>Glia</i> , 2008, 56, 1271-1284.	2.5	100
65	MT1-MMP-Dependent Invasion Is Regulated by TI-VAMP/VAMP7. <i>Current Biology</i> , 2008, 18, 926-931.	1.8	186
66	Substrate Recognition Mechanism of VAMP/Synaptobrevin-cleaving Clostridial Neurotoxins. <i>Journal of Biological Chemistry</i> , 2008, 283, 21145-21152.	1.6	52
67	Role of HRB in Clathrin-dependent Endocytosis. <i>Journal of Biological Chemistry</i> , 2008, 283, 34365-34373.	1.6	68
68	Polymorphisms of coding trinucleotide repeats of homeogenes in neurodevelopmental psychiatric disorders. <i>Psychiatric Genetics</i> , 2008, 18, 295-301.	0.6	19
69	Targeting the Epithelial SNARE Machinery by Bacterial Neurotoxins. <i>Methods in Molecular Biology</i> , 2008, 440, 187-201.	0.4	2
70	Distinct v-SNAREs regulate direct and indirect apical delivery in polarized epithelial cells. <i>Journal of Cell Science</i> , 2007, 120, 3309-3320.	1.2	66
71	Fast Turnover of L1 Adhesions in Neuronal Growth Cones Involving Both Surface Diffusion and Exo/Endocytosis of L1 Molecules. <i>Molecular Biology of the Cell</i> , 2007, 18, 3131-3143.	0.9	48
72	v-SNARE cellubrevin is required for basolateral sorting of AP-1Bâ€dependent cargo in polarized epithelial cells. <i>Journal of Cell Biology</i> , 2007, 177, 477-488.	2.3	74

#	ARTICLE	IF	CITATIONS
73	Exocytic Mechanisms for Axonal and Dendritic Growth. , 2007, , 115-135.		0
74	What is the function of neuronal APâ€³?. Biology of the Cell, 2007, 99, 349-361.	0.7	46
75	Membranes and organelles. Current Opinion in Cell Biology, 2007, 19, 357-358.	2.6	1
76	Expression of the Longin domain of TI-VAMP impairs lysosomal secretion and epithelial cell migration. Biology of the Cell, 2007, 99, 261-271.	0.7	77
77	Trafficking and signalling at the synapse: where are we heading to?. Biology of the Cell, 2007, 99, e1-e1.	0.7	0
78	Exocytosis. , 2007, , 1-9.		0
79	Identification of the Amino Acid Residues Rendering TI-VAMP Insensitive toward Botulinum Neurotoxin B. Journal of Molecular Biology, 2006, 357, 574-582.	2.0	25
80	Cdc42 and Actin Control Polarized Expression of TI-VAMP Vesicles to Neuronal Growth Cones and Their Fusion with the Plasma Membrane. Molecular Biology of the Cell, 2006, 17, 1194-1203.	0.9	85
81	Loss of AP-3 function affects spontaneous and evoked release at hippocampal mossy fiber synapses. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 16562-16567.	3.3	89
82	The Tetanus Neurotoxin-Sensitive and Insensitive Routes to and from the Plasma Membrane: Fast and Slow Pathways?. Traffic, 2005, 6, 366-373.	1.3	73
83	Tetanus neurotoxin-mediated cleavage of cellubrevin impairs epithelial cell migration and integrin-dependent cell adhesion. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 6362-6367.	3.3	86
84	Weak Effect of Membrane Diffusion on the Rate of Receptor Accumulation at Adhesive Contacts. Biophysical Journal, 2005, 89, L40-L42.	0.2	27
85	Protein interaction mapping: A Drosophila case study. Genome Research, 2005, 15, 376-384.	2.4	509
86	Calcium-Triggered Exocytosis and Clathrin-Mediated Endocytosis of Synaptic Vesicles. Science Signaling, 2005, 2005, tr1-tr1.	1.6	2
87	A Model for Fast-Track Exocytosis of Synaptic Vesicles. Science Signaling, 2005, 2005, tr2-tr2.	1.6	1
88	Identification of SNAREs Involved in Synaptotagmin VII-regulated Lysosomal Exocytosis. Journal of Biological Chemistry, 2004, 279, 20471-20479.	1.6	281
89	Insulin and Hypertonicity Recruit GLUT4 to the Plasma Membrane of Muscle Cells by Using N-Ethylmaleimide-sensitive Factor-dependent SNARE Mechanisms but Different v-SNAREs: Role of TI-VAMP. Molecular Biology of the Cell, 2004, 15, 5565-5573.	0.9	56
90	A Mutant Impaired in SNARE Complex Dissociation Identifies the Plasma Membrane as First Target of Synaptobrevin 2. Traffic, 2004, 5, 371-382.	1.3	13

#	ARTICLE	IF	CITATIONS
91	TI-VAMP/VAMP7 is required for optimal phagocytosis of opsonised particles in macrophages. EMBO Journal, 2004, 23, 4166-4176.	3.5	185
92	VAMP subfamilies identified by specific R-SNARE motifs. Biology of the Cell, 2004, 96, 251-256.	0.7	23
93	Longins and their longin domains: regulated SNAREs and multifunctional SNARE regulators. Trends in Biochemical Sciences, 2004, 29, 682-688.	3.7	138
94	Cycling of Synaptic Vesicles: How Far? How Fast!. Science Signaling, 2004, 2004, re19-re19.	1.6	32
95	Activation-Induced Polarized Recycling Targets T Cell Antigen Receptors to the Immunological Synapse. Immunity, 2004, 20, 577-588.	6.6	284
96	SNAP-25 Modulation of Calcium Dynamics Underlies Differences in GABAergic and Glutamatergic Responsiveness to Depolarization. Neuron, 2004, 41, 599-610.	3.8	192
97	VAMP subfamilies identified by specific R-SNARE motifs. Biology of the Cell, 2004, 96, 251-256.	0.7	23
98	PÃle. Medecine/Sciences, 2004, 20, 389-389.	0.0	0
99	PolaritÃ©. Medecine/Sciences, 2004, 20, 388-388.	0.0	0
100	The cell outgrowth secretory endosome (COSE): a specialized compartment involved in neuronal morphogenesis. Biology of the Cell, 2003, 95, 419-424.	0.7	26
101	Tetanus neurotoxin-insensitive vesicle-associated membrane protein localizes to a presynaptic membrane compartment in selected terminal subsets of the rat brain. Neuroscience, 2003, 122, 59-75.	1.1	48
102	Retroviral Genomic RNAs Are Transported to the Plasma Membrane by Endosomal Vesicles. Developmental Cell, 2003, 5, 161-174.	3.1	138
103	Ectopic expression of syntaxin 1 in the ER redirects TI-VAMP- and cellubrevin-containing vesicles. Journal of Cell Science, 2003, 116, 2805-2816.	1.2	42
104	A dual mechanism controlling the localization and function of exocytic v-SNAREs. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 9011-9016.	3.3	209
105	Cross Talk between Tetanus Neurotoxin-insensitive Vesicle-associated Membrane Protein-mediated Transport and L1-mediated Adhesion. Molecular Biology of the Cell, 2003, 14, 4207-4220.	0.9	75
106	D53 is a novel endosomal SNARE-binding protein that enhances interaction of syntaxin 1 with the synaptobrevin 2 complex in vitro. Biochemical Journal, 2003, 370, 213-221.	1.7	33
107	Early/recycling endosomes-to-TGN transport involves two SNARE complexes and a Rab6 isoform. Journal of Cell Biology, 2002, 156, 653-664.	2.3	479
108	MÃ©canisme de la fusion membranaire. Medecine/Sciences, 2002, 18, 1113-1119.	0.0	11

#	ARTICLE	IF	CITATIONS
109	Trafic. <i>Medecine/Sciences</i> , 2002, 18, 920-920.	0.0	0
110	A Common Exocytotic Mechanism Mediates Axonal and Dendritic Outgrowth. <i>Journal of Neuroscience</i> , 2001, 21, 3830-3838.	1.7	142
111	[21] Properties of Rab13 interaction with rod cGMP phosphodiesterase $\hat{\gamma}$ subunit. <i>Methods in Enzymology</i> , 2001, 329, 197-209.	0.4	4
112	Na <sup>+</sup> + $\hat{\gamma}$ + exchanger 3 (NHE3) is present in lipid rafts in the rabbit ileal brush border: a role for rafts in trafficking and rapid stimulation of NHE3. <i>Journal of Physiology</i> , 2001, 537, 537-552.	1.3	119
113	Longins: a new evolutionary conserved VAMP family sharing a novel SNARE domain. <i>Trends in Biochemical Sciences</i> , 2001, 26, 407-409.	3.7	110
114	Clostridial neurotoxin-insensitive vesicular SNAREs in exocytosis and endocytosis. <i>Biology of the Cell</i> , 2000, 92, 449-453.	0.7	22
115	Tetanus toxin-mediated cleavage of cellubrevin inhibits proton secretion in the male reproductive tract. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, F717-F725.	1.3	53
116	Soluble NSF Attachment Protein Receptors (SNAREs) in RBL-2H3 Mast Cells: Functional Role of Syntaxin 4 in Exocytosis and Identification of a Vesicle-Associated Membrane Protein 8-Containing Secretory Compartment. <i>Journal of Immunology</i> , 2000, 164, 5850-5857.	0.4	212
117	Tight Junction, a Platform for Trafficking and Signaling Protein Complexes. <i>Journal of Cell Biology</i> , 2000, 151, F31-F36.	2.3	162
118	Rab11 Regulates the Compartmentalization of Early Endosomes Required for Efficient Transport from Early Endosomes to the Trans-Golgi Network. <i>Journal of Cell Biology</i> , 2000, 151, 1207-1220.	2.3	368
119	Vimentin Filaments in Fibroblasts Are a Reservoir for SNAP23, a Component of the Membrane Fusion Machinery. <i>Molecular Biology of the Cell</i> , 2000, 11, 3485-3494.	0.9	74
120	Role of Tetanus Neurotoxin Insensitive Vesicle-Associated Membrane Protein (Ti-Vamp) in Vesicular Transport Mediating Neurite Outgrowth. <i>Journal of Cell Biology</i> , 2000, 149, 889-900.	2.3	203
121	NA <sup>+</sup> /H <sup>+</sup> -exchanger 3 (NHE3) is present in lipid rafts in the ileal absorptive cell brush border: A role for rafts and the actin cytoskeleton in endocytosis of NHE3. <i>Gastroenterology</i> , 2000, 118, A599.	0.6	0
122	Subcellular Localization of Tetanus Neurotoxin-Insensitive Vesicle-Associated Membrane Protein (VAMP)/VAMP7 in Neuronal Cells: Evidence for a Novel Membrane Compartment. <i>Journal of Neuroscience</i> , 1999, 19, 9803-9812.	1.7	100
123	Raft association of SNAP receptors acting in apical trafficking in Madin-Darby canine kidney cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 3734-3738.	3.3	231
124	Cultured glial cells express the SNAP-25 analogue SNAP-23. , 1999, 27, 181-187.		103
125	Exocytosis: SNAREs drum up!. <i>European Journal of Neuroscience</i> , 1998, 10, 415-422.	1.2	29
126	The Rod cGMP Phosphodiesterase $\hat{\gamma}$ Subunit Dissociates the Small GTPase Rab13 from Membranes. <i>Journal of Biological Chemistry</i> , 1998, 273, 22340-22345.	1.6	61



#	ARTICLE	IF	CITATIONS
127	A Novel Tetanus Neurotoxin-insensitive Vesicle-associated Membrane Protein in SNARE Complexes of the Apical Plasma Membrane of Epithelial Cells. <i>Molecular Biology of the Cell</i> , 1998, 9, 1437-1448.	0.9	296
128	Rab4 and cellubrevin define different early endosome populations on the pathway of transferrin receptor recycling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 9559-9564.	3.3	296
129	Molecular mechanisms in synaptic vesicle recycling. <i>Journal of Neurocytology</i> , 1996, 25, 701-715.	1.6	24
130	The V Sector of the V-ATPase, Synaptobrevin, and Synaptophysin Are Associated on Synaptic Vesicles in a Triton X-100-resistant, Freeze-thawing Sensitive, Complex. <i>Journal of Biological Chemistry</i> , 1996, 271, 2193-2198.	1.6	130
131	Cellubrevin and synaptobrevins: similar subcellular localization and biochemical properties in PC12 cells. <i>Journal of Cell Biology</i> , 1995, 129, 219-231.	2.3	130
132	v- and t-SNAREs in neuronal exocytosis: A need for additional components to define sites of release. <i>Neuropharmacology</i> , 1995, 34, 1351-1360.	2.0	64
133	Tetanus toxin-mediated cleavage of cellubrevin impairs exocytosis of transferrin receptor-containing vesicles in CHO cells. <i>Journal of Cell Biology</i> , 1994, 125, 1015-1024.	2.3	225
134	NMDA and carbachol but not AMPA affect differently the release of [3H]GABA in striosome- and matrix-enriched areas of the rat striatum. <i>Brain Research</i> , 1994, 649, 243-252.	1.1	13
135	Opposite presynaptic regulations by glutamate through NMDA receptors of dopamine synthesis and release in rat striatal synaptosomes. <i>Brain Research</i> , 1994, 640, 205-214.	1.1	36
136	Modulation of GABA release by $\pm$ -amino-3-hydroxy-5-methylisoxazole-4-propionate and N-methyl-d-aspartate receptors in matrix-enriched areas of the rat striatum. <i>Neuroscience</i> , 1992, 50, 769-780.	1.1	37
137	L-Glutamate-evoked release of dopamine from synaptosomes of the rat striatum: Involvement of AMPA and N-methyl-d-aspartate receptors. <i>Neuroscience</i> , 1992, 47, 333-339.	1.1	166
138	Specific role of n-acetyl-aspartyl-glutamate in the in vivo regulation of dopamine release from dendrites and nerve terminals of nigrostriatal dopaminergic neurons in the cat. <i>Neuroscience</i> , 1991, 42, 19-28.	1.1	55
139	Vamp7. <i>The AFCS-nature Molecule Pages</i> , 0, , .	0.2	1
140	LRRK2 Interacts with Endosomal Vesicular SNAREs and Regulates Secretion. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
141	Vamp3. <i>The AFCS-nature Molecule Pages</i> , 0, , .	0.2	0
142	Biomechanical Control of Lysosomal Secretion Via the VAMP7 Hub: A Tug-of-War Mechanism Between VARP and LRRK1. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
143	Role of SNAREs in Unconventional Secretion – Focus on the VAMP7-Dependent Secretion. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, .	1.8	21