

Carlos A Aguilar-Salinas

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1685153/carlos-a-aguilar-salinas-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179 papers	9,113 citations	44 h-index	92 g-index
288 ext. papers	11,904 ext. citations	5.8 avg, IF	5.72 L-index

#	Paper	IF	Citations
179	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
178	Sequence variants in SLC16A11 are a common risk factor for type 2 diabetes in Mexico. <i>Nature</i> , 2014 , 506, 97-101	50.4	323
177	Genome-wide scan identifies variation in MLXIPL associated with plasma triglycerides. <i>Nature Genetics</i> , 2008 , 40, 149-51	36.3	262
176	A genomewide admixture map for Latino populations. <i>American Journal of Human Genetics</i> , 2007 , 80, 1024-36	11	232
175	High adiponectin concentrations are associated with the metabolically healthy obese phenotype. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 4075-9	5.6	210
174	Predicting Mortality Due to SARS-CoV-2: A Mechanistic Score Relating Obesity and Diabetes to COVID-19 Outcomes in Mexico. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	199
173	Association of a low-frequency variant in HNF1A with type 2 diabetes in a Latino population. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 2305-14	27.4	164
172	A systems genetics approach implicates USF1, FADS3, and other causal candidate genes for familial combined hyperlipidemia. <i>PLoS Genetics</i> , 2009 , 5, e1000642	6	129
171	A novel risk score to predict cardiovascular disease risk in national populations (Globorisk): a pooled analysis of prospective cohorts and health examination surveys. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 339-55	18.1	125
170	Familial hypercholesterolaemia: A global call to arms. <i>Atherosclerosis</i> , 2015 , 243, 257-9	3.1	123
169	High prevalence of low HDL cholesterol concentrations and mixed hyperlipidemia in a Mexican nationwide survey. <i>Journal of Lipid Research</i> , 2001 , 42, 1298-1307	6.3	113
168	The differential effects of metformin on markers of endothelial activation and inflammation in subjects with impaired glucose tolerance: a placebo-controlled, randomized clinical trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 3943-8	5.6	110
167	Exercise increases serum fibroblast growth factor 21 (FGF21) levels. <i>PLoS ONE</i> , 2012 , 7, e38022	3.7	109
166	Metabolic syndrome and non-alcoholic fatty liver disease. <i>Annals of Hepatology</i> , 2009 , 8, S18-S24	3.1	108
165	High prevalence of low HDL cholesterol concentrations and mixed hyperlipidemia in a Mexican nationwide survey. <i>Journal of Lipid Research</i> , 2001 , 42, 1298-307	6.3	105
164	Metabolic syndrome in Mexican adults: results from the National Health and Nutrition Survey 2006. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 1, S11-8	1.7	100
163	A functional ABCA1 gene variant is associated with low HDL-cholesterol levels and shows evidence of positive selection in Native Americans. <i>Human Molecular Genetics</i> , 2010 , 19, 2877-85	5.6	98

162	Diabetes in Mexico: cost and management of diabetes and its complications and challenges for health policy. <i>Globalization and Health</i> , 2013 , 9, 3	10	93
161	High prevalence of metabolic syndrome in Mexico. <i>Archives of Medical Research</i> , 2004 , 35, 76-81	6.6	93
160	Overview of the current status of familial hypercholesterolaemia care in over 60 countries - The EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC). <i>Atherosclerosis</i> , 2018 , 277, 234-255	3.1	93
159	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. <i>Lancet, The</i> , 2021 , 396, 2019-2082	40	90
158	Genomic study in Mexicans identifies a new locus for triglycerides and refines European lipid loci. <i>Journal of Medical Genetics</i> , 2013 , 50, 298-308	5.8	89
157	Reducing the Clinical and Public Health Burden of Familial Hypercholesterolemia: A Global Call to Action. <i>JAMA Cardiology</i> , 2020 , 5, 217-229	16.2	85
156	Characteristics of patients with type 2 diabetes in México: Results from a large population-based nationwide survey. <i>Diabetes Care</i> , 2003 , 26, 2021-6	14.6	83
155	The ATP-binding cassette transporter A1 R230C variant affects HDL cholesterol levels and BMI in the Mexican population: association with obesity and obesity-related comorbidities. <i>Diabetes</i> , 2007 , 56, 1881-7	0.9	81
154	Contribution of common genetic variation to the risk of type 2 diabetes in the Mexican Mestizo population. <i>Diabetes</i> , 2012 , 61, 3314-21	0.9	71
153	A dietary pattern including nopal, chia seed, soy protein, and oat reduces serum triglycerides and glucose intolerance in patients with metabolic syndrome. <i>Journal of Nutrition</i> , 2012 , 142, 64-9	4.1	70
152	Association of the ATP-binding cassette transporter A1 R230C variant with early-onset type 2 diabetes in a Mexican population. <i>Diabetes</i> , 2008 , 57, 509-13	0.9	70
151	Amerindian-specific regions under positive selection harbour new lipid variants in Latinos. <i>Nature Communications</i> , 2014 , 5, 3983	17.4	68
150	Prevalence of dyslipidemias in the Mexican National Health and Nutrition Survey 2006. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 1, S44-53	1.7	67
149	Effects of the Non-Nutritive Sweeteners on Glucose Metabolism and Appetite Regulating Hormones: Systematic Review of Observational Prospective Studies and Clinical Trials. <i>PLoS ONE</i> , 2016 , 11, e0161264	3.7	64
148	The role of bariatric surgery in the management of nonalcoholic fatty liver disease and metabolic syndrome. <i>Metabolism: Clinical and Experimental</i> , 2016 , 65, 1196-207	12.7	62
147	Fibroblast Growth Factor 21 and Browning of White Adipose Tissue. <i>Frontiers in Physiology</i> , 2019 , 10, 37	4.6	60
146	Familial combined hyperlipidemia in Mexicans: association with upstream transcription factor 1 and linkage on chromosome 16q24.1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 1985-91	9.4	60
145	Pooling and expanding registries of familial hypercholesterolaemia to assess gaps in care and improve disease management and outcomes: Rationale and design of the global EAS Familial Hypercholesterolaemia Studies Collaboration. <i>Atherosclerosis Supplements</i> , 2016 , 22, 1-32	1.7	60

144	Laboratory-based and office-based risk scores and charts to predict 10-year risk of cardiovascular disease in 182 countries: a pooled analysis of prospective cohorts and health surveys. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 196-213	18.1	56
143	The metabolic syndrome: a concept hard to define. <i>Archives of Medical Research</i> , 2005 , 36, 223-31	6.6	55
142	Common hepatic nuclear factor-4alpha variants are associated with high serum lipid levels and the metabolic syndrome. <i>Diabetes</i> , 2006 , 55, 1970-7	0.9	54
141	Achievement of low-density lipoprotein cholesterol goals in 18 countries outside Western Europe: The International Cholesterol management Practice Study (ICLPS). <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1087-1094	3.9	53
140	Metabolic modes of action of the statins in the hyperlipoproteinemias. <i>Atherosclerosis</i> , 1998 , 141, 203-7	3.1	47
139	Prevalence and characteristics of early-onset type 2 diabetes in Mexico. <i>American Journal of Medicine</i> , 2002 , 113, 569-74	2.4	45
138	Unequal Impact of Structural Health Determinants and Comorbidity on COVID-19 Severity and Lethality in Older Mexican Adults: Considerations Beyond Chronological Aging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e52-e59	6.4	44
137	Collaborative research and actions on both sides of the US-Mexico border to counteract type 2 diabetes in people of Mexican origin. <i>Globalization and Health</i> , 2018 , 14, 84	10	44
136	METS-IR, a novel score to evaluate insulin sensitivity, is predictive of visceral adiposity and incident type 2 diabetes. <i>European Journal of Endocrinology</i> , 2018 , 178, 533-544	6.5	43
135	Epidemiology of type 2 diabetes in Mexico. <i>Archives of Medical Research</i> , 2005 , 36, 188-96	6.6	43
134	WW-domain-containing oxidoreductase is associated with low plasma HDL-C levels. <i>American Journal of Human Genetics</i> , 2008 , 83, 180-92	11	41
133	Aspects of Multicomponent Integrated Care Promote Sustained Improvement in Surrogate Clinical Outcomes: A Systematic Review and Meta-analysis. <i>Diabetes Care</i> , 2018 , 41, 1312-1320	14.6	41
132	Epidemiology of diabetes mellitus in Mexico. <i>Nutrition Reviews</i> , 2017 , 75, 4-12	6.4	40
131	Trends for type 2 diabetes and other cardiovascular risk factors in Mexico from 1993-2006. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 1, S72-9	1.7	40
130	Daily physical activity, fasting glucose, uric acid, and body mass index are independent factors associated with serum fibroblast growth factor 21 levels. <i>European Journal of Endocrinology</i> , 2010 , 163, 469-77	6.5	39
129	Hypertension in Mexican adults: results from the National Health and Nutrition Survey 2006. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 1, S63-71	1.7	36
128	Estimated incidence of cardiovascular complications related to type 2 diabetes in Mexico using the UKPDS outcome model and a population-based survey. <i>Cardiovascular Diabetology</i> , 2011 , 10, 1	8.7	35
127	Investigation of variants identified in caucasian genome-wide association studies for plasma high-density lipoprotein cholesterol and triglycerides levels in Mexican dyslipidemic study samples. <i>Circulation: Cardiovascular Genetics</i> , 2010 , 3, 31-8		35

126	Triglyceride-rich lipoproteins and their remnants: metabolic insights, role in atherosclerotic cardiovascular disease, and emerging therapeutic strategies-a consensus statement from the European Atherosclerosis Society. <i>European Heart Journal</i> , 2021 ,	9.5	35
125	Recent advances in managing/understanding the metabolic syndrome. <i>F1000Research</i> , 2019 , 8,	3.6	34
124	Sucralose decreases insulin sensitivity in healthy subjects: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 485-491	7	34
123	A familial combined hyperlipidemic kindred with impaired apolipoprotein B catabolism. Kinetics of apolipoprotein B during placebo and pravastatin therapy. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 72-82	9.4	33
122	An Amino Acid Signature Associated with Obesity Predicts 2-Year Risk of Hypertriglyceridemia in School-Age Children. <i>Scientific Reports</i> , 2017 , 7, 5607	4.9	31
121	Early-onset type 2 diabetes: metabolic and genetic characterization in the mexican population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 220-6	5.6	31
120	Prevalence of obesity and metabolic syndrome components in Mexican adults without type 2 diabetes or hypertension. <i>Salud Publica De Mexico</i> , 2012 , 54, 7-12	1.7	30
119	Diabetes mellitus tipo 2 y frecuencia de acciones para su prevención y control. <i>Salud Publica De Mexico</i> , 2013 , 55, 137	1.7	27
118	Locus on chromosome 6p linked to elevated HDL cholesterol serum levels and to protection against premature atherosclerosis in a kindred with familial hypercholesterolemia. <i>Circulation Research</i> , 2003 , 92, 569-76	15.7	26
117	Predicting mortality due to SARS-CoV-2: A mechanistic score relating obesity and diabetes to COVID-19 outcomes in Mexico		26
116	Genetic heterogeneity of autosomal dominant hypercholesterolemia in Mexico. <i>Archives of Medical Research</i> , 2006 , 37, 102-8	6.6	25
115	Low Salivary Amylase Gene () Copy Number Is Associated with Obesity and Gut Abundance in Mexican Children and Adults. <i>Nutrients</i> , 2018 , 10,	6.7	25
114	Performance of LDL-C calculated with Martin's formula compared to the Friedewald equation in familial combined hyperlipidemia. <i>Atherosclerosis</i> , 2018 , 277, 204-210	3.1	25
113	Genetic and environmental determinants of the susceptibility of Amerindian derived populations for having hypertriglyceridemia. <i>Metabolism: Clinical and Experimental</i> , 2014 , 63, 887-94	12.7	24
112	Hypoalphalipoproteinemia in populations of Native American ancestry: an opportunity to assess the interaction of genes and the environment. <i>Current Opinion in Lipidology</i> , 2009 , 20, 92-7	4.4	24
111	Early-onset type 2 diabetes in a Mexican survey: results from the National Health and Nutrition Survey 2006. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 1, S27-35	1.7	24
110	Lack of agreement between the revised criteria of impaired fasting glucose and impaired glucose tolerance in children with excess body weight. <i>Diabetes Care</i> , 2004 , 27, 2229-33	14.6	23
109	Analysis of the agreement between the World Health Organization criteria and the National Cholesterol Education Program-III definition of the metabolic syndrome: results from a population-based survey. <i>Diabetes Care</i> , 2003 , 26, 1635	14.6	22

108	Modulation of energy balance by fibroblast growth factor 21. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2016 , 30,	1.3	21
107	Prevalence, incidence and characteristics of the metabolic syndrome (MetS) in a cohort of Mexican Mestizo early rheumatoid arthritis patients treated with conventional disease modifying anti-rheumatic drugs: the complex relationship between MetS and disease activity. <i>Arthritis Research and Therapy</i> , 2015 , 17, 34	5.7	21
106	Remnant lipoproteins: are they equal to or more atherogenic than LDL?. <i>Current Opinion in Lipidology</i> , 2020 , 31, 132-139	4.4	21
105	Interaction Between Depression, Obesity, and Type 2 Diabetes: A Complex Picture. <i>Archives of Medical Research</i> , 2017 , 48, 582-591	6.6	21
104	Development and validation of a predictive model for incident type 2 diabetes in middle-aged Mexican adults: the metabolic syndrome cohort. <i>BMC Endocrine Disorders</i> , 2019 , 19, 41	3.3	20
103	The panorama of familial hypercholesterolemia in Latin America: a systematic review. <i>Journal of Lipid Research</i> , 2016 , 57, 2115-2129	6.3	20
102	Assessment of two different diagnostic guidelines criteria (National Cholesterol Education Adult Treatment Panel III [ATP III] and International Diabetes Federation [IDF]) for the evaluation of metabolic syndrome remission in a longitudinal cohort of patients undergoing Roux-en-Y gastric bypass. <i>Surgery</i> , 2016 , 159, 1121-8	3.6	19
101	The ATP-binding cassette transporter subfamily A member 1 (ABC-A1) and type 2 diabetes: an association beyond HDL cholesterol. <i>Current Diabetes Reviews</i> , 2007 , 3, 264-7	2.7	19
100	FAMILIAL COMBINED HYPERLIPIDEMIA: CURRENT KNOWLEDGE, PERSPECTIVES, AND CONTROVERSIES. <i>Revista De Investigacion Clinica</i> , 2018 , 70, 224-236	1.6	19
99	Prevalence of metabolic syndrome among elderly Mexicans. <i>Archives of Gerontology and Geriatrics</i> , 2017 , 73, 288-293	4	17
98	Effect of bariatric surgery on heart failure. <i>Expert Review of Cardiovascular Therapy</i> , 2017 , 15, 567-579	2.5	17
97	The non-synonymous Arg230Cys variant (R230C) of the ATP-binding cassette transporter A1 is associated with low HDL cholesterol concentrations in Mexican adults: a population based nation wide study. <i>Atherosclerosis</i> , 2011 , 216, 146-50	3.1	17
96	A novel ARH splice site mutation in a Mexican kindred with autosomal recessive hypercholesterolemia. <i>Human Genetics</i> , 2005 , 116, 114-20	6.3	17
95	Familial combined hyperlipidemia: controversial aspects of its diagnosis and pathogenesis. <i>Seminars in Vascular Medicine</i> , 2004 , 4, 203-9		16
94	Innovative models for the empowerment of patients with type 2 diabetes: the CAIPaDi program. <i>Recent Patents on Endocrine, Metabolic & Immune Drug Discovery</i> , 2014 , 8, 202-9		16
93	Impact of undiagnosed type 2 diabetes and pre-diabetes on severity and mortality for SARS-CoV-2 infection. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	16
92	Frailty, diabetes, and the convergence of chronic disease in an age-related condition: a population-based nationwide cross-sectional analysis of the Mexican nutrition and health survey. <i>Aging Clinical and Experimental Research</i> , 2018 , 30, 935-941	4.8	16
91	Empowerment of patients with type 2 diabetes: current perspectives. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019 , 12, 1311-1321	3.4	15

90	Obesity, diabetes, hypertension, and tobacco consumption in an urban adult Mexican population. <i>Archives of Medical Research</i> , 2001 , 32, 446-53	6.6	15
89	Apolipoprotein B and A-I distribution in Mexican urban adults: results of a nationwide survey. <i>Metabolism: Clinical and Experimental</i> , 2002 , 51, 560-8	12.7	15
88	Association of R230C ABCA1 gene variant with low HDL-C levels and abnormal HDL subclass distribution in Mexican school-aged children. <i>Clinica Chimica Acta</i> , 2010 , 411, 1214-7	6.2	14
87	Global perspective of familial hypercholesterolaemia: a cross-sectional study from the EAS Familial Hypercholesterolaemia Studies Collaboration (FHSC). <i>Lancet, The</i> , 2021 , 398, 1713-1725	40	14
86	Genetic factors play an important role in the pathogenesis of hyperlipidemia post-transplantation. <i>American Journal of Kidney Diseases</i> , 2002 , 40, 169-77	7.4	13
85	Liver fibrosis in patients with metabolic associated fatty liver disease is a risk factor for adverse outcomes in COVID-19. <i>Digestive and Liver Disease</i> , 2021 , 53, 525-533	3.3	13
84	Long-term effectiveness of a type 2 diabetes comprehensive care program. The CAIPaDi model. <i>Diabetes Research and Clinical Practice</i> , 2019 , 151, 128-137	7.4	12
83	Determinants of VLDL composition and apo B-containing particles in familial combined hyperlipidemia. <i>Clinica Chimica Acta</i> , 2015 , 438, 160-5	6.2	12
82	Environmental and intrinsic factors shaping gut microbiota composition and diversity and its relation to metabolic health in children and early adolescents: A population-based study. <i>Gut Microbes</i> , 2020 , 11, 900-917	8.8	12
81	Validation and repurposing of the MSL-COVID-19 score for prediction of severe COVID-19 using simple clinical predictors in a triage setting: The Nutri-CoV score. <i>PLoS ONE</i> , 2020 , 15, e0244051	3.7	12
80	Epidemiology of type 1 diabetes in Latin America. <i>Current Diabetes Reviews</i> , 2014 , 10, 75-85	2.7	12
79	Clinical characterization of data-driven diabetes subgroups in Mexicans using a reproducible machine learning approach. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	12
78	Prediction of incident hypertension and arterial stiffness using the non-insulin-based metabolic score for insulin resistance (METS-IR) index. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1063-1070	2.3	11
77	Metabolic Score for Visceral Fat (METS-VF), a novel estimator of intra-abdominal fat content and cardio-metabolic health. <i>Clinical Nutrition</i> , 2020 , 39, 1613-1621	5.9	11
76	Insulin Adherence in Type 2 Diabetes in Mexico: Behaviors and Barriers. <i>Journal of Diabetes Research</i> , 2018 , 2018, 3190849	3.9	11
75	Peripheral Lymphocytes, Obesity, and Metabolic Syndrome in Young Adults: An Immunometabolism Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018 , 16, 342-349	2.6	10
74	The SLC16A11 risk haplotype is associated with decreased insulin action, higher transaminases and large-size adipocytes. <i>European Journal of Endocrinology</i> , 2019 , 180, 99-107	6.5	10
73	Methodology for the analysis of type 2 diabetes, metabolic syndrome and cardiovascular disease risk indicators in the ENSANUT 2006. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 1, S4-10	1.7	10

72	Impact of anthropometric cut-off values in determining the prevalence of metabolic alterations. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 940-946	4.6	10
71	Intermittent Fasting as Part of the Management for T2DM: from Animal Models to Human Clinical Studies. <i>Current Diabetes Reports</i> , 2020 , 20, 13	5.6	9
70	The R230C variant of the ATP binding cassette protein A1 (ABCA1) gene is associated with a decreased response to glyburide therapy in patients with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2013 , 62, 638-41	12.7	9
69	Identification of two common variants contributing to serum apolipoprotein B levels in Mexicans. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 353-9	9.4	9
68	Design and validation of a population-based definition of the metabolic syndrome. <i>Diabetes Care</i> , 2006 , 29, 2420-6	14.6	9
67	DYSLIPIDEMIA IN MEXICO, A CALL FOR ACTION. <i>Revista De Investigacion Clinica</i> , 2018 , 70, 211-216	1.6	9
66	A panel of 32 AIMS suitable for population stratification correction and global ancestry estimation in Mexican mestizos. <i>BMC Genetics</i> , 2019 , 20, 5	2.6	9
65	Factors associated with postprandial lipemia and apolipoprotein A-V levels in individuals with familial combined hyperlipidemia. <i>BMC Endocrine Disorders</i> , 2014 , 14, 90	3.3	8
64	Non-Nutritive Sweeteners: Evidence on their Association with Metabolic Diseases and Potential Effects on Glucose Metabolism and Appetite. <i>Revista De Investigacion Clinica</i> , 2017 , 69, 129-138	1.6	8
63	Mexican Carriers of the p.E508K Variant Do Not Experience an Enhanced Response to Sulfonylureas. <i>Diabetes Care</i> , 2018 , 41, 1726-1731	14.6	8
62	Prognostic value of metabolic syndrome for the development of cardiovascular disease in a cohort of premenopausal women with systemic lupus erythematosus. <i>Medicina Clínica</i> , 2015 , 144, 289-96	1	7
61	Impact of Body Mass Index >50 on Cardiac Structural and Functional Characteristics and Surgical Outcomes After Bariatric Surgery. <i>Obesity Surgery</i> , 2016 , 26, 2772-2778	3.7	7
60	Molecular Characterization of the Lipid Genome-Wide Association Study Signal on Chromosome 18q11.2 Implicates HNF4A-Mediated Regulation of the TMEM241 Gene. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 1350-5	9.4	7
59	The Role of Diet in Patients with Metabolic Syndrome. <i>Current Medicinal Chemistry</i> , 2019 , 26, 3613-3619	4.3	7
58	Familial hypercholesterolemia in Mexico: Initial insights from the national registry. <i>Journal of Clinical Lipidology</i> , 2021 , 15, 124-133	4.9	7
57	Prenatal Docosahexaenoic Acid Supplementation Does Not Affect Nonfasting Serum Lipid and Glucose Concentrations of Offspring at 4 Years of Age in a Follow-Up of a Randomized Controlled Clinical Trial in Mexico. <i>Journal of Nutrition</i> , 2017 , 147, 242-247	4.1	6
56	The combination of insulin resistance and visceral adipose tissue estimation improves the performance of metabolic syndrome as a predictor of type 2 diabetes. <i>Diabetic Medicine</i> , 2020 , 37, 1192-1201	3.5	6
55	Attributable Burden and Expenditure of Cardiovascular Diseases and Associated Risk Factors in Mexico and other Selected Mega-Countries. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6

54	Comparative assessment of LDL-C and VLDL-C estimation in familial combined hyperlipidemia using Sampson's, Martin's and Friedewald's equations. <i>Lipids in Health and Disease</i> , 2021 , 20, 46	4.4	6
53	Setting the Lipid Component of the Diet: A Work in Process. <i>Advances in Nutrition</i> , 2017 , 8, 165S-172S	10	5
52	Diabetes in Latin America 2017 , 101-126		5
51	Prevalence and associated risk factors of diabetic retinopathy and macular oedema in patients recently diagnosed with type 2 diabetes. <i>BMJ Open Ophthalmology</i> , 2020 , 5, e000304	3.2	5
50	Lipids, apoprotein B, and associated coronary risk factors in urban and rural older Mexican populations. <i>Metabolism: Clinical and Experimental</i> , 2001 , 50, 311-8	12.7	5
49	Serum Vitamin D Levels Are Associated With Increased COVID-19 Severity and Mortality Independent of Whole-Body and Visceral Adiposity.. <i>Frontiers in Nutrition</i> , 2022 , 9, 813485	6.2	5
48	Unequal impact of structural health determinants and comorbidity on COVID-19 severity and lethality in older Mexican adults: Looking beyond chronological aging		5
47	Natural course of metabolically healthy phenotype and risk of developing Cardiometabolic diseases: a three years follow-up study. <i>BMC Endocrine Disorders</i> , 2021 , 21, 85	3.3	5
46	Familial hypertriglyceridemia: an entity with distinguishable features from other causes of hypertriglyceridemia. <i>Lipids in Health and Disease</i> , 2021 , 20, 14	4.4	5
45	Adaptive Metabolic and Inflammatory Responses Identified Using Accelerated Aging Metrics Are Linked to Adverse Outcomes in Severe SARS-CoV-2 Infection. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e117-e126	6.4	5
44	Contribution of Known Genetic Risk Variants to Dyslipidemias and Type 2 Diabetes in Mexico: A Population-Based Nationwide Study. <i>Genes</i> , 2020 , 11,	4.2	4
43	Zinc associated nanomaterials and their intervention in emerging respiratory viruses: Journey to the field of biomedicine and biomaterials.. <i>Coordination Chemistry Reviews</i> , 2022 , 457, 214402	23.2	4
42	Prevention of cardiovascular disease based on lipid lowering treatment: a challenge for the Mexican health system. <i>Salud Publica De Mexico</i> , 2010 , 52 Suppl 1, S54-62	1.7	4
41	Use of PCSK9 Inhibitor in a Mexican Boy with Compound Heterozygous Familial Hypercholesterolemia: A Case Report. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvz018	0.4	3
40	Ciprofibrate therapy in patients with hypertriglyceridemia and low high density lipoprotein (HDL)-cholesterol: greater reduction of non-HDL cholesterol in subjects with excess body weight (The CIPROAMLAT study). <i>Cardiovascular Diabetology</i> , 2004 , 3, 8	8.7	3
39	Familial hypercholesterolemia due to ligand-defective apolipoprotein B100: first case report in a Mexican family. <i>Archives of Medical Research</i> , 2003 , 34, 70-5	6.6	3
38	Management of the metabolic syndrome as a strategy for preventing the macrovascular complications of type 2 diabetes: controversial issues. <i>Current Diabetes Reviews</i> , 2005 , 1, 145-58	2.7	3
37	Adaptive metabolic and inflammatory responses identified using accelerated aging metrics are linked to adverse outcomes in severe SARS-CoV-2 infection		3

36	Sucralose Consumption over 2 Weeks in Healthy Subjects Does Not Modify Fasting Plasma Concentrations of Appetite-Regulating Hormones: A Randomized Clinical Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2020 , 120, 1295-1304	3.9	3
35	Asymptomatic Coronary Artery Calcifications in Men with Systemic Lupus Erythematosus. <i>Journal of Rheumatology</i> , 2018 , 45, 663-670	4.1	2
34	Primary amenorrhea in two sisters: description of a Mexican family with 17 β -hydroxylase-17 lyase deficiency caused by arginine - stop mutation. <i>Gynecological Endocrinology</i> , 2012 , 28, 733-5	2.4	2
33	Epicardial adipose tissue thickness is associated with increased COVID-19 severity and mortality.. <i>International Journal of Obesity</i> , 2022 ,	5.5	2
32	Características de los casos con dislipidemias mixtas en un estudio de población: resultados de la Encuesta Nacional de Enfermedades Crónicas. <i>Salud Publica De Mexico</i> , 2002 , 44,	1.7	2
31	Trends in the prevalence of metabolic syndrome and its components in Mexican adults, 2006-2018.. <i>Salud Publica De Mexico</i> , 2021 , 63, 713-724	1.7	2
30	DASH Diet as a Proposal for Improvement in Cellular Immunity and Its Association with Metabolic Parameters in Persons with Overweight and Obesity. <i>Nutrients</i> , 2021 , 13,	6.7	2
29	Geriatric Syndromes and Not Cardiovascular Risk Factors are Associated with Cognitive Impairment among Mexican Community-Dwelling Elderly with Type 2 Diabetes. <i>Revista De Investigacion Clinica</i> , 2017 , 69, 166-172	1.6	2
28	Type 1 diabetes incidence in children and adolescents in Mexico: Data from a nation-wide institutional register during 2000-2018. <i>Diabetes Research and Clinical Practice</i> , 2020 , 159, 107949	7.4	2
27	Serum Vitamin D levels are associated with increased COVID-19 severity and mortality independent of visceral adiposity		2
26	LCAT deficiency: a systematic review with the clinical and genetic description of Mexican kindred. <i>Lipids in Health and Disease</i> , 2021 , 20, 70	4.4	2
25	Increased visceral fat accumulation modifies the effect of insulin resistance on arterial stiffness and hypertension risk. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 506-517	4.5	2
24	The development of the Mexican Familial Hypercholesterolemia (FH) National Registry. <i>Atherosclerosis</i> , 2018 , 277, 517-523	3.1	2
23	Effects of estrogen/medrogestone therapy on the apoprotein B-containing lipoproteins in postmenopausal women with type 2 diabetes mellitus under satisfactory and non-satisfactory glycemic control. <i>Israel Medical Association Journal</i> , 2001 , 3, 137-43	0.9	2
22	New Therapies for Primary Hyperlipidaemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	2
21	Design of a cluster-randomized trial of the effectiveness and cost-effectiveness of metformin on prevention of type 2 diabetes among prediabetic Mexican adults (the PRuDENTE initiative of Mexico City). <i>Contemporary Clinical Trials</i> , 2020 , 95, 106067	2.3	1
20	Real Time Monitoring of Children, and Adults with Mental Disabilities Using a Low-Cost Non-Invasive Electronic Device. <i>Micromachines</i> , 2017 , 8,	3.3	1
19	Prognostic value of metabolic syndrome for the development of cardiovascular disease in a cohort of premenopausal women with systemic lupus erythematosus. <i>Medicina Clínica (English Edition)</i> , 2015 , 144, 289-296	0.3	1

18	Evidence-based medicine and the selection of lipid-lowering therapy in type 2 diabetes. <i>Current Diabetes Reports</i> , 2012 , 12, 221-3	5.6	1
17	Bioethics in the COVID-19 Pandemic Research: Challenges and Strategies. <i>Revista De Investigacion Clinica</i> , 2020 , 72, 265-270	1.6	1
16	Prevalence trends of diabetes subgroups in the US: A data-driven analysis spanning three decades from NHANES (1988-2018). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	1
15	Development and validation of a tool for predicting type 2 diabetes in Mexican women of reproductive age. <i>Endocrinologia, Diabetes Y Nutrición</i> , 2020 , 67, 578-585	1.3	1
14	A High Incidence of Metabolic Syndrome Traits in Mexicans Points at Obesity-Related Metabolic Dysfunction. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021 , 14, 1073-1082	3.4	1
13	Epicardial adipose tissue thickness is associated with increased severity and mortality related to SARS-CoV-2 infection		1
12	Bioethics in Medical Care Rationing During the Coronavirus Disease-19 Pandemic. <i>Revista De Investigacion Clinica</i> , 2020 , 73, 1-5	1.6	1
11	Diabetes Awareness, Treatment, and Control among Mexico City Residents. <i>International Journal of Diabetology</i> , 2021 , 2, 16-30	1	0
10	A higher bacterial inward BCAA transport driven by <i>Faecalibacterium prausnitzii</i> is associated with lower serum levels of BCAA in early adolescents. <i>Molecular Medicine</i> , 2021 , 27, 108	6.2	0
9	Ancestral diversity improves discovery and fine-mapping of genetic loci for anthropometric traits-The Hispanic/Latino Anthropometry Consortium.. <i>Human Genetics and Genomics Advances</i> , 2022 , 3, 100099	0.8	0
8	Prevention of diabetes in Mexico: pragmatic solutions for a complex problem. <i>Nutrition Reviews</i> , 2017 , 75, 107-111	6.4	
7	LIPID DISORDERS: ADVANCES IN RESEARCH AND CHALLENGES IN CLINICAL PRACTICE. <i>Revista De Investigacion Clinica</i> , 2018 , 70, 209-210	1.6	
6	Use of an electronic integral monitoring system for patients with diabetes to identify factors associated with an adequate glycemic goal and to measure quality of care. <i>Primary Care Diabetes</i> , 2021 , 15, 162-168	2.4	
5	Comparison of Two Electronic Systems for Obtaining Diabetes Care Indicators in Clinical Practice. <i>Clinical Diabetes</i> , 2021 , 39, 167-172	2.9	
4	Validation and repurposing of the MSL-COVID-19 score for prediction of severe COVID-19 using simple clinical predictors in a triage setting: The Nutri-CoV score 2020 , 15, e0244051		
3	Validation and repurposing of the MSL-COVID-19 score for prediction of severe COVID-19 using simple clinical predictors in a triage setting: The Nutri-CoV score 2020 , 15, e0244051		
2	Validation and repurposing of the MSL-COVID-19 score for prediction of severe COVID-19 using simple clinical predictors in a triage setting: The Nutri-CoV score 2020 , 15, e0244051		
1	Validation and repurposing of the MSL-COVID-19 score for prediction of severe COVID-19 using simple clinical predictors in a triage setting: The Nutri-CoV score 2020 , 15, e0244051		

