

# Osamu Manabe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1686047/publications.pdf>

Version: 2024-02-01

45  
papers

963  
citations

516561

16  
h-index

454834

30  
g-index

48  
all docs

48  
docs citations

48  
times ranked

1071  
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of 18-h fasting with low-carbohydrate diet preparation on suppressed physiological myocardial 18F-fluorodeoxyglucose (FDG) uptake and possible minimal effects of unfractionated heparin use in patients with suspected cardiac involvement sarcoidosis. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 244-252.	1.4	142
2	A Semi-Automated Technique Determining the Liver Standardized Uptake Value Reference for Tumor Delineation in FDG PET-CT. <i>PLoS ONE</i> , 2014, 9, e105682.	1.1	79
3	Comparison of 18F-fluorodeoxyglucose positron emission tomography (FDG PET) and cardiac magnetic resonance (CMR) in corticosteroid-naïve patients with conduction system disease due to cardiac sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 259-269.	3.3	73
4	IgG4-related Cardiovascular Disease from the Aorta to the Coronary Arteries: Multidetector CT and PET/CT. <i>Radiographics</i> , 2018, 38, 1934-1948.	1.4	60
5	Characteristics of immunoglobulin G4-related aortitis/periaortitis and periarteritis on fluorodeoxyglucose positron emission tomography/computed tomography co-registered with contrast-enhanced computed tomography. <i>EJNMMI Research</i> , 2017, 7, 20.	1.1	57
6	Elevated 18F-fluorodeoxyglucose uptake in the interventricular septum is associated with atrioventricular block in patients with suspected cardiac involvement sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 1558-1566.	3.3	50
7	Identification and further differentiation of subendocardial and transmural myocardial infarction by fast strain-encoded (SENC) magnetic resonance imaging at 3.0 Tesla. <i>European Radiology</i> , 2011, 21, 2362-2368.	2.3	42
8	Right ventricular 18F-FDG uptake is an important indicator for cardiac involvement in patients with suspected cardiac sarcoidosis. <i>Annals of Nuclear Medicine</i> , 2014, 28, 656-663.	1.2	40
9	Delayed contrast-enhanced computed tomography in patients with known or suspected cardiac sarcoidosis: A feasibility study. <i>European Radiology</i> , 2017, 27, 4054-4063.	2.3	36
10	Cardiac sarcoidosis classification with deep convolutional neural network-based features using polar maps. <i>Computers in Biology and Medicine</i> , 2019, 104, 81-86.	3.9	36
11	Use of 18F-FDG PET/CT texture analysis to diagnose cardiac sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1240-1247.	3.3	36
12	18F-fluoromisonidazole positron emission tomography can predict pathological necrosis of brain tumors. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1469-1476.	3.3	28
13	Volume-based glucose metabolic analysis of FDG PET/CT: The optimum threshold and conditions to suppress physiological myocardial uptake. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 909-918.	1.4	24
14	18F-FMISO PET/CT detects hypoxic lesions of cardiac and extra-cardiac involvement in patients with sarcoidosis. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 2141-2148.	1.4	23
15	Regional interaction between myocardial sympathetic denervation, contractile dysfunction, and fibrosis in heart failure with preserved ejection fraction: 11C-hydroxyephedrine PET study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1897-1905.	3.3	22
16	Effects of coronary revascularization on global coronary flow reserve in stable coronary artery disease. <i>Cardiovascular Research</i> , 2019, 115, 119-129.	1.8	22
17	Which is the proper reference tissue for measuring the change in FDG PET metabolic volume of cardiac sarcoidosis before and after steroid therapy?. <i>EJNMMI Research</i> , 2018, 8, 94.	1.1	15
18	A convolutional neural network-based system to prevent patient misidentification in FDG-PET examinations. <i>Scientific Reports</i> , 2019, 9, 7192.	1.6	15

#	ARTICLE	IF	CITATIONS
19	Improved regional myocardial blood flow and flow reserve after coronary revascularization as assessed by serial 15O-water positron emission tomography/computed tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 36-46.	0.5	15
20	Qualitative and Quantitative Assessments of Cardiac Sarcoidosis Using $^{18}\text{F}$ -FDG PET. <i>Annals of Nuclear Cardiology</i> , 2017, 3, 117-120.	0.0	12
21	Recent advances in cardiac positron emission tomography for quantitative perfusion analyses and molecular imaging. <i>Annals of Nuclear Medicine</i> , 2020, 34, 697-706.	1.2	11
22	Elevated serum endothelin-1 is an independent predictor of coronary microvascular dysfunction in non-obstructive territories in patients with coronary artery disease. <i>Heart and Vessels</i> , 2021, 36, 917-923.	0.5	11
23	Influence of the scan time point when assessing hypoxia in $^{18}\text{F}$ -fluoromisonidazole PET: 2 vs. 4 h. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1833-1842.	3.3	10
24	Positron emission tomography/MRI for cardiac diseases assessment. <i>British Journal of Radiology</i> , 2020, 93, 20190836.	1.0	10
25	The Role of Multimodality Imaging in Cardiac Sarcoidosis. <i>Korean Circulation Journal</i> , 2021, 51, 561.	0.7	10
26	Focus Issue on Cardiac Sarcoidosis from International Congress of Nuclear Cardiology and Cardiac CT (ICNC 12) Symposium. <i>Annals of Nuclear Cardiology</i> , 2015, 1, 87-94.	0.0	10
27	The rate of myocardial perfusion recovery after steroid therapy and its implication for cardiac events in cardiac sarcoidosis and primarily preserved left ventricular ejection fraction. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1745-1756.	1.4	9
28	Prognostic value of phase analysis on gated single photon emission computed tomography in patients with cardiac sarcoidosis. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 128-136.	1.4	9
29	<i>RadioGraphics</i> Update: IgG4-related Cardiovascular Disease from the Aorta to the Coronary Arteries. <i>Radiographics</i> , 2020, 40, E29-E32.	1.4	7
30	Texture analysis of delayed contrast-enhanced computed tomography to diagnose cardiac sarcoidosis. <i>Japanese Journal of Radiology</i> , 2021, 39, 442-450.	1.0	7
31	Underdiagnosis of cardiac sarcoidosis by ECG and echocardiography in cases of extracardiac sarcoidosis. <i>ERJ Open Research</i> , 2022, 8, 00516-2021.	1.1	7
32	Detailed visualization of the right and left ventricular, left atrial, and epicardial involvement of cardiac sarcoidosis with novel semiconductor PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1773-1774.	3.3	6
33	A Preliminary Study to Use SUVmax of FDG PET-CT as an Identifier of Lesion for Artificial Intelligence. <i>Frontiers in Medicine</i> , 2021, 8, 647562.	1.2	6
34	Advances in Diagnostic Imaging for Cardiac Sarcoidosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 5808.	1.0	5
35	The detection of retrograde flow from the left anterior descending artery into the main pulmonary artery by 4D-flow cardiac magnetic resonance in a patient with Bland-White-Garland syndrome. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 488-488.	0.5	4
36	Preoperative Texture Analysis Using $^{11}\text{C}$ -Methionine Positron Emission Tomography Predicts Survival after Surgery for Glioma. <i>Diagnostics</i> , 2021, 11, 189.	1.3	4

#	ARTICLE	IF	CITATIONS
37	Effects of ligation of a coronary artery fistula on coronary blood flow. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 354-358.	1.4	3
38	Delayed 18F-fluorodeoxyglucose PET/CT imaging improves detection of cardiac involvement in sarcoidosis. <i>Journal of Nuclear Cardiology</i> , 2023, 30, 417-419.	1.4	3
39	New trials for assessment of left atrial dysfunction by FDG-PET. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 1563-1565.	1.4	2
40	A Nodular Lesion of the Foot Detected by 18F-FDG PET/CT in Mycosis Fungoides. <i>Clinical Nuclear Medicine</i> , 2019, 44, 244-245.	0.7	1
41	Validation of regional myocardial blood flow quantification using three-dimensional PET with rubidium-82: repeatability and comparison with two-dimensional PET data acquisition. <i>Nuclear Medicine Communications</i> , 2020, 41, 768-775.	0.5	1
42	Potential of 18F-FDG PET to evaluate the cardiocerebral interaction. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 489-491.	1.4	0
43	Multimodality evaluation of Takotsubo cardiomyopathy in an isolated single coronary artery anomaly. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 874-880.	1.4	0
44	What is this image? 2020: Image 6 result. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 719-722.	1.4	0
45	Nuclear Medicine Image Interpretation Progress in the Assessment of Cardiac Sarcoidosis: July &lt;b>2019&/b>; ASNC/JSNC Joint Session. <i>Annals of Nuclear Cardiology</i> , 2020, 6, 49-52.	0.0	0