

Chang-yu Ou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1690131/chang-yu-ou-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

2,083

citations

27

h-index

44

g-index

68

ext. papers

2,423

ext. citations

3.8

avg, IF

5.19

L-index

#	Paper	IF	Citations
66	Experimental investigation of influence of calcium ion (Ca ²⁺) and pH on the shear strength of Taipei silty clay 2021 , 44, 544-552		
65	On the behavior of the cured electroosmotic chemical treated clay. <i>Acta Geotechnica</i> , 2020 , 15, 2341-2354	4.9	0
64	Factors affecting the stability of deep excavations in clay with consideration of a full elastoplastic support system. <i>Acta Geotechnica</i> , 2020 , 15, 1707-1722	4.9	4
63	A simplified estimation of excavation-induced ground movements for adjacent building damage potential assessment. <i>Tunnelling and Underground Space Technology</i> , 2020 , 106, 103561	5.7	3
62	On the mechanism of soft clay being improved entirely in the ECT treatment. <i>Bulletin of Engineering Geology and the Environment</i> , 2020 , 79, 3869-3877	4	
61	Evaluation of excavation-induced movements through case histories in Hangzhou. <i>Engineering Computations</i> , 2020 , 37, 1993-2016	1.4	8
60	Finite element analysis of time-dependent behavior in deep excavations. <i>Computers and Geotechnics</i> , 2020 , 119, 103300	4.4	8
59	A novel strut-free retaining wall system for deep excavation in soft clay: numerical study. <i>Acta Geotechnica</i> , 2020 , 15, 1557-1576	4.9	9
58	An innovative earth retaining supported system for deep excavation. <i>Computers and Geotechnics</i> , 2019 , 114, 103135	4.4	4
57	Three-dimensional numerical study of long-term settlement induced in shield tunneling. <i>Tunnelling and Underground Space Technology</i> , 2019 , 88, 221-236	5.7	19
56	A novel electroosmotic chemical treatment for improving the clay strength throughout the entire region. <i>Applied Clay Science</i> , 2018 , 153, 161-171	5.2	11
55	Performance and Three-Dimensional Analyses of a Wide Excavation in Soft Soil with Strut-Free Retaining System. <i>International Journal of Geomechanics</i> , 2018 , 18, 05018007	3.1	12
54	Cohesive Strength Improvement Mechanism Of Kaolinite Near the Anode During Electroosmotic Chemical Treatment. <i>Clays and Clay Minerals</i> , 2018 , 66, 438-448	2.1	1
53	Investigation of the integrated retaining system to limit deformations induced by deep excavation. <i>Acta Geotechnica</i> , 2018 , 13, 973-995	4.9	23
52	Case Record of a Strut-free Excavation with Buttress Walls in Soft Soil. <i>Springer Series in Geomechanics and Geoengineering</i> , 2018 , 142-154	0.1	
51	Mechanism of buttress walls in restraining the wall deflection caused by deep excavation. <i>Tunnelling and Underground Space Technology</i> , 2018 , 82, 542-553	5.7	12
50	A study on the modification of electroosmotic consolidation theory using electric potential distributions 2017 , 40, 25-33		1

49	Stress paths in deep excavations under undrained conditions and its influence on deformation analysis. <i>Tunnelling and Underground Space Technology</i> , 2017 , 63, 118-132	5.7	29
48	Finite element analysis of failure of deep excavations in soft clay. <i>Japanese Geotechnical Society Special Publication</i> , 2016 , 2, 1555-1558	0.2	1
47	Simplified approach to estimate the maximum wall deflection for deep excavations with cross walls in clay under the undrained condition. <i>Acta Geotechnica</i> , 2016 , 11, 177-189	4.9	28
46	Efficiency of excavations with buttress walls in reducing the deflection of the diaphragm wall. <i>Acta Geotechnica</i> , 2016 , 11, 1087-1102	4.9	19
45	A study of failure mechanisms of deep excavations in soft clay using the finite element method. <i>Computers and Geotechnics</i> , 2016 , 73, 153-163	4.4	25
44	A study of the efficiency of excavations with the installation of buttress walls in reducing the wall deflection. <i>Japanese Geotechnical Society Special Publication</i> , 2016 , 2, 1441-1446	0.2	
43	Evaluation of buttress wall shapes to limit movements induced by deep excavation. <i>Computers and Geotechnics</i> , 2016 , 78, 155-170	4.4	21
42	A study of the effects of electrode spacing on the cementation region for electro-osmotic chemical treatment. <i>Applied Clay Science</i> , 2015 , 104, 168-181	5.2	13
41	Mechanism of soil cementation by electroosmotic chemical treatment. <i>Applied Clay Science</i> , 2015 , 104, 135-142	5.2	20
40	Soil improvement of electroosmosis with the chemical treatment using the suitable operation process. <i>Acta Geotechnica</i> , 2015 , 10, 813-820	4.9	14
39	Probabilistic observational method for estimating wall displacements in excavations. <i>Canadian Geotechnical Journal</i> , 2014 , 51, 1111-1122	3.2	9
38	Electro-osmotic chemical treatment of clay with interbedded sand. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2014 , 167, 62-71	0.9	7
37	Calibration of model uncertainties in base heave stability for wide excavations in clay. <i>Soils and Foundations</i> , 2014 , 54, 1159-1174	2.9	8
36	Measurements and Numerical Simulations of Inherent Stiffness Anisotropy in Soft Taipei Clay. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2014 , 140, 237-250	3.4	27
35	A comprehensive evaluation of strength and modulus parameters of a gravelly cobble deposit for deep excavation analysis. <i>Engineering Geology</i> , 2014 , 174, 61-72	6	10
34	Three-dimensional numerical analysis of deep excavations with cross walls. <i>Acta Geotechnica</i> , 2013 , 8, 33-48	4.9	46
33	Predicting Wall Displacements for Excavations with Cross Walls in Soft Clay. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013 , 139, 914-927	3.4	27
32	A parametric study of wall deflections in deep excavations with the installation of cross walls. <i>Computers and Geotechnics</i> , 2013 , 50, 55-65	4.4	31

31	Evaluation of deformation parameter for deep excavation in sand through case histories. <i>Computers and Geotechnics</i> , 2013 , 47, 57-67	4.4	55
30	Evaluation of Factors of Safety against Basal Heave for Deep Excavations in Soft Clay Using the Finite-Element Method. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013 , 139, 2125-2135	3.4	28
29	Development of a Suitable Operation Procedure for Electroosmotic Chemical Soil Improvement. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013 , 139, 993-1000	3.4	16
28	Using a direct-drive motor to measure strain in triaxial tests. <i>Proceedings of the Institution of Civil Engineers: Geotechnical Engineering</i> , 2013 , 166, 56-66	0.9	1
27	A simplified plane strain analysis of lateral wall deflection for excavations with cross walls. <i>Canadian Geotechnical Journal</i> , 2012 , 49, 1134-1146	3.2	10
26	Reliability-Based Design for Basal Heave Stability of Deep Excavations in Spatially Varying Soils. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2012 , 138, 594-603	3.4	32
25	Analysis of deep excavations in clay under the undrained and plane strain condition with small strain characteristics 2012 , 35, 601-616		9
24	A novel technique of harmonic waves applied electro-osmotic chemical treatment for soil improvement. <i>Applied Clay Science</i> , 2011 , 52, 235-244	5.2	12
23	Soil improvement using electroosmosis with the injection of chemical solutions: laboratory tests 2011 , 34, 863-875		17
22	A simplified method for predicting ground settlement profiles induced by excavation in soft clay. <i>Computers and Geotechnics</i> , 2011 , 38, 987-997	4.4	46
21	Fully Probabilistic Framework for Evaluating Excavation-Induced Damage Potential of Adjacent Buildings. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2011 , 137, 130-139	3.4	26
20	Performance of Excavations with Cross Walls. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2011 , 137, 94-104	3.4	31
19	Probabilistic framework for assessing liquefaction hazard at a given site in a specified exposure time using standard penetration testing. <i>Canadian Geotechnical Journal</i> , 2010 , 47, 674-687	3.2	13
18	A novel electroosmotic chemical treatment technique for soil improvement. <i>Applied Clay Science</i> , 2010 , 50, 481-492	5.2	40
17	Performance and analysis of pumping tests in a gravel formation. <i>Bulletin of Engineering Geology and the Environment</i> , 2010 , 69, 1-12	4	14
16	Reliability-Based Design for Basal Heave in an Excavation Considering Spatial Variability 2010 ,		4
15	Modeling small-strain behavior of Taipei clays for finite element analysis of braced excavations. <i>Computers and Geotechnics</i> , 2009 , 36, 304-319	4.4	62
14	On the enhancement of electroosmotic soil improvement by the injection of saline solutions. <i>Applied Clay Science</i> , 2009 , 44, 130-136	5.2	63

13	Injection of saline solutions to improve the electro-osmotic pressure and consolidation of foundation soil. <i>Applied Clay Science</i> , 2009 , 44, 218-224	5-2	57
12	Soil improvement using electroosmosis with the injection of chemical solutions: field tests. <i>Canadian Geotechnical Journal</i> , 2009 , 46, 727-733	3-2	45
11	Basal heave analysis of excavations with consideration of anisotropic undrained strength of clay. <i>Canadian Geotechnical Journal</i> , 2008 , 45, 788-799	3-2	46
10	Analysis and design of partial ground improvement in deep excavations. <i>Computers and Geotechnics</i> , 2008 , 35, 576-584	4-4	37
9	Use of Jet Grouting to Limit Diaphragm Wall Displacement of a Deep Excavation. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2003 , 129, 146-157	3-4	29
8	Three-dimensional deformation behavior of the Taipei National Enterprise Center (TNEC) excavation case history. <i>Canadian Geotechnical Journal</i> , 2000 , 37, 438-448	3-2	72
7	Shape of ground surface settlement profiles caused by excavation. <i>Canadian Geotechnical Journal</i> , 1998 , 35, 1004-1017	3-2	229
6	Analysis of the corner effect on excavation behaviors. <i>Canadian Geotechnical Journal</i> , 1998 , 35, 532-540	3-2	41
5	Performance of Diaphragm Wall Constructed Using Top-Down Method. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 1998 , 124, 798-808	3-4	166
4	Three-Dimensional Finite Element Analysis of Deep Excavations. <i>Journal of Geotechnical Engineering</i> , 1996 , 122, 337-345		123
3	Analysis of Deep Excavation with Column Type of Ground Improvement in Soft Clay. <i>Journal of Geotechnical Engineering</i> , 1996 , 122, 709-716		32
2	Finite-element analysis of deep excavation in layered sandy and clayey soil deposits. <i>Canadian Geotechnical Journal</i> , 1994 , 31, 204-214	3-2	47
1	Characteristics of ground surface settlement during excavation. <i>Canadian Geotechnical Journal</i> , 1993 , 30, 758-767	3-2	230