

# Antonio Derossi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1690930/publications.pdf>

Version: 2024-02-01

82  
papers

2,660  
citations

201385

27  
h-index

205818

48  
g-index

83  
all docs

83  
docs citations

83  
times ranked

2327  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Application of 3D printing for customized food. A case on the development of a fruit-based snack for children. <i>Journal of Food Engineering</i> , 2018, 220, 65-75.   | 2.7 | 224       |
| 2  | On printability, quality and nutritional properties of 3D printed cereal based snacks enriched with edible insects. <i>Food Research International</i> , 2018, 106, 666-676.  | 2.9 | 200       |
| 3  | Printing a blend of fruit and vegetables. New advances on critical variables and shelf life of 3D edible objects. <i>Journal of Food Engineering</i> , 2018, 220, 89-100.   | 2.7 | 174       |
| 4  | Variables affecting the printability of foods: Preliminary tests on cereal-based products. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 38, 281-291.  | 2.7 | 134       |
| 5  | Effects of formulation and process conditions on microstructure, texture and digestibility of extruded insect-riched snacks. <i>Innovative Food Science and Emerging Technologies</i> , 2018, 45, 344-353.                      | 2.7 | 106       |
| 6  | Study of starch-lipid complexes in model system and real food produced using extrusion-cooking technology. <i>Innovative Food Science and Emerging Technologies</i> , 2011, 12, 610-616.  | 2.7 | 98        |
| 7  | Study on formation of starch-lipid complexes during extrusion-cooking of almond flour. <i>Journal of Food Engineering</i> , 2008, 87, 495-504.  | 2.7 | 89        |
| 8  | Prevention of enzymatic browning in sliced potatoes by blanching in boiling saline solutions. <i>LWT - Food Science and Technology</i> , 2003, 36, 657-665.   | 2.5 | 79        |
| 9  | Combined treatments of blanching and dehydration: study on potato cubes. <i>Journal of Food Engineering</i> , 2005, 68, 289-296.  | 2.7 | 72        |
| 10 | Influence of different blanching methods on colour, ascorbic acid and phenolics content of broccoli. <i>Journal of Food Science and Technology</i> , 2016, 53, 501-510.   | 1.4 | 65        |
| 11 | Changes in the Aromatic Profile of Espresso Coffee as a Function of the Grinding Grade and Extraction Time: A Study by the Electronic Nose System. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 2321-2327.     | 2.4 | 61        |
| 12 | A study of the estimated shelf life of fresh rocket using a non-linear model. <i>Journal of Food Engineering</i> , 2015, 150, 19-28.  | 2.7 | 61        |
| 13 | Could the 3D Printing Technology be a Useful Strategy to Obtain Customized Nutrition?. <i>Journal of Clinical Gastroenterology</i> , 2016, 50, S175-S178.   | 1.1 | 56        |
| 14 | Mass transfer during osmotic dehydration of apples. <i>Journal of Food Engineering</i> , 2008, 86, 519-528.   | 2.7 | 55        |
| 15 | Understanding the drying kinetic and hygroscopic behaviour of larvae of yellow mealworm ( <i>Tenebrio</i> ) Tj ETQq1 1 0,784314 rgBT /Ove   | 2.1 | 52        |
| 16 | Programmable texture properties of cereal-based snack mediated by 3D printing technology. <i>Journal of Food Engineering</i> , 2021, 289, 110160.   | 2.7 | 50        |
| 17 | Reduction in the pH of vegetables by vacuum impregnation: A study on pepper. <i>Journal of Food Engineering</i> , 2010, 99, 9-15.   | 2.7 | 47        |
| 18 | How grinding level and brewing method (Espresso, American, Turkish) could affect the antioxidant activity and bioactive compounds in a coffee cup. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 3198-3207. | 1.7 | 46        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Extending the 3D food printing tests at high speed. Material deposition and effect of non-printing movements on the final quality of printed structures. <i>Journal of Food Engineering</i> , 2020, 275, 109865.  | 2.7 | 42        |
| 20 | Starch-lipid complex formation during extrusion-cooking of model system (rice starch and oleic acid). <i>Journal of Food Engineering</i> , 2012, 234, 517-525.  | 1.6 | 41        |
| 21 | Modeling phenolic content during storage of cut fruit and vegetables: A consecutive reaction mechanism. <i>Journal of Food Engineering</i> , 2014, 140, 1-8.  | 2.7 | 41        |
| 22 | Vitamin C kinetic degradation of strawberry juice stored under non-isothermal conditions. <i>LWT - Food Science and Technology</i> , 2010, 43, 590-595.   | 2.5 | 38        |
| 23 | Study and optimization of osmotic dehydration of cherry tomatoes in complex solution by response surface methodology and desirability approach. <i>LWT - Food Science and Technology</i> , 2015, 60, 641-648.   | 2.5 | 37        |
| 24 | Application of multivariate accelerated test for the shelf life estimation of fresh-cut lettuce. <i>Journal of Food Engineering</i> , 2016, 169, 122-130.   | 2.7 | 36        |
| 25 | Manufacturing personalized food for people uniqueness. An overview from traditional to emerging technologies. <i>Critical Reviews in Food Science and Nutrition</i> , 2020, 60, 1141-1159.  | 5.4 | 36        |
| 26 | Analyzing the effects of 3D printing process per se on the microstructure and mechanical properties of cereal food products. <i>Innovative Food Science and Emerging Technologies</i> , 2020, 66, 102531.   | 2.7 | 36        |
| 27 | Ultrasound-assisted extraction to improve the recovery of phenols and antioxidants from spent espresso coffee ground: a study by response surface methodology and desirability approach. <i>European Food Research and Technology</i> , 2017, 243, 835-847. | 1.6 | 32        |
| 28 | Effect of proteins on the formation of starch-lipid complexes during extrusion cooking of wheat flour with the addition of oleic acid. <i>International Journal of Food Science and Technology</i> , 2015, 50, 515-521.                                     | 1.3 | 26        |
| 29 | Effects of operating conditions on oil loss and properties of products obtained by co-rotating twin-screw extrusion of fatty meal: preliminary study. <i>Journal of Food Engineering</i> , 2005, 70, 109-116.   | 2.7 | 25        |
| 30 | A Review on Acidifying Treatments for Vegetable Canned Food. <i>Critical Reviews in Food Science and Nutrition</i> , 2011, 51, 955-964.   | 5.4 | 25        |
| 31 | Effect of enzymatic and technological treatments on solubilisation of arabinoxylans from brewer's spent grain. <i>Journal of Cereal Science</i> , 2015, 65, 162-166.  | 1.8 | 25        |
| 32 | How the variance of some extraction variables may affect the quality of espresso coffees served in coffee shops. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 3023-3031.   | 1.7 | 24        |
| 33 | Mimicking 3D food microstructure using limited statistical information from 2D cross-sectional image. <i>Journal of Food Engineering</i> , 2019, 241, 116-126.  | 2.7 | 23        |
| 34 | Use of humectants for the stabilization of pesto sauce. <i>International Journal of Food Science and Technology</i> , 2008, 43, 1041-1046.  | 1.3 | 22        |
| 35 | Rheological properties, dispensing force and printing fidelity of starchy-gels modulated by concentration, temperature and resting time. <i>Food Hydrocolloids</i> , 2021, 117, 106703.   | 5.6 | 22        |
| 36 | Reuse of spent espresso coffee as sustainable source of fibre and antioxidants. A map on functional, microstructure and sensory effects of novel enriched muffins. <i>LWT - Food Science and Technology</i> , 2020, 119, 108877.                            | 2.5 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Study of cooking quality of spaghetti dried through microwaves and comparison with hot air dried pasta. <i>Journal of Food Engineering</i> , 2009, 95, 453-459.  | 2.7 | 19        |
| 38 | 3D Printed Food From Fruits and Vegetables. , 2019, , 117-149.   |     | 19        |
| 39 | Effects of operating conditions on oil loss and structure of almond snacks. <i>International Journal of Food Science and Technology</i> , 2008, 43, 430-439.   | 1.3 | 18        |
| 40 | The Application of Vacuum Impregnation Techniques in Food Industry. , 0, , .   |     | 18        |
| 41 | Application of pulsed vacuum acidification for the pH reduction of mushrooms. <i>LWT - Food Science and Technology</i> , 2013, 54, 585-591.  | 2.5 | 18        |
| 42 | Drawing the scientific landscape of 3D Food Printing. Maps and interpretation of the global information in the first 13 years of detailed experiments, from 2007 to 2020. <i>Innovative Food Science and Emerging Technologies</i> , 2021, 70, 102689. | 2.7 | 17        |
| 43 | Application of Vacuum Impregnation Techniques to Improve the pH Reduction of Vegetables: Study on Carrots and Eggplants. <i>Food and Bioprocess Technology</i> , 2013, 6, 3217-3226.   | 2.6 | 16        |
| 44 | Cereal-Based and Insect-Enriched Printable Food. , 2019, , 93-116.   |     | 16        |
| 45 | pH reduction and vegetable tissue structure changes of zucchini slices during pulsed vacuum acidification. <i>LWT - Food Science and Technology</i> , 2011, 44, 1901-1907.   | 2.5 | 15        |
| 46 | Statistical Description of Food Microstructure. Extraction of Some Correlation Functions From 2D Images. <i>Food Biophysics</i> , 2013, 8, 311-320.  | 1.4 | 15        |
| 47 | Could 3D food printing help to improve the food supply chain resilience against disruptions such as caused by pandemic crises?. <i>International Journal of Food Science and Technology</i> , 2021, 56, 4338-4355.                                     | 1.3 | 15        |
| 48 | Analyzing the most promising innovations in food printing. Programmable food texture and 4D foods. <i>Future Foods</i> , 2021, 4, 100093.  | 2.4 | 15        |
| 49 | Cooking quality characterisation of "spaghetti" based on soft wheat flour enriched with oat flour. <i>International Journal of Food Science and Technology</i> , 2013, 48, 2348-2355.  | 1.3 | 14        |
| 50 | Modelling sensorial and nutritional changes to better define quality and shelf life of fresh-cut melons. <i>Journal of Agricultural Engineering</i> , 2013, 43, 6.   | 0.7 | 14        |
| 51 | Application of vacuum impregnation with anti-freezing proteins to improve the quality of truffles. <i>Journal of Food Science and Technology</i> , 2015, 52, 7200-7208.  | 1.4 | 13        |
| 52 | Critical Variables in 3D Food Printing. , 2019, , 41-91.   |     | 12        |
| 53 | MICROWAVE BLANCHING OF SLICED POTATOES DIPPED IN SALINE SOLUTIONS TO PREVENT ENZYMATI BROWNING. <i>Journal of Food Biochemistry</i> , 2004, 28, 75-89.   | 1.2 | 11        |
| 54 | Modelling sensorial and nutritional changes to better define quality and shelf life of fresh-cut melons. <i>Journal of Agricultural Engineering</i> , 2013, 44, 6.   | 0.7 | 11        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | From biorefinery of microalgal biomass to vacuum impregnation of fruit. A multidisciplinary strategy to develop innovative food with increased nutritional properties. <i>Innovative Food Science and Emerging Technologies</i> , 2021, 70, 102677. | 2.7 | 11        |
| 56 | The electronic nose system: study on the global aromatic profile of espresso coffee prepared with two types of coffee filter holders. <i>European Food Research and Technology</i> , 2016, 242, 2083-2091.  | 1.6 | 10        |
| 57 | How Much Caffeine in Coffee Cup? Effects of Processing Operations, Extraction Methods and Variables. , 0, , .   |     | 10        |
| 58 | Extending 3D food printing application: Apple tissue microstructure as a digital model to create innovative cereal-based snacks. <i>Journal of Food Engineering</i> , 2022, 316, 110845.  | 2.7 | 10        |
| 59 | IMPROVING FATTY EXTRUDATE STRUCTURE WITH AMYLASE AND PROTEASE. <i>Journal of Food Biochemistry</i> , 2004, 28, 387-403.   | 1.2 | 8         |
| 60 | An alternative method for the industrial monitoring of osmotic solution during dehydration of fruit and vegetables: A test-case for tomatoes. <i>Journal of Food Engineering</i> , 2011, 105, 186-192.  | 2.7 | 8         |
| 61 | Reconstruction of food microstructure via statistical correlation functions. The use of lineal-path distribution functions. <i>Journal of Food Engineering</i> , 2014, 142, 9-16.   | 2.7 | 8         |
| 62 | Characterizing the Rheological and Bread-Making Properties of Wheat Flour Treated by "Gluten Friendly" Technology. <i>Foods</i> , 2021, 10, 751.  | 1.9 | 8         |
| 63 | The study of acidifying blanching of pickled "Cicorino" leaves using Response Surface Methodology. <i>Journal of Food Engineering</i> , 2004, 62, 331-335.  | 2.7 | 7         |
| 64 | Study on Different Emulsifiers to Retain Fatty Fraction During Extrusion of Fatty Flours. <i>Cereal Chemistry</i> , 2005, 82, 494-498.  | 1.1 | 7         |
| 65 | Statistical Description of Fat and Meat Phases of Sausages by the Use of Lineal-Path Distribution Function. <i>Food Biophysics</i> , 2012, 7, 258-263.  | 1.4 | 7         |
| 66 | Use of Lineal-Path Distribution Function as Statistical Descriptor of the Crumb Structure of Bread. <i>Food Biophysics</i> , 2013, 8, 223-232.  | 1.4 | 7         |
| 67 | Study of different technological strategies for sugar reduction in muffin addressed for children. <i>NFS Journal</i> , 2021, 23, 44-51.   | 1.9 | 7         |
| 68 | Acidifying-blanching of 'Cicorino' leaves: effects of recycling of processing solution on product pH. <i>International Journal of Food Science and Technology</i> , 2004, 39, 811-815.  | 1.3 | 6         |
| 69 | STUDY ON OPERATING CONDITIONS OF ORANGE DRYING PROCESSING: COMPARISON BETWEEN CONVENTIONAL AND COMBINED TREATMENT. <i>Journal of Food Processing and Preservation</i> , 2008, 32, 751-769.  | 0.9 | 6         |
| 70 | STUDY ON PRESTABILIZATION OF PUMPKIN ( <i>CUCURBITA MOSCHATA</i> ) BY OSMOTIC DEHYDRATION IN QUATERNARY COMPLEX SOLUTION. <i>Journal of Food Process Engineering</i> , 2011, 34, 398-413.   | 1.5 | 5         |
| 71 | Characterizing apple microstructure via directional statistical correlation functions. <i>Computers and Electronics in Agriculture</i> , 2017, 138, 157-166.  | 3.7 | 5         |
| 72 | Effects of Microwave Drying on Lipid Oxidation of Stuffed Pasta. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2008, 85, 827-834.   | 0.8 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | STUDY ON INTERACTION AMONG EXTRUSION&#x2013;COOKING PROCESS VARIABLES AND ENZYME ACTIVITY: EVALUATION OF EXTRUDATE STRUCTURE. Journal of Food Process Engineering, 2010, 33, 65-82.                               | 1.5 | 4         |
| 74 | Measuring the food microstructure by two-point cluster function. Journal of Food Engineering, 2016, 173, 42-48.   | 2.7 | 4         |
| 75 | Comparison of different combined processes of preservation on the nutritional and sensory changes of &#x201c;ready to eat&#x2013;mackerel fillets. Journal of Food Processing and Preservation, 2019, 43, e13886. | 0.9 | 4         |
| 76 | Prediction of water activity in vegetables creams: Note 1. European Food Research and Technology, 2006, 223, 216-224.   | 1.6 | 3         |
| 77 | PREDICTION OF HEATING LENGTH TO OBTAIN A DEFINITE <i>F</i> VALUE DURING PASTEURIZATION OF CANNED FOOD. Journal of Food Process Engineering, 2013, 36, 211-219.  | 1.5 | 3         |
| 78 | Effects of Drying Processing Conditions on the Quality of Uncooked and Cooked Pasta Made Up of Nonconventional Raw Material. Cereal Chemistry, 2015, 92, 350-357.   | 1.1 | 3         |
| 79 | The use of multivariate analysis as a method for obtaining a more reliable shelf-life estimation of fresh-cut produce: a study on pineapple. Acta Horticulturae, 2016, , 131-136.                                 | 0.1 | 3         |
| 80 | On the inverse problem of the reconstruction of food microstructure from limited statistical information. A study on bread. Journal of Food Engineering, 2016, 184, 69-69.  | 2.7 | 2         |
| 81 | Prediction of water activity in vegetable creams: Note 2. Journal of Food Engineering, 2007, 79, 1280-1286.   | 2.7 | 1         |
| 82 | Reaction mechanisms for volatiles responsible of off-odors of fresh cut melons. Acta Horticulturae, 2021, , 15-22.  | 0.1 | 1         |