# Claus Garbe

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/1691756/claus-garbe-publications-by-citations.pdf

Version: 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

746
papers

50,946
papers

h-index

209
g-index

879
ext. papers

59,865
ext. citations

4.7
avg, IF

L-index

#	Paper	IF	Citations
746	Improved survival with vemurafenib in melanoma with BRAF V600E mutation. <i>New England Journal of Medicine</i> , <b>2011</b> , 364, 2507-16	59.2	5851
745	Ipilimumab plus dacarbazine for previously untreated metastatic melanoma. <i>New England Journal of Medicine</i> , <b>2011</b> , 364, 2517-26	59.2	3396
744	Improved survival with MEK inhibition in BRAF-mutated melanoma. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 107-14	59.2	1634
743	Combined vemurafenib and cobimetinib in BRAF-mutated melanoma. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 1867-76	59.2	1403
742	Combined BRAF and MEK inhibition versus BRAF inhibition alone in melanoma. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 1877-88	59.2	1195
741	Melanoma staging: Evidence-based changes in the American Joint Committee on Cancer eighth edition cancer staging manual. <i>Ca-A Cancer Journal for Clinicians</i> , <b>2017</b> , 67, 472-492	220.7	1044
740	Dabrafenib and trametinib versus dabrafenib and placebo for Val600 BRAF-mutant melanoma: a multicentre, double-blind, phase 3 randomised controlled trial. <i>Lancet, The</i> , <b>2015</b> , 386, 444-51	40	926
739	Safety and efficacy of vemurafenib in BRAF(V600E) and BRAF(V600K) mutation-positive melanoma (BRIM-3): extended follow-up of a phase 3, randomised, open-label study. <i>Lancet Oncology, The</i> , <b>2014</b> , 15, 323-32	21.7	753
738	Phase III randomized clinical trial comparing tremelimumab with standard-of-care chemotherapy in patients with advanced melanoma. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 616-22	2.2	607
737	Cobimetinib combined with vemurafenib in advanced BRAF(V600)-mutant melanoma (coBRIM): updated efficacy results from a randomised, double-blind, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2016</b> , 17, 1248-60	21.7	590
736	Dermcidin: a novel human antibiotic peptide secreted by sweat glands. <i>Nature Immunology</i> , <b>2001</b> , 2, 1	133971	513
735	Five-Year Outcomes with Dabrafenib plus Trametinib in Metastatic Melanoma. <i>New England Journal of Medicine</i> , <b>2019</b> , 381, 626-636	59.2	489
734	Melanoma epidemiology and trends. <i>Clinics in Dermatology</i> , <b>2009</b> , 27, 3-9	3	482
733	Epidemiology of melanoma and nonmelanoma skin cancerthe role of sunlight. <i>Advances in Experimental Medicine and Biology</i> , <b>2008</b> , 624, 89-103	3.6	464
732	Results of a phase III, randomized, placebo-controlled study of sorafenib in combination with carboplatin and paclitaxel as second-line treatment in patients with unresectable stage III or stage IV melanoma. <i>Journal of Clinical Oncology</i> , <b>2009</b> , 27, 2823-30	2.2	456
731	Encorafenib plus binimetinib versus vemurafenib or encorafenib in patients with BRAF-mutant melanoma (COLUMBUS): a multicentre, open-label, randomised phase 3 trial. <i>Lancet Oncology, The</i> , <b>2018</b> , 19, 603-615	21.7	451
730	Tumor lymphangiogenesis: a novel prognostic indicator for cutaneous melanoma metastasis and survival. <i>American Journal of Pathology</i> , <b>2003</b> , 162, 1951-60	5.8	420

## (2016-2016)

Cutaneous, gastrointestinal, hepatic, endocrine, and renal side-effects of anti-PD-1 therapy. European Journal of Cancer, <b>2016</b> , 60, 190-209	7.5	412
Complete lymph node dissection versus no dissection in patients with sentinel lymph node biopsy positive melanoma (DeCOG-SLT): a multicentre, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2016</b> , 17, 757-767	21.7	406
Systematic review of medical treatment in melanoma: current status and future prospects. <i>Oncologist</i> , <b>2011</b> , 16, 5-24	5.7	394
Neurological, respiratory, musculoskeletal, cardiac and ocular side-effects of anti-PD-1 therapy. <i>European Journal of Cancer</i> , <b>2016</b> , 60, 210-25	7.5	391
Baseline Biomarkers for Outcome of Melanoma Patients Treated with Pembrolizumab. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 5487-5496	12.9	373
Baseline Peripheral Blood Biomarkers Associated with Clinical Outcome of Advanced Melanoma Patients Treated with Ipilimumab. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 2908-18	12.9	372
Acral cutaneous melanoma in caucasians: clinical features, histopathology and prognosis in 112 patients. <i>British Journal of Dermatology</i> , <b>2000</b> , 143, 275-80	4	372
Dabrafenib plus trametinib versus dabrafenib monotherapy in patients with metastatic BRAF V600E/K-mutant melanoma: long-term survival and safety analysis of a phase 3 study. <i>Annals of Oncology</i> , <b>2017</b> , 28, 1631-1639	10.3	361
Randomized, Open-Label Phase II Study Evaluating the Efficacy and Safety of Talimogene Laherparepvec in Combination With Ipilimumab Versus Ipilimumab Alone in Patients With Advanced, Unresectable Melanoma. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 1658-1667	2.2	357
The price of tumor control: an analysis of rare side effects of anti-CTLA-4 therapy in metastatic melanoma from the ipilimumab network. <i>PLoS ONE</i> , <b>2013</b> , 8, e53745	3.7	343
Five-year survival rates for treatment-naive patients with advanced melanoma who received ipilimumab plus dacarbazine in a phase III trial. <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 1191-6	2.2	334
Ipilimumab 10 mg/kg versus ipilimumab 3 mg/kg in patients with unresectable or metastatic melanoma: a randomised, double-blind, multicentre, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2017</b> , 18, 611-6	5 <del>22</del> .7	306
Diagnosis and treatment of invasive squamous cell carcinoma of the skin: European consensus-based interdisciplinary guideline. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 1989-2007	7.5	292
Epidemiology of skin cancer. Advances in Experimental Medicine and Biology, 2014, 810, 120-40	3.6	291
Overall survival in patients with BRAF-mutant melanoma receiving encorafenib plus binimetinib versus vemurafenib or encorafenib (COLUMBUS): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2018</b> , 19, 1315-1327	21.7	291
Melanoma. <i>Nature Reviews Disease Primers</i> , <b>2015</b> , 1, 15003	51.1	283
Evolving strategies for the management of hand-foot skin reaction associated with the multitargeted kinase inhibitors sorafenib and sunitinib. <i>Oncologist</i> , <b>2008</b> , 13, 1001-11	5.7	273
Diagnosis and treatment of melanoma. European consensus-based interdisciplinary guideline - Update 2016. <i>European Journal of Cancer</i> , <b>2016</b> , 63, 201-17	7.5	265
	Complete lymph node dissection versus no dissection in patients with sentinel lymph node biopsy positive melanoma (DeCOG-SLT): a multicentre, randomised, phase 3 trial. Lancet Oncology, The, 2016, 17, 757-767  Systematic review of medical treatment in melanoma: current status and future prospects. Oncologist, 2011, 16, 5-24  Neurological, respiratory, musculoskeletal, cardiac and ocular side-effects of anti-PD-1 therapy. European Journal of Cancer, 2016, 60, 210-25  Baseline Biomarkers for Outcome of Melanoma Patients Treated with Pembrolizumab. Clinical Cancer Research, 2016, 22, 5487-5496  Baseline Peripheral Blood Biomarkers Associated with Clinical Outcome of Advanced Melanoma Patients Treated with Ipilimumab. Clinical Cancer Research, 2016, 22, 2908-18  Acral cutaneous melanoma in caucasians: clinical features, histopathology and prognosis in 112 patients. British Journal of Dermatology, 2000, 143, 275-80  Dabrafenib plus trametinib versus dabrafenib monotherapy in patients with metastatic BRAF V600E/K-mutant melanoma: long-term survival and safety analysis of a phase 3 study. Annals of Oncology, 2017, 28, 1631-1639  Randomized, Open-Label Phase II Study Evaluating the Efficacy and Safety of Talimogene Laherparepvec in Combination With Ipilimumab Versus pilimumab Alone in Patients With Advanced, Unresectable Melanoma. Journal of Clinical Oncology, 2018, 36, 1658-1667  The price of tumor control: an analysis of rare side effects of anti-CTLA-4 therapy in metastatic melanoma from the ipilimumab network. PLos ONE, 2013, 8, e53745  Five-year survival rates for treatment-naive patients with advanced melanoma who received ipilimumab plus dacarbazine in a phase III trial. Journal of Clinical Oncology, 2015, 33, 1191-6  Diagnosis and treatment of invasive squamous cell carcinoma of the skin: European consensus-based interdisciplinary guideline. European Journal of Cancer, 2015, 51, 1989-2007  Epidemiology of skin cancer. Advances in Experimental Medicine and Biology, 2014, 810, 120-40  Overall survival in patients	Complete lymph node dissection versus no dissection in patients with sentinel lymph node biopsy positive melanoma (DecOG-SLT): a multicentre, randomised, phase 3 trial. Lancet Oncology, The, 217, 2016, 17, 757-767  Systematic review of medical treatment in melanoma: current status and future prospects. Oncologist, 2011, 16, 5-24  Neurological, respiratory, musculoskeletal, cardiac and ocular side-effects of anti-PD-1 therapy. European Journal of Cancer, 2016, 60, 210-25  Baseline Biomarkers for Outcome of Melanoma Patients Treated with Pembrolizumab. Clinical Cancer Research, 2016, 22, 5487-5496  Baseline Peripheral Blood Biomarkers Associated with Clinical Outcome of Advanced Melanoma Patients Treated with ipilimumab. Clinical Cancer Research, 2016, 22, 2908-18  Acral cutaneous melanoma in caucasians: clinical features, histopathology and prognosis in 112 patients. British Journal of Dermatology, 2000, 143, 275-80  Dabrafenib plus trametinib versus dabrafenib monotherapy in patients with metastatic BRAF V600F/K-mutant melanoma: long-term survival and safety analysis of a phase 3 study. Annals of Oncology, 2017, 28, 1631-1639  Randomized, Open-Label Phase II Study Evaluating the Efficacy and Safety of Talimogene Laherparepvec in Combination With Ipilimumab Versus Ipilimumab Alone in Patients With Advanced, Unresectable Melanoma. Journal of Clinical Oncology, 2018, 36, 1658-1667  The price of tumor control: an analysis of rare side effects of anti-CTLA-4 therapy in metastatic melanoma from the Ipilimumab network. PLoS ONE, 2018, 8, e53745  Five-year survival rates for treatment-naive patients with advanced melanoma who received ipilimumab plus dacarbazine in a phase III trial. Journal of Clinical Oncology, 2015, 33, 1191-6  Diagnosis and treatment of invasive squamous cell carcinoma of the skin: European consensus-based interdisciplinary guideline. European Journal of Cancer, 2015, 51, 1989-2007  7.55  Epidemiology of skin cancer. Advances in Experimental Medicine and Biology, 2014, 810, 120-40  Overall survival

711	Improving melanoma classification by integrating genetic and morphologic features. <i>PLoS Medicine</i> , <b>2008</b> , 5, e120	11.6	264
710	Palliative therapy of disseminated malignant melanoma: a systematic review of 41 randomised clinical trials. <i>Lancet Oncology, The</i> , <b>2003</b> , 4, 748-59	21.7	247
709	Binimetinib versus dacarbazine in patients with advanced NRAS-mutant melanoma (NEMO): a multicentre, open-label, randomised, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2017</b> , 18, 435-445	21.7	240
708	Diagnosis and treatment of melanoma: European consensus-based interdisciplinary guideline. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 270-83	7.5	230
707	Metastatic pathways and time courses in the orderly progression of cutaneous melanoma. <i>British Journal of Dermatology</i> , <b>2002</b> , 147, 62-70	4	230
706	Direct injection of protamine-protected mRNA: results of a phase 1/2 vaccination trial in metastatic melanoma patients. <i>Journal of Immunotherapy</i> , <b>2009</b> , 32, 498-507	5	219
705	Cathelicidin anti-microbial peptide expression in sweat, an innate defense system for the skin. Journal of Investigative Dermatology, <b>2002</b> , 119, 1090-5	4.3	213
704	Deficiency of dermcidin-derived antimicrobial peptides in sweat of patients with atopic dermatitis correlates with an impaired innate defense of human skin in vivo. <i>Journal of Immunology</i> , <b>2005</b> , 174, 800	o <b>5</b> :∮0	208
703	The RAS/RAF/MEK/ERK and PI3K/AKT signaling pathways present molecular targets for the effective treatment of advanced melanoma. <i>Frontiers in Bioscience - Landmark</i> , <b>2005</b> , 10, 2986-3001	2.8	208
702	Vemurafenib in patients with BRAF(V600) mutated metastatic melanoma: an open-label, multicentre, safety study. <i>Lancet Oncology, The</i> , <b>2014</b> , 15, 436-44	21.7	206
701	Prospective evaluation of a follow-up schedule in cutaneous melanoma patients: recommendations for an effective follow-up strategy. <i>Journal of Clinical Oncology</i> , <b>2003</b> , 21, 520-9	2.2	206
700	Risk factors for developing cutaneous melanoma and criteria for identifying persons at risk: multicenter case-control study of the Central Malignant Melanoma Registry of the German Dermatological Society. <i>Journal of Investigative Dermatology</i> , <b>1994</b> , 102, 695-9	4.3	203
699	Diagnosis and treatment of melanoma. European consensus-based interdisciplinary guidelineUpdate 2012. <i>European Journal of Cancer</i> , <b>2012</b> , 48, 2375-90	7.5	199
698	Long-term safety and efficacy of vismodegib in patients with advanced basal cell carcinoma: final update of the pivotal ERIVANCE BCC study. <i>BMC Cancer</i> , <b>2017</b> , 17, 332	4.8	196
697	Borrelia burgdorferi-associated cutaneous B cell lymphoma: clinical and immunohistologic characterization of four cases. <i>Journal of the American Academy of Dermatology</i> , <b>1991</b> , 24, 584-90	4.5	193
696	Myeloid-derived suppressor cells predict survival of patients with advanced melanoma: comparison with regulatory T cells and NY-ESO-1- or melan-A-specific T cells. <i>Clinical Cancer Research</i> , <b>2014</b> , 20, 160	1 <sup>-2</sup> -9	192
695	Primary cutaneous melanoma. Identification of prognostic groups and estimation of individual prognosis for 5093 patients. <i>Cancer</i> , <b>1995</b> , 75, 2484-91	6.4	189
694	Primary cutaneous melanoma. Prognostic classification of anatomic location. <i>Cancer</i> , <b>1995</b> , 75, 2492-8	6.4	184

## (2000-2017)

693	Survival of patients with advanced metastatic melanoma: the impact of novel therapies-update 2017. European Journal of Cancer, <b>2017</b> , 83, 247-257	7.5	181
692	The natural course of cutaneous melanoma. <i>Journal of Surgical Oncology</i> , <b>2004</b> , 86, 172-8	2.8	179
691	Human melanoma progression in skin reconstructs : biological significance of bFGF. <i>American Journal of Pathology</i> , <b>2000</b> , 156, 193-200	5.8	177
690	Age and gender are significant independent predictors of survival in primary cutaneous melanoma. <i>Cancer</i> , <b>2008</b> , 112, 1795-804	6.4	176
689	Diagnosis and treatment of Merkel Cell Carcinoma. European consensus-based interdisciplinary guideline. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 2396-403	7.5	170
688	Results of the first phase I/II clinical vaccination trial with direct injection of mRNA. <i>Journal of Immunotherapy</i> , <b>2008</b> , 31, 180-8	5	166
687	Diagnosis and treatment of cutaneous melanoma: state of the art 2006. <i>Melanoma Research</i> , <b>2007</b> , 17, 117-27	3.3	157
686	Phase II DeCOG-study of ipilimumab in pretreated and treatment-nalle patients with metastatic uveal melanoma. <i>PLoS ONE</i> , <b>2015</b> , 10, e0118564	3.7	155
685	Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines. <i>European Journal of Cancer</i> , <b>2019</b> , 118, 10-34	7.5	152
684	Prospective comparison of 18F-fluorodeoxyglucose positron emission tomography/computed tomography and whole-body magnetic resonance imaging in staging of advanced malignant melanoma. <i>European Journal of Cancer</i> , <b>2007</b> , 43, 557-64	7.5	150
683	Phase II trial of intralesional therapy with interleukin-2 in soft-tissue melanoma metastases. <i>British Journal of Cancer</i> , <b>2003</b> , 89, 1620-6	8.7	145
682	Ultrasound examination of regional lymph nodes significantly improves early detection of locoregional metastases during the follow-up of patients with cutaneous melanoma: results of a prospective study of 1288 patients. <i>Cancer</i> , <b>2000</b> , 88, 2534-9	6.4	144
681	Primary cutaneous melanoma. Optimized cutoff points of tumor thickness and importance of Clark's level for prognostic classification. <i>Cancer</i> , <b>1995</b> , 75, 2499-2506	6.4	144
68o	The prevalence of human papillomavirus genotypes in nonmelanoma skin cancers of nonimmunosuppressed individuals identifies high-risk genital types as possible risk factors. <i>Cancer Research</i> , <b>2003</b> , 63, 7515-9	10.1	142
679	Human papillomaviruses are commonly found in normal skin of immunocompetent hosts. <i>Journal of Investigative Dermatology</i> , <b>1998</b> , 110, 752-5	4.3	141
678	Acquired melanocytic nevi as risk factor for melanoma development. A comprehensive review of epidemiological data. <i>Pigment Cell &amp; Melanoma Research</i> , <b>2003</b> , 16, 297-306		136
677	Examination of regional lymph nodes by sentinel node biopsy and molecular analysis provides new staging facilities in primary cutaneous melanoma. <i>Journal of Investigative Dermatology</i> , <b>2000</b> , 114, 637-4	1 <del>2</del> ·3	136
676	Time trends of cutaneous melanoma in Queensland, Australia and Central Europe. <i>Cancer</i> , <b>2000</b> , 89, 126	5 <del>9.</del> 78	132

675	Determinants of survival in patients with brain metastases from cutaneous melanoma. <i>British Journal of Cancer</i> , <b>2010</b> , 102, 1213-8	8.7	130
674	Basal cell carcinoma: histological classification and body-site distribution. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 401-7	4	129
673	Vemurafenib in metastatic melanoma patients with brain metastases: an open-label, single-arm, phase 2, multicentre study. <i>Annals of Oncology</i> , <b>2017</b> , 28, 634-641	10.3	124
672	Oncogenic GNAQ mutations are not correlated with disease-free survival in uveal melanoma. <i>British Journal of Cancer</i> , <b>2009</b> , 101, 813-5	8.7	122
671	Associated factors in the prevalence of more than 50 common melanocytic nevi, atypical melanocytic nevi, and actinic lentigines: multicenter case-control study of the Central Malignant Melanoma Registry of the German Dermatological Society. <i>Journal of Investigative Dermatology</i> , 1994, 102, 700-5	4.3	120
670	Expression of interleukin 10 in human melanoma. <i>British Journal of Cancer</i> , <b>1994</b> , 70, 1182-5	8.7	120
669	HLA-A2 restricted, melanocyte-specific CD8(+) T lymphocytes detected in vitiligo patients are related to disease activity and are predominantly directed against MelanA/MART1. <i>Journal of Investigative Dermatology</i> , <b>2001</b> , 116, 891-7	4.3	119
668	Prolonged survival of 2 years or longer for patients with disseminated melanoma. <i>Cancer</i> , <b>1997</b> , 79, 234	15624353	3 117
667	Genetic and morphologic features for melanoma classification. <i>Pigment Cell and Melanoma Research</i> , <b>2010</b> , 23, 763-70	4.5	116
666	A dose-escalation and signal-generating study of the immunocytokine L19-IL2 in combination with dacarbazine for the therapy of patients with metastatic melanoma. <i>Clinical Cancer Research</i> , <b>2011</b> , 17, 7732-42	12.9	116
665	Survival of patients with advanced metastatic melanoma: The impact of novel therapies. <i>European Journal of Cancer</i> , <b>2016</b> , 53, 125-34	7.5	115
664	Three-year pooled analysis of factors associated with clinical outcomes across dabrafenib and trametinib combination therapy phase 3 randomised trials. <i>European Journal of Cancer</i> , <b>2017</b> , 82, 45-55	7.5	114
663	Adjuvant interferon—for the treatment of high-risk melanoma: An individual patient data meta-analysis. <i>European Journal of Cancer</i> , <b>2017</b> , 82, 171-183	7·5	114
662	Epidemiology of cutaneous melanoma in Germany and worldwide. <i>Skin Pharmacology and Physiology</i> , <b>2001</b> , 14, 280-90	3	114
661	Digital image analysis for diagnosis of cutaneous melanoma. Development of a highly effective computer algorithm based on analysis of 837 melanocytic lesions. <i>British Journal of Dermatology</i> , <b>2004</b> , 151, 1029-38	4	113
660	Moderate sun exposure and nevus counts in parents are associated with development of melanocytic nevi in childhood: a risk factor study in 1,812 kindergarten children. <i>Cancer</i> , <b>2003</b> , 97, 628-3	38 <sup>6.4</sup>	108
659	Increases in Absolute Lymphocytes and Circulating CD4+ and CD8+ T Cells Are Associated with Positive Clinical Outcome of Melanoma Patients Treated with Ipilimumab. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 4848-4858	12.9	108
658	Metastatic melanoma of unknown primary origin shows prognostic similarities to regional metastatic melanoma: recommendations for initial staging examinations. <i>Cancer</i> , <b>1997</b> , 80, 60-5	6.4	107

### (2006-2008)

657	Combined inhibition of MAPK and mTOR signaling inhibits growth, induces cell death, and abrogates invasive growth of melanoma cells. <i>Journal of Investigative Dermatology</i> , <b>2008</b> , 128, 2013-23	4.3	107
656	Markers and relative risk in a German population for developing malignant melanoma. <i>International Journal of Dermatology</i> , <b>1989</b> , 28, 517-23	1.7	104
655	Targeting hyperactivation of the AKT survival pathway to overcome therapy resistance of melanoma brain metastases. <i>Cancer Medicine</i> , <b>2013</b> , 2, 76-85	4.8	102
654	Serum markers lactate dehydrogenase and S100B predict independently disease outcome in melanoma patients with distant metastasis. <i>British Journal of Cancer</i> , <b>2012</b> , 107, 422-8	8.7	102
653	"Functional" surgery in subungual melanoma. <i>Dermatologic Surgery</i> , <b>2003</b> , 29, 366-74	1.7	102
652	Combined targeting of MAPK and AKT signalling pathways is a promising strategy for melanoma treatment. <i>British Journal of Dermatology</i> , <b>2007</b> , 156, 1204-13	4	101
651	Adjuvant nivolumab plus ipilimumab or nivolumab monotherapy versus placebo in patients with resected stage IV melanoma with no evidence of disease (IMMUNED): a randomised, double-blind, placebo-controlled, phase 2 trial. <i>Lancet, The</i> , <b>2020</b> , 395, 1558-1568	40	100
650	Prognostic impact of the type of anaesthesia used during the excision of primary cutaneous melanoma. <i>Melanoma Research</i> , <b>2000</b> , 10, 165-169	3.3	100
649	Functional T cells targeting NY-ESO-1 or Melan-A are predictive for survival of patients with distant melanoma metastasis. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 1835-41	2.2	99
648	High response rate after intratumoral treatment with interleukin-2: results from a phase 2 study in 51 patients with metastasized melanoma. <i>Cancer</i> , <b>2010</b> , 116, 4139-46	6.4	99
647	Adjuvant low-dose interferon {alpha}2a with or without dacarbazine compared with surgery alone: a prospective-randomized phase III DeCOG trial in melanoma patients with regional lymph node metastasis. <i>Annals of Oncology</i> , <b>2008</b> , 19, 1195-201	10.3	99
646	Dermcidin is constitutively produced by eccrine sweat glands and is not induced in epidermal cells under inflammatory skin conditions. <i>British Journal of Dermatology</i> , <b>2004</b> , 151, 534-9	4	99
645	Number of metastases, serum lactate dehydrogenase level, and type of treatment are prognostic factors in patients with brain metastases of malignant melanoma. <i>Cancer</i> , <b>2011</b> , 117, 1697-703	6.4	98
644	Evidence and interdisciplinary consense-based German guidelines: diagnosis and surveillance of melanoma. <i>Melanoma Research</i> , <b>2007</b> , 17, 393-9	3.3	98
643	Diagnostic value and prognostic significance of protein S-100beta, melanoma-inhibitory activity, and tyrosinase/MART-1 reverse transcription-polymerase chain reaction in the follow-up of high-risk melanoma patients. <i>Cancer</i> , <b>2003</b> , 97, 1737-45	6.4	97
642	Vemurafenib potently induces endoplasmic reticulum stress-mediated apoptosis in BRAFV600E melanoma cells. <i>Science Signaling</i> , <b>2013</b> , 6, ra7	8.8	96
641	Inhibition of PI3K-AKT-mTOR signaling sensitizes melanoma cells to cisplatin and temozolomide. Journal of Investigative Dermatology, <b>2009</b> , 129, 1500-15	4.3	96
640	The incidence and mortality of cutaneous melanoma in Southern Germany: trends by anatomic site and pathologic characteristics, 1976 to 2003. <i>Cancer</i> , <b>2006</b> , 107, 1331-9	6.4	96

639	Molecular events in melanoma development and progression. <i>Frontiers in Bioscience - Landmark</i> , <b>1998</b> , 3, D1005-10	2.8	96
638	Temozolomide in combination with interferon-alfa versus temozolomide alone in patients with advanced metastatic melanoma: a randomized, phase III, multicenter study from the Dermatologic Cooperative Oncology Group. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 9001-7	2.2	95
637	Desmoplastic malignant melanoma: a clinicopathologic analysis of 113 cases. <i>American Journal of Dermatopathology</i> , <b>2008</b> , 30, 207-15	0.9	93
636	Response of psoriasis to interleukin-10 is associated with suppression of cutaneous type 1 inflammation, downregulation of the epidermal interleukin-8/CXCR2 pathway and normalization of keratinocyte maturation. <i>Journal of Investigative Dermatology</i> , <b>2001</b> , 116, 319-29	4.3	93
635	Dermoscopic classification of atypical melanocytic nevi (Clark nevi). <i>Archives of Dermatology</i> , <b>2001</b> , 137, 1575-80		93
634	Assessment of nivolumab exposure and clinical safety of 480 mg every 4 weeks flat-dosing schedule in patients with cancer. <i>Annals of Oncology</i> , <b>2018</b> , 29, 2208-2213	10.3	93
633	ECatenin signaling increases during melanoma progression and promotes tumor cell survival and chemoresistance. <i>PLoS ONE</i> , <b>2011</b> , 6, e23429	3.7	89
632	Naturally processed dermcidin-derived peptides do not permeabilize bacterial membranes and kill microorganisms irrespective of their charge. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2006</b> , 50, 2608-20	5.9	89
631	Prognostic factors of thin cutaneous melanoma: an analysis of the central malignant melanoma registry of the german dermatological society. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 3660-7	2.2	88
630	Phase III, open-label, randomized, comparative study of tremelimumab (CP-675,206) and chemotherapy (temozolomide [TMZ] or dacarbazine [DTIC]) in patients with advanced melanoma. Journal of Clinical Oncology, <b>2008</b> , 26, LBA9011-LBA9011	2.2	88
629	Surveillance of patients at high risk for cutaneous malignant melanoma using digital dermoscopy. British Journal of Dermatology, <b>2005</b> , 152, 87-92	4	87
628	Prospective comparison of the impact on treatment decisions of whole-body magnetic resonance imaging and computed tomography in patients with metastatic malignant melanoma. <i>European Journal of Cancer</i> , <b>2006</b> , 42, 342-50	7.5	85
627	Epidemiologic evidence for the role of melanocytic nevi as risk markers and direct precursors of cutaneous malignant melanoma. Results of a case control study in melanoma patients and nonmelanoma control subjects. <i>Journal of the American Academy of Dermatology</i> , <b>1992</b> , 26, 920-6	4.5	83
626	Is head and neck melanoma a distinct entity? A clinical registry-based comparative study in 5702 patients with melanoma. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 771-7	4	82
625	European consensus-based interdisciplinary guideline for melanoma. Part 2: Treatment - Update 2019. <i>European Journal of Cancer</i> , <b>2020</b> , 126, 159-177	7.5	81
624	Detection of melanoma micrometastasis in sentinel nodes by reverse transcription-polymerase chain reaction correlates with tumor thickness and is predictive of micrometastatic disease in the lymph node basin. <i>American Journal of Surgical Pathology</i> , <b>1999</b> , 23, 822-8	6.7	8o
623	Malignant melanoma S3-guideline "diagnosis, therapy and follow-up of melanoma". <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11 Suppl 6, 1-116, 1-126	1.2	79
622	The increased expression of Y box-binding protein 1 in melanoma stimulates proliferation and tumor invasion, antagonizes apoptosis and enhances chemoresistance. <i>International Journal of Cancer</i> , <b>2007</b> , 120, 2110-8	7.5	79

621	The adhesion molecule L1 (CD171) promotes melanoma progression. <i>International Journal of Cancer</i> , <b>2006</b> , 119, 549-55	7.5	79
620	Development of prognostic factors and survival in cutaneous melanoma over 25 years: An analysis of the Central Malignant Melanoma Registry of the German Dermatological Society. <i>Cancer</i> , <b>2005</b> , 103, 616-24	6.4	79
619	Amplification of MelanA messenger RNA in addition to tyrosinase increases sensitivity of melanoma cell detection in peripheral blood and is associated with the clinical stage and prognosis of malignant melanoma. <i>British Journal of Dermatology</i> , <b>1999</b> , 141, 30-6	4	79
618	Incidence, Mortality, and Trends of Nonmelanoma Skin Cancer in Germany. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 1860-1867	4.3	78
617	Final results of phase III SYMMETRY study: randomized, double-blind trial of elesclomol plus paclitaxel versus paclitaxel alone as treatment for chemotherapy-naive patients with advanced melanoma. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 1211-8	2.2	78
616	Is morphoea caused by Borrelia burgdorferi? A review. British Journal of Dermatology, 2000, 142, 636-44	4	78
615	The prognosis of primary and metastasising melanoma. An evaluation of the TNM classification in 2,495 patients. <i>British Journal of Cancer</i> , <b>1992</b> , 66, 856-61	8.7	78
614	European interdisciplinary guideline on invasive squamous cell carcinoma of the skin: Part 2. Treatment. <i>European Journal of Cancer</i> , <b>2020</b> , 128, 83-102	7.5	76
613	Plasmid DNA- and messenger RNA-based anti-cancer vaccination. <i>Immunology Letters</i> , <b>2008</b> , 115, 33-42	4.1	76
612	Modified ABC-point list of dermoscopy: A simplified and highly accurate dermoscopic algorithm for the diagnosis of cutaneous melanocytic lesions. <i>Journal of the American Academy of Dermatology</i> , <b>2003</b> , 48, 672-8	4.5	76
611	Tumor mutation burden and circulating tumor DNA in combined CTLA-4 and PD-1 antibody therapy in metastatic melanoma - results of a prospective biomarker study <b>2019</b> , 7, 180		74
610	Evidence and interdisciplinary consensus-based German guidelines: surgical treatment and radiotherapy of melanoma. <i>Melanoma Research</i> , <b>2008</b> , 18, 61-7	3.3	74
609	Update on tolerability and overall survival in COLUMBUS: landmark analysis of a randomised phase 3 trial of encorafenib plus binimetinib vs vemurafenib or encorafenib in patients with BRAF V600-mutant melanoma. <i>European Journal of Cancer</i> , <b>2020</b> , 126, 33-44	7.5	74
608	Cathepsin D is present in human eccrine sweat and involved in the postsecretory processing of the antimicrobial peptide DCD-1L. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 5406-15	5.4	73
607	Final Analysis of DeCOG-SLT Trial: No Survival Benefit for Complete Lymph Node Dissection in Patients With Melanoma With Positive Sentinel Node. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 3000-3008	2.2	72
606	Diagnosis and treatment of dermatofibrosarcoma protuberans. European consensus-based interdisciplinary guideline. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 2604-8	7.5	72
605	Multicenter phase II trial of the histone deacetylase inhibitor pyridylmethyl-N-{4-[(2-aminophenyl)-carbamoyl]-benzyl}-carbamate in pretreated metastatic melanoma. <i>Melanoma Research</i> , <b>2008</b> , 18, 274-8	3.3	71
604	K+ channels and the intracellular calcium signal in human melanoma cell proliferation. <i>Journal of Membrane Biology</i> , <b>1996</b> , 151, 149-57	2.3	70

603	Short German guidelines: malignant melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6 Suppl 1, S9-S14	1.2	68
602	Antitumor activities of interferon alpha, beta, and gamma and their combinations on human melanoma cells in vitro: changes of proliferation, melanin synthesis, and immunophenotype. <i>Journal of Investigative Dermatology</i> , <b>1990</b> , 95, 231S-237S	4.3	68
601	The mitogen-activated protein kinase pathway in melanoma part I - Activation and primary resistance mechanisms to BRAF inhibition. <i>European Journal of Cancer</i> , <b>2017</b> , 73, 85-92	7.5	67
600	The Prognostic and Predictive Value of Melanoma-related MicroRNAs Using Tissue and Serum: A MicroRNA Expression Analysis. <i>EBioMedicine</i> , <b>2015</b> , 2, 671-80	8.8	67
599	Survival of Patients with Cutaneous Squamous Cell Carcinoma: Results of alProspective Cohort Study. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 2309-2315	4.3	67
598	Continuous long-term monitoring of UV radiation in professional mountain guides reveals extremely high exposure. <i>International Journal of Cancer</i> , <b>2003</b> , 103, 775-8	7.5	67
597	Risk factors of incident melanocytic nevi: a longitudinal study in a cohort of 1,232 young German children. <i>International Journal of Cancer</i> , <b>2005</b> , 115, 121-6	7.5	67
596	Dacarbazine and interferon alpha with or without interleukin 2 in metastatic melanoma: a randomized phase III multicentre trial of the Dermatologic Cooperative Oncology Group (DeCOG). <i>British Journal of Cancer</i> , <b>2001</b> , 84, 1036-42	8.7	67
595	Growth control of melanoma cells and melanocytes by cytokines. <i>Recent Results in Cancer Research</i> , <b>1995</b> , 139, 169-82	1.5	67
594	Intralesional treatment of stage III metastatic melanoma patients with L19-IL2 results in sustained clinical and systemic immunologic responses. <i>Cancer Immunology Research</i> , <b>2014</b> , 2, 668-78	12.5	66
593	Effect of sunscreen and clothing on the number of melanocytic nevi in 1,812 German children attending day care. <i>American Journal of Epidemiology</i> , <b>2005</b> , 161, 620-7	3.8	66
592	Awareness and early detection of cutaneous melanoma: an analysis of factors related to delay in treatment. <i>British Journal of Dermatology</i> , <b>1999</b> , 141, 783-7	4	66
591	Efficacy of low-dose interferon {alpha}2a 18 versus 60 months of treatment in patients with primary melanoma of >= 1.5 mm tumor thickness: results of a randomized phase III DeCOG trial. Journal of Clinical Oncology, <b>2010</b> , 28, 841-6	2.2	65
590	Updated overall survival (OS) results for BRIM-3, a phase III randomized, open-label, multicenter trial comparing BRAF inhibitor vemurafenib (vem) with dacarbazine (DTIC) in previously untreated patients with BRAFV600E-mutated melanoma <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 8502-8502	2.2	65
589	Diagnosis and treatment of Kaposi's sarcoma: European consensus-based interdisciplinary guideline (EDF/EADO/EORTC). <i>European Journal of Cancer</i> , <b>2019</b> , 114, 117-127	7.5	64
588	Suppression of casein kinase 1alpha in melanoma cells induces a switch in beta-catenin signaling to promote metastasis. <i>Cancer Research</i> , <b>2010</b> , 70, 6999-7009	10.1	64
587	Incisional biopsy and melanoma prognosis: Facts and controversies. <i>Clinics in Dermatology</i> , <b>2010</b> , 28, 316-8	3	64
586	European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics - Update 2019. European Journal of Cancer, <b>2020</b> , 126, 141-158	7.5	63

585	Lymph node micrometastases of cutaneous melanoma: increased sensitivity of molecular diagnosis in comparison to immunohistochemistry. <i>International Journal of Cancer</i> , <b>1998</b> , 79, 318-23	7.5	63
584	Randomized dose-escalation study evaluating peginterferon alfa-2a in patients with metastatic malignant melanoma. <i>Journal of Clinical Oncology</i> , <b>2006</b> , 24, 1188-94	2.2	63
583	A phase III, randomized, open label study to evaluate the safety and efficacy of imiquimod 5% cream applied thrice weekly for 8 and 12 weeks in the treatment of low-risk nodular basal cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , <b>2007</b> , 57, 616-21	4.5	63
582	Hunctional Burgery in Subungual Melanoma. Dermatologic Surgery, 2003, 29, 366-374	1.7	63
581	Anti-PD-1/PD-L1 immunotherapy in patients with solid organ transplant, HIV or hepatitis B/C infection. <i>European Journal of Cancer</i> , <b>2018</b> , 104, 137-144	7.5	63
580	Hazard rates for recurrent and secondary cutaneous melanoma: an analysis of 33,384 patients in the German Central Malignant Melanoma Registry. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 66, 37-45	4.5	62
579	Extreme UV exposure of professional cyclists. <i>Dermatology</i> , <b>2000</b> , 201, 44-5	4.4	62
578	Intralesional rituximab for cutaneous B-cell lymphoma. <i>British Journal of Dermatology</i> , <b>2001</b> , 144, 1239-	<b>4</b> ≱	61
577	Health-related quality of life impact in a randomised phase III study of the combination of dabrafenib and trametinib versus dabrafenib monotherapy in patients with BRAF V600 metastatic melanoma. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 833-40	7.5	60
576	European interdisciplinary guideline on invasive squamous cell carcinoma of the skin: Part 1. epidemiology, diagnostics and prevention. <i>European Journal of Cancer</i> , <b>2020</b> , 128, 60-82	7.5	60
575	Peripheral CD8 effector-memory type 1 T-cells correlate with outcome in ipilimumab-treated stage IV melanoma patients. <i>European Journal of Cancer</i> , <b>2017</b> , 73, 61-70	7.5	59
574	Generation of multiple stable dermcidin-derived antimicrobial peptides in sweat of different body sites. <i>Journal of Investigative Dermatology</i> , <b>2006</b> , 126, 354-65	4.3	59
573	Epidemiology of Skin Cancer: Update 2019. <i>Advances in Experimental Medicine and Biology</i> , <b>2020</b> , 1268, 123-139	3.6	58
572	Melanoma of the Skin <b>2017</b> , 563-586		58
571	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): distant metastasis-free survival results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2021</b> , 22, 643-654	21.7	58
570	Cutaneous melanoma in the elderly: epidemiology, prognosis and treatment. <i>Melanoma Research</i> , <b>2010</b> , 20, 163-70	3.3	55
569	Interferons in dermatology. Journal of the American Academy of Dermatology, 1989, 20, 650-6	4.5	55
568	S100B and LDH as early prognostic markers for response and overall survival in melanoma patients treated with anti-PD-1 or combined anti-PD-1 plus anti-CTLA-4 antibodies. <i>British Journal of Cancer</i> ,	8.7	55

567	MAPK pathway in melanoma part II-secondary and adaptive resistance mechanisms to BRAF inhibition. <i>European Journal of Cancer</i> , <b>2017</b> , 73, 93-101	7.5	54
566	PI3K Pathway Inhibition Achieves Potent Antitumor Activity in Melanoma Brain Metastases In Vitro and In Vivo. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 5818-5828	12.9	53
565	Large randomized study of thymosin alpha 1, interferon alfa, or both in combination with dacarbazine in patients with metastatic melanoma. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, 1780-7	2.2	52
564	Overall and site-specific risk of malignant melanoma associated with nevus counts at different body sites: a multicenter case-control study of the German Central Malignant-Melanoma Registry. <i>International Journal of Cancer</i> , <b>1995</b> , 62, 393-7	7.5	52
563	Acral lentiginous melanoma: a skin cancer with unfavourable prognostic features. A study of the German central malignant melanoma registry (CMMR) in 2050 patients. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 443-451	4	51
562	Truncation of activated leukocyte cell adhesion molecule: a gateway to melanoma metastasis. Journal of Investigative Dermatology, <b>2004</b> , 122, 1293-301	4.3	51
561	Evidence-based and interdisciplinary consensus-based German guidelines: systemic medical treatment of melanoma in the adjuvant and palliative setting. <i>Melanoma Research</i> , <b>2008</b> , 18, 152-60	3.3	50
560	Conventional histology vs. three-dimensional histology in lentigo maligna melanoma. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 453-9	4	50
559	The dermatoscopic pattern of clear-cell acanthoma resembles psoriasis vulgaris. <i>Dermatology</i> , <b>2001</b> , 203, 50-2	4.4	50
558	Relapse-Free Survival as a Surrogate for Overall Survival in the Evaluation of Stage II-III Melanoma Adjuvant Therapy. <i>Journal of the National Cancer Institute</i> , <b>2018</b> , 110,	9.7	49
557	The farnesyl transferase inhibitor lonafarnib inhibits mTOR signaling and enforces sorafenib-induced apoptosis in melanoma cells. <i>Journal of Investigative Dermatology</i> , <b>2011</b> , 131, 468-79	4.3	49
556	Serum S100B, lactate dehydrogenase and brain metastasis are prognostic factors in patients with distant melanoma metastasis and systemic therapy. <i>PLoS ONE</i> , <b>2013</b> , 8, e81624	3.7	48
555	Mucosal melanomas of the head and neck: new aspects of the clinical outcome, molecular pathology, and treatment with c-kit inhibitors. <i>Melanoma Research</i> , <b>2011</b> , 21, 475-82	3.3	48
554	High-sensitivity HLA class I peptidome analysis enables a precise definition of peptide motifs and the identification of peptides from cell lines and patients' sera. <i>Proteomics</i> , <b>2016</b> , 16, 1570-80	4.8	47
553	Open-label, multicenter, single-arm phase II DeCOG-study of ipilimumab in pretreated patients with different subtypes of metastatic melanoma. <i>Journal of Translational Medicine</i> , <b>2015</b> , 13, 351	8.5	47
55 <sup>2</sup>	Agreement between self-assessment of melanocytic nevi by patients and dermatologic examination. <i>American Journal of Epidemiology</i> , <b>2000</b> , 151, 72-7	3.8	46
551	Sonidegib and vismodegib in the treatment of patients with locally advanced basal cell carcinoma: a joint expert opinion. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 1944-	1 <del>9</del> 56	46
550	Clinical presentation and management of dermatological toxicities of epidermal growth factor receptor inhibitors. <i>International Journal of Dermatology</i> , <b>2011</b> , 50, 129-46	1.7	45

### (2018-2004)

549	Value of the clinical history for different users of dermoscopy compared with results of digital image analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2004</b> , 18, 665-9	4.6	45	
548	Dermatoscopy turns histopathologist's attention to the suspicious area in melanocytic lesions. <i>Archives of Dermatology</i> , <b>2001</b> , 137, 1338-40		45	
547	Costs of the detection of metastases and follow-up examinations in cutaneous melanoma. <i>Melanoma Research</i> , <b>2009</b> , 19, 50-7	3.3	44	
546	The dermoscopic classification of atypical melanocytic naevi (Clark naevi) is useful to discriminate benign from malignant melanocytic lesions. <i>British Journal of Dermatology</i> , <b>2003</b> , 149, 1159-64	4	44	
545	Dermoscopy of tungiasis. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 761-3		43	
544	Detection of dermcidin-derived peptides in sweat by ProteinChip technology. <i>Journal of Immunological Methods</i> , <b>2002</b> , 270, 53-62	2.5	43	
543	Interventional study in 1,232 young German children to prevent the development of melanocytic nevi failed to change sun exposure and sun protective behavior. <i>International Journal of Cancer</i> , <b>2005</b> , 116, 755-61	7.5	43	
542	Chemotherapy and chemoimmunotherapy in disseminated malignant melanoma. <i>Melanoma Research</i> , <b>1993</b> , 3, 291-9	3.3	43	
541	Survival after intratumoral interleukin-2 treatment of 72 melanoma patients and response upon the first chemotherapy during follow-up. <i>Cancer Immunology, Immunotherapy</i> , <b>2011</b> , 60, 487-93	7.4	42	
540	Detection of melanoma cells in sentinel lymph nodes, bone marrow and peripheral blood by a reverse transcription-polymerase chain reaction assay in patients with primary cutaneous melanoma: association with Breslow's tumour thickness. <i>British Journal of Dermatology</i> , <b>2001</b> , 145, 195-	4 202	42	
539	Significance of serum protein S100 levels in screening for melanoma metastasis: does protein S100 enable early detection of melanoma recurrence?. <i>Melanoma Research</i> , <b>2000</b> , 10, 451-9	3.3	42	
538	Morphoea is neither associated with features of Borrelia burgdorferi infection, nor is this agent detectable in lesional skin by polymerase chain reaction. <i>British Journal of Dermatology</i> , <b>2000</b> , 143, 780-	5 <sup>4</sup>	42	
537	Wnt-signaling enhances neural crest migration of melanoma cells and induces an invasive phenotype. <i>Molecular Cancer</i> , <b>2018</b> , 17, 59	42.1	41	
536	The stepwise two-photon excited melanin fluorescence is a unique diagnostic tool for the detection of malignant transformation in melanocytes. <i>Pigment Cell and Melanoma Research</i> , <b>2011</b> , 24, 438-45	4.5	41	
535	Treatment of psoriasis with interleukin-10. Journal of Investigative Dermatology, 1998, 111, 1235-6	4.3	41	
534	A case of classical mycosis fungoides associated with human T-cell lymphotropic virus type I. <i>British Journal of Dermatology</i> , <b>1991</b> , 124, 198-202	4	41	
533	Effects of interferons on cultured human melanocytes in vitro: interferon-beta but not-alpha or -gamma inhibit proliferation and all interferons significantly modulate the cell phenotype. <i>Journal of Investigative Dermatology</i> , <b>1991</b> , 97, 364-72	4.3	41	
532	18F-FDG-PET detects complete response to PD1-therapy in melanoma patients two weeks after therapy start. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 95-101	8.8	40	

531	Functional and symptom impact of trametinib versus chemotherapy in BRAF V600E advanced or metastatic melanoma: quality-of-life analyses of the METRIC study. <i>Annals of Oncology</i> , <b>2014</b> , 25, 700-70	06 <sup>0.3</sup>	40
530	Dose-intensified bi-weekly temozolomide in patients with asymptomatic brain metastases from malignant melanoma: a phase II DeCOG/ADO study. <i>Annals of Oncology</i> , <b>2006</b> , 17, 1592-7	10.3	40
529	Clinical risk factors and prognostic significance of local recurrence in cutaneous melanoma. <i>British Journal of Dermatology</i> , <b>2004</b> , 151, 397-406	4	40
528	Personal UV dosimetry by Bacillus subtilis spore films. <i>Dermatology</i> , <b>2000</b> , 200, 1-5	4.4	40
527	Survival of patients with advanced metastatic melanoma: The impact of MAP kinase pathway inhibition and immune checkpoint inhibition - Update 2019. <i>European Journal of Cancer</i> , <b>2020</b> , 130, 126-	1738	39
526	Bacillus subtilis spore film dosimeters in personal dosimetry for occupational solar ultraviolet exposure. <i>International Archives of Occupational and Environmental Health</i> , <b>2000</b> , 73, 575-80	3.2	39
525	High prevalence of seborrhoeic dermatitis on the face and scalp in mountain guides. <i>Dermatology</i> , <b>2000</b> , 201, 146-7	4.4	39
524	Is detection of melanoma metastasis during surveillance in an early phase of development associated with a survival benefit?. <i>Melanoma Research</i> , <b>2010</b> , 20, 240-6	3.3	39
523	Sentinel lymph node dissection in primary melanoma reduces subsequent regional lymph node metastasis as well as distant metastasis after nodal involvement. <i>Annals of Surgical Oncology</i> , <b>2010</b> , 17, 129-37	3.1	38
522	A fluorometric rapid microassay to identify anti-proliferative compounds for human melanoma cells in vitro. <i>Melanoma Research</i> , <b>1991</b> , 1, 91-5	3.3	38
521	443 paediatric cases of malignant melanoma registered with the German Central Malignant Melanoma Registry between 1983 and 2011. <i>European Journal of Cancer</i> , <b>2015</b> , 51, 861-8	7.5	37
520	Quantitative measurement of melanoma spread in sentinel lymph nodes and survival. <i>PLoS Medicine</i> , <b>2014</b> , 11, e1001604	11.6	37
519	Increased sensitivity for the detection of malignant melanoma cells in peripheral blood using an improved protocol for reverse transcription-polymerase chain reaction. <i>British Journal of Dermatology</i> , <b>1999</b> , 141, 37-43	4	37
518	Problems in defining cutoff points of continuous prognostic factors: example of tumor thickness in primary cutaneous melanoma. <i>Journal of Clinical Epidemiology</i> , <b>1997</b> , 50, 1201-10	5.7	36
517	Improvement of overall survival of patients with cutaneous melanoma in Germany, 1976-2001: which factors contributed?. <i>Cancer</i> , <b>2007</b> , 109, 1174-82	6.4	36
516	Short German guidelines: Merkel cell carcinoma. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6 Suppl 1, S15-6	1.2	36
515	Impact of ulceration in stages I to III cutaneous melanoma as staged by the American Joint Committee on Cancer Staging System: an analysis of the German Central Malignant Melanoma Registry. <i>Journal of Clinical Oncology</i> , <b>2004</b> , 22, 4376-83	2.2	36
514	Interlaboratory evaluation of a new reverse transcriptase polymerase chain reaction-based enzyme-linked immunosorbent assay for the detection of circulating melanoma cells: a multicenter study of the Dermatologic Cooperative Oncology Group. <i>Journal of Clinical Oncology</i> , <b>2001</b> , 19, 1723-7	2.2	36

513	Non-AIDS associated Kaposi's sarcoma: clinical features and treatment outcome. <i>PLoS ONE</i> , <b>2011</b> , 6, e1	83 <i>9</i> 7	36
512	Proportions of blood-borne V1+ and V2+ T-cells are associated with overall survival of melanoma patients treated with ipilimumab. <i>European Journal of Cancer</i> , <b>2016</b> , 64, 116-26	7.5	36
511	Improvement of overall survival in stage IV melanoma patients during 2011-2014: analysis of real-world data in 441 patients of the German Central Malignant Melanoma Registry (CMMR). <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2017</b> , 143, 533-540	4.9	35
510	Survival according to BRAF-V600 tumor mutationsan analysis of 437 patients with primary melanoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e86194	3.7	35
509	Processing of laminin $\oplus$ chains generates peptides involved in wound healing and host defense. Journal of Innate Immunity, <b>2014</b> , 6, 467-84	6.9	35
508	Open label randomized study comparing 3 months vs. 6 months treatment of actinic keratoses with 3% diclofenac in 2.5% hyaluronic acid gel: a trial of the German Dermatologic Cooperative Oncology Group. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2012</b> , 26, 48-53	4.6	35
507	Professional risk for skin cancer development in male mountain guidesa cross-sectional study. Journal of the European Academy of Dermatology and Venereology, <b>2010</b> , 24, 797-804	4.6	35
506	Short German guidelines: squamous cell carcinoma. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6 Suppl 1, S5-8	1.2	35
505	Melanoma of the ear: prognostic factors and surgical strategies. <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 310-8	4	35
504	Fibroblast growth factor-2 but not Mel-CAM and/or beta3 integrin promotes progression of melanocytes to melanoma. <i>Experimental Dermatology</i> , <b>2003</b> , 12, 296-306	4	35
503	Adjuvant therapy with pegylated interferon alfa-2b (36 months) versus low-dose interferon alfa-2b (18 months) in melanoma patients without macrometastatic nodes: an open-label, randomised, phase 3 European Association for Dermato-Oncology (EADO) study. European Journal of Cancer,	7.5	33
502	2013, 49, 166-74 Brief S2k guidelinesCutaneous squamous cell carcinoma. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11 Suppl 3, 37-45, 39-47	1.2	33
501	Incomplete expression of the tyrosinase gene family (tyrosinase, TRP-1, and TRP-2) in human malignant melanoma cells in vitro. <i>Pigment Cell &amp; Melanoma Research</i> , <b>1995</b> , 8, 307-13		33
500	Oral hairy leukoplakia in 71 HIV-seropositive patients: clinical symptoms, relation to immunologic status, and prognostic significance. <i>Journal of the American Academy of Dermatology</i> , <b>1996</b> , 35, 928-34	4.5	33
499	Safety and efficacy of nivolumab in patients with rare melanoma subtypes who progressed on or after ipilimumab treatment: a single-arm, open-label, phase II study (CheckMate 172). <i>European Journal of Cancer</i> , <b>2019</b> , 119, 168-178	7.5	32
498	Proliferative activity, chromosomal aberrations, and tumor-specific mutations in the differential diagnosis between blue nevi and melanoma. <i>American Journal of Pathology</i> , <b>2013</b> , 182, 640-5	5.8	32
497	Merkel cell carcinoma: Epidemiology, pathogenesis, diagnosis and therapy. <i>Reviews in Endocrine and Metabolic Disorders</i> , <b>2017</b> , 18, 517-532	10.5	32
496	Clinical course and prognostic factors of Merkel cell carcinoma of the skin. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 90-4	4	32

495	Imiquimod in the treatment of extensive recurrent lentigo maligna. <i>Journal of the American Academy of Dermatology</i> , <b>2005</b> , 52, 51-2	4.5	32
494	Exclusion of BRAFV599E as a melanoma susceptibility mutation. <i>International Journal of Cancer</i> , <b>2003</b> , 106, 78-80	7.5	32
493	Epigenetic impacts of ascorbate on human metastatic melanoma cells. <i>Frontiers in Oncology</i> , <b>2014</b> , 4, 227	5.3	31
492	Should adjuvant radiotherapy be recommended following resection of regional lymph node metastases of malignant melanomas?. <i>British Journal of Dermatology</i> , <b>2001</b> , 144, 66-70	4	31
491	Staphylococcus aureus in atopic dermatitis and in nonatopic dermatitis. <i>International Journal of Dermatology</i> , <b>1990</b> , 29, 579-82	1.7	31
490	Update of progression-free survival (PFS) and correlative biomarker analysis from coBRIM: Phase III study of cobimetinib (cobi) plus vemurafenib (vem) in advanced BRAF-mutated melanoma <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 9006-9006	2.2	31
489	A Nexus Consisting of Beta-Catenin and Stat3 Attenuates BRAF Inhibitor Efficacy and Mediates Acquired Resistance to Vemurafenib. <i>EBioMedicine</i> , <b>2016</b> , 8, 132-149	8.8	30
488	Severe hepatitis under combined immunotherapy: Resolution under corticosteroids plus anti-thymocyte immunoglobulins. <i>European Journal of Cancer</i> , <b>2017</b> , 81, 203-205	7.5	30
487	Radiation recall dermatitis and radiation pneumonitis during treatment with vemurafenib. <i>Melanoma Research</i> , <b>2014</b> , 24, 512-6	3.3	30
486	Circulating CD4+ T cells that produce IL4 or IL17 when stimulated by melan-A but not by NY-ESO-1 have negative impacts on survival of patients with stage IV melanoma. <i>Clinical Cancer Research</i> , <b>2014</b> , 20, 4390-9	12.9	30
485	Investigation of oestrogen receptors, sex steroids and soluble adhesion molecules in the progression of malignant melanoma. <i>Melanoma Research</i> , <b>1997</b> , 7, 197-208	3.3	30
484	Cytokines in human melanoma cells. <i>Melanoma Research</i> , <b>1993</b> , 3, 425-434	3.3	30
483	Polymorphisms of the BRAF gene predispose males to malignant melanoma. <i>Journal of Carcinogenesis</i> , <b>2003</b> , 2, 7	1.9	30
482	Production of cytokines by human melanoma cells and melanocytes. <i>Recent Results in Cancer Research</i> , <b>1995</b> , 139, 155-68	1.5	30
481	S3-guideline "diagnosis, therapy and follow-up of melanoma" short version. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 563-602	1.2	29
480	Sex differences in survival of cutaneous melanoma are age dependent: an analysis of 7338 patients. <i>Melanoma Research</i> , <b>2011</b> , 21, 244-52	3.3	29
479	Prospective randomized multicenter adjuvant dermatologic cooperative oncology group trial of low-dose interferon alfa-2b with or without a modified high-dose interferon alfa-2b induction phase in patients with lymph node-negative melanoma. <i>Journal of Clinical Oncology</i> , <b>2009</b> , 27, 3496-502	2.2	29
478	Short German guidelines: basal cell carcinoma. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6 Suppl 1, S2-4	1.2	29

#### (2020-1994)

477	Paracrine and autocrine regulation of human melanocyte and melanoma cell growth by transforming growth factor beta in vitro. <i>Anticancer Research</i> , <b>1994</b> , 14, 2565-71	2.3	29	
476	Time trends in incidence and mortality of cutaneous melanoma in Germany. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 1272-1280	4.6	29	
475	Dacarbazine with or without oblimersen (a Bcl-2 antisense oligonucleotide) in chemotherapy-naive patients with advanced melanoma and low-normal serum lactate dehydrogenase: 'The AGENDA trial'. <i>Melanoma Research</i> , <b>2014</b> , 24, 237-43	3.3	28	
474	Elective lymph node dissection in primary malignant melanoma: a matched-pair analysis. <i>Melanoma Research</i> , <b>1995</b> , 5, 189-94	3.3	28	
473	Establishing High Dimensional Immune Signatures from Peripheral Blood via Mass Cytometry in a Discovery Cohort of Stage IV Melanoma Patients. <i>Journal of Immunology</i> , <b>2017</b> , 198, 927-936	5.3	27	
472	MDM2, MDM4 and EGFR Amplifications and Hyperprogression in Metastatic Acral and Mucosal Melanoma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	27	
471	Combined immunotherapy with nivolumab and ipilimumab with and without local therapy in patients with melanoma brain metastasis: a DeCOG* study in 380 patients <b>2020</b> , 8,		27	
470	Influence of (18)F-FDG PET/CT on therapy management in patients with stage III/IV malignant melanoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 43, 482-8	8.8	27	
469	Adverse events associated with encorafenib plus binimetinib in the COLUMBUS study: incidence, course and management. <i>European Journal of Cancer</i> , <b>2019</b> , 119, 97-106	7.5	27	
468	Change of Epidemiological Characteristics of Malignant Melanoma during the Years 1962¶972 and 1983¶986 in the Federal Republic of Germany. <i>Dermatology</i> , <b>1989</b> , 178, 131-135	4.4	27	
467	Efficacy of PD-1-based immunotherapy after radiologic progression on targeted therapy in stage IV melanoma. <i>European Journal of Cancer</i> , <b>2019</b> , 116, 207-215	7.5	26	
466	CT imaging of bone and bone marrow infiltration in malignant melanomaChallenges and limitations for clinical staging in comparison to 18FDG-PET/CT. <i>European Journal of Radiology</i> , <b>2016</b> , 85, 732-8	4.7	26	
465	Vemurafenib. Recent Results in Cancer Research, 2018, 211, 77-89	1.5	26	
464	YB-1 Expression and Phosphorylation Regulate Tumorigenicity and Invasiveness in Melanoma by Influencing EMT. <i>Molecular Cancer Research</i> , <b>2018</b> , 16, 1149-1160	6.6	26	
463	The ROS-induced cytotoxicity of ascorbate is attenuated by hypoxia and HIF-1alpha in the NCI60 cancer cell lines. <i>Journal of Cellular and Molecular Medicine</i> , <b>2014</b> , 18, 530-41	5.6	26	
462	Nodular scabies detected by computed dermatoscopy. <i>Dermatology</i> , <b>2001</b> , 203, 190-1	4.4	26	
461	COMBI-d: A randomized, double-blinded, Phase III study comparing the combination of dabrafenib and trametinib to dabrafenib and trametinib placebo as first-line therapy in patients (pts) with unresectable or metastatic BRAFV600E/K mutation-positive cutaneous melanoma. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9011-9011	2.2	26	
460	Cancer immunotherapy is accompanied by distinct metabolic patterns in primary and secondary lymphoid organs observed by non-invasive F-FDG-PET. <i>Theranostics</i> , <b>2020</b> , 10, 925-937	12.1	26	

459	Efficacy and safety of follow-up field treatment of actinic keratosis with ingenol mebutate 0ID15% gel: a randomized, controlled 12-month study. <i>British Journal of Dermatology</i> , <b>2016</b> , 174, 505-13	4	26
458	More than 5000 patients with metastatic melanoma in Europe per year do not have access to recommended first-line innovative treatments. <i>European Journal of Cancer</i> , <b>2017</b> , 75, 313-322	7.5	25
457	S3 guideline for actinic keratosis and cutaneous squamous cell carcinoma - short version, part 1: diagnosis, interventions for actinic keratoses, care structures and quality-of-care indicators. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 275-294	1.2	25
456	Melanoma of unknown primary is correctly classified by the AJCC melanoma classification from 2009. <i>Melanoma Research</i> , <b>2011</b> , 21, 228-34	3.3	25
455	Raman spectroscopy as an analytical tool for melanoma research. <i>Clinical and Experimental Dermatology</i> , <b>2014</b> , 39, 636-45	1.8	24
454	Production and characterization of amplified tumor-derived cRNA libraries to be used as vaccines against metastatic melanomas. <i>Genetic Vaccines and Therapy</i> , <b>2005</b> , 3, 6		24
453	Application of argon plasma coagulation in skin surgery. <i>Dermatology</i> , <b>1998</b> , 197, 152-7	4.4	24
452	Role of high-resolution magnetic resonance imaging for differentiating melanin-containing skin tumors. <i>Investigative Radiology</i> , <b>1995</b> , 30, 638-43	10.1	24
451	Tumor microenvironment-derived S100A8/A9 is a novel prognostic biomarker for advanced melanoma patients and during immunotherapy with anti-PD-1 antibodies <b>2019</b> , 7, 343		24
450	Open-label, multicentre safety study of vemurafenib in B219 patients with BRAF mutation-positive metastatic melanoma: 2-year follow-up data and long-term responders' analysis. <i>European Journal of Cancer</i> , <b>2017</b> , 79, 176-184	7.5	23
449	A phase II study of the L19IL2 immunocytokine in combination with dacarbazine in advanced metastatic melanoma patients. <i>Cancer Immunology, Immunotherapy</i> , <b>2019</b> , 68, 1547-1559	7.4	23
448	Genomic Features of Exceptional Response in Vemurafenib 🛭 Cobimetinib-treated Patients with -mutated Metastatic Melanoma. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 3239-3246	12.9	23
447	Results of COLUMBUS Part 2: A phase 3 trial of encorafenib (ENCO) plus binimetinib (BINI) versus ENCO in BRAF-mutant melanoma. <i>Annals of Oncology</i> , <b>2017</b> , 28, v429-v430	10.3	23
446	Analysis of BRAF and NRAS Mutation Status in Advanced Melanoma Patients Treated with Anti-CTLA-4 Antibodies: Association with Overall Survival?. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139438	3.7	23
445	Vemurafenib. Recent Results in Cancer Research, 2014, 201, 215-25	1.5	23
444	Topical 3.0% diclofenac in 2.5% hyaluronic acid gel induces regression of cancerous transformation in actinic keratoses. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2010</b> , 24, 258-63	3 <sup>4.6</sup>	23
443	Sorafenib and pegylated interferon-⊞2b in advanced metastatic melanoma: a multicenter phase II DeCOG trial. <i>Annals of Oncology</i> , <b>2011</b> , 22, 1667-1674	10.3	23
442	Short German guidelines: dermatofibrosarcoma protuberans. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2008</b> , 6 Suppl 1, S17-8	1.2	23

### (2018-2000)

441	Predictors of the use of sunscreen in dermatological patients in Central Europe. <i>Preventive Medicine</i> , <b>2000</b> , 31, 134-9	4.3	23	
440	First-line therapy-stratified survival in BRAF-mutant melanoma: a retrospective multicenter analysis. <i>Cancer Immunology, Immunotherapy</i> , <b>2019</b> , 68, 765-772	7.4	23	
439	Eighth American Joint Committee on Cancer (AJCC) melanoma classification: Let us reconsider stage III. <i>European Journal of Cancer</i> , <b>2018</b> , 91, 168-170	7.5	23	
438	Adjuvant melanoma therapy with new drugs: should physicians continue to focus on metastatic disease or use it earlier in primary melanoma?. <i>Lancet Oncology, The</i> , <b>2018</b> , 19, e720-e725	21.7	23	
437	Combined treatment with ipilimumab and intratumoral interleukin-2 in pretreated patients with stage IV melanoma-safety and efficacy in a phase II study. <i>Cancer Immunology, Immunotherapy</i> , <b>2017</b> , 66, 441-449	7.4	22	
436	Phenotypic characterization and prognostic impact of circulating and HIT-cells in metastatic malignant melanoma. <i>International Journal of Cancer</i> , <b>2016</b> , 138, 698-704	7.5	22	
435	In melanoma, Hippo signaling is affected by copy number alterations and YAP1 overexpression impairs patient survival. <i>Pigment Cell and Melanoma Research</i> , <b>2014</b> , 27, 671-3	4.5	22	
434	BRAF Inhibitors Amplify the Proapoptotic Activity of MEK Inhibitors by Inducing ER Stress in NRAS-Mutant Melanoma. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 6203-6214	12.9	22	
433	Diminished levels of the soluble form of RAGE are related to poor survival in malignant melanoma. <i>International Journal of Cancer</i> , <b>2015</b> , 137, 2607-17	7.5	22	
432	Recurrent nodules in a periauricular plaque-type blue nevus with fatal outcome. <i>Journal of Cutaneous Pathology</i> , <b>2012</b> , 39, 1088-93	1.7	22	
431	S100B and lactate dehydrogenase as response and progression markers during treatment with vemurafenib in patients with advanced melanoma. <i>Melanoma Research</i> , <b>2013</b> , 23, 396-401	3.3	22	
430	Variability of dermoscopic features of tungiasis. <i>Archives of Dermatology</i> , <b>2005</b> , 141, 643-4		22	
429	Multicenter evaluation of the analytical and clinical performance of the Elecsys S100 immunoassay in patients with malignant melanoma. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2005</b> , 43, 557-63	5.9	22	
428	Tumour necrosis factors and several interleukins inhibit the growth and modulate the antigen expression of normal human melanocytes in vitro. <i>Archives of Dermatological Research</i> , <b>1995</b> , 287, 259-6	5 <b>3</b> ·3	22	
427	Cutaneous metastatic angiosarcoma with a lethal outcome, following radiotherapy for a cervical carcinoma. <i>British Journal of Dermatology</i> , <b>1995</b> , 133, 610-4	4	22	
426	Primary results from a randomized (1:1), open-label phase II study of talimogene laherparepvec (T) and ipilimumab (I) vs I alone in unresected stage IIIB- IV melanoma <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 9509-9509	2.2	22	
425	The German melanoma registry and environmental risk factors implied. <i>Recent Results in Cancer Research</i> , <b>1993</b> , 128, 69-89	1.5	22	
424	Access to innovative medicines for metastatic melanoma worldwide: Melanoma World Society and European Association of Dermato-oncology survey in 34 countries. <i>European Journal of Cancer</i> , <b>2018</b> , 104, 201-209	7.5	22	

423	Sentinel Lymph Node Dissection in Head and Neck Melanoma has Prognostic Impact on Disease-Free and Overall Survival. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 4073-80	3.1	21
422	Management of pegylated interferon alpha toxicity in adjuvant therapy of melanoma. <i>Expert Opinion on Biological Therapy</i> , <b>2012</b> , 12, 1087-99	5.4	21
421	Brief S2k guidelinesBasal cell carcinoma of the skin. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11 Suppl 3, 10-5, 11-6	1.2	21
420	Prospective evaluation of supportive care with or without CVD chemotherapy as a second-line treatment in advanced melanoma by patient's choice: a multicentre Dermatologic Cooperative Oncology Group trial. <i>Melanoma Research</i> , <b>2011</b> , 21, 516-23	3.3	21
419	Temozolomide plus pegylated interferon alfa-2b as first-line treatment for stage IV melanoma: a multicenter phase II trial of the Dermatologic Cooperative Oncology Group (DeCOG). <i>Annals of Oncology</i> , <b>2008</b> , 19, 801-6	10.3	21
418	Genetically determined coincidence of Kaposi sarcoma and psoriasis in an HIV-negative patient after prednisolone treatment. Spontaneous regression 8 months after discontinuing therapy. <i>International Journal of Dermatology</i> , <b>1991</b> , 30, 114-20	1.7	21
417	Efficacy and safety of cobimetinib (C) combined with vemurafenib (V) in patients (pts) with BRAFV600 mutationpositive metastatic melanoma: analysis from the 4-year extended follow-up of the phase 3 coBRIM study <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 9522-9522	2.2	21
416	Histopathological diagnostics of malignant melanoma in accordance with the recent AJCC classification 2009: Review of the literature and recommendations for general practice. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 690-9	1.2	20
415	Blue light phototherapy of neonatal jaundice does not increase the risk for melanocytic nevus development. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 493-4		20
414	Dermoscopic classification of Clark's nevi (atypical melanocytic nevi). <i>Clinics in Dermatology</i> , <b>2002</b> , 20, 255-8	3	20
413	Melanocytes in nevi and melanomas synthesize basement membrane and basement membrane-like material. An immunohistochemical and electron microscopic study including immunoelectron microscopy. <i>Journal of Cutaneous Pathology</i> , <b>2000</b> , 27, 67-75	1.7	20
412	Specifically regulated genes in malignant melanoma tissues identified by subtractive hybridization. <i>British Journal of Cancer</i> , <b>2000</b> , 82, 1149-57	8.7	20
411	Effects of Interferons and Cytokines on Melanoma Cells. <i>Journal of Investigative Dermatology</i> , <b>1993</b> , 100, S239-S244	4.3	20
410	A rational approach to the follow-up of melanoma patients. <i>Recent Results in Cancer Research</i> , <b>2002</b> , 160, 205-15	1.5	20
409	The many unanswered questions related to the German skin cancer screening programme. <i>European Journal of Cancer</i> , <b>2016</b> , 64, 83-8	7.5	20
408	Prolonged survival of 2 years or longer for patients with disseminated melanoma. An analysis of related prognostic factors. <i>Cancer</i> , <b>1997</b> , 79, 2345-53	6.4	20
407	S3-Leitlinie Diagnostik, Therapie und Nachsorge des Melanoms - Update 2015/2016, Kurzversion 2.0. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, e1-e41	1.2	19
406	Impact of F-FDG-PET/CT on surgical management in patients with advanced melanoma: an outcome based analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2017</b> , 44, 1312-1318	8.8	19

405	Overall survival at 5 years of follow-up in a phase III trial comparing ipilimumab 10 mg/kg with 3 mg/kg in patients with advanced melanoma <b>2020</b> , 8,		19	
404	S3 guideline for actinic keratosis and cutaneous squamous cell carcinoma (cSCC) - short version, part 2: epidemiology, surgical and systemic treatment of cSCC, follow-up, prevention and occupational disease. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 400-413	1.2	19	
403	Safety and efficacy of nivolumab in challenging subgroups with advanced melanoma who progressed on or after ipilimumab treatment: A single-arm, open-label, phase II study (CheckMate 172). European Journal of Cancer, <b>2019</b> , 121, 144-153	7.5	19	
402	Serial or Parallel Metastasis of Cutaneous Melanoma? A Study of the German Central Malignant Melanoma Registry. <i>Journal of Investigative Dermatology</i> , <b>2017</b> , 137, 2570-2577	4.3	19	
401	Effectiveness and tolerability of ipilimumab: experiences from 198 patients included in a named-patient program in various daily-practice settings and multiple institutions. <i>Journal of Immunotherapy</i> , <b>2014</b> , 37, 374-81	5	19	
400	Correlation with digital dermoscopic images can help dermatopathologists to diagnose equivocal skin tumours. <i>British Journal of Dermatology</i> , <b>2006</b> , 155, 546-51	4	19	
399	Micrometastasis of a sentinel lymph node in cutaneous melanoma is a significant prognostic factor for disease-free survival, distant-metastasis-free survival, and overall survival. <i>Dermatologic Surgery</i> , <b>2004</b> , 30, 1319-28	1.7	19	
398	A rapid and sensitive fluorometric microassay for determining cell mediated cytotoxicity to adherent growing cell lines. <i>Journal of Immunological Methods</i> , <b>1992</b> , 156, 1-8	2.5	19	
397	Overall survival in COLUMBUS: A phase 3 trial of encorafenib (ENCO) plus binimetinib (BINI) vs vemurafenib (VEM) or enco in BRAF-mutant melanoma <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 9504-950	0 <sup>2.2</sup>	19	
396	Kaposi Sarcoma: A Reevaluation. <i>Recent Results in Cancer Research</i> , <b>1995</b> , 275-296	1.5	19	
395	Immune checkpoint inhibition therapy for advanced skin cancer in patients with concomitant hematological malignancy: a retrospective multicenter DeCOG study of 84 patients <b>2020</b> , 8,		19	
394	UVA-Irradiation Induces Melanoma Invasion via the Enhanced Warburg Effect. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1866-1875	4.3	19	
393	Five-year outcomes from a phase 3 METRIC study in patients with BRAF V600Œ/K-mutant advanced or metastatic melanoma. <i>European Journal of Cancer</i> , <b>2019</b> , 109, 61-69	7.5	18	
392	Prognostic factors of melanoma patients with satellite or in-transit metastasis at the time of stage III diagnosis. <i>PLoS ONE</i> , <b>2013</b> , 8, e63137	3.7	18	
391	Melanoma patients with unknown primary site or nodal recurrence after initial diagnosis have a favourable survival compared to those with synchronous lymph node metastasis and primary tumour. <i>PLoS ONE</i> , <b>2013</b> , 8, e66953	3.7	18	
390	Extramammary Paget's disease: extended subclinical growth detected using three-dimensional histology in routine paraffin procedure and course of the disease. <i>Dermatologic Surgery</i> , <b>2011</b> , 37, 1417	-28	18	
389	Management of cutaneous side effects of EGFR inhibitors: recommendations from a German expert panel for the primary treating physician. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 195-203	1.2	18	
388	Melanoma staging: facts and controversies. <i>Clinics in Dermatology</i> , <b>2010</b> , 28, 275-80	3	18	

387	Significant response after treatment with the mTOR inhibitor sirolimus in combination with carboplatin and paclitaxel in metastatic melanoma patients. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 60, 863-8	4.5	18
386	Adjuvant treatment with vindesine in comparison to observation alone in patients with metastasized melanoma after complete metastasectomy: a randomized multicenter trial of the German Dermatologic Cooperative Oncology Group. <i>Melanoma Research</i> , <b>2008</b> , 18, 353-8	3.3	18
385	Is sentinel lymph node biopsy of therapeutic relevance for melanoma?. <i>Dermatology</i> , <b>2004</b> , 209, 5-13	4.4	18
384	Direct effects on proliferation, antigen expression and melanin synthesis of cultured normal human melanocytes in response to UVB and UVA light. <i>Photodermatology Photoimmunology and Photomedicine</i> , <b>2003</b> , 19, 122-7	2.4	18
383	Distinct Clinicopathological and Prognostic Features of Thin Nodular Primary Melanomas: An International Study from 17 Centers. <i>Journal of the National Cancer Institute</i> , <b>2019</b> , 111, 1314-1322	9.7	17
382	Pediatric patients with cutaneous melanoma: A European study. <i>Pediatric Blood and Cancer</i> , <b>2018</b> , 65, e26974	3	17
381	Patterns of response with talimogene laherparepvec in combination with ipilimumab or ipilimumab alone in metastatic unresectable melanoma. <i>British Journal of Cancer</i> , <b>2019</b> , 121, 417-420	8.7	17
380	Advanced cutaneous squamous cell carcinoma: real world data of patient profiles and treatment patterns. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33 Suppl 8, 44-51	4.6	17
379	Noggin blocks invasive growth of murine B16-F1 melanoma cells in the optic cup of the chick embryo. <i>International Journal of Cancer</i> , <b>2008</b> , 122, 526-33	7·5	17
378	Solar UV-protective properties of textiles. <i>Dermatology</i> , <b>2000</b> , 201, 82	4.4	17
377	Does mountaineering increase the incidence of cutaneous melanoma? A hypothesis based on cancer registry data. <i>Dermatology</i> , <b>1999</b> , 199, 201-3	4.4	17
377 376		4-4	17 17
	cancer registry data. <i>Dermatology</i> , <b>1999</b> , 199, 201-3  P53 mutation and c-fos overexpression are associated with detection of the antigen VLA-2 in	3.7	
376	P53 mutation and c-fos overexpression are associated with detection of the antigen VLA-2 in human melanoma cell lines. <i>Pigment Cell &amp; Melanoma Research</i> , <b>1994</b> , 7, 348-53  Effectiveness of carboplatin and paclitaxel as first- and second-line treatment in 61 patients with		17
376 375	P53 mutation and c-fos overexpression are associated with detection of the antigen VLA-2 in human melanoma cell lines. <i>Pigment Cell &amp; Melanoma Research</i> , <b>1994</b> , 7, 348-53  Effectiveness of carboplatin and paclitaxel as first- and second-line treatment in 61 patients with metastatic melanoma. <i>PLoS ONE</i> , <b>2011</b> , 6, e16882  Primary localization and tumor thickness as prognostic factors of survival in patients with mucosal	3.7	17
376 375 374	P53 mutation and c-fos overexpression are associated with detection of the antigen VLA-2 in human melanoma cell lines. <i>Pigment Cell &amp; Melanoma Research</i> , <b>1994</b> , 7, 348-53  Effectiveness of carboplatin and paclitaxel as first- and second-line treatment in 61 patients with metastatic melanoma. <i>PLoS ONE</i> , <b>2011</b> , 6, e16882  Primary localization and tumor thickness as prognostic factors of survival in patients with mucosal melanoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e112535  Detection of micrometastasis in sentinel lymph nodes of patients with primary cutaneous	3.7	17 17 17
<ul><li>376</li><li>375</li><li>374</li><li>373</li></ul>	P53 mutation and c-fos overexpression are associated with detection of the antigen VLA-2 in human melanoma cell lines. <i>Pigment Cell &amp; Melanoma Research</i> , 1994, 7, 348-53  Effectiveness of carboplatin and paclitaxel as first- and second-line treatment in 61 patients with metastatic melanoma. <i>PLoS ONE</i> , 2011, 6, e16882  Primary localization and tumor thickness as prognostic factors of survival in patients with mucosal melanoma. <i>PLoS ONE</i> , 2014, 9, e112535  Detection of micrometastasis in sentinel lymph nodes of patients with primary cutaneous melanoma. <i>Recent Results in Cancer Research</i> , 2001, 158, 137-46  Molecular genetics of cutaneous squamous cell carcinoma: perspective for treatment strategies.	3·7 3·7	17 17 17

369	Monocytic myeloid-derived suppressor cells in advanced melanoma patients: Indirect impact on prognosis through inhibition of tumor-specific T-cell responses?. <i>OncoImmunology</i> , <b>2014</b> , 3, e27845	7.2	16	
368	Excision guidelines and follow-up strategies in cutaneous melanoma: Facts and controversies. <i>Clinics in Dermatology</i> , <b>2010</b> , 28, 311-5	3	16	
367	CHEK2*1100delC and risk of malignant melanoma: Danish and German studies and meta-analysis. <i>Journal of Investigative Dermatology</i> , <b>2012</b> , 132, 299-303	4.3	16	
366	Surveillance and follow-up examinations in cutaneous melanoma. <i>Oncology Research and Treatment</i> , <b>2003</b> , 26, 241-6	2.8	16	
365	Lack of p73 mutations and late occurrence of p73 allelic deletions in melanoma tissues and cell lines. <i>International Journal of Cancer</i> , <b>1999</b> , 82, 583-6	7.5	16	
364	Cytostatic and cytotoxic effects of recombinant tumor necrosis factor-alpha on sensitive human melanoma cells in vitro may result in selection of cells with enhanced markers of malignancy.  Journal of Investigative Dermatology, 1990, 95, 223S-230S	4.3	16	
363	Targeting tumor-resident mast cells for effective anti-melanoma immune responses. <i>JCI Insight</i> , <b>2019</b> , 4,	9.9	16	
362	Polymerase chain reaction in the detection of circulating tumour cells in peripheral blood of melanoma patients. <i>Recent Results in Cancer Research</i> , <b>2001</b> , 158, 93-104	1.5	16	
361	Disulfiram as a Therapeutic Agent for Metastatic Malignant Melanoma-Old Myth or New Logos?. <i>Cancers</i> , <b>2020</b> , 12,	6.6	16	
360	Immunotherapy plus surgery/radiosurgery is associated with favorable survival in patients with melanoma brain metastasis. <i>Immunotherapy</i> , <b>2019</b> , 11, 297-309	3.8	16	
359	Accurate quantification of T-cells expressing PD-1 in patients on anti-PD-1 immunotherapy. <i>Cancer Immunology, Immunotherapy</i> , <b>2018</b> , 67, 1845-1851	7.4	16	
358	Non-melanoma skin cancer: new and future synthetic drug treatments. <i>Expert Opinion on Pharmacotherapy</i> , <b>2017</b> , 18, 689-699	4	15	
357	Adjuvant treatment with pegylated interferon $\oplus$ -2a versus low-dose interferon $\oplus$ -2a in patients with high-risk melanoma: a randomized phase III DeCOG trial. <i>Annals of Oncology</i> , <b>2016</b> , 27, 1625-32	10.3	15	
356	A randomized, open-label clinical trial of tasisulam sodium versus paclitaxel as second-line treatment in patients with metastatic melanoma. <i>Cancer</i> , <b>2014</b> , 120, 2016-24	6.4	15	
355	RNA isolation from human skin tissues for colorimetric differential display. <i>Journal of Proteomics</i> , <b>1998</b> , 37, 131-5		15	
354	The New American Joint Committee on Cancer staging system for cutaneous melanoma: a critical analysis based on data of the German Central Malignant Melanoma Registry. <i>Cancer</i> , <b>2002</b> , 94, 2305-7	6.4	15	
353	Does intensive histopathological workup by serial sectioning increase the detection of lymph node micrometastasis in patients with primary cutaneous melanoma?. <i>Melanoma Research</i> , <b>2001</b> , 11, 57-63	3.3	15	
352	Persistent scleredema of Buschke in a diabetic: improvement with high-dose penicillin. <i>British Journal of Dermatology</i> , <b>1996</b> , 134, 597-598	4	15	

351	Perspectives of cytokine treatment in malignant skin tumors. <i>Recent Results in Cancer Research</i> , <b>1995</b> , 139, 349-69	1.5	15
350	Clinical validation of a prognostic 11-gene expression profiling score in prospectively collected FFPE tissue of patients with AJCC v8 stage II cutaneous melanoma. <i>European Journal of Cancer</i> , <b>2020</b> , 125, 38-45	7.5	15
349	Local interventions for actinic keratosis in organ transplant recipients: a systematic review. <i>British Journal of Dermatology</i> , <b>2019</b> , 180, 43-50	4	15
348	Immune Checkpoint Blockade in Advanced Cutaneous Squamous Cell Carcinoma: What Do We Currently Know in 2020?. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	14
347	Health-related quality of life impact of cobimetinib in combination with vemurafenib in patients with advanced or metastatic BRAF mutation-positive melanoma. <i>British Journal of Cancer</i> , <b>2018</b> , 118, 777-784	8.7	14
346	Intralesional immunotherapy as a strategy to treat melanoma. <i>Expert Opinion on Biological Therapy</i> , <b>2016</b> , 16, 619-26	5.4	14
345	Seasonal patterns in the diagnosis of cutaneous malignant melanoma: analysis of the data of the German Central Malignant Melanoma Registry. <i>British Journal of Dermatology</i> , <b>1997</b> , 136, 968-9	4	14
344	The mitochondrial DNA common deletion is present in most basal and squamous cell carcinoma samples isolated by laser capture microdissection but generally at reduced rather than increased levels. <i>Journal of Investigative Dermatology</i> , <b>2007</b> , 127, 486-90	4.3	14
343	Distribution of muscarinic receptor subtype M3 in melanomas and their metastases. <i>Journal of Cutaneous Pathology</i> , <b>2008</b> , 35, 809-15	1.7	14
342	Alopecia areata induced by adjuvant treatment with alpha-interferon in malignant melanoma?. <i>Dermatology</i> , <b>2004</b> , 209, 249-50	4.4	14
341	12-O-tetradecanoylphorbol-13-acetate not only modulates proliferation rates, but also alters antigen expression and LAK-cell susceptibility of normal human melanocytes in vitro. <i>Journal of Investigative Dermatology</i> , <b>1993</b> , 100, 653-9	4.3	14
340	A phase II multicenter study on the histone deacetylase (HDAC) inhibitor MS-275, comparing two dosage schedules in metastatic melanoma. <i>Journal of Clinical Oncology</i> , <b>2006</b> , 24, 8044-8044	2.2	14
339	Efficacy and safety of nivolumab (NIVO) in patients with advanced melanoma (MEL) and poor prognostic factors who progressed on or after ipilimumab (IPI): Results from a phase II study (CheckMate 172) <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 9524-9524	2.2	14
338	Clinical characteristics and outcome of 60 pediatric patients with malignant melanoma registered with the German Pediatric Rare Tumor Registry (STEP). <i>Klinische Padiatrie</i> , <b>2017</b> , 229, 322-328	0.9	13
337	Prognosis of Patients With Stage III Melanoma According to American Joint Committee on Cancer Version 8: A Reassessment on the Basis of 3 Independent Stage III Melanoma Cohorts. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 2543-2551	2.2	13
336	Human melanoma cells resistant to MAPK inhibitors can be effectively targeted by inhibition of the p90 ribosomal S6 kinase. <i>Oncotarget</i> , <b>2017</b> , 8, 35761-35775	3.3	13
335	Risk estimation for malignant transformation of melanocytic nevi. <i>Archives of Dermatology</i> , <b>2004</b> , 140, 127; author reply 127		13
334	Distribution and colocalization of markers for proliferation, invasion, motility and neoangiogenesis in benign melanocytic naevi and malignant melanomas. <i>British Journal of Dermatology</i> , <b>2005</b> , 153, 1159	9-65	13

333	Increase of melanocytic nevus counts in children during 5 years of follow-up and analysis of associated factors. <i>Archives of Dermatology</i> , <b>1996</b> , 132, 1473-8		13	
332	Diagnostic accuracy of dermatofluoroscopy in cutaneous melanoma detection: results of a prospective multicentre clinical study in 476 pigmented lesions. <i>British Journal of Dermatology</i> , <b>2018</b> , 179, 478-485	4	12	
331	Increased CCL17 serum levels are associated with improved survival in advanced melanoma. <i>Cancer Immunology, Immunotherapy</i> , <b>2015</b> , 64, 1075-82	7.4	12	
330	Prognosis of sentinel node staged patients with primary cutaneous melanoma. <i>PLoS ONE</i> , <b>2012</b> , 7, e297	<b>79</b> ,17	12	
329	S2k Kurzleitlinie [Plattenepithelkarzinom der Haut. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 39-47	1.2	12	
328	MelanozytEe NVi. JDDG - Journal of the German Society of Dermatology, <b>2011</b> , 9, 723-736	1.2	12	
327	Molecular diagnostics facilitate distinction between lethal and non-lethal subtypes of junctional epidermolysis bullosa: a case report and review of the literature. <i>European Journal of Pediatrics</i> , <b>2002</b> , 161, 672-9	4.1	12	
326	Hyperkeratosis lenticularis perstans (Flegel's disease)lack of response to treatment with tacalcitol and calcipotriol. <i>Dermatology</i> , <b>2001</b> , 202, 255-8	4.4	12	
325	Effects of interferons and cytokines on melanoma cells. <i>Journal of Investigative Dermatology</i> , <b>1993</b> , 100, 239S-244S	4.3	12	
324	Final analysis of DECOG-SLT trial: Survival outcomes of complete lymph node dissection in melanoma patients with positive sentinel node <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 9501-9501	2.2	12	
323	Pimasertib Versus Dacarbazine in Patients With Unresectable -Mutated Cutaneous Melanoma: Phase II, Randomized, Controlled Trial with Crossover. <i>Cancers</i> , <b>2020</b> , 12,	6.6	12	
322	Distinct Mutation Patterns Reveal Melanoma Subtypes and Influence Immunotherapy Response in Advanced Melanoma Patients. <i>Cancers</i> , <b>2020</b> , 12,	6.6	12	
321	Combined activity of temozolomide and the mTOR inhibitor temsirolimus in metastatic melanoma involves DKK1. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 598-606	4	11	
320	Diagnosis of cutaneous tumors with in vivo confocal laser scanning microscopy. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2010</b> , 8, 400-10	1.2	11	
319	Isolation of three stem cell lines from human sacrococcygeal teratomas. <i>Journal of Pathology</i> , <b>2009</b> , 217, 589-96	9.4	11	
318	Epidemiology of malignant melanoma in central Europe: risk factors and prognostic predictors. Results of the Central Malignant Melanoma Registry of the German Dermatological Society. <i>Pigment Cell &amp; Melanoma Research</i> , <b>1992</b> , Suppl 2, 285-94		11	
317	Comparative analysis of incidence and clinical features of cutaneous malignant melanoma in Crete (Greece) and southern Germany (central Baden-Wittemberg). <i>British Journal of Dermatology</i> , <b>2006</b> , 154, 1123-7	4	11	
316	Melanoma of the nose: prognostic factors, three-dimensional histology, and surgical strategies. Laryngoscope, <b>2006</b> , 116, 1204-11	3.6	11	

315	Micrometastasis of a Sentinel Lymph Node in Cutaneous Melanoma Is a Significant Prognostic Factor for Disease-Free Survival, Distant-Metastasis-Free Survival, and Overall Survival. <i>Dermatologic Surgery</i> , <b>2004</b> , 30, 1319-1328	1.7	11
314	Prothymosin alpha 1 modulates lymphokine-activated killer cell activity and IL-2 production by peripheral blood lymphocytes from melanoma patients in vitro. <i>International Journal of Immunopharmacology</i> , <b>1995</b> , 17, 555-61		11
313	Long-term safety and efficacy of vismodegib in patients with advanced basal cell carcinoma: Final update (30-month) of the pivotal ERIVANCE BCC study <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9013-90	1 <del>3</del> .2	11
312	Update on overall survival in COLUMBUS: A randomized phase III trial of encorafenib (ENCO) plus binimetinib (BINI) versus vemurafenib (VEM) or ENCO in patients with BRAF V600hutant melanoma <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 9512-9512	2.2	11
311	Epidemiologie des Hautkrebses <b>1997</b> , 40-56		11
310	Treatment of melanoma. <i>Deutsches A&amp;#x0308;rzteblatt International</i> , <b>2008</b> , 105, 845-51	2.5	11
309	Dose comparison of tropisetron (Navoban) 5 mg and 10 mg orally in the prophylaxis of dacarbazine-induced nausea and emesis. <i>Seminars in Oncology</i> , <b>1994</b> , 21, 12-6	5.5	11
308	Genomics of Immunotherapy-Associated Hyperprogressors-Letter. <i>Clinical Cancer Research</i> , <b>2017</b> , 23, 6374-6375	12.9	10
307	S1 guidelines for dermatofibrosarcoma protuberans (DFSP) - update 2018. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2019</b> , 17, 663-668	1.2	10
306	Melanocytic nevi. JDDG - Journal of the German Society of Dermatology, 2011, 9, 723-34	1.2	10
305	METRIC phase III study: Efficacy of trametinib (T), a potent and selective MEK inhibitor (MEKi), in progression-free survival (PFS) and overall survival (OS), compared with chemotherapy (C) in patients (pts) with BRAFV600E/K mutant advanced or metastatic melanoma (MM) Journal of	2.2	10
304	Update on overall survival in COLUMBUS: A randomized phase III trial of encorafenib (ENCO) plus binimetinib (BINI) versus vemurafenib (VEM) or ENCO in patients with BRAF V600-mutant melanoma <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 10012-10012	2.2	10
303	The evolving field of Dermato-oncology and the role of dermatologists: Position Paper of the EADO, EADV and Task Forces, EDF, IDS, EBDV-UEMS and EORTC Cutaneous Lymphoma Task Force. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2183-2197	4.6	10
302	5-Year Outcomes with Cobimetinib plus Vemurafenib in Mutation-Positive Advanced Melanoma: Extended Follow-up of the coBRIM Study. <i>Clinical Cancer Research</i> , <b>2021</b> ,	12.9	10
301	Neural crest cell migration of mouse B16-F1 melanoma cells transplanted into the chick embryo is inhibited by the BMP-antagonist noggin. <i>International Journal of Oncology</i> , <b>2007</b> , 31, 1367-78	1	10
300	GSTP1 does not modify MC1R effects on melanoma risk. <i>Experimental Dermatology</i> , <b>2017</b> , 26, 730-733	4	9
299	Lack of activity of betulin-based Oleogel-S10 in the treatment of actinic keratoses: a randomized, multicentre, placebo-controlled double-blind phase II trial. <i>British Journal of Dermatology</i> , <b>2015</b> , 172, 926-32	4	9
298	Genomic features of complete responders (CR) versus fast progressors (PD) in patients with BRAFV600-mutated metastatic melanoma treated with cobimetinib + vemurafenib or vemurafenib alone. <i>Annals of Oncology</i> , <b>2016</b> , 27, vi379	10.3	9

## (2016-2018)

297	Fear of cancer progression in patients with stage IA malignant melanoma. <i>European Journal of Cancer Care</i> , <b>2018</b> , 27, e12901	2.4	9
296	Peripheral PD-1+CD56+ T-cell frequencies correlate with outcome in stage IV melanoma under PD-1 blockade. <i>PLoS ONE</i> , <b>2019</b> , 14, e0221301	3.7	9
295	The role of radiotherapy in the overall treatment of melanoma. Clinics in Dermatology, 2013, 31, 282-9	3	9
294	Expanded access programmes: patient interests versus clinical trial integrity. <i>Lancet Oncology, The</i> , <b>2015</b> , 16, 15-7	21.7	9
293	S2k Kurzleitlinie [Basalzellkarzinom der Haut. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 11-16	1.2	9
292	Inflammatory nodules around the axilla: an uncommon localization of orf virus infection. <i>Clinical and Experimental Dermatology</i> , <b>2009</b> , 34, 240-2	1.8	9
291	Isotopic response of graft versus host disease following herpes zoster infection: case report and review of the literature. <i>Acta Dermato-Venereologica</i> , <b>2012</b> , 92, 383-4	2.2	9
<b>29</b> 0	Identification of genes specifically regulated in human melanoma cells. <i>Archives of Dermatological Research</i> , <b>1995</b> , 287, 421-7	3.3	9
289	Prothymosin alpha augments deficient antitumor activity of monocytes from melanoma patients in vitro. <i>Anticancer Research</i> , <b>1994</b> , 14, 2405-11	2.3	9
288	Predictive importance of ulceration on the efficacy of adjuvant interferon-a (IFN): An individual patient data (IPD) meta-analysis of 15 randomized trials in more than 7,500 melanoma patients (pts) <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9067-9067	2.2	9
287	Primīle Diagnose, Ausbreitungsdiagnostik und Prognoseschlizung des malignen Melanoms. <i>Onkologe</i> , <b>1996</b> , 2, 441-448	0.1	9
286	Adjuvant therapy for cutaneous melanoma: a systematic review and network meta-analysis of new therapies. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 956-966	4.6	9
285	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): health-related quality-of-life results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology, The</i> , <b>2021</b> , 22, 655-664	21.7	9
284	6- and 8-Prenylnaringenin, Novel Natural Histone Deacetylase Inhibitors Found in Hops, Exert Antitumor Activity on Melanoma Cells. <i>Cellular Physiology and Biochemistry</i> , <b>2018</b> , 51, 543-556	3.9	9
283	Immunotherapy: Combined immunotherapya new standard in metastatic melanoma?. <i>Nature Reviews Clinical Oncology</i> , <b>2015</b> , 12, 439-40	19.4	8
282	Decreased Plasma Ascorbate Levels in Stage IV Melanoma Patients <b>2015</b> , 01, e2-e6		8
281	The sentinel lymph node spread determines quantitatively melanoma seeding to non-sentinel lymph nodes and survival. <i>European Journal of Cancer</i> , <b>2018</b> , 91, 1-10	7·5	8
<b>2</b> 80	Mitoserate beim primfien Melanom: Interobserver- und Intraobserver-Reproduzierbarkeit am HE-Schnitt und in der Immunhistologie. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2016</b> , 14, 910-6	1.2	8

279	Melanoma and immunotherapy bridge 2015: Naples, Italy. 1-5 December 2015. <i>Journal of Translational Medicine</i> , <b>2016</b> , 14, 65	8.5	8
278	Preferences of German melanoma patients for interferon (IFN) ⊞-2b toxicities (the DeCOG "GERMELATOX survey") versus melanoma recurrence to quantify patients' relative values for adjuvant therapy. <i>Medicine (United States)</i> , <b>2016</b> , 95, e5375	1.8	8
277	Study protocol for a prospective, non-controlled, multicentre clinical study to evaluate the diagnostic accuracy of a stepwise two-photon excited melanin fluorescence in pigmented lesions suspicious for melanoma (FLIMMA study). <i>BMJ Open</i> , <b>2016</b> , 6, e012730	3	8
276	Metastatic patterns and metastatic sites in mucosal melanoma: a retrospective study. <i>European Radiology</i> , <b>2016</b> , 26, 1826-34	8	8
275	Melanoma-specific survival in patients with positive sentinel lymph nodes: Relevance of sentinel tumor burden. <i>European Journal of Cancer</i> , <b>2019</b> , 123, 83-91	7.5	8
274	Imaging characteristics of cardiac metastases in patients with malignant melanoma. <i>Cancer Imaging</i> , <b>2017</b> , 17, 19	5.6	8
273	Melanoma cells in distinct growth phases retain specific invasive qualities during brain metastasis in vivo. <i>Pigment Cell and Melanoma Research</i> , <b>2012</b> , 25, 113-4	4.5	8
272	Cytotoxicity of new duplex drugs linking 3'-C-ethynylcytidine and 5-fluor-2'-deoxyuridine against human melanoma cells. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 2165-74	7.5	8
271	Brief S2k guidelinesDermatofibrosarcoma protuberans. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11 Suppl 3, 16-8, 17-9	1.2	8
270	Cutaneous melanoma: baseline and ongoing laboratory evaluation. <i>Dermatologic Therapy</i> , <b>2005</b> , 18, 41	3-21	8
269	Cytokines in human melanoma cells: synthesis, autocrine stimulation and regulatory functionsan overview. <i>Melanoma Research</i> , <b>1993</b> , 3, 425-33	3.3	8
268	Effects of Interferons and Cytokines on Melanoma Cells <i>Journal of Investigative Dermatology</i> , <b>1993</b> , 100, 239S-244S	4.3	8
267	Which melanoma patient carries a BRAF-mutation? A comparison of predictive models. <i>Oncotarget</i> , <b>2016</b> , 7, 36130-36137	3.3	8
266	Tumour Progression Stage-Dependent Secretion of YB-1 Stimulates Melanoma Cell Migration and Invasion. <i>Cancers</i> , <b>2020</b> , 12,	6.6	8
265	Epidemiology of cutaneous melanoma and keratinocyte cancer in white populations 1943-2036. European Journal of Cancer, <b>2021</b> , 152, 18-25	7.5	8
264	Improved protection of outdoor workers from solar ultraviolet radiation: position statement. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1278-1284	4.6	8
263	Ultraviolet light exposure, pigmentary traits and the development of melanocytic naevi and cutaneous melanoma. A case-control study of the German Central Malignant Melanoma Registry. <i>Acta Dermato-Venereologica</i> , <b>1997</b> , 77, 374-8	2.2	8
262	The need for psycho-oncological support for melanoma patients: Central role of patients' self-evaluation. <i>Medicine (United States)</i> , <b>2017</b> , 96, e7987	1.8	7

### (2017-2015)

261	Development of a microsimulation of melanoma mortality for evaluating the effectiveness of population-based skin cancer screening. <i>Medical Decision Making</i> , <b>2015</b> , 35, 243-54	2.5	7	
260	Pitfalls in the characterization of circulating and tissue-resident human <b>IT</b> cells. <i>Journal of Leukocyte Biology</i> , <b>2020</b> , 107, 1097-1105	6.5	7	
259	How to use neoadjuvant medical treatment to maximize surgery in melanoma. <i>Expert Review of Anticancer Therapy</i> , <b>2018</b> , 18, 121-130	3.5	7	
258	Patient acceptance and trust in automated computer-assisted diagnosis of melanoma with dermatofluoroscopy. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2018</b> , 16, 854-859	1.2	7	
257	Incidence and characteristics of thick second primary melanomas: a study of the German Central Malignant Melanoma Registry. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2019</b> , 33, 63-70	4.6	7	
256	Talimogene laherparepvec (T-VEC) in combination (combo) with ipilimumab (ipi) versus ipi alone for advanced melanoma: 3-year landmark analysis of a randomized, open-label, phase II trial. <i>Annals of Oncology</i> , <b>2019</b> , 30, v906-v907	10.3	7	
255	Immunotherapy in managing metastatic melanoma: which treatment when?. <i>Expert Opinion on Biological Therapy</i> , <b>2017</b> , 17, 1523-1538	5.4	7	
254	Protein kinase inhibitors in melanoma. Expert Opinion on Pharmacotherapy, 2013, 14, 2195-201	4	7	
253	Effective combination of photodynamic therapy and imiquimod 5% cream in the treatment of actinic keratoses: three cases. <i>BioMed Research International</i> , <b>2013</b> , 2013, 102698	3	7	
252	Absence of merkel cell polyoma virus in cutaneous melanoma. Experimental Dermatology, 2011, 20, 78-	94	7	
251	Inactivation of ribonucleotide reductase in tumour cells and inhibition of tumour cell growth by p-alkoxyphenols. <i>Melanoma Research</i> , <b>1997</b> , 7, 288-98	3.3	7	
250	Survival of SLNB-positive melanoma patients with and without complete lymph node dissection: A multicenter, randomized DECOG trial <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, LBA9002-LBA9002	2.2	7	
249	A novel role for relaxin-2 in the pathogenesis of primary varicosis. <i>PLoS ONE</i> , <b>2012</b> , 7, e39021	3.7	7	
248	Protein patterns of benign and malignant human melanocytes show consistent changes in gene expression. <i>Recent Results in Cancer Research</i> , <b>1995</b> , 139, 123-35	1.5	7	
247	Is there a link between very early changes of primary and secondary lymphoid organs in F-FDG-PET/MRI and treatment response to checkpoint inhibitor therapy? <b>2020</b> , 8,		7	
246	An open-label, multicentre safety study of vemurafenib in patients with BRAF-mutant metastatic melanoma: final analysis and a validated prognostic scoring system. <i>European Journal of Cancer</i> , <b>2019</b> , 107, 175-185	7.5	7	
245	Prognostic factors in 161 patients with mucosal melanoma: a study of German Central Malignant Melanoma Registry. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 2021-	2025	6	
244	Imaging of gastrointestinal melanoma metastases: Correlation with surgery and histopathology of resected specimen. <i>European Radiology</i> , <b>2017</b> , 27, 2538-2545	8	6	

243	Successful treatment with vemurafenib in BRAF V600K-positive cerebral melanoma metastasis. JAMA Dermatology, <b>2013</b> , 149, 642-4	5.1	6
242	Molecular genetic classification of difficult melanocytic tumors. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11 Suppl 4, 11-8	1.2	6
241	Dermatofibrosarcoma protuberansan update. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2004</b> , 2, 661-7	1.2	6
240	Additional reverse transcription-polymerase chain reaction of peripheral slices is not superior to analysis of the central slice in sentinel lymph nodes from melanoma patients. <i>British Journal of Dermatology</i> , <b>2004</b> , 150, 477-83	4	6
239	Failure of gadopentetate dimeglumine-enhanced, high-resolution magnetic resonance imaging to differentiate among melanin-containing skin tumors. <i>Academic Radiology</i> , <b>1996</b> , 3, 186-91	4.3	6
238	Identification of genes specifically regulated in melanoma cells. <i>Melanoma Research</i> , <b>1993</b> , 3, 72	3.3	6
237	Dysplastic nevi-dysplastic nevus syndromes: clinical features and genetic aspects. <i>Recent Results in Cancer Research</i> , <b>1993</b> , 128, 101-18	1.5	6
236	Targeting Rad51 as a strategy for the treatment of melanoma cells resistant to MAPK pathway inhibition. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 581	9.8	6
235	Five-year overall survival (OS) in COLUMBUS: A randomized phase 3 trial of encorafenib plus binimetinib versus vemurafenib or encorafenib in patients (pts) with BRAF V600-mutant melanoma <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 9507-9507	2.2	6
234	The safety and efficacy of cobimetinib for the treatment of BRAF V600E or V600K melanoma. <i>Expert Review of Anticancer Therapy</i> , <b>2016</b> , 16, 705-15	3.5	6
233	Primary Resistance to PD-1-Based Immunotherapy-A Study in 319 Patients with Stage IV Melanoma. <i>Cancers</i> , <b>2020</b> , 12,	6.6	5
232	Embryonic bone morphogenetic protein and nodal induce invasion in melanocytes and melanoma cells. <i>Biology Open</i> , <b>2018</b> , 7,	2.2	5
231	Patientenakzeptanz und -vertrauen in die automatisierte, computergestEzte Diagnostik des Melanoms mithilfe der Dermatofluoroskopie. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2018</b> , 16, 854-860	1.2	5
230	Meeting report from the Third Global Workshop on Melanoma. <i>Pigment Cell and Melanoma Research</i> , <b>2010</b> , 23, e1-7	4.5	5
229	Incidence and mortality of malignant melanoma in Berlin (West) from 1980 to 1986. <i>Acta Dermato-Venereologica</i> , <b>1991</b> , 71, 506-11	2.2	5
228	MelanozytEe N☑i und Melanomrisiko: Leitlinien f目die Betreuung und Therapie <b>1997</b> , 215-230		5
227	Klinik und Histologie des malignen Melanoms <b>1997</b> , 247-270		5
226	Interdisziplinfle Leitlinien zur Diagnostik und Behandlung von Hauttumoren <b>2005</b> ,		5

225	A Systematic Review and Meta-Analysis of Interventions for Actinic Keratosis from Post-Marketing Surveillance Trials. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	5
224	Lack of survival benefit in sentinel lymph node-positive melanoma with immediate complete lymphadenectomy - a review. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2019</b> , 17, 7-13	1.2	5
223	Serum S100B and LDH at Baseline and During Therapy Predict the Outcome of Metastatic Melanoma Patients Treated with BRAF Inhibitors. <i>Targeted Oncology</i> , <b>2021</b> , 16, 197-205	5	5
222	Intraprocedural 3D perfusion measurement during chemoembolisation with doxorubicin-eluting beads in liver metastases of malignant melanoma. <i>European Radiology</i> , <b>2018</b> , 28, 1456-1464	8	5
221	Melanoma cells resistant towards MAPK inhibitors exhibit reduced TAp73 expression mediating enhanced sensitivity to platinum-based drugs. <i>Cell Death and Disease</i> , <b>2018</b> , 9, 930	9.8	5
220	Prognostic impact of tumour burden measured by quantitative real-time PCR from sentinel lymph nodes of melanoma patients: data from 10-year follow-up. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2017</b> , 143, 703-708	4.9	4
219	Diagnostic Performance of a Support Vector Machine for Dermatofluoroscopic Melanoma Recognition: The Results of the Retrospective Clinical Study on 214 Pigmented Skin Lesions. <i>Diagnostics</i> , <b>2019</b> , 9,	3.8	4
218	Meningeal enhancement depicted by magnetic resonance imaging in tumor patients: neoplastic meningitis or therapy-related enhancement?. <i>Neuroradiology</i> , <b>2019</b> , 61, 775-782	3.2	4
217	Age as key factor for pattern, timing, and extent of distant metastasis in patients with cutaneous melanoma: A study of the German Central Malignant Melanoma Registry. <i>Journal of the American Academy of Dermatology</i> , <b>2019</b> , 80, 1299-1307.e7	4.5	4
216	The prognostic impact of specific CD4 T-cell responses is critically dependent on the target antigen in melanoma. <i>Oncolmmunology</i> , <b>2015</b> , 4, e955683	7.2	4
215	Are Pathogenic Germline Variants in Metastatic Melanoma Associated with Resistance to Combined Immunotherapy?. <i>Cancers</i> , <b>2020</b> , 12,	6.6	4
214	The EORTC-DeCOG nomogram adequately predicts outcomes of patients with sentinel node-positive melanoma without the need for completion lymph node dissection. <i>European Journal of Cancer</i> , <b>2020</b> , 134, 9-18	7.5	4
213	Circulating Tumor DNA Correlates with Outcome in Metastatic Melanoma Treated by BRAF and MEK Inhibitors - Results of a Prospective Biomarker Study. <i>OncoTargets and Therapy</i> , <b>2020</b> , 13, 5017-503	3 <del>2</del> ·4	4
212	S1-Leitlinie Dermatofibrosarcoma protuberans (DFSP) - Update 2018. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2019</b> , 17, 663-668	1.2	4
211	Partial Histological Tumor Regression in Primary Melanoma as Protective Factor for Lymph Node Micrometastasis. <i>JAMA Dermatology</i> , <b>2015</b> , 151, 1291-1292	5.1	4
210	Limited efficacy of intratumoral IL-2 applied to large melanoma metastases. <i>Cancer Immunology, Immunotherapy</i> , <b>2014</b> , 63, 1231-2	7.4	4
209	No evidence of viral genomes in whole-transcriptome sequencing of three melanoma metastases. <i>Experimental Dermatology</i> , <b>2011</b> , 20, 766-8	4	4
208	Onkogenetik des Melanoms: Grundlage filmolekulare Diagnostik und Therapie. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 510-517	1.2	4

207	Expression of oxytocin and its receptor in healthy and varicose great saphenous veins. <i>Pathology</i> , <b>2012</b> , 44, 670-3	1.6	4
206	P26b Outcome of sentinel node negative patients with primary cutaneous melanoma-prognostic factors and survival probabilities. <i>Melanoma Research</i> , <b>2010</b> , 20, e54-e55	3.3	4
205	Management of primary and metastasized melanoma in Germany in the time period 1976-2005: an analysis of the Central Malignant Melanoma Registry of the German Dermatological Society.  Melanoma Research, 2008, 18, 112-9	3.3	4
204	FrEerkennung und PrimEprLention von Hautkrebs. <i>Onkologe</i> , <b>2008</b> , 14, 156-163	0.1	4
203	Neural crest cell migration of mouse B16-F1 melanoma cells transplanted into the chick embryo is inhibited by the BMP-antagonist noggin <b>2007</b> ,		4
202	Disseminated malignant melanoma. New therapeutic approaches. <i>International Journal of Dermatology</i> , <b>1991</b> , 30, 239-42	1.7	4
201	Absolute and relative differential blood count predicts survival of AJCC stage I-II melanoma patients scheduled for sentinel lymph node biopsy. <i>Australasian Journal of Dermatology</i> , <b>2020</b> , 61, e310-	- <del>1</del> 318	4
200	Survival in a phase III, randomized, double-blind study of dacarbazine with or without oblimersen (Bcl-2 antisense) in patients with advanced melanoma and low-normal serum lactate dehydrogenase (LDH; AGENDA) <i>Journal of Clinical Oncology</i> , <b>2011</b> , 29, 8531-8531	2.2	4
199	Five-year analysis on the long-term effects of dabrafenib plus trametinib (D + T) in patients with BRAF V600thutant unresectable or metastatic melanoma <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 9507-9	<del>2</del> 07	4
198	Variables that influence BRAF mutation probability: A next-generation sequencing, non-interventional investigation of BRAFV600 mutation status in melanoma. <i>PLoS ONE</i> , <b>2017</b> , 12, e0188	3 3 8 8 7 2	4
197	Melanozyt⊞e Nī⁄ii und malignes Melanom <b>2003</b> , 593-649		4
196	Malignes Melanom <b>1998</b> , 799-829		4
195	A multicentre study of naevus-associated melanoma vs. de novo melanoma, tumour thickness and body site differences. <i>British Journal of Dermatology</i> , <b>2021</b> , 185, 101-109	4	4
194	Mitotic rate in primary melanoma: interobserver and intraobserver reliability, analyzed using H&E sections and immunohistochemistry. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2016</b> , 14, 910-5	1.2	4
193	Prognostic significance of an 11-gene RNA assay in archival tissue of cutaneous melanoma stage I-III patients. <i>European Journal of Cancer</i> , <b>2021</b> , 143, 11-18	7.5	4
192	The impact of the COVID-19 pandemic on diagnostic delay of skin cancer: a call to restart screening activities. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, e836-e837	4.6	4
191	Evaluation of Long-term Clearance Rates of Interventions for Actinic Keratosis: A Systematic Review and Network Meta-analysis. <i>JAMA Dermatology</i> , <b>2021</b> , 157, 1066-1077	5.1	4
190	Prolonged survival of 2 years or longer for patients with disseminated melanoma <b>1997</b> , 79, 2345		4

## (2021-2020)

189	Comment on 'Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines'. <i>European Journal of Cancer</i> , <b>2020</b> , 131, 100-103	7.5	3
188	Adjuvant immunotherapy with nivolumab (NIVO) alone or in combination with ipilimumab (IPI) versus placebo in stage IV melanoma patients with no evidence of disease (NED): A randomized, double-blind phase II trial (IMMUNED). <i>Annals of Oncology</i> , <b>2019</b> , 30, v903-v904	10.3	3
187	Pembrolizumab-induced hepatitis: diagnosis and treatment. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2017</b> , 15, 933-935	1.2	3
186	Cutaneous side effects of combined therapy with sorafenib and pegylated interferon alpha-2b in metastatic melanoma (phase II DeCOG trial). <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 846-53	1.2	3
185	Malignes Melanom S3-Leitlinie <b>D</b> iagnostik, Therapie und Nachsorge des Melanoms[] <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 1-126	1.2	3
184	Malignant melanoma: classification and staging of malignant melanoma. <i>Frontiers of Radiation Therapy and Oncology</i> , <b>2006</b> , 39, 149-158		3
183	Psychosoziale Belastung und subjektives Erleben von Melanompatienten in der ambulanten Nachsorge. <i>Aktuelle Dermatologie</i> , <b>2004</b> , 30, 149-157	0.1	3
182	Differenzialdiagnose pigmentierter Hautverfiderungen und Melanombehandlung am unteren Genitaltrakt der Frau. <i>Onkologe</i> , <b>2000</b> , 6, 1083-1090	0.1	3
181	Proliferation and morphology of melanoma cells and benign human melanocytes under varying culture conditions. <i>Melanoma Research</i> , <b>1993</b> , 3, 107-12	3.3	3
180	Quality-of-life (QOL) assessment in patients (pts) with metastatic melanoma receiving vemurafenib (V) and cobimetinib (C) <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 9021-9021	2.2	3
179	Photodynamic action of ultraviolet A: induction of cellular hydroperoxides. <i>Recent Results in Cancer Research</i> , <b>1995</b> , 139, 43-55	1.5	3
178	An open-label, single-arm, phase II trial of buparlisib in patients with melanoma brain metastases not eligible for surgery or radiosurgery-the BUMPER study. <i>Neuro-Oncology Advances</i> , <b>2020</b> , 2, vdaa140	0.9	3
177	Malignes Melanom <b>1995</b> , 674-702		3
176	The influence of the thymic preparation thymex-L on deficient antitumor-activity of monocytes from melanoma patients in-vitro. <i>Oncology Reports</i> , <b>1995</b> , 2, 469-72	3.5	3
175	Posterior reversible encephalopathy syndrome in a melanoma patient with dabrafenib and trametinib treatment following immunotherapy. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 136-139	1.2	3
174	Case Report: Combined CDK4/6 and MEK Inhibition in Refractory CDKN2A and NRAS Mutant Melanoma. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 643156	5.3	3
173	Which medical disciplines diagnose and treat melanoma in Europe in 2019? A survey of experts from melanoma centres in 27 European countries. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1119-1132	4.6	3
172	Diffuse PRAME Expression Is Highly Specific for Thin Melanomas in the Distinction from Severely Dysplastic Nevi but Does Not Distinguish Metastasizing from Non-Metastasizing Thin Melanomas. <i>Cancers</i> , <b>2021</b> , 13,	6.6	3

171	Position statement on classification of basal cell carcinomas. Part 2: EADO proposal for new operational staging system adapted to basal cell carcinomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 2149-2153	4.6	3
170	Position statement on classification of basal cell carcinomas. Part 1: unsupervised clustering of experts as a way to build an operational classification of advanced basal cell carcinoma based on pattern recognition. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 35, 1949-	4.6 1956	3
169	Quality-of-life (QoL) in COLUMBUS part 1: A phase 3 trial of encorafenib (ENCO) plus binimetinib (BINI) versus vemurafenib (VEM) or ENCO in braf-mutant melanoma. <i>Annals of Oncology</i> , <b>2017</b> , 28, v442	10.3	2
168	The iris signal: blue periphery, tan collaret and freckles pattern - strong indicators for epidermal skin cancer in South-Eastern Europe. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 1662-1667	4.6	2
167	Safety of shortened infusion times for combined ipilimumab and nivolumab. <i>Cancer Immunology, Immunotherapy</i> , <b>2018</b> , 67, 135-140	7.4	2
166	Adjuvante Strategien bei Hochrisikomelanomen. <i>Onkologe</i> , <b>2014</b> , 20, 555-567	0.1	2
165	New diagnostic method for lesions with transepidermal melanocytic migration. <i>JAMA Dermatology</i> , <b>2014</b> , 150, 654-6	5.1	2
164	Ipilimumab with fotemustine in metastatic melanoma. <i>Lancet Oncology, The</i> , <b>2012</b> , 13, 851-2	21.7	2
163	Histopathologische Befundung maligner Melanome in Bereinstimmung mit der AJCC-Klassifikation 2009: LiteraturBersicht und Empfehlungen zum praktischen Vorgehen. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 690-700	1.2	2
162	In Reply: Sentinel Lymph Node Biopsy in Melanoma. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 598-599	3.1	2
161	P35 Status quo of the S3 guideline <b>D</b> iagnosis, treatment and follow-up of melanomalin Germany. <i>Melanoma Research</i> , <b>2010</b> , 20, e58-e59	3.3	2
160	Dipeptidyl peptidase II is not a marker for progression in melanoma. <i>Journal of Dermatological Science</i> , <b>2009</b> , 53, 68-71	4.3	2
159	Meeting report: consensus from the first and second Global Workshops in Melanoma November 19-20, 2008. <i>Pigment Cell and Melanoma Research</i> , <b>2009</b> , 22, 532-43	4.5	2
158	The PI3K inhibitor LY294002 and the mTOR inhibitor rapamycin sensitize melanoma cells to cisplatin and temozolomide. <i>Melanoma Research</i> , <b>2006</b> , 16, S94	3.3	2
157	Fine needle aspiration in the diagnosis of metastatic melanoma. <i>Journal of the American Academy of Dermatology</i> , <b>2002</b> , 46, 147-8	4.5	2
156	Synergistic interactions between interferon beta and carboplatin on SK-MEL 28 human melanoma cell growth inhibition in vitro. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>1995</b> , 121, 84-8	4.9	2
155	4th ANNUAL MEETING OF THE EUROPEAN SOCIETY FOR PIGMENT CELL RESEARCH Berlin, Germany, September 17¶9, 1992. <i>Pigment Cell &amp; Melanoma Research</i> , <b>1992</b> , 5, 168-168		2
154	Combined treatment of metastatic melanoma with interferons and cytotoxic drugs. <i>Seminars in Oncology</i> , <b>1992</b> , 19, 63-9	5.5	2

153	Open-label, multicenter, single-arm phase II study (DeCOG-Trial) to further evaluate the efficacy and safety of ipilimumab in patients with cutaneous melanoma and rare subgroups <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9031-9031	2.2	2
152	Intralesional treatment of stage III metastatic melanoma patients with L19-IL2: Clinical and systemic immunological responses <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9041-9041	2.2	2
151	Overall survival in COMBI-d, a randomized, double-blinded, phase III study comparing the combination of dabrafenib and trametinib with dabrafenib and placebo as first-line therapy in patients (pts) with unresectable or metastatic BRAF V600E/Kmutation-positive cutaneous	2.2	2
150	Nivolumab (NIVO) safety in patients with advanced melanoma (MEL) who have progressed on or after ipilimumab (IPI): A single-arm, open-label, multicenter, phase II study (CheckMate 172) <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 9526-9526	2.2	2
149	Adverse events of special interest in the phase 3 COLUMBUS study <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 9567-9567	2.2	2
148	Cutaneous melanoma attributable to UVR exposure in Denmark and Germany. <i>European Journal of Cancer</i> , <b>2021</b> , 159, 98-104	7.5	2
147	Chemotherapy after immune checkpoint inhibitor failure in metastatic melanoma: a retrospective multicentre analysis <i>European Journal of Cancer</i> , <b>2021</b> , 162, 22-33	7.5	2
146	Diagnostic Accuracy of Electrical Impedance Spectroscopy in Non-melanoma Skin Cancer. <i>Acta Dermato-Venereologica</i> , <b>2020</b> , 100, adv00328	2.2	2
145	Proteogenomics Reveals Perturbed Signaling Networks in Malignant Melanoma Cells Resistant to BRAF Inhibition. <i>Molecular and Cellular Proteomics</i> , <b>2021</b> , 20, 100163	7.6	2
144	Leitlinien und QualitEssicherung ffl Diagnose und Therapie des malignen Melanoms <b>1998</b> , 254-261		2
143	Prognoseverbesserung durch KontinuitEsdissektion nach Lymphabstromszintigraphie bei Rumpfmelanomen. <i>Fortschritte Der Operativen Dermatologie</i> , <b>1995</b> , 251-258		2
142	Expression of DNA Methyltransferase 1 Is a Hallmark of Melanoma, Correlating with Proliferation and Response to B-Raf and Mitogen-Activated Protein Kinase Inhibition in Melanocytic Tumors. <i>American Journal of Pathology</i> , <b>2020</b> , 190, 2155-2164	5.8	2
141	Perspectives in melanoma: meeting report from the "Melanoma Bridge" (December 5th-7th, 2019, Naples, Italy). <i>Journal of Translational Medicine</i> , <b>2020</b> , 18, 346	8.5	2
140	Not all melanomas are created equal: a review and call for more research into nodular melanoma. <i>British Journal of Dermatology</i> , <b>2021</b> , 185, 700-710	4	2
139	Online consensus conferences for the development and update of clinical practice guidelines: A survey among participants of the German S3 guideline on actinic keratosis and cutaneous squamous cell carcinoma. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 608-610	1.2	2
138	Effects of Molecular Heterogeneity on Survival of Patients With -Mutated Melanoma Treated With Vemurafenib With or Without Cobimetinib in the coBRIM Study <i>JCO Precision Oncology</i> , <b>2018</b> , 2, 1-18	3.6	2
137	Quality of life in patients with BRAF-mutant melanoma receiving the combination encorafenib plus binimetinib: Results from a multicentre, open-label, randomised, phase III study (COLUMBUS). <i>European Journal of Cancer</i> , <b>2021</b> , 152, 116-128	7.5	2
136	Modifiable Risk-factors for Keratinocyte Cancers in Australia: A Case-control Study. <i>Acta Dermato-Venereologica</i> , <b>2019</b> , 99, 404-411	2.2	1

135	Influence of F-FDG PET/CT on clinical management and outcome in patients with advanced melanoma not primarily selected for surgery based on a linked evidence approach. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 2313-2321	8.8	1
134	Quality assurance in melanoma care: The EU-MELACARE study. <i>European Journal of Surgical Oncology</i> , <b>2018</b> , 44, 1773-1778	3.6	1
133	Immunotherapy Bridge 2017 and Melanoma Bridge 2017: meeting abstracts. <i>Journal of Translational Medicine</i> , <b>2018</b> , 16,	8.5	1
132	Acral Lentiginous Melanoma <b>2019</b> , 1-28		1
131	Harmonisation of Outcome Parameters and Evaluation (HOPE) for actinic keratosis: protocol for the development of a core outcome set. <i>Trials</i> , <b>2019</b> , 20, 589	2.8	1
130	Follow-up in patients with low-risk cutaneous melanoma: is it worth it?. <i>Melanoma Management</i> , <b>2014</b> , 1, 115-125	2.1	1
129	Patterns of sun protection for young children: do we deliver the right sun-protection messages?. <i>British Journal of Dermatology</i> , <b>2012</b> , 166, 710	4	1
128	New landscape in the treatment of melanoma: a 2012 update. <i>Oncologie</i> , <b>2013</b> , 15, 71-77	1	1
127	Antimicrotubule Agents <b>2013</b> , 208-214		1
126	Molekulargenetische Klassifikation schwieriger melanozytfler Tumoren. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2013</b> , 11, 12-19	1.2	1
125	Oncogenetics of melanoma: basis for molecular diagnostics and therapy. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 510-6	1.2	1
124	Systemische Therapie des metastasierten Melanoms. <i>Onkologe</i> , <b>2010</b> , 16, 1160-1166	0.1	1
123	Epidemiologie und Risikofaktoren des malignen Melanoms. <i>Onkologe</i> , <b>2004</b> , 10, 688	0.1	1
122	Strahlentherapie des Melanoms. <i>Onkologe</i> , <b>2004</b> , 10, 717	0.1	1
121	Epidemiologie, Pr⊠ention und Nachsorge maligner Melanome. <i>Onkologe</i> , <b>2001</b> , 7, 18-35	0.1	1
120	Differenzialdiagnose pigmentierter Hautver\u00edderungen und Melanombehandlung am unteren Genitaltrakt der Frau. <i>Der Gynakologe</i> , <b>2001</b> , 34, 634-640	0.1	1
119	Change of epidemiological characteristics of malignant melanoma during the years 1962-1972 and 1983-1986 in the Federal Republic of Germany. <i>Dermatologica</i> , <b>1989</b> , 178, 131-5		1
118	433 Talimogene laherparepvec (T-VEC) in combination with ipilimumab (IPI) versus IPI alone for advanced melanoma: 4-year interim analysis of a randomized, open-label, phase 2 trial <b>2020</b> , 8, A459-A	459	1

### (2021-2014)

117	A phase II, single-armed, multicenter trial of neoadjuvant vismodegib in patients with large and/or recurrent basal cell carcinoma: NICCI <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, TPS9116-TPS9116	2.2	1
116	Evaluation of photosensitivity in dabrafenib treated metastatic melanoma patients: Results from a phase IIa study <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, e21077-e21077	2.2	1
115	Clinical validation of a prognostic 11-gene assay in prospectively collected FFPE tissue of patients with AJCC v8 stage II cutaneous melanoma (CM) <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 9518-9518	2.2	1
114	Adjuvante medikamentBe Therapie des Melanoms <b>2006</b> , 275-283		1
113	Acquired resistance mechanisms to immunotherapy. Annals of Translational Medicine, 2016, 4, 547	3.2	1
112	HIV-Infektion und Kaposi-Sarkom <b>2002</b> , 1015-1074		1
111	Mucosal Melanoma <b>2019</b> , 1-17		1
110	Epidemiologie des malignen Melanoms <b>1991</b> , 1-14		1
109	Malignes Melanom <b>1993</b> , 229-250		1
108	Pseudolymphome, Pr[ymphome und Lymphome der Haut <b>1995</b> , 987-1020		1
108	Pseudolymphome, Pr[ymphome und Lymphome der Haut <b>1995</b> , 987-1020  Nachsorge bei Melanompatienten <b>1997</b> , 407-413		1
		2.2	
107	Nachsorge bei Melanompatienten <b>1997</b> , 407-413  Adjuvant therapy with pegylated interferon alfa-2a (PEG-IFN) versus low-dose interferon alfa-2a (IFN) in patients with malignant melanoma in stages IIa(T3a): IIIb (AJCC 2002)Decog-trial <i>Journal</i>	2.2	1
107	Nachsorge bei Melanompatienten <b>1997</b> , 407-413  Adjuvant therapy with pegylated interferon alfa-2a (PEG-IFN) versus low-dose interferon alfa-2a (IFN) in patients with malignant melanoma in stages IIa(T3a): IIIb (AJCC 2002)Decog-trial <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9071-9071  An open-label, uncontrolled, single arm phase II trial of the PI3K inhibitor buparlisib in patients with		1
107 106 105	Nachsorge bei Melanompatienten 1997, 407-413  Adjuvant therapy with pegylated interferon alfa-2a (PEG-IFN) versus low-dose interferon alfa-2a (IFN) in patients with malignant melanoma in stages IIa(T3a): IIIb (AJCC 2002)Decog-trial <i>Journal of Clinical Oncology</i> , 2014, 32, 9071-9071  An open-label, uncontrolled, single arm phase II trial of the PI3K inhibitor buparlisib in patients with melanoma brain metastases <i>Journal of Clinical Oncology</i> , 2017, 35, TPS9595-TPS9595  Late recurrence of melanoma after 10 (Jears - Is the course of the disease different from early	2.2	1 1 1
107 106 105	Nachsorge bei Melanompatienten 1997, 407-413  Adjuvant therapy with pegylated interferon alfa-2a (PEG-IFN) versus low-dose interferon alfa-2a (IFN) in patients with malignant melanoma in stages IIa(T3a): IIIb (AJCC 2002)Decog-trial <i>Journal of Clinical Oncology</i> , 2014, 32, 9071-9071  An open-label, uncontrolled, single arm phase II trial of the PI3K inhibitor buparlisib in patients with melanoma brain metastases <i>Journal of Clinical Oncology</i> , 2017, 35, TPS9595-TPS9595  Late recurrence of melanoma after 10lyears - Is the course of the disease different from early recurrences?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 977-983  Response to: Comment on 'Diagnosis and treatment of basal cell carcinoma: European	2.2 4.6	1 1 1
107 106 105 104	Nachsorge bei Melanompatienten 1997, 407-413  Adjuvant therapy with pegylated interferon alfa-2a (PEG-IFN) versus low-dose interferon alfa-2a (IFN) in patients with malignant melanoma in stages IIa(T3a): IIIb (AJCC 2002)Decog-trial Journal of Clinical Oncology, 2014, 32, 9071-9071  An open-label, uncontrolled, single arm phase II trial of the PI3K inhibitor buparlisib in patients with melanoma brain metastases Journal of Clinical Oncology, 2017, 35, TPS9595-TPS9595  Late recurrence of melanoma after 10 years - Is the course of the disease different from early recurrences?. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 977-983  Response to: Comment on 'Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines'. European Journal of Cancer, 2020, 140, 154-157  Dermatofluoroscopy diagnostics in different pigmented skin lesions: Strengths and weaknesses.	2.2 4.6 7·5	1 1 1 1 1

99	BRAF mutation testing in melanoma: results from a German observational multicenter study. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2019</b> , 474, 71-78	5.1	1
98	Prognostic role of gamma-glutamyl transferase in metastatic melanoma patients treated with immune checkpoint inhibitors. <i>Cancer Immunology, Immunotherapy</i> , <b>2021</b> , 70, 1089-1099	7.4	1
97	New promises in the adjuvant, and palliative treatment of melanoma. <i>Cancer Treatment and Research</i> , <b>2007</b> , 135, 277-92	3.5	1
96	Association between Immune-Related Adverse Events and Survival in 319 Stage IV Melanoma Patients Treated with PD-1-Based Immunotherapy: An Approach Based on Clinical Chemistry. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
95	Statement on the Letters to the Editors by Starz and Bahmer. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2012</b> , 10, 205-205	1.2	0
94	Die neue S3-Leitlinie Melanom∏ <i>Best Practice Onkologie</i> , <b>2013</b> , 8, 40-48	О	O
93	Melanom der Haut Fakten und Irrtfher. CME (Berlin, Germany), 2015, 12, 47-55	Ο	O
92	Nachsorge des malignen Melanoms. <i>Onkologe</i> , <b>2009</b> , 15, 777-783	0.1	O
91	Adjuvante medikamentBe Therapie des malignen Melanoms. <i>Onkologe</i> , <b>2004</b> , 10, 710	0.1	O
90	Risikoadaptierte Nachsorge des malignen Melanoms. <i>Onkologe</i> , <b>2004</b> , 10, 745	0.1	O
89	Diagnostic and prognostic classification of atypical spitzoid tumours based on histology and genomic aberrations: A prospective cohort study with long-term follow-up <i>European Journal of Cancer</i> , <b>2022</b> , 163, 200-210	7.5	0
88	The demand for psycho-oncological support in 820 melanoma patients: What are the determinants for the development of distress?. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 9514-9514	2.2	O
87	Melanozyt⊞e Nii und Melanomvorlüfer <b>2002</b> , 895-929		О
86	PET/CT in malignant melanoma: a two-tiered healthcare system? Updated healthcare situation regarding initial staging of malignant melanoma with PET/CT. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2021</b> , 19, 852-862	1.2	O
85	TMB and BRAF mutation status are independent predictive factors in high-risk melanoma patients with adjuvant anti-PD-1 therapy <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2022</b> , 1	4.9	О
84	Kein Berlebensvorteil beim Sentinel-Lymphknoten-positiven Melanom mit sofortiger kompletter Lymphadenektomie - eine Bersicht. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2019</b> , 17, 7-14	1.2	
83	Targeted Therapies for Melanoma <b>2015</b> , 1529-1541		
82	Screening for skin cancer in bank and insurance employees: risk profile and correlation of self and physician's assessment. <i>International Journal of Dermatology</i> , <b>2015</b> , 54, 419-23	1.7	

## (2020-2017)

81	Reply to 'Recent advances in systemic targeted therapy for cutaneous T-cell lymphoma'. <i>Expert Opinion on Pharmacotherapy</i> , <b>2017</b> , 18, 1537	4
80	MelanozytEe Nūi und Melanom <b>2015</b> , 1-87	
79	SekundEpr⊠ention von Hauttumoren nach Organtransplantation. <i>Onkologe</i> , <b>2012</b> , 18, 254-259	0.1
78	Sekundfpr¶ention von Hauttumoren. <i>Onkologe</i> , <b>2012</b> , 18, 237-242	0.1
77	Das Wichtigste f⊞die Praxis. <i>Hautnah Dermatologie</i> , <b>2013</b> , 29, 294-301	0
76	Hepatic hemangioma and hemochromatosis misdiagnosed by MRI as metastatic melanoma. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 842-3	1.2
75	Fehldiagnose von Lebermetastasen eines Melanoms durch MRT bei Leberhfhagiomen und Hfhochromatose. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2011</b> , 9, 842-843	1.2
74	FrBerkennung und Pr⊠ention des malignen Melanoms. <i>Onkologe</i> , <b>2009</b> , 15, 738-743	0.1
73	Nachsorge des Melanoms [heue Aspekte. <i>Onkologe</i> , <b>2010</b> , 16, 1175-1181	0.1
72	Adjuvante Interferon ⊞ITherapie beim Melanom. <i>Onkologe</i> , <b>1998</b> , 4, 256-259	0.1
72 71	Adjuvante Interferon HITherapie beim Melanom. <i>Onkologe</i> , <b>1998</b> , 4, 256-259  Aktuelle Therapie des malignen Melanoms. <i>Aktuelle Dermatologie</i> , <b>2008</b> , 34, 465-471	0.1
71	Aktuelle Therapie des malignen Melanoms. <i>Aktuelle Dermatologie</i> , <b>2008</b> , 34, 465-471	0.1
71	Aktuelle Therapie des malignen Melanoms. <i>Aktuelle Dermatologie</i> , <b>2008</b> , 34, 465-471  Kutanes Melanom. <i>Onkologe</i> , <b>2007</b> , 13, 745-758	0.1
71 70 69	Aktuelle Therapie des malignen Melanoms. <i>Aktuelle Dermatologie</i> , <b>2008</b> , 34, 465-471  Kutanes Melanom. <i>Onkologe</i> , <b>2007</b> , 13, 745-758  FrBerkennung von Hautkrebs. <i>Onkologe</i> , <b>2002</b> , 8, 1064-1071	0.1 0.1 0.1
71 70 69 68	Aktuelle Therapie des malignen Melanoms. <i>Aktuelle Dermatologie</i> , <b>2008</b> , 34, 465-471  Kutanes Melanom. <i>Onkologe</i> , <b>2007</b> , 13, 745-758  Frilerkennung von Hautkrebs. <i>Onkologe</i> , <b>2002</b> , 8, 1064-1071  Malignant blue naevus of the scalp. <i>Lancet Oncology</i> , <i>The</i> , <b>2004</b> , 5, 429  Der Kenntnisstand der Dermatologen in Praxis und Klinik zum Melanom. <i>Aktuelle Dermatologie</i> ,	0.1 0.1 0.1 21.7
71 70 69 68	Aktuelle Therapie des malignen Melanoms. <i>Aktuelle Dermatologie</i> , <b>2008</b> , 34, 465-471  Kutanes Melanom. <i>Onkologe</i> , <b>2007</b> , 13, 745-758  Frflerkennung von Hautkrebs. <i>Onkologe</i> , <b>2002</b> , 8, 1064-1071  Malignant blue naevus of the scalp. <i>Lancet Oncology</i> , <i>The</i> , <b>2004</b> , 5, 429  Der Kenntnisstand der Dermatologen in Praxis und Klinik zum Melanom. <i>Aktuelle Dermatologie</i> , <b>2002</b> , 28, 456-458  Is isolated limb perfusion of metastatic malignant melanoma of the extremity worthwhile?.	0.1 0.1 0.1 21.7

63	Histopathologie des Melanoms <b>2006</b> , 139-156
62	Kosten und Nutzen der Ausbreitungsdiagnostik beim Melanom <b>2006,</b> 171-179
61	Epidemiologie des Melanoms der Haut <b>2006</b> , 49-62
60	Malignes Melanom des Viszerum (Primिtumor und Metastasen) <b>2006,</b> 733-750
59	MelanozytEe Nūi und maligne Melanome <b>2006</b> , 121-143
58	Malignes Melanom898-917
57	30 years German Dermatologic Cooperative Oncology Group (DeCOG). JDDG - Journal of the German Society of Dermatology, <b>2021</b> , 19, 1682-1697
56	30 Jahre Arbeitsgemeinschaft Dermatologische Onkologie (ADO). <i>JDDG - Journal of the German</i> Society of Dermatology, <b>2021</b> , 19, 1682-1697
55	Molekulare Diagnose des malignen Melanoms <b>2000</b> , 482-485
54	Familifies Melanom <b>2001</b> , 43-55
53	Melanomnachsorge: Welche Untersuchungen sind sinnvoll?. Fortschritte Der Praktischen Dermatologie Und Venerologie, <b>2001</b> , 307-313
52	Malignes Melanom des Viszerum (Primftumor und Metastasen) <b>2001</b> , 755-771
51	Pseudolymphome, Prlymphome und Lymphome der Haut <b>2002</b> , 1075-1112
50	Lichtdermatosen und Lichtschutz <b>2002</b> , 793-813
49	Epitheliale Prlanzerosen und Karzinome der Haut <b>2002</b> , 861-893
48	Sklerodermie und sklerodermiforme Dermatosen <b>2002</b> , 549-575
47	Kutane Borreliosen <b>2002</b> , 103-115
46	Sonstige Hauttumoren <b>2002</b> , 969-983

### (1995-2002)

45	Lupus erythematodes und verwandte Immunopathien einschließch Berlappungssyndromen <b>2002</b> , 513-535
44	Malignes Melanom <b>2002</b> , 931-967
43	Sonnenschutz: Was ist zuviel, was ist zuwenig?. Fortschritte Der Praktischen Dermatologie Und Venerologie, <b>2005</b> , 504-511
42	Dermatoskopie. Fortschritte Der Praktischen Dermatologie Und Venerologie, <b>2005</b> , 611-623
41	Merkel-Zell-Tumor <b>2006</b> , 5148-5156
40	Next-generation-sequencing of advanced melanoma: Which genetic alterations have an impact on systemic therapy response?. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, e21557-e21557
39	Melanoma in Children and Teenagers <b>2019</b> , 1-14
38	Mucosal Melanoma <b>2020</b> , 953-968
37	Acral Lentiginous Melanoma <b>2020</b> , 897-924
36	Epidemiologie des malignen Melanoms: Aktueller Stand in der Bundesrepublik Deutschland. <i>Verhandlungen Der Deutschen Dermatologischen Gesellschaft</i> , <b>1991</b> , 71-79
35	Malignes Melanom: Epidemiologie und Risikofaktoren. <i>Fortschritte Der Praktischen Dermatologie Und Venerologie</i> , <b>1993</b> , 149-154
34	HIV-Infektion und Kaposi-Sarkom <b>1995</b> , 937-986
33	Zytokintherapien bei malignen Hauttumoren <b>1995</b> , 1021-1041
32	Alterung und Altershaut <b>1995</b> , 1281-1303
31	Pigmentzellnkii und Melanomvorllifer <b>1995</b> , 835-853
30	Lichtdermatosen und Lichtschutz <b>1995</b> , 729-749
29	Stellenwert der Zytokintherapie in der Dermatoonkologie. <i>Fortschritte Der Operativen Dermatologie</i> , <b>1995</b> , 251-257
28	Kutane Borreliosen <b>1995</b> , 99-109

27	Malignes Melanom <b>1995</b> , 855-889	
26	Seasonal Patterns in the Diagnosis of Cutaneous Malignant Melanoma due to Differential Detection Rather than Biological Causes. An Analysis of the Data of the German Central Malignant Melanoma Registry <b>1997</b> , 519-526	
25	Prlention des malignen Melanoms lätrategien, Ergebnisse und Perspektiven in verschiedenen Lfidern <b>1997</b> , 414-424	
24	Recent Epidemiological Trends of Cutaneous Melanoma in Germany, Austria and Switzerland. Results of the Central Malignant Melanoma Registry <b>1997</b> , 507-518	
23	Lymphknotensonographie ffirt zur Erstentdeckung von regionfien Metastasen bei einem Drittel der Patienten mit Melanom <b>1998</b> , 262-264	
22	Die Entwicklung der Ultraschalldiagnostik in der Dermatologie <b>1999</b> , 1-7	
21	Die PrWention des Malignen Melanoms: Beispiele aus Australien und Deutschland. <i>Fortschritte Der Operativen Dermatologie</i> , <b>1999</b> , 25-34	
20	Quantitative assessment of melanoma spread in sentinel and non-sentinel lymph nodes and survival <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9082-9082	2.2
19	Vemurafenib treatment in patients with BRAF-mutated melanoma failing MEK inhibition with trametinib <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9061-9061	2.2
18	NY-ESO-1 specific CD4+ Thelper1 cells for immunotherapy of cancer <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 3071-3071	2.2
17	Effect of the BRAF inhibitor LGX818 on endoplasmic reticulum stress and sensitivity of NRAS-mutant melanoma cells to the MEK inhibitor binimetinib <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9062-9062	2.2
16	RAGE ligand S100A8/A9 as a novel prognostic biomarker for high-risk melanoma patients <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 9070-9070	2.2
15	Senescence induction in human melanoma by the combined action of type II interferon and tumor necrosis factor <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, e22213-e22213	2.2
14	The GERMELATOX DeCOG-trial: German melanoma patients and their attitude toward toxicity during adjuvant interferon treatment <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, TPS9113-TPS9113	2.2
13	Kutane Nebenwirkungen neuer Krebsmedikamente <b>2016</b> , 305-312	
12	MelanozytEe N⊠i und Melanom <b>2016</b> , 609-668	
11	Outcome on 560 metastatic melanoma (MM) patients treated with pembrolizumab during the German Expanded Access Program (EAP) <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 9558-9558	2.2
10	Factors influencing BRAFV600 mutation testing quality in melanoma: Results from a large, non-interventional, multicenter study in Germany <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, e23142-e2314	<del>2</del> 2

#### LIST OF PUBLICATIONS

9	Fear of progression in patients with low-risk malignant melanoma <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, e21615-e21615	2.2
8	Cutaneous Metastases of Melanoma: New Treatment Options <b>2009</b> , 591-598	
7	Malignes Melanom des Viszerum (Primfitumor und Metastasen) <b>2010</b> , 753-772	
6	Rare Tumors of the Skin and Subcutaneous Tissues. <i>Pediatric Oncology</i> , <b>2012</b> , 455-482	0.5
5	Toxic epidermal necrolysis in a melanoma patient under targeted therapy with encorafenib and binimetinib. <i>JDDG - Journal of the German Society of Dermatology</i> , <b>2020</b> , 18, 1159-1161	1.2
4	TMB and BRAF mutation status are independent predictive factors in stage IIIC/D/IV melanoma patients receiving adjuvant PD-1 antibodies <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 9524-9524	2.2
3	Das kutane Plattenepithelkarzinom [Frflzeitige Diagnose und Therapie sind entscheidend. <i>Klinikarzt</i> , <b>2016</b> , 45, 184-189	O
2	Das Basalzellkarzinom Diagnostik und Management. <i>Klinikarzt</i> , <b>2016</b> , 45, 190-195	O
1	FrBerkennung von Hautkrebs und Screeninguntersuchungen. <i>Onkologe</i> , <b>2016</b> , 22, 537-549	0.1