

Nesrin Käßken

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1691947/publications.pdf>

Version: 2024-02-01

25

papers

145

citations

1163117

8

h-index

1281871

11

g-index

26

all docs

26

docs citations

26

times ranked

111

citing authors

#	ARTICLE	IF	CITATIONS
1	High conductive copolymers of polypyrrole- \pm -diamine polydimethylsiloxane. European Polymer Journal, 2006, 42, 2361-2368.	5.4	25
2	Soluble and conductive polypyrrole copolymers containing silicone tegomers. Journal of Applied Polymer Science, 2003, 89, 2896-2901.	2.6	19
3	Low molecular weight polyacrylic acid with pendant aminomethylene phosphonic acid groups. Journal of Applied Polymer Science, 2000, 78, 870-874.	2.6	15
4	Interfacial Energy Promotes Radical Heterophase Polymerization. Macromolecules, 2004, 37, 5880-5888.	4.8	15
5	Aminomethylene phosphonic acid-ceric ion redox systems for aqueous polymerization of vinyl monomers. European Polymer Journal, 2000, 36, 193-199.	5.4	10
6	Polymers of vinylphosphonic acid, acrylonitrile, and methyl acrylate and their nanofibers. Journal of Applied Polymer Science, 2020, 137, 49023.	2.6	10
7	Block copolymers of acrylonitrile and poly(dimethylsiloxane)s. Journal of Applied Polymer Science, 2013, 127, 3790-3797.	2.6	9
8	Ethoxylated nonyl phenols and ethoxylated fatty alcohols-ceric ion redox systems for aqueous polymerization of vinyl monomers. Journal of Applied Polymer Science, 2001, 82, 310-313.	2.6	8
9	Redox initiation system of ceric salt and \pm -dihydroxy poly(dimethylsiloxane)s for vinyl polymerization. Journal of Applied Polymer Science, 2006, 102, 2112-2116.	2.6	6
10	Production of Poly(Imide Siloxane) Block Copolymers. Springer Proceedings in Energy, 2015, , 209-215.	0.3	5
11	Fire-retardant and smoke-suppressant rigid polyurethane foam composites. Pigment and Resin Technology, 2023, 52, 237-245.	0.9	4
12	High Performance Randomly Segmented Poly(Urethane Siloxane) and Poly(Imide Siloxane) Copolymers. Procedia, Social and Behavioral Sciences, 2015, 195, 2221-2227.	0.5	3
13	Characterization of high performance randomly segmented poly(urethane siloxane) and poly(imide) Tj ETQq1 1 0.784314 rgBT /Overloc	0.4	3
14	Copolymerization of Pyrrole and Thienyl end Capped Poly(dimethylsiloxane) by Iron (III) Chloride. Procedia, Social and Behavioral Sciences, 2015, 195, 2109-2116.	0.5	2
15	Polymers containing amino bis(methylene phosphonic acid) groups for scale inhibition. Pigment and Resin Technology, 2019, 48, 73-83.	0.9	2
16	Tris (1-chloro-2-propyl) phosphate (TCPP) microcapsules for the preparation of flame-retardant rigid polyurethane foam. Polymer-Plastics Technology and Materials, 2021, 60, 562-570.	1.3	2
17	Nanofibers from chitosan/polyacrylonitrile/sepiolite nanocomposites. Polymer-Plastics Technology and Materials, 0, , 1-13.	1.3	2
18	Comparative study of gamma-ray attenuation for poly (imide siloxane) block copolymer in biocompatible flexible sheet and pelletize forms. Materials Chemistry and Physics, 2022, 275, 125259.	4.0	2

#	ARTICLE	IF	CITATIONS
19	Electrochemical synthesis and characterization of copolymers of N-vinyl carbazole and methyl ethyl ketone formaldehyde resin. <i>Pigment and Resin Technology</i> , 2020, 50, 48-57.	0.9	1
20	A new photopolymerization system for vinyl monomers. <i>Journal of Applied Polymer Science</i> , 2002, 83, 2494-2499.	2.6	0
21	In Situ Copolymerization of Silver Containing Nanocomposites of Pyrrole and Thienyl End-capped Ethoxylated Nonyl Phenol by Iron (III) Chloride. <i>Procedia, Social and Behavioral Sciences</i> , 2015, 195, 2076-2085.	0.5	0
22	Polypyrrole and Thienyl End Capped Polysulfone Copolymers by Iron (III) Chloride. <i>Procedia, Social and Behavioral Sciences</i> , 2015, 195, 2199-2205.	0.5	0
23	Block copolymers of pyrrole and ethoxylated nonylphenol. <i>Pigment and Resin Technology</i> , 2017, 46, 385-392.	0.9	0
24	Synthesis of Reactive Polyurethane Adhesives and Studying the Effect of Ketonic Resins. <i>Journal of the Turkish Chemical Society, Section A: Chemistry</i> , 2020, 7, 1-10.	1.1	0
25	Low molecular weight polyacrylic acid with nitrilodi(methylene-phosphonic acid) chain ends for scale inhibition. <i>Angewandte Makromolekulare Chemie</i> , 1999, 273, 12-14.	0.2	0