

Roger T Webb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1692470/publications.pdf>

Version: 2024-02-01

174
papers

9,347
citations

70961

41
h-index

48187

88
g-index

185
all docs

185
docs citations

185
times ranked

11601
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. <i>Lancet Psychiatry</i> , 2020, 7, 883-892.	3.7	1,921
2	Suicide After Deliberate Self-Harm: A 4-Year Cohort Study. <i>American Journal of Psychiatry</i> , 2005, 162, 297-303.	4.0	549
3	Higher Risk of Offspring Schizophrenia Following Antenatal Maternal Exposure to Severe Adverse Life Events. <i>Archives of General Psychiatry</i> , 2008, 65, 146.	13.8	484
4	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry</i> , 2021, 8, 579-588.	3.7	455
5	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. <i>Lancet Psychiatry</i> , 2021, 8, 610-619.	3.7	268
6	Suicide in recently released prisoners: a population-based cohort study. <i>Lancet</i> , 2006, 368, 119-123.	6.3	242
7	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. <i>BMJ: British Medical Journal</i> , 2017, 359, j4351.	2.4	240
8	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. <i>Lancet Public Health</i> , 2021, 6, e124-e135.	4.7	201
9	Birth Weight, Schizophrenia, and Adult Mental Disorder. <i>Archives of General Psychiatry</i> , 2010, 67, 923.	13.8	187
10	Suicide Risk in Primary Care Patients With Major Physical Diseases. <i>Archives of General Psychiatry</i> , 2012, 69, 256.	13.8	184
11	Diagnosis of physical and mental health conditions in primary care during the COVID-19 pandemic: a retrospective cohort study. <i>Lancet Public Health</i> , 2020, 5, e543-e550.	4.7	159
12	The Repetition of Suicidal Behavior. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 1599-1609.	1.1	142
13	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020, 9, 1097.	0.8	141
14	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. <i>F1000Research</i> , 2020, 9, 1097.	0.8	123
15	Reduced Infant Birthweight Consequent Upon Maternal Exposure to Severe Life Events. <i>Psychosomatic Medicine</i> , 2008, 70, 688-694.	1.3	121
16	Does Clinical Management Improve Outcomes following Self-Harm? Results from the Multicentre Study of Self-Harm in England. <i>PLoS ONE</i> , 2013, 8, e70434.	1.1	101
17	Mortality in Offspring of Parents With Psychotic Disorders: A Critical Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2005, 162, 1045-1056.	4.0	98
18	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. <i>British Journal of Psychiatry</i> , 2012, 200, 399-404.	1.7	93

#	ARTICLE	IF	CITATIONS
19	Suicide in current psychiatric in-patients: a case-control study The National Confidential Inquiry into Suicide and Homicide. <i>Psychological Medicine</i> , 2007, 37, 831-837.	2.7	90
20	Deviance in Fetal Growth and Risk of Autism Spectrum Disorder. <i>American Journal of Psychiatry</i> , 2013, 170, 391-398.	4.0	88
21	What predicts poor motherâ€“infant interaction in schizophrenia?. <i>Psychological Medicine</i> , 2007, 37, 537.	2.7	86
22	Prospective cohort study of mental health during imprisonment. <i>British Journal of Psychiatry</i> , 2011, 198, 37-42.	1.7	84
23	Investigating the relationship between quality of primary care and premature mortality in England: a spatial whole-population study. <i>BMJ, The</i> , 2015, 350, h904-h904.	3.0	82
24	National Study of Suicide in All People With a Criminal Justice History. <i>Archives of General Psychiatry</i> , 2011, 68, 591.	13.8	81
25	Combined effects of physical illness and comorbid psychiatric disorder on risk of suicide in a national population study. <i>British Journal of Psychiatry</i> , 2014, 204, 430-435.	1.7	75
26	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. <i>British Journal of Psychiatry</i> , 2010, 197, 212-218.	1.7	70
27	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001â€“2013. <i>BMC Psychiatry</i> , 2016, 16, 53.	1.1	69
28	Self-harm in the UK. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 782-788.	1.6	65
29	Risk factors for suicide in Hungary: a case-control study. <i>BMC Psychiatry</i> , 2009, 9, 45.	1.1	65
30	â€œNear-fatalâ€“deliberate self-harm: characteristics, prevention and implications for the prevention of suicide. <i>Journal of Affective Disorders</i> , 2004, 79, 263-268.	2.0	60
31	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. <i>Lancet Psychiatry,the</i> , 2018, 5, 905-912.	3.7	57
32	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health, The</i> , 2020, 4, e64-e73.	5.1	56
33	A national caseâ€“control study of risk factors among prisoners in England and Wales. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1177-1185.	1.6	55
34	Suicide, Hospital-Presenting Suicide Attempts, and Criminality in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e809-e816.	1.1	55
35	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry,the</i> , 2015, 2, 809-816.	3.7	55
36	Mortality Risk Among Offspring of Psychiatric Inpatients: A Population-Based Follow-Up to Early Adulthood. <i>American Journal of Psychiatry</i> , 2006, 163, 2170-2177.	4.0	54

#	ARTICLE	IF	CITATIONS
37	Multiple adverse outcomes following first discharge from inpatient psychiatric care: a national cohort study. <i>Lancet Psychiatry</i> , 2019, 6, 582-589.	3.7	54
38	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003-2018. <i>BMC Psychiatry</i> , 2021, 21, 229.	1.1	54
39	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness. <i>JAMA Psychiatry</i> , 2018, 75, 689.	6.0	50
40	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring. <i>JAMA Psychiatry</i> , 2016, 73, 1015.	6.0	49
41	Mental Health Before and During the COVID-19 Pandemic: A Longitudinal Probability Sample Survey of the UK Population. <i>SSRN Electronic Journal</i> , 0, , .	0.4	46
42	The effects on suicide rates of an educational intervention for front-line health professionals with suicidal patients (the STORM Project). <i>Psychological Medicine</i> , 2005, 35, 957-960.	2.7	45
43	Deaths from natural causes in people with mental illness: A cohort study. <i>Journal of Psychosomatic Research</i> , 2008, 64, 275-283.	1.2	43
44	Opportunities for prevention of 'clinically significant' knee pain: results from a population-based cross sectional survey. <i>Journal of Public Health</i> , 2004, 26, 277-284.	1.0	42
45	Temporal trends in antidepressant prescribing to children in UK primary care, 2000-2015. <i>Journal of Affective Disorders</i> , 2017, 210, 312-318.	2.0	40
46	Title is missing!. <i>Spine</i> , 2003, 28, 1195-1202.	1.0	39
47	Suicide Risk Among Violent and Sexual Criminal Offenders. <i>Journal of Interpersonal Violence</i> , 2012, 27, 3405-3424.	1.3	39
48	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. <i>JAMA Network Open</i> , 2021, 4, e2134803.	2.8	39
49	Individual- and area-level predictors of self-harm repetition. <i>British Journal of Psychiatry</i> , 2006, 189, 416-421.	1.7	38
50	Links between depressive symptoms and unmet health and social care needs among older prisoners. <i>Age and Ageing</i> , 2016, 45, 158-163.	0.7	38
51	Suicide in psychiatric in-patients in England, 1997 to 2003. <i>Psychological Medicine</i> , 2006, 36, 1485-1492.	2.7	37
52	Death by Unnatural Causes During Childhood and Early Adulthood in Offspring of Psychiatric Inpatients. <i>Archives of General Psychiatry</i> , 2007, 64, 345.	13.8	37
53	Association Between Parental Income During Childhood and Risk of Schizophrenia Later in Life. <i>JAMA Psychiatry</i> , 2020, 77, 17.	6.0	37
54	Suicide risk in primary care patients diagnosed with a personality disorder: a nested case control study. <i>BMC Family Practice</i> , 2016, 17, 106.	2.9	36

#	ARTICLE	IF	CITATIONS
55	Alcohol-Related Mortality in Patients With Psoriasis. <i>JAMA Dermatology</i> , 2017, 153, 1256.	2.0	36
56	Premature Mortality Among Patients Recently Discharged From Their First Inpatient Psychiatric Treatment. <i>JAMA Psychiatry</i> , 2017, 74, 485.	6.0	35
57	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health</i> , The, 2018, 3, e498-e507.	4.7	35
58	Excess deaths from COVID-19 and other causes by region, neighbourhood deprivation level and place of death during the first 30 weeks of the pandemic in England and Wales: A retrospective registry study. <i>Lancet Regional Health - Europe</i> , The, 2021, 7, 100144.	3.0	35
59	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. <i>Journal of Affective Disorders</i> , 2016, 190, 522-528.	2.0	34
60	Intentional Drug Overdose Involving Pregabalin and Gabapentin: Findings from the National Self-Harm Registry Ireland, 2007â€”2015. <i>Clinical Drug Investigation</i> , 2018, 38, 373-380.	1.1	33
61	Risk of Unnatural Mortality in People With Epilepsy. <i>JAMA Neurology</i> , 2018, 75, 929.	4.5	32
62	Mortality risk among offspring of psychiatric inpatients: a population-based follow-up to early adulthood. <i>American Journal of Psychiatry</i> , 2006, 163, 2170-7.	4.0	32
63	Full spectrum of mental disorders linked with childhood residential mobility. <i>Journal of Psychiatric Research</i> , 2016, 78, 57-64.	1.5	31
64	â€œRelieved to be seenâ€”patient and carer experiences of psychosocial assessment in the emergency department following self-harm: qualitative analysis of 102 free-text survey responses. <i>BMJ Open</i> , 2021, 11, e044434.	0.8	31
65	Clinical management following self-harm in a UK-wide primary care cohort. <i>Journal of Affective Disorders</i> , 2016, 197, 182-188.	2.0	29
66	More or less likely to offend? Young adults with a history of identified developmental language disorders*. <i>International Journal of Language and Communication Disorders</i> , 2018, 53, 256-270.	0.7	29
67	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019, 2, e1914401.	2.8	29
68	Trends in national suicide rates for Scotland and for England & Wales, 1960â€”2008. <i>British Journal of Psychiatry</i> , 2012, 200, 245-251.	1.7	28
69	Adverse Outcomes to Early Middle Age Linked With Childhood Residential Mobility. <i>American Journal of Preventive Medicine</i> , 2016, 51, 291-300.	1.6	28
70	Risk factors for self-harm repetition in adolescents: A systematic review. <i>Clinical Psychology Review</i> , 2021, 88, 102048.	6.0	28
71	Excess years of life lost to COVID-19 and other causes of death by sex, neighbourhood deprivation, and region in England and Wales during 2020: A registry-based study. <i>PLoS Medicine</i> , 2022, 19, e1003904.	3.9	28
72	Risk of Sudden Infant Death Syndrome With Parental Mental Illness. <i>Archives of General Psychiatry</i> , 2007, 64, 1323.	13.8	27

#	ARTICLE	IF	CITATIONS
73	Prevalence and appropriateness of psychotropic medication prescribing in a nationally representative cross-sectional survey of male and female prisoners in England. <i>BMC Psychiatry</i> , 2016, 16, 346.	1.1	27
74	Non-psychotropic medication and risk of suicide or attempted suicide: a systematic review. <i>BMJ Open</i> , 2016, 6, e009074.	0.8	27
75	Premature Death Among Primary Care Patients With a History of Self-Harm. <i>Annals of Family Medicine</i> , 2017, 15, 246-254.	0.9	27
76	Disparities in mortality among 25-44-year-olds in England: a longitudinal, population-based study. <i>Lancet Public Health</i> , The, 2018, 3, e567-e575.	4.7	27
77	Effects of the COVID-19 pandemic on self-harm. <i>Lancet Psychiatry</i> , the, 2021, 8, e4.	3.7	27
78	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. <i>Lancet Public Health</i> , The, 2017, 2, e314-e322.	4.7	26
79	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. <i>Journal of Advanced Nursing</i> , 2011, 67, 127-139.	1.5	25
80	Risk of self-harm in physically ill patients in UK primary care. <i>Journal of Psychosomatic Research</i> , 2012, 73, 92-97.	1.2	25
81	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. <i>EClinicalMedicine</i> , 2021, 41, 101175.	3.2	25
82	Suicide by people in a community justice pathway: Population-based nested case-control study. <i>British Journal of Psychiatry</i> , 2015, 207, 175-176.	1.7	24
83	Antipsychotic Prescribing to Patients Diagnosed with Dementia Without a Diagnosis of Psychosis in the Context of National Guidance and Drug Safety Warnings: Longitudinal Study in UK General Practice. <i>Drug Safety</i> , 2017, 40, 679-692.	1.4	24
84	Self-harm risk between adolescence and midlife in people who experienced separation from one or both parents during childhood. <i>Journal of Affective Disorders</i> , 2017, 208, 582-589.	2.0	23
85	Why does Scotland have a higher suicide rate than England? An area-level investigation of health and social factors. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 63-70.	2.0	22
86	Unnatural Deaths in a National Cohort of People Diagnosed With Diabetes. <i>Diabetes Care</i> , 2014, 37, 2276-2283.	4.3	22
87	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015, 174, 101-105.	2.0	22
88	Developmental language disorders and risk of recidivism among young offenders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 396-403.	3.1	21
89	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. <i>PLOS Global Public Health</i> , 2022, 2, e0000282.	0.5	21
90	Influence of Environmental Factors in Higher Risk of Sudden Infant Death Syndrome Linked With Parental Mental Illness. <i>Archives of General Psychiatry</i> , 2010, 67, 69.	13.8	20

#	ARTICLE	IF	CITATIONS
91	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 415-421.	1.6	20
92	Violent offending and IQ level as predictors of suicide in schizophrenia: National cohort study. <i>Schizophrenia Research</i> , 2011, 130, 143-147.	1.1	19
93	National Cohort Study of Suicidality and Violent Criminality among Danish Immigrants. <i>PLoS ONE</i> , 2015, 10, e0131915.	1.1	19
94	Suicide risk in people with chronic fatigue syndrome. <i>Lancet, The</i> , 2016, 387, 1596-1597.	6.3	19
95	Psycholinguistic and socioemotional characteristics of young offenders: Do language abilities and gender matter?. <i>Legal and Criminological Psychology</i> , 2019, 24, 195-214.	1.5	18
96	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. <i>Psychological Medicine</i> , 2020, 50, 293-302.	2.7	18
97	Patient safety and suicide prevention in mental health services: time for a new paradigm?. <i>Journal of Mental Health</i> , 2020, 29, 1-5.	1.0	18
98	Risk of dying unnaturally among people aged 15â€“35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health, The</i> , 2019, 4, e220-e228.	4.7	17
99	The impact of the COVID-19 pandemic on presentations to health services following self-harm: systematic review. <i>British Journal of Psychiatry</i> , 2022, 221, 603-612.	1.7	17
100	Suicide, unemployment, and the effect of economic recession. <i>Lancet Psychiatry,the</i> , 2015, 2, 196-197.	3.7	16
101	Experience of Childâ€“Parent Separation and Later Risk of Violent Criminality. <i>American Journal of Preventive Medicine</i> , 2018, 55, 178-186.	1.6	16
102	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. <i>F1000Research</i> , 0, 9, 644.	0.8	16
103	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100271.	0.9	16
104	Urban-Rural Differences in Schizophrenia Risk: Multilevel Survival Analyses of Individual- and Neighborhood-Level Indicators, Urbanicity and Population Density in a Danish National Cohort Study. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	16
105	Frequently used drug types and alcohol involvement in intentional drug overdoses in Ireland: a national registry study. <i>European Journal of Public Health</i> , 2018, 28, 681-686.	0.1	15
106	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: A multi-centre cohort study. <i>Journal of Affective Disorders</i> , 2013, 148, 435-439.	2.0	14
107	Younger or older parental age and risk of suicidality, premature death, psychiatric illness, and criminality in offspring. <i>Journal of Affective Disorders</i> , 2017, 208, 130-138.	2.0	14
108	Dementia and mild cognitive impairment in prisoners aged over 50 years in England and Wales: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-116.	1.4	14

#	ARTICLE	IF	CITATIONS
109	Wasn't offered one, too poorly to ask for one™ Reasons why some patients do not receive a psychosocial assessment following self-harm: Qualitative patient and carer survey. Australian and New Zealand Journal of Psychiatry, 2022, 56, 398-407.	1.3	13
110	Risk factors for self-harm in people with epilepsy. Journal of Neurology, 2018, 265, 3009-3016.	1.8	12
111	Parental income as a marker for socioeconomic position during childhood and later risk of developing a secondary care-diagnosed mental disorder examined across the full diagnostic spectrum: a national cohort study. BMC Medicine, 2020, 18, 323.	2.3	12
112	Investigating the Agreement Between Cardiovascular Disease Risk Calculators Among People Diagnosed With Schizophrenia. Frontiers in Psychiatry, 2018, 9, 685.	1.3	11
113	Suicide Methods and Specific Types of Accidental Death and Fatal Poisoning Among Discharged Psychiatric Patients. Journal of Clinical Psychiatry, 2018, 79, .	1.1	11
114	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People™ Dual Harm™ International Journal of Environmental Research and Public Health, 2020, 17, 9409.	1.2	11
115	Spatial patterning and correlates of self-harm in Manchester, England. Epidemiology and Psychiatric Sciences, 2020, 29, e72.	1.8	11
116	Paracetamol-related intentional drug overdose among young people: a national registry study of characteristics, incidence and trends, 2007™2018. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 773-781.	1.6	11
117	Evaluating the impact of patient and carer involvement in suicide and self-harm research: A mixed-methods, longitudinal study protocol. Health Expectations, 2021, 24, 47-53.	1.1	11
118	The effectiveness of the Older prisoner Health and Social Care Assessment and Plan (OHSCAP): a randomised controlled trial. Health Services and Delivery Research, 2017, 5, 1-186.	1.4	11
119	Combined influence of serious mental illness and criminal offending on suicide risk in younger adults. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 49-57.	1.6	10
120	Learning from clinicians™ views of good quality practice in mental healthcare services in the context of suicide prevention: a qualitative study. BMC Psychiatry, 2019, 19, 346.	1.1	10
121	A national case fatality study of drugs taken in intentional overdose. International Journal of Drug Policy, 2020, 76, 102609.	1.6	10
122	Different Mental Health Responses to the COVID-19 Pandemic: Latent Class Trajectory Analysis Using Longitudinal UK Data. SSRN Electronic Journal, 0, .	0.4	9
123	Alcohol-related mortality following self-harm: a multicentre cohort study. JRSM Open, 2014, 5, 205427041453332.	0.2	8
124	Service transitions, interventions and care pathways following remittal to prison from medium secure psychiatric services in England and Wales: national cohort study. BJPsych Open, 2020, 6, e80.	0.3	8
125	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. BMC Psychiatry, 2015, 15, 254.	1.1	7
126	Homicide by men diagnosed with schizophrenia: national case-control study. BJPsych Open, 2020, 6, e143.	0.3	7

#	ARTICLE	IF	CITATIONS
127	A cross-sectional prevalence survey of psychotropic medication prescribing patterns in prisons in England. <i>Health Services and Delivery Research</i> , 2014, 2, 1-82.	1.4	7
128	Abortion and mental health: guidelines for proper scientific conduct ignored. <i>British Journal of Psychiatry</i> , 2012, 200, 74-75.	1.7	6
129	National cohort study of absolute risk and age-specific incidence of multiple adverse outcomes between adolescence and early middle age. <i>BMC Public Health</i> , 2015, 15, 920.	1.2	6
130	Financial capability and functional financial literacy in young adults with developmental language disorder. <i>Autism and Developmental Language Impairments</i> , 2018, 3, 239694151879450.	0.8	6
131	Prevalence of comorbid mental and physical illnesses and risks for self-harm and premature death among primary care patients diagnosed with fatigue syndromes. <i>Psychological Medicine</i> , 2020, 50, 1156-1163.	2.7	6
132	Exposure to ambient air pollution during childhood and subsequent risk of self-harm: A national cohort study. <i>Preventive Medicine</i> , 2021, 152, 106502.	1.6	6
133	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study. <i>British Journal of Psychiatry</i> , 2022, 221, 468-475.	1.7	6
134	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. <i>BMJ Open</i> , 2020, 10, e036046.	0.8	5
135	Suicide prevention and COVID-19: the role of primary care during the pandemic and beyond. <i>British Journal of General Practice</i> , 2021, 71, 200-201.	0.7	5
136	The prevalence of severe personality disorder in perpetrators of homicide. <i>Personality and Mental Health</i> , 2021, 15, 49-57.	0.6	5
137	Mental health services: quality, safety and suicide. <i>BMJ Quality and Safety</i> , 2021, , bmjqs-2021-013532.	1.8	5
138	Risk factors for nonfatal self-harm and suicide among adolescents: two nested case-control studies conducted in the UK Clinical Practice Research Datalink. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1078-1088.	3.1	5
139	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 813-828.	0.9	5
140	Risk of people with mental illnesses dying by homicide. <i>BMJ</i> , The, 2013, 346, f1336-f1336.	3.0	4
141	Attempted suicide and violent criminality among Danish second-generation immigrants according to parental place of origin. <i>International Journal of Social Psychiatry</i> , 2016, 62, 186-197.	1.6	4
142	National study comparing the characteristics of patients diagnosed with schizophrenia who committed homicide vs. those who died by suicide. <i>Journal of Forensic Psychiatry and Psychology</i> , 2018, 29, 674-689.	0.6	4
143	Repeat Self-Harm Following Hospital-Presenting Intentional Drug Overdose among Young People: A National Registry Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6159.	1.2	4
144	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. <i>BJPsych Open</i> , 2020, 6, e57.	0.3	4

#	ARTICLE	IF	CITATIONS
145	Suicide rates among patients subject to community treatment orders in England during 2009â€“2018. BJPsych Open, 2021, 7, .	0.3	4
146	Alcohol-Specific Mortality in People With Epilepsy: Cohort Studies in Two Independent Population-Based Datasets. Frontiers in Neurology, 2020, 11, 623139.	1.1	4
147	Primary Care Contact for Mental Illness and Self-Harm Before, During and After the Peak of the COVID-19 Pandemic in the UK: Cohort Study of 13 Million Individuals. SSRN Electronic Journal, 0, , .	0.4	4
148	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study. BMJ Open, 2022, 12, e052613.	0.8	4
149	Association between a national primary care pay-for-performance scheme and suicide rates in England: spatial cohort study. British Journal of Psychiatry, 2018, 213, 600-608.	1.7	3
150	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. Journal of Affective Disorders, 2019, 257, 173-179.	2.0	3
151	The older prisoner health and social care assessment and plan (OHSCAP) versus treatment as usual: a randomised controlled trial. BMC Public Health, 2021, 21, 2061.	1.2	3
152	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. BMC Psychiatry, 2015, 15, 79.	1.1	2
153	Neoliberal welfare reform and single parents' mental health. Lancet Public Health, The, 2018, 3, e307-e308.	4.7	2
154	Lack of fit with the neighbourhood social environment as a risk factor for psychosis â€“ a national cohort study. Psychological Medicine, 2023, 53, 866-874.	2.7	2
155	Prevalence of Major Cardiovascular Disease Events Among People Diagnosed With Schizophrenia Who Have Sleep Disturbance, Sedentary Behavior, or Muscular Weakness. Schizophrenia Bulletin Open, 2021, 2, sgaa069.	0.9	2
156	Reducing risk following self-harm: the need for careful prescribing. British Journal of General Practice, 2019, 69, 224-225.	0.7	2
157	Characteristics of People Returned to Prison From Medium Secure Psychiatric Services in England and Wales: National Cohort Study. Frontiers in Psychiatry, 0, 13, .	1.3	2
158	T134. EXPOSURE TO NITROGEN DIOXIDE DURING CHILDHOOD IS ASSOCIATED WITH INCREASED RISK OF SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S167-S167.	2.3	1
159	Spatial distribution and temporal trends in social fragmentation in England, 2001â€“2011: a national study. BMJ Open, 2019, 9, e025881.	0.8	1
160	Strong evidence indicating the effectiveness of opioid agonist treatment. Lancet Public Health, The, 2019, 4, e314-e315.	4.7	1
161	Spatial patterning and correlates of self-harm in Manchester, England â€“ CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2020, 29, .	1.8	1
162	Evidencing the detrimental impact of the COVID-19 pandemic on mental health across Europe. Lancet Regional Health - Europe, The, 2021, 2, 100052.	3.0	1

#	ARTICLE	IF	CITATIONS
163	OFFSPRING MORTALITY RISK WITH PARENTAL SCHIZOPHRENIA VS. OTHER SEVERE MENTAL DISORDERS: A NATIONAL COHORT STUDY. <i>Schizophrenia Research</i> , 2008, 102, 169-170.	1.1	0
164	Schizophrenia in either parent increases risk of infant mortality. <i>Evidence-Based Mental Health</i> , 2009, 12, 94-94.	2.2	0
165	Review: pharmacological and psychological interventions can reduce violent behaviour outcomes in high-risk populations. <i>Evidence-Based Mental Health</i> , 2012, 15, 78-78.	2.2	0
166	Authors' reply to Honeyford and colleagues and Roland. <i>BMJ, The</i> , 2015, 350, h1681-h1681.	3.0	0
167	Assessing Factors Associated With Suicide Risk—Reply. <i>JAMA Psychiatry</i> , 2017, 74, 537.	6.0	0
168	The Importance of a Valid Comparison Group—Reply. <i>JAMA Psychiatry</i> , 2017, 74, 973.	6.0	0
169	Self harm attempt in the older population of the UK — Author's reply. <i>Lancet Psychiatry</i> , 2019, 6, 92-93.	3.7	0
170	Editorial: Mortality Risk and Related Adverse Outcomes Following Discharge From Inpatient Psychiatric Care. <i>Frontiers in Psychiatry</i> , 2021, 12, 763342.	1.3	0
171	The enduring effect of early life adversities on health trajectories. <i>Lancet Public Health</i> , 2021, 6, e785-e786.	4.7	0
172	Prevalence of Comorbid Mental and Physical Illnesses and Risks for Self-Harm and Premature Death Among Primary Care Patients Diagnosed with Fatigue Syndromes. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
173	School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. <i>Nordic Journal of Psychiatry</i> , 0, , 1-9.	0.7	0
174	Management of anxiety disorders among children and adolescents in UK primary care: A cohort study. <i>Journal of Affective Disorders</i> , 2022, 313, 270-277.	2.0	0