

Roger T Webb

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1692470/roger-t-webb-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

5,928
citations

38
h-index

74
g-index

185
ext. papers

7,904
ext. citations

7.6
avg, IF

6.06
L-index

#	Paper	IF	Citations
161	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. <i>Lancet Psychiatry, the</i> , 2020 , 7, 883-892	23.3	994
160	Suicide after deliberate self-harm: a 4-year cohort study. <i>American Journal of Psychiatry</i> , 2005 , 162, 297-303		463
159	Higher risk of offspring schizophrenia following antenatal maternal exposure to severe adverse life events. <i>Archives of General Psychiatry</i> , 2008 , 65, 146-52		413
158	Suicide in recently released prisoners: a population-based cohort study. <i>Lancet, The</i> , 2006 , 368, 119-23	4.0	195
157	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry, the</i> , 2021 , 8, 579-588	23.3	167
156	Birth weight, schizophrenia, and adult mental disorder: is risk confined to the smallest babies?. <i>Archives of General Psychiatry</i> , 2010 , 67, 923-30		150
155	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. <i>BMJ, The</i> , 2017 , 359, j4351	5.9	145
154	Suicide risk in primary care patients with major physical diseases: a case-control study. <i>Archives of General Psychiatry</i> , 2012 , 69, 256-64		143
153	The repetition of suicidal behavior: a multicenter cohort study. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1599-609	4.6	113
152	Reduced infant birthweight consequent upon maternal exposure to severe life events. <i>Psychosomatic Medicine</i> , 2008 , 70, 688-94	3.7	106
151	Mortality in offspring of parents with psychotic disorders: a critical review and meta-analysis. <i>American Journal of Psychiatry</i> , 2005 , 162, 1045-56	11.9	84
150	Suicide in current psychiatric in-patients: a case-control study The National Confidential Inquiry into Suicide and Homicide. <i>Psychological Medicine</i> , 2007 , 37, 831-7	6.9	80
149	Does clinical management improve outcomes following self-harm? Results from the multicentre study of self-harm in England. <i>PLoS ONE</i> , 2013 , 8, e70434	3.7	80
148	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. <i>Lancet Public Health, The</i> , 2021 , 6, e124-e135	22.4	80
147	Spatial patterning and correlates of self-harm in Manchester, England [CORRIGENDUM]. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29,	5.1	78
146	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. <i>Lancet Psychiatry, the</i> , 2021 , 8, 610-619	23.3	75
145	Diagnosis of physical and mental health conditions in primary care during the COVID-19 pandemic: a retrospective cohort study. <i>Lancet Public Health, The</i> , 2020 , 5, e543-e550	22.4	73

144	Deviance in fetal growth and risk of autism spectrum disorder. <i>American Journal of Psychiatry</i> , 2013 , 170, 391-8	11.9	72
143	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. <i>British Journal of Psychiatry</i> , 2012 , 200, 399-404	5.4	71
142	National study of suicide in all people with a criminal justice history. <i>Archives of General Psychiatry</i> , 2011 , 68, 591-9		70
141	What predicts poor mother-infant interaction in schizophrenia?. <i>Psychological Medicine</i> , 2007 , 37, 537-466.9		70
140	Prospective cohort study of mental health during imprisonment. <i>British Journal of Psychiatry</i> , 2011 , 198, 37-42	5.4	68
139	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020 , 9, 1097	3.6	68
138	Investigating the relationship between quality of primary care and premature mortality in England: a spatial whole-population study. <i>BMJ, The</i> , 2015 , 350, h904	5.9	63
137	Combined effects of physical illness and comorbid psychiatric disorder on risk of suicide in a national population study. <i>British Journal of Psychiatry</i> , 2014 , 204, 430-5	5.4	59
136	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. <i>British Journal of Psychiatry</i> , 2010 , 197, 212-8	5.4	58
135	Risk factors for suicide in Hungary: a case-control study. <i>BMC Psychiatry</i> , 2009 , 9, 45	4.2	54
134	Self-harm in the UK: differences between South Asians and Whites in rates, characteristics, provision of service and repetition. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 782-8	4.5	52
133	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020 , 9, 1097	3.6	50
132	"Near-fatal" deliberate self-harm: characteristics, prevention and implications for the prevention of suicide. <i>Journal of Affective Disorders</i> , 2004 , 79, 263-8	6.6	49
131	Mortality Risk Among Offspring of Psychiatric Inpatients: A Population-Based Follow-Up to Early Adulthood. <i>American Journal of Psychiatry</i> , 2006 , 163, 2170-2177	11.9	48
130	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001-2013. <i>BMC Psychiatry</i> , 2016 , 16, 53	4.2	47
129	A national case-control study of risk factors for suicide among prisoners in England and Wales [corrected]. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1177-85	4.5	47
128	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry</i> , 2015 , 2, 809-16	23.3	39
127	The effects on suicide rates of an educational intervention for front-line health professionals with suicidal patients (the STORM Project). <i>Psychological Medicine</i> , 2005 , 35, 957-60	6.9	39

126	Suicide, hospital-presenting suicide attempts, and criminality in bipolar disorder: examination of risk for multiple adverse outcomes. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e809-16	4.6	38
125	Deaths from natural causes in people with mental illness: a cohort study. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 275-83	4.1	38
124	Opportunities for prevention of clinically significant knee pain: results from a population-based cross sectional survey. <i>Journal of Public Health</i> , 2004 , 26, 277-84	3.5	38
123	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness: A Danish National Registry Study Using Police Data. <i>JAMA Psychiatry</i> , 2018 , 75, 689-696	14.5	35
122	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring: A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1015-1022	14.5	33
121	Multiple adverse outcomes following first discharge from inpatient psychiatric care: a national cohort study. <i>Lancet Psychiatry</i> , 2019 , 6, 582-589	23.3	31
120	Suicide risk among violent and sexual criminal offenders. <i>Journal of Interpersonal Violence</i> , 2012 , 27, 3405-24	5.24	31
119	. <i>Spine</i> , 2003 , 28, 1195-1202	3.3	31
118	Individual- and area-level predictors of self-harm repetition. <i>British Journal of Psychiatry</i> , 2006 , 189, 416-21	3.4	30
117	Mental Health Before and During the COVID-19 Pandemic: A Longitudinal Probability Sample Survey of the UK Population. <i>SSRN Electronic Journal</i> ,	1	30
116	Death by unnatural causes during childhood and early adulthood in offspring of psychiatric inpatients. <i>Archives of General Psychiatry</i> , 2007 , 64, 345-52		29
115	Suicide in psychiatric in-patients in England, 1997 to 2003. <i>Psychological Medicine</i> , 2006 , 36, 1485-92	6.9	29
114	Full spectrum of mental disorders linked with childhood residential mobility. <i>Journal of Psychiatric Research</i> , 2016 , 78, 57-64	5.2	29
113	Links between depressive symptoms and unmet health and social care needs among older prisoners. <i>Age and Ageing</i> , 2016 , 45, 158-63	3	28
112	Alcohol-Related Mortality in Patients With Psoriasis: A Population-Based Cohort Study. <i>JAMA Dermatology</i> , 2017 , 153, 1256-1262	5.1	27
111	Temporal trends in antidepressant prescribing to children in UK primary care, 2000-2015. <i>Journal of Affective Disorders</i> , 2017 , 210, 312-318	6.6	26
110	Suicide risk in primary care patients diagnosed with a personality disorder: a nested case control study. <i>BMC Family Practice</i> , 2016 , 17, 106	2.6	26
109	Trends in national suicide rates for Scotland and for England & Wales, 1960-2008. <i>British Journal of Psychiatry</i> , 2012 , 200, 245-51	5.4	25

108	Premature Mortality Among Patients Recently Discharged From Their First Inpatient Psychiatric Treatment. <i>JAMA Psychiatry</i> , 2017 , 74, 485-492	14.5	24
107	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. <i>Lancet Psychiatry</i> , 2018 , 5, 905-912	23.3	24
106	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health</i> , 2020 , 4, e64-e73	9.8	23
105	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. <i>Journal of Affective Disorders</i> , 2016 , 190, 522-528	6.6	23
104	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. <i>Lancet Public Health</i> , 2017 , 2, e314-e322	22.4	22
103	Intentional Drug Overdose Involving Pregabalin and Gabapentin: Findings from the National Self-Harm Registry Ireland, 2007-2015. <i>Clinical Drug Investigation</i> , 2018 , 38, 373-380	3.2	22
102	Risk of sudden infant death syndrome with parental mental illness. <i>Archives of General Psychiatry</i> , 2007 , 64, 1323-30		21
101	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health</i> , 2018 , 3, e498-e507	22.4	21
100	Antipsychotic Prescribing to Patients Diagnosed with Dementia Without a Diagnosis of Psychosis in the Context of National Guidance and Drug Safety Warnings: Longitudinal Study in UK General Practice. <i>Drug Safety</i> , 2017 , 40, 679-692	5.1	20
99	Risk of self-harm in physically ill patients in UK primary care. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 92-7	4.1	20
98	Adverse Outcomes to Early Middle Age Linked With Childhood Residential Mobility. <i>American Journal of Preventive Medicine</i> , 2016 , 51, 291-300	6.1	20
97	Suicide by people in a community justice pathway: population-based nested case-control study. <i>British Journal of Psychiatry</i> , 2015 , 207, 175-6	5.4	19
96	Why does Scotland have a higher suicide rate than England? An area-level investigation of health and social factors. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 63-70	5.1	19
95	Mortality risk among offspring of psychiatric inpatients: a population-based follow-up to early adulthood. <i>American Journal of Psychiatry</i> , 2006 , 163, 2170-7	11.9	19
94	Risk of Unnatural Mortality in People With Epilepsy. <i>JAMA Neurology</i> , 2018 , 75, 929-938	17.2	18
93	Non-psychotropic medication and risk of suicide or attempted suicide: a systematic review. <i>BMJ Open</i> , 2016 , 6, e009074	3	18
92	National Cohort Study of Suicidality and Violent Criminality among Danish Immigrants. <i>PLoS ONE</i> , 2015 , 10, e0131915	3.7	18
91	Violent offending and IQ level as predictors of suicide in schizophrenia: national cohort study. <i>Schizophrenia Research</i> , 2011 , 130, 143-7	3.6	18

90	More or less likely to offend? Young adults with a history of identified developmental language disorders. <i>International Journal of Language and Communication Disorders</i> , 2018 , 53, 256-270	2.9	18
89	Premature Death Among Primary Care Patients With a History of Self-Harm. <i>Annals of Family Medicine</i> , 2017 , 15, 246-254	2.9	17
88	Clinical management following self-harm in a UK-wide primary care cohort. <i>Journal of Affective Disorders</i> , 2016 , 197, 182-8	6.6	17
87	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019 , 2, e1914401	10.4	17
86	Self-harm risk between adolescence and midlife in people who experienced separation from one or both parents during childhood. <i>Journal of Affective Disorders</i> , 2017 , 208, 582-589	6.6	17
85	Association Between Parental Income During Childhood and Risk of Schizophrenia Later in Life. <i>JAMA Psychiatry</i> , 2020 , 77, 17-24	14.5	17
84	Disparities in mortality among 25-44-year-olds in England: a longitudinal, population-based study. <i>Lancet Public Health</i> , 2018 , 3, e567-e575	22.4	17
83	Unnatural deaths in a national cohort of people diagnosed with diabetes. <i>Diabetes Care</i> , 2014 , 37, 2276-83	11.6	16
82	Influence of environmental factors in higher risk of sudden infant death syndrome linked with parental mental illness. <i>Archives of General Psychiatry</i> , 2010 , 67, 69-77		16
81	Variations in the hospital management of self-harm and patient outcome: a multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015 , 174, 101-5	6.6	15
80	Suicide risk in people with chronic fatigue syndrome. <i>Lancet</i> , 2016 , 387, 1596-7	40	15
79	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. <i>Journal of Advanced Nursing</i> , 2011 , 67, 127-39	3.1	15
78	Prevalence and appropriateness of psychotropic medication prescribing in a nationally representative cross-sectional survey of male and female prisoners in England. <i>BMC Psychiatry</i> , 2016 , 16, 346	4.2	14
77	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: a multi-centre cohort study. <i>Journal of Affective Disorders</i> , 2013 , 148, 435-9	6.6	13
76	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 415-421	4.5	13
75	Effects of the COVID-19 pandemic on self-harm. <i>Lancet Psychiatry</i> , 2021 , 8, e4	23.3	13
74	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003-2018. <i>BMC Psychiatry</i> , 2021 , 21, 229	4.2	12
73	Suicide, unemployment, and the effect of economic recession. <i>Lancet Psychiatry</i> , 2015 , 2, 196-7	23.3	11

72	Younger or older parental age and risk of suicidality, premature death, psychiatric illness, and criminality in offspring. <i>Journal of Affective Disorders</i> , 2017 , 208, 130-138	6.6	11
71	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. <i>F1000Research</i> , 9 , 644	3.6	11
70	Risk of dying unnaturally among people aged 15-35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health</i> , 2019 , 4, e220-e228 ¹⁰	22.4	10
69	Psycholinguistic and socioemotional characteristics of young offenders: Do language abilities and gender matter?. <i>Legal and Criminological Psychology</i> , 2019 , 24, 195-214	1.7	9
68	Excess deaths from COVID-19 and other causes by region, neighbourhood deprivation level and place of death during the first 30 weeks of the pandemic in England and Wales: A retrospective registry study. <i>Lancet Regional Health - Europe</i> , 2021 , 7, 100144		9
67	Frequently used drug types and alcohol involvement in intentional drug overdoses in Ireland: a national registry study. <i>European Journal of Public Health</i> , 2018 , 28, 681-686	2.1	8
66	Combined influence of serious mental illness and criminal offending on suicide risk in younger adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 49-57	4.5	8
65	A national case fatality study of drugs taken in intentional overdose. <i>International Journal of Drug Policy</i> , 2020 , 76, 102609	5.5	8
64	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. <i>Psychological Medicine</i> , 2020 , 50, 293-302	6.9	8
63	Experience of Child-Parent Separation and Later Risk of Violent Criminality. <i>American Journal of Preventive Medicine</i> , 2018 , 55, 178-186	6.1	8
62	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. <i>BMC Psychiatry</i> , 2015 , 15, 254	4.2	7
61	Alcohol-related mortality following self-harm: a multicentre cohort study. <i>JRSM Open</i> , 2014 , 5, 2054270414533326	4.1	7
60	The effectiveness of the Older prisoner Health and Social Care Assessment and Plan (OHSCAP): a randomised controlled trial. <i>Health Services and Delivery Research</i> , 2017 , 5, 1-186	1.5	7
59	Developmental language disorders and risk of recidivism among young offenders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 396-403	7.9	7
58	Suicide Methods and Specific Types of Accidental Death and Fatal Poisoning Among Discharged Psychiatric Patients: A National Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	7
57	National cohort study of absolute risk and age-specific incidence of multiple adverse outcomes between adolescence and early middle age. <i>BMC Public Health</i> , 2015 , 15, 920	4.1	6
56	A cross-sectional prevalence survey of psychotropic medication prescribing patterns in prisons in England. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-82	1.5	6
55	Service transitions, interventions and care pathways following remittal to prison from medium secure psychiatric services in England and Wales: national cohort study. <i>BJPsych Open</i> , 2020 , 6, e80	5	6

54	Abortion and mental health: guidelines for proper scientific conduct ignored. <i>British Journal of Psychiatry</i> , 2012 , 200, 74-5; discussion 78-9, author reply 79-80	5.4	5
53	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. <i>JAMA Network Open</i> , 2021 , 4, e2134803	10.4	5
52	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100271	1.4	5
51	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. <i>EClinicalMedicine</i> , 2021 , 41, 101175	11.3	5
50	Relieved to be seen: patient and carer experiences of psychosocial assessment in the emergency department following self-harm: qualitative analysis of 102 free-text survey responses. <i>BMJ Open</i> , 2021 , 11, e044434	3	5
49	Evaluating the impact of patient and carer involvement in suicide and self-harm research: A mixed-methods, longitudinal study protocol. <i>Health Expectations</i> , 2021 , 24 Suppl 1, 47-53	3.7	5
48	Investigating the Agreement Between Cardiovascular Disease Risk Calculators Among People Diagnosed With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018 , 9, 685	5	5
47	Risk factors for self-harm in people with epilepsy. <i>Journal of Neurology</i> , 2018 , 265, 3009-3016	5.5	5
46	Paracetamol-related intentional drug overdose among young people: a national registry study of characteristics, incidence and trends, 2007-2018. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 773-781	4.5	4
45	Financial capability and functional financial literacy in young adults with developmental language disorder. <i>Autism and Developmental Language Impairments</i> , 2018 , 3, 2396941518794500	1.8	4
44	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People-"Dual Harm". <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
43	Spatial patterning and correlates of self-harm in Manchester, England. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e72	5.1	3
42	National study comparing the characteristics of patients diagnosed with schizophrenia who committed homicide vs. those who died by suicide. <i>Journal of Forensic Psychiatry and Psychology</i> , 2018 , 29, 674-689	0.9	3
41	Attempted suicide and violent criminality among Danish second-generation immigrants according to parental place of origin. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 186-97	8.5	3
40	Association between a national primary care pay-for-performance scheme and suicide rates in England: spatial cohort study. <i>British Journal of Psychiatry</i> , 2018 , 213, 600-608	5.4	3
39	Learning from clinicians: views of good quality practice in mental healthcare services in the context of suicide prevention: a qualitative study. <i>BMC Psychiatry</i> , 2019 , 19, 346	4.2	3
38	Dementia and mild cognitive impairment in prisoners aged over 50 years in England and Wales: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-116	1.5	3
37	Parental income as a marker for socioeconomic position during childhood and later risk of developing a secondary care-diagnosed mental disorder examined across the full diagnostic spectrum: a national cohort study. <i>BMC Medicine</i> , 2020 , 18, 323	11.4	3

36	Different Mental Health Responses to the COVID-19 Pandemic: Latent Class Trajectory Analysis Using Longitudinal UK Data. <i>SSRN Electronic Journal</i> ,	1	3
35	Risk factors for self-harm repetition in adolescents: A systematic review. <i>Clinical Psychology Review</i> , 2021 , 88, 102048	10.8	3
34	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. <i>BJPsych Open</i> , 2020 , 6, e57	5	2
33	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. <i>BMJ Open</i> , 2020 , 10, e036046	3	2
32	Wasn't offered one, too poorly to ask for one? Reasons why some patients do not receive a psychosocial assessment following self-harm: Qualitative patient and carer survey. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211011262	2.6	2
31	The prevalence of severe personality disorder in perpetrators of homicide. <i>Personality and Mental Health</i> , 2021 , 15, 49-57	3.1	2
30	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. <i>PLOS Global Public Health</i> , 2022 , 2, e0000282		2
29	Strong evidence indicating the effectiveness of opioid agonist treatment. <i>Lancet Public Health</i> , 2019 , 4, e314-e315	22.4	1
28	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. <i>Journal of Affective Disorders</i> , 2019 , 257, 173-179	6.6	1
27	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. <i>BMC Psychiatry</i> , 2015 , 15, 79	4.2	1
26	Risk factors for nonfatal self-harm and suicide among adolescents: two nested case-control studies conducted in the UK Clinical Practice Research Datalink. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 ,	7.9	1
25	The older prisoner health and social care assessment and plan (OHSCAP) versus treatment as usual: a randomised controlled trial. <i>BMC Public Health</i> , 2021 , 21, 2061	4.1	1
24	Homicide by men diagnosed with schizophrenia: national case-control study. <i>BJPsych Open</i> , 2020 , 6, e143		1
23	Repeat Self-Harm Following Hospital-Presenting Intentional Drug Overdose among Young People-A National Registry Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
22	Lack of fit with the neighbourhood social environment as a risk factor for psychosis - a national cohort study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	1
21	T134. EXPOSURE TO NITROGEN DIOXIDE DURING CHILDHOOD IS ASSOCIATED WITH INCREASED RISK OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S167-S167	1.3	1
20	Exposure to ambient air pollution during childhood and subsequent risk of self-harm: A national cohort study. <i>Preventive Medicine</i> , 2021 , 152, 106502	4.3	1
19	Alcohol-Specific Mortality in People With Epilepsy: Cohort Studies in Two Independent Population-Based Datasets. <i>Frontiers in Neurology</i> , 2020 , 11, 623139	4.1	1

18	Prevalence of Major Cardiovascular Disease Events Among People Diagnosed With Schizophrenia Who Have Sleep Disturbance, Sedentary Behavior, or Muscular Weakness.. <i>Schizophrenia Bulletin Open</i> , 2021 , 2, sgaa069	2.2	1
17	Excess years of life lost to COVID-19 and other causes of death by sex, neighbourhood deprivation, and region in England and Wales during 2020: A registry-based study.. <i>PLoS Medicine</i> , 2022 , 19, e1003904	11.6	1
16	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study.. <i>BMJ Open</i> , 2022 , 12, e052613	3	1
15	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study.. <i>British Journal of Psychiatry</i> , 2021 , 1-8	5.4	1
14	Neoliberal welfare reform and single parents mental health. <i>Lancet Public Health, The</i> , 2018 , 3, e307-e308	2.4	o
13	Prevalence of comorbid mental and physical illnesses and risks for self-harm and premature death among primary care patients diagnosed with fatigue syndromes. <i>Psychological Medicine</i> , 2020 , 50, 1156-1163	6.9	o
12	Evidencing the detrimental impact of the COVID-19 pandemic on mental health across Europe. <i>Lancet Regional Health - Europe, The</i> , 2021 , 2, 100052		o
11	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437221094552	4.8	o
10	Assessing Factors Associated With Suicide Risk-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 537-538	14.5	
9	Self harm attempt in the older population of the UK - Author's reply. <i>Lancet Psychiatry, the</i> , 2019 , 6, 92-93	3.3	
8	Spatial distribution and temporal trends in social fragmentation in England, 2001-2011: a national study. <i>BMJ Open</i> , 2019 , 9, e025881	3	
7	Authors' Reply to Honeyford and colleagues and Roland. <i>BMJ, The</i> , 2015 , 350, h1681	5.9	
6	The Importance of a Valid Comparison Group-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 973-974	14.5	
5	Schizophrenia in either parent increases risk of infant mortality. <i>Evidence-Based Mental Health</i> , 2009 , 12, 94	11.1	
4	Review: pharmacological and psychological interventions can reduce violent behaviour outcomes in high-risk populations. <i>Evidence-Based Mental Health</i> , 2012 , 15, 78	11.1	
3	OFFSPRING MORTALITY RISK WITH PARENTAL SCHIZOPHRENIA VS. OTHER SEVERE MENTAL DISORDERS: A NATIONAL COHORT STUDY. <i>Schizophrenia Research</i> , 2008 , 102, 169-170	3.6	
2	The enduring effect of early life adversities on health trajectories. <i>Lancet Public Health, The</i> , 2021 , 6, e785-e786	22.4	
1	School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. <i>Nordic Journal of Psychiatry</i> , 1-9	2.3	

