

Roger T Webb

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1692470/roger-t-webb-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

5,928
citations

38
h-index

74
g-index

185
ext. papers

7,904
ext. citations

7.6
avg, IF

6.06
L-index

#	Paper	IF	Citations
161	Excess years of life lost to COVID-19 and other causes of death by sex, neighbourhood deprivation, and region in England and Wales during 2020: A registry-based study.. <i>PLoS Medicine</i> , 2022 , 19, e1003904	11.6	1
160	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study.. <i>BMJ Open</i> , 2022 , 12, e052613	3	1
159	SARS-CoV-2 Infection and the Risk of Suicidal and Self-Harm Thoughts and Behaviour: A Systematic Review.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437221094552	4.8	0
158	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. <i>PLOS Global Public Health</i> , 2022 , 2, e0000282		2
157	Risk factors for nonfatal self-harm and suicide among adolescents: two nested case-control studies conducted in the UK Clinical Practice Research Datalink. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 ,	7.9	1
156	The older prisoner health and social care assessment and plan (OHSCAP) versus treatment as usual: a randomised controlled trial. <i>BMC Public Health</i> , 2021 , 21, 2061	4.1	1
155	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. <i>JAMA Network Open</i> , 2021 , 4, e2134803	10.4	5
154	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100271	1.4	5
153	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. <i>EClinicalMedicine</i> , 2021 , 41, 101175	11.3	5
152	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003-2018. <i>BMC Psychiatry</i> , 2021 , 21, 229	4.2	12
151	Wasn offered one, too poorly to ask for one Reasons why some patients do not receive a psychosocial assessment following self-harm: Qualitative patient and carer survey. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211011262	2.6	2
150	Relieved to be seen patient and carer experiences of psychosocial assessment in the emergency department following self-harm: qualitative analysis of 102 free-text survey responses. <i>BMJ Open</i> , 2021 , 11, e044434	3	5
149	Lack of fit with the neighbourhood social environment as a risk factor for psychosis - a national cohort study. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	1
148	Paracetamol-related intentional drug overdose among young people: a national registry study of characteristics, incidence and trends, 2007-2018. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 773-781	4.5	4
147	Developmental language disorders and risk of recidivism among young offenders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 396-403	7.9	7
146	Effects of the COVID-19 pandemic on self-harm. <i>Lancet Psychiatry</i> , 2021 , 8, e4	23.3	13
145	Evaluating the impact of patient and carer involvement in suicide and self-harm research: A mixed-methods, longitudinal study protocol. <i>Health Expectations</i> , 2021 , 24 Suppl 1, 47-53	3.7	5

144	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. <i>Lancet Public Health, The, 2021, 6, e124-e135</i>	22.4	80
143	Evidencing the detrimental impact of the COVID-19 pandemic on mental health across Europe. <i>Lancet Regional Health - Europe, The, 2021, 2, 100052</i>		0
142	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. <i>Lancet Psychiatry, the, 2021, 8, 610-619</i>	23.3	75
141	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. <i>Lancet Psychiatry, the, 2021, 8, 579-588</i>	23.3	167
140	Excess deaths from COVID-19 and other causes by region, neighbourhood deprivation level and place of death during the first 30 weeks of the pandemic in England and Wales: A retrospective registry study. <i>Lancet Regional Health - Europe, The, 2021, 7, 100144</i>		9
139	Risk factors for self-harm repetition in adolescents: A systematic review. <i>Clinical Psychology Review, 2021, 88, 102048</i>	10.8	3
138	The enduring effect of early life adversities on health trajectories. <i>Lancet Public Health, The, 2021, 6, e785-e786</i>	22.4	
137	Exposure to ambient air pollution during childhood and subsequent risk of self-harm: A national cohort study. <i>Preventive Medicine, 2021, 152, 106502</i>	4.3	1
136	Prevalence of Major Cardiovascular Disease Events Among People Diagnosed With Schizophrenia Who Have Sleep Disturbance, Sedentary Behavior, or Muscular Weakness.. <i>Schizophrenia Bulletin Open, 2021, 2, sgaa069</i>	2.2	1
135	The prevalence of severe personality disorder in perpetrators of homicide. <i>Personality and Mental Health, 2021, 15, 49-57</i>	3.1	2
134	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study.. <i>British Journal of Psychiatry, 2021, 1-8</i>	5.4	1
133	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People-"Dual Harm". <i>International Journal of Environmental Research and Public Health, 2020, 17,</i>	4.6	3
132	Spatial patterning and correlates of self-harm in Manchester, England [CORRIGENDUM. <i>Epidemiology and Psychiatric Sciences, 2020, 29,</i>	5.1	78
131	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. <i>BJPsych Open, 2020, 6, e57</i>	5	2
130	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health, The, 2020, 4, e64-e73</i>	9.8	23
129	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research, 2020, 9, 1097</i>	3.6	68
128	Dementia and mild cognitive impairment in prisoners aged over 50 years in England and Wales: a mixed-methods study. <i>Health Services and Delivery Research, 2020, 8, 1-116</i>	1.5	3
127	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. <i>Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 415-421</i>	4.5	13

126	A national case fatality study of drugs taken in intentional overdose. <i>International Journal of Drug Policy</i> , 2020 , 76, 102609	5.5	8
125	Diagnosis of physical and mental health conditions in primary care during the COVID-19 pandemic: a retrospective cohort study. <i>Lancet Public Health, The</i> , 2020 , 5, e543-e550	22.4	73
124	Parental income as a marker for socioeconomic position during childhood and later risk of developing a secondary care-diagnosed mental disorder examined across the full diagnostic spectrum: a national cohort study. <i>BMC Medicine</i> , 2020 , 18, 323	11.4	3
123	Homicide by men diagnosed with schizophrenia: national case-control study. <i>BJPsych Open</i> , 2020 , 6, e143	3	1
122	Mental health before and during the COVID-19 pandemic: a longitudinal probability sample survey of the UK population. <i>Lancet Psychiatry, the</i> , 2020 , 7, 883-892	23.3	994
121	Service transitions, interventions and care pathways following remittal to prison from medium secure psychiatric services in England and Wales: national cohort study. <i>BJPsych Open</i> , 2020 , 6, e80	5	6
120	Repeat Self-Harm Following Hospital-Presenting Intentional Drug Overdose among Young People-A National Registry Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
119	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. <i>BMJ Open</i> , 2020 , 10, e036046	3	2
118	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. <i>F1000Research</i> , 2020 , 9, 1097	3.6	50
117	Prevalence of comorbid mental and physical illnesses and risks for self-harm and premature death among primary care patients diagnosed with fatigue syndromes. <i>Psychological Medicine</i> , 2020 , 50, 1156-1163	6.9	0
116	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. <i>Psychological Medicine</i> , 2020 , 50, 293-302	6.9	8
115	Association Between Parental Income During Childhood and Risk of Schizophrenia Later in Life. <i>JAMA Psychiatry</i> , 2020 , 77, 17-24	14.5	17
114	Alcohol-Specific Mortality in People With Epilepsy: Cohort Studies in Two Independent Population-Based Datasets. <i>Frontiers in Neurology</i> , 2020 , 11, 623139	4.1	1
113	Self harm attempt in the older population of the UK - Author's reply. <i>Lancet Psychiatry, the</i> , 2019 , 6, 92-93	3.3	
112	Spatial distribution and temporal trends in social fragmentation in England, 2001-2011: a national study. <i>BMJ Open</i> , 2019 , 9, e025881	3	
111	Psycholinguistic and socioemotional characteristics of young offenders: Do language abilities and gender matter?. <i>Legal and Criminological Psychology</i> , 2019 , 24, 195-214	1.7	9
110	Strong evidence indicating the effectiveness of opioid agonist treatment. <i>Lancet Public Health, The</i> , 2019 , 4, e314-e315	22.4	1
109	Multiple adverse outcomes following first discharge from inpatient psychiatric care: a national cohort study. <i>Lancet Psychiatry, the</i> , 2019 , 6, 582-589	23.3	31

108	Risk of dying unnaturally among people aged 15-35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. <i>Lancet Public Health, The</i> , 2019 , 4, e220-e228 ¹⁰	22.4	10
107	Spatial patterning and correlates of self-harm in Manchester, England. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e72	5.1	3
106	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. <i>Journal of Affective Disorders</i> , 2019 , 257, 173-179	6.6	1
105	Association of Childhood Exposure to Nitrogen Dioxide and Polygenic Risk Score for Schizophrenia With the Risk of Developing Schizophrenia. <i>JAMA Network Open</i> , 2019 , 2, e1914401	10.4	17
104	Learning from clinicians: Views of good quality practice in mental healthcare services in the context of suicide prevention: a qualitative study. <i>BMC Psychiatry</i> , 2019 , 19, 346	4.2	3
103	Risk of Unnatural Mortality in People With Epilepsy. <i>JAMA Neurology</i> , 2018 , 75, 929-938	17.2	18
102	National study comparing the characteristics of patients diagnosed with schizophrenia who committed homicide vs. those who died by suicide. <i>Journal of Forensic Psychiatry and Psychology</i> , 2018 , 29, 674-689	0.9	3
101	Intentional Drug Overdose Involving Pregabalin and Gabapentin: Findings from the National Self-Harm Registry Ireland, 2007-2015. <i>Clinical Drug Investigation</i> , 2018 , 38, 373-380	3.2	22
100	Frequently used drug types and alcohol involvement in intentional drug overdoses in Ireland: a national registry study. <i>European Journal of Public Health</i> , 2018 , 28, 681-686	2.1	8
99	Association between a national primary care pay-for-performance scheme and suicide rates in England: spatial cohort study. <i>British Journal of Psychiatry</i> , 2018 , 213, 600-608	5.4	3
98	Neoliberal welfare reform and single parents: Mental health. <i>Lancet Public Health, The</i> , 2018 , 3, e307-e308	22.4	0
97	More or less likely to offend? Young adults with a history of identified developmental language disorders. <i>International Journal of Language and Communication Disorders</i> , 2018 , 53, 256-270	2.9	18
96	Investigating the Agreement Between Cardiovascular Disease Risk Calculators Among People Diagnosed With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018 , 9, 685	5	5
95	Disparities in mortality among 25-44-year-olds in England: a longitudinal, population-based study. <i>Lancet Public Health, The</i> , 2018 , 3, e567-e575	22.4	17
94	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. <i>Lancet Public Health, The</i> , 2018 , 3, e498-e507	22.4	21
93	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. <i>Lancet Psychiatry, the</i> , 2018 , 5, 905-912	23.3	24
92	Risk factors for self-harm in people with epilepsy. <i>Journal of Neurology</i> , 2018 , 265, 3009-3016	5.5	5
91	Financial capability and functional financial literacy in young adults with developmental language disorder. <i>Autism and Developmental Language Impairments</i> , 2018 , 3, 2396941518794500	1.8	4

90	T134. EXPOSURE TO NITROGEN DIOXIDE DURING CHILDHOOD IS ASSOCIATED WITH INCREASED RISK OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S167-S167	1.3	1
89	Suicide Methods and Specific Types of Accidental Death and Fatal Poisoning Among Discharged Psychiatric Patients: A National Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	7
88	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness: A Danish National Registry Study Using Police Data. <i>JAMA Psychiatry</i> , 2018 , 75, 689-696	14.5	35
87	Experience of Child-Parent Separation and Later Risk of Violent Criminality. <i>American Journal of Preventive Medicine</i> , 2018 , 55, 178-186	6.1	8
86	Temporal trends in antidepressant prescribing to children in UK primary care, 2000-2015. <i>Journal of Affective Disorders</i> , 2017 , 210, 312-318	6.6	26
85	Assessing Factors Associated With Suicide Risk-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 537-538	14.5	
84	Antipsychotic Prescribing to Patients Diagnosed with Dementia Without a Diagnosis of Psychosis in the Context of National Guidance and Drug Safety Warnings: Longitudinal Study in UK General Practice. <i>Drug Safety</i> , 2017 , 40, 679-692	5.1	20
83	Premature Death Among Primary Care Patients With a History of Self-Harm. <i>Annals of Family Medicine</i> , 2017 , 15, 246-254	2.9	17
82	Self-harm and violent criminality among young people who experienced trauma-related hospital admission during childhood: a Danish national cohort study. <i>Lancet Public Health, The</i> , 2017 , 2, e314-e322	22.4	22
81	Premature Mortality Among Patients Recently Discharged From Their First Inpatient Psychiatric Treatment. <i>JAMA Psychiatry</i> , 2017 , 74, 485-492	14.5	24
80	Alcohol-Related Mortality in Patients With Psoriasis: A Population-Based Cohort Study. <i>JAMA Dermatology</i> , 2017 , 153, 1256-1262	5.1	27
79	The Importance of a Valid Comparison Group-Reply. <i>JAMA Psychiatry</i> , 2017 , 74, 973-974	14.5	
78	Self-harm risk between adolescence and midlife in people who experienced separation from one or both parents during childhood. <i>Journal of Affective Disorders</i> , 2017 , 208, 582-589	6.6	17
77	Younger or older parental age and risk of suicidality, premature death, psychiatric illness, and criminality in offspring. <i>Journal of Affective Disorders</i> , 2017 , 208, 130-138	6.6	11
76	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. <i>BMJ, The</i> , 2017 , 359, j4351	5.9	145
75	The effectiveness of the Older prisoner Health and Social Care Assessment and Plan (OHSCAP): a randomised controlled trial. <i>Health Services and Delivery Research</i> , 2017 , 5, 1-186	1.5	7
74	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring: A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1015-1022	14.5	33
73	Suicide risk in primary care patients diagnosed with a personality disorder: a nested case control study. <i>BMC Family Practice</i> , 2016 , 17, 106	2.6	26

72	Prevalence and appropriateness of psychotropic medication prescribing in a nationally representative cross-sectional survey of male and female prisoners in England. <i>BMC Psychiatry</i> , 2016 , 16, 346	4.2	14
71	Clinical management following self-harm in a UK-wide primary care cohort. <i>Journal of Affective Disorders</i> , 2016 , 197, 182-8	6.6	17
70	Attempted suicide and violent criminality among Danish second-generation immigrants according to parental place of origin. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 186-97	8.5	3
69	Non-psychotropic medication and risk of suicide or attempted suicide: a systematic review. <i>BMJ Open</i> , 2016 , 6, e009074	3	18
68	Links between depressive symptoms and unmet health and social care needs among older prisoners. <i>Age and Ageing</i> , 2016 , 45, 158-63	3	28
67	Suicide risk in people with chronic fatigue syndrome. <i>Lancet, The</i> , 2016 , 387, 1596-7	4.0	15
66	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001-2013. <i>BMC Psychiatry</i> , 2016 , 16, 53	4.2	47
65	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. <i>Journal of Affective Disorders</i> , 2016 , 190, 522-528	6.6	23
64	Full spectrum of mental disorders linked with childhood residential mobility. <i>Journal of Psychiatric Research</i> , 2016 , 78, 57-64	5.2	29
63	Adverse Outcomes to Early Middle Age Linked With Childhood Residential Mobility. <i>American Journal of Preventive Medicine</i> , 2016 , 51, 291-300	6.1	20
62	Suicide by people in a community justice pathway: population-based nested case-control study. <i>British Journal of Psychiatry</i> , 2015 , 207, 175-6	5.4	19
61	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry, the</i> , 2015 , 2, 809-16	23.3	39
60	AuthorsReply to Honeyford and colleagues and Roland. <i>BMJ, The</i> , 2015 , 350, h1681	5.9	
59	Suicide, unemployment, and the effect of economic recession. <i>Lancet Psychiatry, the</i> , 2015 , 2, 196-7	23.3	11
58	Variations in the hospital management of self-harm and patient outcome: a multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015 , 174, 101-5	6.6	15
57	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. <i>BMC Psychiatry</i> , 2015 , 15, 254	4.2	7
56	National cohort study of absolute risk and age-specific incidence of multiple adverse outcomes between adolescence and early middle age. <i>BMC Public Health</i> , 2015 , 15, 920	4.1	6
55	National Cohort Study of Suicidality and Violent Criminality among Danish Immigrants. <i>PLoS ONE</i> , 2015 , 10, e0131915	3.7	18

54	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. <i>BMC Psychiatry</i> , 2015 , 15, 79	4.2	1
53	Investigating the relationship between quality of primary care and premature mortality in England: a spatial whole-population study. <i>BMJ, The</i> , 2015 , 350, h904	5.9	63
52	Combined effects of physical illness and comorbid psychiatric disorder on risk of suicide in a national population study. <i>British Journal of Psychiatry</i> , 2014 , 204, 430-5	5.4	59
51	Suicide, hospital-presenting suicide attempts, and criminality in bipolar disorder: examination of risk for multiple adverse outcomes. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e809-16	4.6	38
50	Alcohol-related mortality following self-harm: a multicentre cohort study. <i>JRSM Open</i> , 2014 , 5, 2054270414533326	4.5	326
49	Unnatural deaths in a national cohort of people diagnosed with diabetes. <i>Diabetes Care</i> , 2014 , 37, 2276-82	4.6	16
48	A cross-sectional prevalence survey of psychotropic medication prescribing patterns in prisons in England. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-82	1.5	6
47	A national case-control study of risk factors for suicide among prisoners in England and Wales [corrected]. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1177-85	4.5	47
46	Combined influence of serious mental illness and criminal offending on suicide risk in younger adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 49-57	4.5	8
45	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: a multi-centre cohort study. <i>Journal of Affective Disorders</i> , 2013 , 148, 435-9	6.6	13
44	Deviance in fetal growth and risk of autism spectrum disorder. <i>American Journal of Psychiatry</i> , 2013 , 170, 391-8	11.9	72
43	Why does Scotland have a higher suicide rate than England? An area-level investigation of health and social factors. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 63-70	5.1	19
42	Does clinical management improve outcomes following self-harm? Results from the multicentre study of self-harm in England. <i>PLoS ONE</i> , 2013 , 8, e70434	3.7	80
41	Risk of self-harm in physically ill patients in UK primary care. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 92-7	4.1	20
40	Trends in national suicide rates for Scotland and for England & Wales, 1960-2008. <i>British Journal of Psychiatry</i> , 2012 , 200, 245-51	5.4	25
39	Review: pharmacological and psychological interventions can reduce violent behaviour outcomes in high-risk populations. <i>Evidence-Based Mental Health</i> , 2012 , 15, 78	11.1	
38	Suicide risk among violent and sexual criminal offenders. <i>Journal of Interpersonal Violence</i> , 2012 , 27, 3405-24	5.24	31
37	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. <i>British Journal of Psychiatry</i> , 2012 , 200, 399-404	5.4	71

36	Suicide risk in primary care patients with major physical diseases: a case-control study. <i>Archives of General Psychiatry</i> , 2012 , 69, 256-64		143
35	Abortion and mental health: guidelines for proper scientific conduct ignored. <i>British Journal of Psychiatry</i> , 2012 , 200, 74-5; discussion 78-9, author reply 79-80	5.4	5
34	Violent offending and IQ level as predictors of suicide in schizophrenia: national cohort study. <i>Schizophrenia Research</i> , 2011 , 130, 143-7	3.6	18
33	Prospective cohort study of mental health during imprisonment. <i>British Journal of Psychiatry</i> , 2011 , 198, 37-42	5.4	68
32	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. <i>Journal of Advanced Nursing</i> , 2011 , 67, 127-39	3.1	15
31	National study of suicide in all people with a criminal justice history. <i>Archives of General Psychiatry</i> , 2011 , 68, 591-9		70
30	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. <i>British Journal of Psychiatry</i> , 2010 , 197, 212-8	5.4	58
29	Birth weight, schizophrenia, and adult mental disorder: is risk confined to the smallest babies?. <i>Archives of General Psychiatry</i> , 2010 , 67, 923-30		150
28	Influence of environmental factors in higher risk of sudden infant death syndrome linked with parental mental illness. <i>Archives of General Psychiatry</i> , 2010 , 67, 69-77		16
27	Schizophrenia in either parent increases risk of infant mortality. <i>Evidence-Based Mental Health</i> , 2009 , 12, 94	11.1	
26	Risk factors for suicide in Hungary: a case-control study. <i>BMC Psychiatry</i> , 2009 , 9, 45	4.2	54
25	OFFSPRING MORTALITY RISK WITH PARENTAL SCHIZOPHRENIA VS. OTHER SEVERE MENTAL DISORDERS: A NATIONAL COHORT STUDY. <i>Schizophrenia Research</i> , 2008 , 102, 169-170	3.6	
24	Deaths from natural causes in people with mental illness: a cohort study. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 275-83	4.1	38
23	Higher risk of offspring schizophrenia following antenatal maternal exposure to severe adverse life events. <i>Archives of General Psychiatry</i> , 2008 , 65, 146-52		413
22	Reduced infant birthweight consequent upon maternal exposure to severe life events. <i>Psychosomatic Medicine</i> , 2008 , 70, 688-94	3.7	106
21	Risk of sudden infant death syndrome with parental mental illness. <i>Archives of General Psychiatry</i> , 2007 , 64, 1323-30		21
20	Death by unnatural causes during childhood and early adulthood in offspring of psychiatric inpatients. <i>Archives of General Psychiatry</i> , 2007 , 64, 345-52		29
19	Suicide in current psychiatric in-patients: a case-control study The National Confidential Inquiry into Suicide and Homicide. <i>Psychological Medicine</i> , 2007 , 37, 831-7	6.9	80

18	What predicts poor mother-infant interaction in schizophrenia?. <i>Psychological Medicine</i> , 2007 , 37, 537-466.9	70
17	Mortality Risk Among Offspring of Psychiatric Inpatients: A Population-Based Follow-Up to Early Adulthood. <i>American Journal of Psychiatry</i> , 2006 , 163, 2170-2177	11.9 48
16	Suicide in recently released prisoners: a population-based cohort study. <i>Lancet, The</i> , 2006 , 368, 119-23	40 195
15	Individual- and area-level predictors of self-harm repetition. <i>British Journal of Psychiatry</i> , 2006 , 189, 416-21	3.4 30
14	Suicide in psychiatric in-patients in England, 1997 to 2003. <i>Psychological Medicine</i> , 2006 , 36, 1485-92	6.9 29
13	Self-harm in the UK: differences between South Asians and Whites in rates, characteristics, provision of service and repetition. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 782-8	4.5 52
12	Mortality risk among offspring of psychiatric inpatients: a population-based follow-up to early adulthood. <i>American Journal of Psychiatry</i> , 2006 , 163, 2170-7	11.9 19
11	The repetition of suicidal behavior: a multicenter cohort study. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1599-609	4.6 113
10	The effects on suicide rates of an educational intervention for front-line health professionals with suicidal patients (the STORM Project). <i>Psychological Medicine</i> , 2005 , 35, 957-60	6.9 39
9	Mortality in offspring of parents with psychotic disorders: a critical review and meta-analysis. <i>American Journal of Psychiatry</i> , 2005 , 162, 1045-56	11.9 84
8	Suicide after deliberate self-harm: a 4-year cohort study. <i>American Journal of Psychiatry</i> , 2005 , 162, 297-303	303 463
7	Opportunities for prevention of clinically significant knee pain: results from a population-based cross sectional survey. <i>Journal of Public Health</i> , 2004 , 26, 277-84	3.5 38
6	"Near-fatal" deliberate self-harm: characteristics, prevention and implications for the prevention of suicide. <i>Journal of Affective Disorders</i> , 2004 , 79, 263-8	6.6 49
5	. <i>Spine</i> , 2003 , 28, 1195-1202	3.3 31
4	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. <i>F1000Research</i> , 2020 , 9, 644	3.6 11
3	Mental Health Before and During the COVID-19 Pandemic: A Longitudinal Probability Sample Survey of the UK Population. <i>SSRN Electronic Journal</i> ,	1 30
2	Different Mental Health Responses to the COVID-19 Pandemic: Latent Class Trajectory Analysis Using Longitudinal UK Data. <i>SSRN Electronic Journal</i> ,	1 3
1	School performance and genetic propensities for educational attainment and depression in the etiology of self-harm: a Danish population-based study. <i>Nordic Journal of Psychiatry</i> , 2019 , 1-9	2.3

