

Richard Britton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1692730/publications.pdf>

Version: 2024-02-01

42
papers

439
citations

687363

13
h-index

794594

19
g-index

44
all docs

44
docs citations

44
times ranked

341
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | EXILL – a high-efficiency, high-resolution setup for \hat{I}^3 -spectroscopy at an intense cold neutron beam facility. Journal of Instrumentation, 2017, 12, P11003-P11003. | 1.2 | 39 |
| 2 | Compton suppression systems for environmental radiological analysis. Journal of Radioanalytical and Nuclear Chemistry, 2012, 292, 33-39. | 1.5 | 28 |
| 3 | International challenge to model the long-range transport of radioxenon released from medical isotope production to six Comprehensive Nuclear-Test-Ban Treaty monitoring stations. Journal of Environmental Radioactivity, 2018, 192, 667-686. | 1.7 | 27 |
| 4 | Electromagnetic transition rates in the ^{80}N nucleus. $\frac{N}{Z} = \frac{80}{138}$ Physical Review C, 2013, 87, . | 2.9 | 25 |
| 5 | Quantifying radionuclide signatures from a \hat{I}^3 coincidence system. Journal of Environmental Radioactivity, 2015, 149, 158-163. | 1.7 | 23 |
| 6 | A high-efficiency HPGe coincidence system for environmental analysis. Journal of Environmental Radioactivity, 2015, 146, 1-5. | 1.7 | 22 |
| 7 | Half-life of the yrast ^{88}W state in the transitional nucleus ^{88}W . Evolution of deformation and collectivity in neutron-rich tungsten isotopes. Physical Review C, 2013, 88, . | 2.9 | 21 |
| 8 | Preliminary simulations of NaI(Tl) detectors, and coincidence analysis using event stamping. Journal of Radioanalytical and Nuclear Chemistry, 2013, 295, 573-577. | 1.5 | 19 |
| 9 | Coincidence corrections for a multi-detector gamma spectrometer. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 769, 20-25. | 1.6 | 17 |
| 10 | Determining the efficiency of a broad-energy HPGe detector using Monte Carlo simulations. Journal of Radioanalytical and Nuclear Chemistry, 2013, 295, 2035-2041. | 1.5 | 16 |
| 11 | Monte-Carlo optimisation of a Compton suppression system for use with a broad-energy HPGe detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 762, 42-53. | 1.6 | 16 |
| 12 | Improving the effectiveness of a low-energy Compton suppression system. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 729, 64-68. | 1.6 | 15 |
| 13 | Characterisation of a SAGE well detector using GEANT4 and LabSOCS. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 786, 12-16. | 1.6 | 13 |
| 14 | Lifetime of the yrast ^{12}I and $^{12}\text{I}^{\pi}$ in the transitional nucleus ^{12}I . | 2.9 | 12 |
| 15 | Precision Lifetime Measurements Using LaBr ₃ Detectors With Stable and Radioactive Beams. EPJ Web of Conferences, 2013, 63, 01008. | 0.3 | 11 |
| 16 | Maximising the sensitivity of a \hat{I}^3 spectrometer for low-energy, low-activity radionuclides using Monte Carlo simulations. Journal of Environmental Radioactivity, 2014, 134, 1-5. | 1.7 | 9 |
| 17 | Performance testing of a Compton suppressed coincidence measurements using the Advanced Radionuclide Gamma-spectrometer. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 951, 163009. | 1.6 | 9 |
| 18 | Analysis of environmental radioxenon detections in the UK. Journal of Environmental Radioactivity, 2021, 234, 106629. | 1.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A rapid dissolution procedure to aid initial nuclear forensics investigations of chemically refractory compounds and particles prior to gamma spectrometry. <i>Analytica Chimica Acta</i> , 2015, 900, 1-9. | 5.4 | 8 |
| 20 | Incorporating X-ray summing into gamma-gamma signature quantification. <i>Applied Radiation and Isotopes</i> , 2016, 116, 128-133. | 1.5 | 8 |
| 21 | Measurement of ¹⁶⁰ Tb and ¹⁶¹ Tb in nuclear forensics samples. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 314, 727-736. | 1.5 | 8 |
| 22 | Analysis of radionuclide detection events on the International Monitoring System. <i>Journal of Environmental Radioactivity</i> , 2022, 242, 106789. | 1.7 | 8 |
| 23 | International inter-comparison exercise on ^{153}Sm . <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2018, 318, 107-115. | 1.5 | 7 |
| 24 | Limits of detection – Enhancing identification of anthropogenic radionuclides. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019, 947, 162818. | 1.6 | 7 |
| 25 | Development of a coincidence spectrometry system for radioxenon measurements. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020, 978, 164452. | 1.6 | 7 |
| 26 | Monte-Carlo based background reduction and shielding optimisation for a large hyper-pure germanium detector. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2013, 298, 1491-1499. | 1.5 | 6 |
| 27 | Monte Carlo characterisation of a Compton suppressed broad-energy HPGe detector. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2014, 300, 1253-1259. | 1.5 | 6 |
| 28 | Sub-nanosecond Half-life Measurement of the Yrast State in the ^{132}Sb . <i>Nuclear Data Sheets</i> , 2014, 120, 59-61. | 1.2 | 6 |
| 29 | An automated Monte-Carlo based method for the calculation of cascade summing factors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016, 834, 158-163. | 1.6 | 6 |
| 30 | Characterisation of cascade summing effects in gamma spectroscopy using Monte Carlo simulations. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2014, 299, 447-452. | 1.5 | 5 |
| 31 | Time sequence determination of parent-daughter radionuclides using gamma-spectrometry. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017, 313, 191-196. | 1.5 | 4 |
| 32 | Improving the sensitivity and reliability of radionuclide measurements at remote international monitoring stations. <i>Journal of Environmental Radioactivity</i> , 2020, 216, 106187. | 1.7 | 4 |
| 33 | Enhancing the detection sensitivity of a high-resolution ^{12}B ^{13}B coincidence spectrometer. <i>Journal of Environmental Radioactivity</i> , 2022, 250, 106915. | 1.7 | 4 |
| 34 | Coincidence-based High-resolution Analysis for On-site-inspection Spectrometry (CHAOS) development. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019, 940, 215-222. | 1.6 | 3 |
| 35 | [⁷ Li]-induced reactions for fast-timing with LaBr ₃ :Ce detectors. , 2012, , . | | 2 |
| 36 | A Consideration of Radioxenon Detections Around the Korean Peninsula. <i>Pure and Applied Geophysics</i> , 2021, 178, 2651-2664. | 1.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Next-generation particulate monitoring. Applied Radiation and Isotopes, 2022, 184, 110156. | 1.5 | 2 |
| 38 | Nanosecond lifetime measurements of π^{\pm} -intrinsic excited states and low-lying B(E1) strengths in ^{183}Re using combined HPGe-LaBr ₃ coincidence spectroscopy. Radiation Physics and Chemistry, 2017, 137, 7-11. | 2.8 | 1 |
| 39 | High resolution $\hat{2}^{\pm} \hat{3}^{\pm}$ coincidence spectrometry at the UK CTBT Radionuclide Laboratory. Journal of Physics: Conference Series, 2020, 1643, 012204. | 0.4 | 1 |
| 40 | A Software Package for Radionuclide Detection Event Analysis. Pure and Applied Geophysics, 0, , . | 1.9 | 1 |
| 41 | Electromagnetic Transition Rate Measurements in the $N=80$ Isotone, ^{138}Ce . Journal of Physics: Conference Series, 2012, 381, 012057. | 0.4 | 0 |
| 42 | Production and measurement of fission product noble gases. Journal of Environmental Radioactivity, 2021, 238-239, 106733. | 1.7 | 0 |