Amanda G. Thrift

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1692996/publications.pdf

Version: 2024-02-01

326 papers 70,705 citations

72 h-index 256 g-index

332 all docs 332 docs citations

times ranked

332

95812 citing authors

#	Article	IF	CITATIONS
1	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	13.7	5,847
2	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	13.7	5,578
3	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	13.7	5,298
4	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
5	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	13.7	4,934
6	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	13.7	4,203
7	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	13.7	3,565
8	Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2019, 393, 1958-1972.	13.7	3,062
9	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. Journal of the American College of Cardiology, 2017, 70, 1-25.	2.8	2,705
10	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
11	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 439-458.	10.2	2,005
12	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	13.7	1,879
13	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
14	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	13.7	1,589
15	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	13.7	1,544
16	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	10.2	1,521
17	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. JAMA - Journal of the American Medical Association, 2017, 317, 165.	7.4	1,492
18	Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. Neuroepidemiology, 2015, 45, 161-176.	2.3	1,002

#	Article	IF	CITATIONS
19	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.	27.0	959
20	Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. Lancet, The, 2015, 386, 46-55.	13.7	606
21	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	13.7	573
22	Inactive and Alone. Stroke, 2004, 35, 1005-1009.	2.0	524
23	The Global Burden of Anemia. Hematology/Oncology Clinics of North America, 2016, 30, 247-308.	2.2	493
24	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	13.7	413
25	Quality of Life After Stroke. Stroke, 2004, 35, 2340-2345.	2.0	381
26	Global stroke statistics. International Journal of Stroke, 2017, 12, 13-32.	5.9	351
27	Global Stroke Statistics. International Journal of Stroke, 2014, 9, 6-18.	5.9	329
28	A Very Early Rehabilitation Trial for Stroke (AVERT). Stroke, 2008, 39, 390-396.	2.0	328
29	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	13.7	284
30	Incidence of the Major Stroke Subtypes. Stroke, 2001, 32, 1732-1738.	2.0	279
31	Very Early Mobilization After Stroke Fast-Tracks Return to Walking. Stroke, 2011, 42, 153-158.	2.0	257
32	Prevention of stroke: a global perspective. Lancet, The, 2018, 392, 1269-1278.	13.7	256
33	Global Stroke Statistics 2019. International Journal of Stroke, 2020, 15, 819-838.	5.9	226
34	Statin Therapy and Outcome After Ischemic Stroke. Stroke, 2013, 44, 448-456.	2.0	200
35	Cost of Stroke in Australia From a Societal Perspective. Stroke, 2001, 32, 2409-2416.	2.0	191
36	Stroke Incidence on the East Coast of Australia. Stroke, 2000, 31, 2087-2092.	2.0	187

#	Article	IF	CITATIONS
37	Atlas of the Global Burden of Stroke (1990-2013): The GBD 2013 Study. Neuroepidemiology, 2015, 45, 230-236.	2.3	186
38	Sex differences in presentation, severity, and management of stroke in a population-based study. Neurology, 2010, 74, 975-981.	1.1	173
39	Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). Neurology, 2016, 86, 2138-2145.	1.1	170
40	Excessive Incidence of Stroke in Iran. Stroke, 2010, 41, e3-e10.	2.0	167
41	Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. Neuroepidemiology, 2015, 45, 203-214.	2.3	159
42	Primary stroke prevention worldwide: translating evidence into action. Lancet Public Health, The, 2022, 7, e74-e85.	10.0	156
43	Handicap After Stroke: How Does It Relate to Disability, Perception of Recovery, and Stroke Subtype?. Stroke, 2002, 33, 762-768.	2.0	148
44	Informal Care for Stroke Survivors. Stroke, 2002, 33, 1028-1033.	2.0	146
45	Three Important Subgroups of Hypertensive Persons at Greater Risk of Intracerebral Hemorrhage. Hypertension, 1998, 31, 1223-1229.	2.7	140
46	Interrater Reliability of the National Institutes of Health Stroke Scale: Rating by Neurologistsand N urses in a Community-Based Stroke Incidence Study. Cerebrovascular Diseases, 1999, 9, 323-327.	1.7	134
47	Brain Structural Change and Gait Decline: A Longitudinal Populationâ€Based Study. Journal of the American Geriatrics Society, 2013, 61, 1074-1079.	2.6	134
48	Risk Factors for Cerebral Hemorrhage in the Era of Well-Controlled Hypertension. Stroke, 1996, 27, 2020-2025.	2.0	128
49	Determinants of Handicap After Stroke. Stroke, 2004, 35, 715-720.	2.0	123
50	Long-Term Outcome in the North East Melbourne Stroke Incidence Study. Stroke, 2005, 36, 2082-2086.	2.0	123
51	Protocol and Pilot Data for Establishing the Australian Stroke Clinical Registry. International Journal of Stroke, 2010, 5, 217-226.	5.9	114
52	Not All Stroke Units Are the Same. Stroke, 2008, 39, 2059-2065.	2.0	111
53	Sex Differences in Long-Term Mortality After Stroke in the INSTRUCT (INternational STRoke oUtComes) Tj ETQq1	1 0,78431 2.2	4 rgBT /Ove
54	Increased Risk of Cognitive Impairment 3 Months After Mild to Moderate First-Ever Stroke. Stroke, 2003, 34, 1136-1143.	2.0	108

#	Article	IF	Citations
55	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. Lancet, The, 2017, 390, 588-599.	13.7	108
56	The Stroke Riskometerâ,,¢ App: Validation of a Data Collection Tool and Stroke Risk Predictor. International Journal of Stroke, 2015, 10, 231-244.	5.9	103
57	Risk Factors for Stroke Due to Cerebral Infarction in Young Adults. Stroke, 1997, 28, 1913-1918.	2.0	103
58	Long-Term Cognitive Transitions, Rates of Cognitive Change, and Predictors of Incident Dementia in a Population-Based First-Ever Stroke Cohort. Stroke, 2006, 37, 2479-2483.	2.0	102
59	National stroke registries for monitoring and improving the quality of hospital care: A systematic review. International Journal of Stroke, 2016, 11, 28-40.	5.9	96
60	Urinary symptoms and natural history of urinary continence after first-ever stroke—a longitudinal population-based study. Age and Ageing, 2012, 41, 371-376.	1.6	91
61	Knowledge of risk factors and warning signs of stroke. Vascular Health and Risk Management, 2005, 1, 137-147.	2.3	90
62	Ischemic stroke risk and passive exposure to spouses' cigarette smoking. Melbourne Stroke Risk Factor Study (MERFS) Group American Journal of Public Health, 1999, 89, 572-575.	2.7	88
63	Epidemiology of Intracerebral Hemorrhage. Epidemiologic Reviews, 1995, 17, 361-381.	3.5	87
64	Poverty and Stroke in India. Stroke, 2007, 38, 3063-3069.	2.0	87
65	Lifetime Cost of Stroke Subtypes in Australia. Stroke, 2003, 34, 2502-2507.	2.0	84
65	Lifetime Cost of Stroke Subtypes in Australia. Stroke, 2003, 34, 2502-2507. Stroke Units, Tissue Plasminogen Activator, Aspirin and Neuroprotection: Which Stroke Intervention Could Provide the Greatest Community Benefit?. Cerebrovascular Diseases, 2005, 20, 239-244.	2.0	84
	Stroke Units, Tissue Plasminogen Activator, Aspirin and Neuroprotection: Which Stroke Intervention		
66	Stroke Units, Tissue Plasminogen Activator, Aspirin and Neuroprotection: Which Stroke Intervention Could Provide the Greatest Community Benefit?. Cerebrovascular Diseases, 2005, 20, 239-244. Heavy Drinking, but Not Moderate or Intermediate Drinking, Increases the Risk of Intracerebral	1.7	83
66 67	Stroke Units, Tissue Plasminogen Activator, Aspirin and Neuroprotection: Which Stroke Intervention Could Provide the Greatest Community Benefit?. Cerebrovascular Diseases, 2005, 20, 239-244. Heavy Drinking, but Not Moderate or Intermediate Drinking, Increases the Risk of Intracerebral Hemorrhage. Epidemiology, 1999, 10, 307-312. Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review.	2.7	83
66 67 68	Stroke Units, Tissue Plasminogen Activator, Aspirin and Neuroprotection: Which Stroke Intervention Could Provide the Greatest Community Benefit?. Cerebrovascular Diseases, 2005, 20, 239-244. Heavy Drinking, but Not Moderate or Intermediate Drinking, Increases the Risk of Intracerebral Hemorrhage. Epidemiology, 1999, 10, 307-312. Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. Neuroepidemiology, 2017, 49, 45-61. Estimating the Long-Term Costs Of Ischemic and Hemorrhagic Stroke for Australia. Stroke, 2009, 40,	1.7 2.7 2.3	83 81 81
66 67 68	Stroke Units, Tissue Plasminogen Activator, Aspirin and Neuroprotection: Which Stroke Intervention Could Provide the Greatest Community Benefit?. Cerebrovascular Diseases, 2005, 20, 239-244. Heavy Drinking, but Not Moderate or Intermediate Drinking, Increases the Risk of Intracerebral Hemorrhage. Epidemiology, 1999, 10, 307-312. Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. Neuroepidemiology, 2017, 49, 45-61. Estimating the Long-Term Costs Of Ischemic and Hemorrhagic Stroke for Australia. Stroke, 2009, 40, 915-921.	1.7 2.7 2.3	83 81 81 79

#	Article	IF	Citations
73	A Very Early Rehabilitation Trial (AVERT). International Journal of Stroke, 2006, 1, 169-171.	5.9	74
74	Longitudinal Relationships Between Cognitive Decline and Gait Slowing: The Tasmanian Study of Cognition and Gait. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 1226-1232.	3.6	74
75	Risk of Ischemic Stroke Among Users of the Oral Contraceptive Pill. Stroke, 2003, 34, 1575-1580.	2.0	71
76	Greater Incidence of Both Fatal and Nonfatal Strokes in Disadvantaged Areas. Stroke, 2006, 37, 877-882.	2.0	71
77	New Strategy to Reduce the Global Burden of Stroke. Stroke, 2015, 46, 1740-1747.	2.0	71
78	The Large and Growing Burden of Stroke. Current Drug Targets, 2007, 8, 786-793.	2.1	69
79	The state of stroke services across the globe: Report of World Stroke Organization–World Health Organization surveys. International Journal of Stroke, 2021, 16, 889-901.	5.9	68
80	The validity of brief screening cognitive instruments in the diagnosis of cognitive impairment and dementia after first-ever stroke. International Psychogeriatrics, 2006, 18, 295-305.	1.0	65
81	Very Early Mobilisation and Complications in the First 3 Months after Stroke: Further Results from Phase II of A Very Early Rehabilitation Trial (AVERT). Cerebrovascular Diseases, 2009, 28, 378-383.	1.7	65
82	Mobilisation â€~in Bed' Is Not Mobilisation. Cerebrovascular Diseases, 2007, 24, 157-158.	1.7	63
83	Urinary hypoxia: an intraoperative marker of risk of cardiac surgery-associated acute kidney injury. Nephrology Dialysis Transplantation, 2018, 33, 2191-2201.	0.7	63
84	Incidence of Stroke Subtypes in the North East Melbourne Stroke Incidence Study (NEMESIS): Differences between Men and Women. Neuroepidemiology, 2009, 32, 11-18.	2.3	62
85	The effect of very early mobilisation after stroke on psychological well-being. Journal of Rehabilitation Medicine, 2008, 40, 609-614.	1.1	60
86	The health loss from ischemic stroke and intracerebral hemorrhage: evidence from the North East Melbourne Stroke Incidence Study (NEMESIS). Health and Quality of Life Outcomes, 2010, 8, 49.	2.4	59
87	Melbourne Mobile Stroke Unit and Reperfusion Therapy. Stroke, 2020, 51, 922-930.	2.0	58
88	Economic Evaluation alongside a Phase II, Multi-Centre, Randomised Controlled Trial of Very Early Rehabilitation after Stroke (AVERT). Cerebrovascular Diseases, 2008, 26, 475-481.	1.7	57
89	Long-Term Costs of Stroke Using 10-Year Longitudinal Data From the North East Melbourne Stroke Incidence Study. Stroke, 2014, 45, 3389-3394.	2.0	56
90	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. Cardiology Clinics, 2017, 35, 99-115.	2.2	56

#	Article	lF	Citations
91	Vascular cognitive impairment and Alzheimer's disease: role of cerebral hypoperfusion and oxidative stress. Naunyn-Schmiedeberg's Archives of Pharmacology, 2012, 385, 953-959.	3.0	55
92	Neighborhood socioeconomic index and stroke incidence in a national cohort of blacks and whites. Neurology, 2016, 87, 2340-2347.	1.1	55
93	Sex Differences in Long-Term Quality of Life Among Survivors After Stroke in the INSTRUCT. Stroke, 2019, 50, 2299-2306.	2.0	54
94	The Prevalence, Impact and Economic Implications of Atrial Fibrillation in Stroke: What Progress Has Been Made?. Neuroepidemiology, 2013, 40, 227-239.	2.3	53
95	Incidence and Outcome of Subtypes of Ischaemic Stroke: Initial Results from the North East Melbourne Stroke Incidence Study (NEMESIS). Cerebrovascular Diseases, 2003, 15, 133-139.	1.7	52
96	Gaps in Hypertension Guidelines in Low- and Middle-Income Versus High-Income Countries. Hypertension, 2016, 68, 1328-1337.	2.7	52
97	Sex Differences in Severity of Stroke in the INSTRUCT Study: a Metaâ€Analysis of Individual Participant Data. Journal of the American Heart Association, 2019, 8, e010235.	3.7	52
98	Factors associated with quality of life in 7-year survivors of stroke. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 1365-1371.	1.9	49
99	Do the socioeconomic and hypertension gradients in rural populations of low- and middle-income countries differ by geographical region? A systematic review and meta-analysis. International Journal of Epidemiology, 2014, 43, 1563-1577.	1.9	49
100	Prevalence of Depression and Use of Antidepressant Medication at 5-Years Poststroke in the North East Melbourne Stroke Incidence Study. Stroke, 2006, 37, 2854-2855.	2.0	48
101	Factors contributing to sex differences in functional outcomes and participation after stroke. Neurology, 2018, 90, e1945-e1953.	1.1	47
102	Progression of White Matter Hyperintensities of Presumed Vascular Origin Increases the Risk of Falls in Older People. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 360-366.	3.6	44
103	Addressing the challenges of crossâ€jurisdictional data linkage between a national clinical quality registry and governmentâ€held health data. Australian and New Zealand Journal of Public Health, 2016, 40, 436-442.	1.8	44
104	Long-term unmet needs and associated factors in stroke or TIA survivors. Neurology, 2017, 89, 68-75.	1.1	44
105	Patterns of Stroke Recurrence According to Subtype of First Stroke Event: The North East Melbourne Stroke Incidence Study (NEMESIS). International Journal of Stroke, 2008, 3, 158-164.	5.9	43
106	Global stroke statistics: An update of mortality data from countries using a broad code of "cerebrovascular diseases― International Journal of Stroke, 2017, 12, 796-801.	5.9	42
107	STROKOG (stroke and cognition consortium): An international consortium to examine the epidemiology, diagnosis, and treatment of neurocognitive disorders in relation to cerebrovascular disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 7, 11-23.	2.4	41
108	Evaluation of a training program of hypertension for accredited social health activists (ASHA) in rural India. BMC Health Services Research, 2018, 18, 320.	2.2	41

#	Article	IF	Citations
109	Effectiveness of a scalable group-based education and monitoring program, delivered by health workers, to improve control of hypertension in rural India: A cluster randomised controlled trial. PLoS Medicine, 2020, 17, e1002997.	8.4	41
110	Control of Hypertension 5 Years After Stroke in the North East Melbourne Stroke Incidence Study. Hypertension, 2006, 48, 260-265.	2.7	39
111	Task-shifting for cardiovascular risk factor management: lessons from the Global Alliance for Chronic Diseases. BMJ Global Health, 2018, 3, e001092.	4.7	39
112	Is prestroke use of angiotensin-converting enzyme inhibitors associated with better outcome?. Neurology, 2007, 68, 1687-1693.	1.1	38
113	Socioeconomic disparities in stroke rates and outcome: pooled analysis of stroke incidence studies in Australia and New Zealand. Medical Journal of Australia, 2011, 195, 10-14.	1.7	38
114	Incidence, recurrence, and long-term survival of ischemic stroke subtypes: A population-based study in the Middle East. International Journal of Stroke, 2017, 12, 835-843.	5.9	38
115	Riskâ€adjusted hospital mortality rates for stroke: evidence from the Australian Stroke Clinical Registry (AuSCR). Medical Journal of Australia, 2017, 206, 345-350.	1.7	37
116	The Risk of Intracerebral Haemorrhage with Smoking. Cerebrovascular Diseases, 1999, 9, 34-39.	1.7	36
117	Discharge Is a Critical Time to Influence 10-Year Use of Secondary Prevention Therapies for Stroke. Stroke, 2014, 45, 539-544.	2.0	36
118	Factors that confound the prediction of renal medullary oxygenation and risk of acute kidney injury from measurement of bladder urine oxygen tension. Acta Physiologica, 2019, 227, e13294.	3.8	36
119	The role of context in implementation research for non-communicable diseases: Answering the â€~how-to' dilemma. PLoS ONE, 2019, 14, e0214454.	2.5	35
120	Exploring Barriers to and Enablers of the Adoption of Information and Communication Technology for the Care of Older Adults With Chronic Diseases: Scoping Review. JMIR Aging, 2022, 5, e25251.	3.0	35
121	Early mobilization and quality of life after stroke. Neurology, 2019, 93, e717-e728.	1.1	34
122	Trial Application of a Model of Resource Utilization, Costs, and Outcomes for Stroke (MORUCOS) to Assist Priority Setting in Stroke. Stroke, 2004, 35, 1041-1046.	2.0	33
123	Rationale and design of a randomized controlled trial of pneumococcal polysaccharide vaccine for prevention of cardiovascular events: The Australian Study for the Prevention through Immunization of Cardiovascular Events (AUSPICE). American Heart Journal, 2016, 177, 58-65.	2.7	33
124	Improving acute stroke care in regional hospitals: clinical evaluation of the Victorian Stroke Telemedicine program. Medical Journal of Australia, 2020, 212, 371-377.	1.7	33
125	Baseline Smoking Status and the Long-Term Risk of Death or Nonfatal Vascular Event in People with Stroke. Stroke, 2012, 43, 3173-3178.	2.0	32
126	Economic evaluation of the Melbourne Mobile Stroke Unit. International Journal of Stroke, 2021, 16, 466-475.	5.9	32

#	Article	IF	Citations
127	Sex Disparities in Enrollment in Recent Randomized Clinical Trials of Acute Stroke. JAMA Neurology, 2021, 78, 666.	9.0	32
128	Geomagnetic Storms Can Trigger Stroke. Stroke, 2014, 45, 1639-1645.	2.0	31
129	Maximising data value and avoiding data waste: a validation study in stroke research. Medical Journal of Australia, 2019, 210, 27-31.	1.7	31
130	Comparison of Stroke Warning Sign Campaigns in Australia, England, and Canada. International Journal of Stroke, 2013, 8, 28-31.	5.9	30
131	Process evaluation in the field: global learnings from seven implementation research hypertension projects in low-and middle-income countries. BMC Public Health, 2019, 19, 953.	2.9	30
132	Trends Over Time in the Risk of Stroke After an Incident Transient Ischemic Attack. Stroke, 2014, 45, 3214-3218.	2.0	29
133	Utility of the Hospital Frailty Risk Score Derived From Administrative Data and the Association With Stroke Outcomes. Stroke, 2021, 52, 2874-2881.	2.0	29
134	Better outcomes for hospitalized patients with TIA when in stroke units. Neurology, 2016, 86, 2042-2048.	1.1	27
135	Promising Use of Big Data to Increase the Efficiency and Comprehensiveness of Stroke Outcomes Research. Stroke, 2019, 50, 1302-1309.	2.0	27
136	Potential roles of high salt intake and maternal malnutrition in the development of hypertension in disadvantaged populations. Clinical and Experimental Pharmacology and Physiology, 2010, 37, e78-90.	1.9	26
137	Lower systolic blood pressure is associated with poorer survival in long-term survivors of stroke. Journal of Hypertension, 2014, 32, 904-911.	0.5	26
138	Community-Based Intervention to Improve Cardiometabolic Targets in Patients With Stroke. Stroke, 2017, 48, 2504-2510.	2.0	26
139	Factors Associated With 90-Day Readmission After Stroke or Transient Ischemic Attack. Stroke, 2020, 51, 571-578.	2.0	26
140	†Out of pocket' costs to stroke patients during the first year after stroke – results from the North East Melbourne Stroke Incidence Study. Journal of Clinical Neuroscience, 2004, 11, 134-137.	1.5	25
141	Multicenter, Prospective, Controlled, Before-and-After, Quality Improvement Study (Stroke123) of Acute Stroke Care. Stroke, 2019, 50, 1525-1530.	2.0	25
142	HYPERTENSION 2020: CONFRONTING TOMORROW'S PROBLEM TODAY. Clinical and Experimental Pharmacology and Physiology, 2005, 32, 374-376.	1.9	24
143	Behaviour change strategies for reducing blood pressure-related disease burden: findings from a global implementation research programme. Implementation Science, 2015, 10, 158.	6.9	24
144	Sex Differences in Care and Long-Term Mortality After Stroke: Australian Stroke Clinical Registry. Journal of Women's Health, 2019, 28, 712-720.	3.3	24

#	Article	IF	CITATIONS
145	Why invest in a national public health program for stroke?. Health Policy, 2007, 83, 287-294.	3.0	23
146	Excess stroke incidence in young Aboriginal people in South Australia: Pooled results from two population-based studies. International Journal of Stroke, 2018, 13, 811-814.	5.9	23
147	Statistical Analysis Plan (SAP) for a Very Early Rehabilitation Trial (AVERT): An International Trial to Determine the Efficacy and Safety of Commencing out of Bed Standing and Walking Training (Very) Tj ETQq1 1 Stroke. 2015. 10. 23-24.	0.784314	rgBT /Overlo
148	Transitioning from a single-site pilot project to a state-wide regional telehealth service: The experience from the Victorian Stroke Telemedicine programme. Journal of Telemedicine and Telecare, 2017, 23, 850-855.	2.7	22
149	Pilot randomised clinical trial of an eHealth, self-management support intervention (iVERVE) for stroke: feasibility assessment in survivorsÂ12–24 months post-event. Pilot and Feasibility Studies, 2020, 6, 172.	1.2	22
150	Gender-specific effects of caste and salt on hypertension in poverty: a population-based study. Journal of Hypertension, 2011, 29, 443-450.	0.5	21
151	What is Stroke Symptom Knowledge?. International Journal of Stroke, 2014, 9, 48-52.	5.9	21
152	Effectiveness of a shared team approach between nurses and doctors for improved risk factor management in survivors of stroke: a cluster randomized controlled trial. European Journal of Neurology, 2017, 24, 920-928.	3.3	21
153	Advances in Stroke 2017. Stroke, 2018, 49, e174-e199.	2.0	21
154	Factors influencing self-reported anxiety or depression following stroke or TIA using linked registry and hospital data. Quality of Life Research, 2018, 27, 3145-3155.	3.1	21
155	Long-term disability after stroke in Iran: Evidence from the Mashhad Stroke Incidence Study. International Journal of Stroke, 2019, 14, 44-47.	5.9	21
156	Stroke systems of care in high-income countries: what is optimal?. Lancet, The, 2020, 396, 1433-1442.	13.7	20
157	Greater Adherence to Secondary Prevention Medications Improves Survival After Stroke or Transient Ischemic Attack: A Linked Registry Study. Stroke, 2021, 52, 3569-3577.	2.0	20
158	SEX DIFFERENCES IN PRESENTATION, SEVERITY, AND MANAGEMENT OF STROKE IN A POPULATION-BASED STUDY. Neurology, 2010, 75, 670-671.	1.1	19
159	Adiposity has a greater impact on hypertension in lean than not-lean populations: a systematic review and meta-analysis. European Journal of Epidemiology, 2014, 29, 311-324.	5.7	19
160	Five-Year Recurrence Rate and the Predictors Following Stroke in the Mashhad Stroke Incidence Study: A Population-Based Cohort Study of Stroke in the Middle East. Neuroepidemiology, 2018, 50, 18-22.	2.3	19
161	Patterns of Use and Discontinuation of Secondary Prevention Medications After Stroke. Neurology, 2021, 96, e30-e41.	1.1	19
162	Inter-rater reliability of stroke sub-type classification by neurologists and nurses within a community-based stroke incidence study. Journal of Clinical Neuroscience, 2001, 8, 14-17.	1.5	18

#	Article	IF	Citations
163	Reduced Risk of Intracerebral Hemorrhage With Dynamic Recreational Exercise but Not With Heavy Work Activity. Stroke, 2002, 33, 559-564.	2.0	18
164	Cholesterol Is Associated With Stroke, but Is Not a Risk Factor. Stroke, 2004, 35, 1524-1525.	2.0	18
165	Development and application of Model of Resource Utilization, Costs, and Outcomes for Stroke (MORUCOS): An Australian economic model for stroke. International Journal of Technology Assessment in Health Care, 2005, 21, 499-505.	0.5	18
166	Smoking Cessation at 5 Years after Stroke in the North East Melbourne Stroke Incidence Study. Neuroepidemiology, 2009, 32, 196-200.	2.3	18
167	Exploring the benefits of a stroke telemedicine programme: An organisational and societal perspective. Journal of Telemedicine and Telecare, 2016, 22, 489-494.	2.7	18
168	Factors associated with awareness, treatment and control of hypertension in a disadvantaged rural Indian population. Journal of Human Hypertension, 2017, 31, 347-353.	2.2	18
169	Stroke Severity Versus Dysphagia Screen as Driver for Post-stroke Pneumonia. Frontiers in Neurology, 2019, 10, 16.	2.4	18
170	Aboriginal and Torres Strait Islander Peoples and the Burden of Stroke. International Journal of Stroke, 2007, 2, 57-59.	5.9	17
171	AVERT2(a very early rehabilitation trial, a very effective reproductive trigger): retrospective observational analysis of the number of babies born to trial staff. BMJ, The, 2015, 351, h6432.	6.0	17
172	One-year case fatality rate following stroke in the Mashhad Stroke Incidence Study: a population-based study of stroke in Iran. International Journal of Stroke, 2015, 10, 96-102.	5.9	17
173	Exploring threats to generalisability in a large international rehabilitation trial (AVERT). BMJ Open, 2015, 5, e008378.	1.9	17
174	Cluster randomised feasibility trial to improve the Control of Hypertension In Rural India (CHIRI): a study protocol. BMJ Open, 2016, 6, e012404.	1.9	17
175	A Risk Score to Predict Hypertension in Primary Care Settings in Rural India. Asia-Pacific Journal of Public Health, 2016, 28, 26S-31S.	1.0	17
176	Regional differences in the care and outcomes of acute stroke patients in Australia: an observational study using evidence from the Australian Stroke Clinical Registry (AuSCR). BMJ Open, 2021, 11, e040418.	1.9	17
177	Organized Blood Pressure Control Programs to Prevent Stroke in Australia. Stroke, 2012, 43, 1370-1375.	2.0	16
178	Risk Factor Management in Survivors of Stroke: A Double-Blind, Cluster-Randomized, Controlled Trial. International Journal of Stroke, 2014, 9, 652-657.	5.9	16
179	Quality of stroke guidelines in low- and middle-income countries: a systematic review. Bulletin of the World Health Organization, 2021, 99, 640-652E.	3.3	16
180	Association between salt and hypertension in rural and urban populations of low to middle income countries: a systematic review and meta-analysis of population based studies. Asia Pacific Journal of Clinical Nutrition, 2016, 25, 402-13.	0.4	16

#	Article	IF	Citations
181	Reduced frequency of high cholesterol levels among patients with intracerebral haemorrhage. Journal of Clinical Neuroscience, 2002, 9, 376-380.	1.5	15
182	Excess Risk of Stroke in Australia's Aboriginal and Torres Strait Islander Populations. Stroke, 2011, 42, 1501-1502.	2.0	15
183	Methodology of the Stroke Self-Management Rehabilitation Trial: An International, Multisite Pilot Trial. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 297-303.	1.6	15
184	Treatment and Outcomes of Working Aged Adults with Stroke: Results from a National Prospective Registry. Neuroepidemiology, 2017, 49, 113-120.	2.3	15
185	Improving quality and outcomes of stroke care in hospitals: Protocol and statistical analysis plan for the Stroke123 implementation study. International Journal of Stroke, 2018, 13, 96-106.	5.9	15
186	Development of an electronic health message system to support recovery after stroke: Inspiring Virtual Enabled Resources following Vascular Events (iVERVE). Patient Preference and Adherence, 2018, Volume 12, 1213-1224.	1.8	15
187	Hypertension in Rural India: The Contribution of Socioeconomic Position. Journal of the American Heart Association, 2020, 9, e014486.	3.7	15
188	Sex Differences in Causes of Death After Stroke: Evidence from a National, Prospective Registry. Journal of Women's Health, 2021, 30, 314-323.	3.3	15
189	Smoking as a Risk Factor for Stroke. Cerebrovascular Diseases, 1993, 3, 129-138.	1.7	14
190	The role of blood pressure lowering before and after stroke. Current Opinion in Neurology, 2003, 16, 81-86.	3.6	14
191	Smoking as a Crucial Independent Determinant of Stroke. Tobacco Induced Diseases, 2004, 2, 67.	0.6	14
192	Estimating the Prevalence of Sleep-Disordered Breathing in Community-Based, Long-Term Stroke Survivors Using a Validated Predictive Model. Cerebrovascular Diseases, 2008, 26, 441-446.	1.7	14
193	Personalized medicine and stroke prevention: where are we?. Vascular Health and Risk Management, 2015, 11, 601.	2.3	14
194	Prescription of antihypertensive medication at discharge influences survival following stroke. Neurology, 2018, 90, e745-e753.	1.1	14
195	Knowledge of risk factors for hypertension in a rural Indian population. Heart Asia, 2019, 11, e011136.	1.1	14
196	Establishment of an internationally agreed minimum data set for acute telestroke. Journal of Telemedicine and Telecare, 2021, 27, 582-589.	2.7	14
197	Sex differences in quality of life after stroke were explained by patient factors, not clinical care: evidence from the Australian Stroke Clinical Registry. European Journal of Neurology, 2021, 28, 469-478.	3.3	14
198	Association between Farming and Chronic Energy Deficiency in Rural South India. PLoS ONE, 2014, 9, e87423.	2.5	14

#	Article	IF	Citations
199	Quality of Life Is Poorer for Patients With Stroke Who Require an Interpreter. Stroke, 2018, 49, 761-764.	2.0	13
200	Early Mobilization After Stroke Is Not Associated With Cognitive Outcome. Stroke, 2018, 49, 2147-2154.	2.0	13
201	Sex differences in risk factors for aneurysmal subarachnoid haemorrhage: Systematic review and meta-analysis. Journal of the Neurological Sciences, 2019, 406, 116446.	0.6	13
202	Regular physical activity postpones age of occurrence of first-ever stroke and improves long-term outcomes. Neurological Sciences, 2021, 42, 3203-3210.	1.9	13
203	Sex differences in aneurysmal subarachnoid haemorrhage (aSAH): aneurysm characteristics, neurological complications, and outcome. Acta Neurochirurgica, 2020, 162, 2271-2282.	1.7	13
204	Improving economic evaluations in stroke: A report from the ESO Health Economics Working Group. European Stroke Journal, 2020, 5, 184-192.	5.5	13
205	Factors Associated with Stroke Coding Quality: A Comparison of Registry and Administrative Data. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105469.	1.6	13
206	Individuals with firstâ€ever clinical presentation of a lacunar infarction syndrome: Is there an increased likelihood of developing mild cognitive impairment in the first 12 months after stroke?. Journal of Neuropsychology, 2008, 2, 373-385.	1.4	12
207	Handicap 5 Years after Stroke in the North East Melbourne Stroke Incidence Study. Cerebrovascular Diseases, 2009, 27, 123-130.	1.7	12
208	The Global Alliance for Chronic Diseases Supports 15 Major Studies in Hypertension Prevention and Control in Low―and Middleâ€Income Countries. Journal of Clinical Hypertension, 2016, 18, 600-605.	2.0	12
209	Socioeconomic Status and Long-Term Stroke Mortality, Recurrence and Disability in Iran: The Mashhad Stroke Incidence Study. Neuroepidemiology, 2019, 53, 27-31.	2.3	12
210	Outcomes for Patients With In-Hospital Stroke: A Multicenter Study From the Australian Stroke Clinical Registry (AuSCR). Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 1302-1310.	1.6	12
211	Evaluating recruitment strategies for <scp>AUSPICE</scp> , a large Australian communityâ€based randomised controlled trial. Medical Journal of Australia, 2019, 210, 409-415.	1.7	12
212	Stroke incidence and subtypes in Aboriginal people in remote Australia: a healthcare network population-based study. BMJ Open, 2020, 10, e039533.	1.9	12
213	Disparities in Antihypertensive Prescribing After Stroke. Stroke, 2019, 50, 3592-3599.	2.0	11
214	Heavy drinking, but not moderate or intermediate drinking, increases the risk of intracerebral hemorrhage. Epidemiology, 1999, 10, 307-12.	2.7	11
215	Effectiveness of an Intervention to Improve Risk Factor Knowledge in Patients With Stroke. Stroke, 2017, 48, 1101-1103.	2.0	10
216	Developing consensus measures for global programs: lessons from the Global Alliance for Chronic Diseases Hypertension research program. Globalization and Health, 2017, 13, 17.	4.9	10

#	Article	IF	CITATIONS
217	Intraoperative renal hypoxia and risk of cardiac surgeryâ€associated acute kidney injury. Journal of Cardiac Surgery, 2021, 36, 3577-3585.	0.7	10
218	Out of sight, out of mind: long-term outcomes for people discharged home, to inpatient rehabilitation and to residential aged care after stroke. Disability and Rehabilitation, 2022, 44, 2608-2614.	1.8	10
219	The role of blood pressure lowering before and after stroke. Current Opinion in Neurology, 2003, 16, 81-6.	3.6	10
220	Acute Brain Infarction: Early Changes in Neurological Status. Cerebrovascular Diseases, 1997, 7, 6-9.	1.7	9
221	No Evidence for an Epidemic of Stroke with the Ageing of the Population. Neuroepidemiology, 2012, 38, 268-273.	2.3	9
222	Self-Reported Exercise Prevalence and Determinants in the Long Term After Stroke: The North East Melbourne Stroke Incidence Study. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 2855-2863.	1.6	9
223	Epidemiology of Intracranial and Extracranial Large Artery Stenosis in a Population-Based Study of Stroke in the Middle East. Neuroepidemiology, 2017, 48, 188-192.	2.3	9
224	What is known about the cost-effectiveness of neuropsychological interventions for individuals with acquired brain injury? A scoping review. Neuropsychological Rehabilitation, 2021, 31, 316-344.	1.6	9
225	Intraâ€operative and early postâ€operative prediction of cardiac surgeryâ€associated acute kidney injury: Urinary oxygen tension compared with plasma and urinary biomarkers. Clinical and Experimental Pharmacology and Physiology, 2022, 49, 228-241.	1.9	9
226	Risk factors for incident cardiovascular events among adults in low- and middle-income countries: A systematic review and meta-analysis of prospective cohort studies. Preventive Medicine, 2022, 158, 107036.	3.4	9
227	Is Stroke Incidence in Low- to Middle-Income Countries Driven by Economics?. International Journal of Stroke, 2012, 7, 307-308.	5.9	8
228	Case-fatality and functional status three months after first-ever stroke in Vietnam. Journal of the Neurological Sciences, 2016, 365, 65-71.	0.6	8
229	Five-Year Case Fatality Following First-Ever Stroke in the Mashhad Stroke Incidence Study: A Population-Based Study of Stroke in the Middle East. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 1085-1089.	1.6	8
230	Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in INternational STRoke oUtComes sTudy (INSTRUCT). Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106201.	1.6	8
231	Quality of life after stroke: a longitudinal analysis of a cluster randomized trial. Quality of Life Research, 2022, 31, 2445-2455.	3.1	8
232	Towards better reporting of the proportion of days covered method in cardiovascular medication adherence: A scoping review and new tool TENâ€SPIDERS. British Journal of Clinical Pharmacology, 2022, 88, 4427-4442.	2.4	8
233	Incidence of first ever stroke during Hajj ceremony. BMC Neurology, 2013, 13, 193.	1.8	7
234	The potential health and economic impact of improving stroke care standards for Australia. International Journal of Stroke, 2017, 12, 875-885.	5.9	7

#	Article	IF	CITATIONS
235	Is length of time in a stroke unit associated with better outcomes for patients with stroke in Australia? An observational study. BMJ Open, 2018, 8, e022536.	1.9	7
236	Fatal and Nonfatal Events Within 14 days After Early, Intensive Mobilization Poststroke. Neurology, 2021, 96, .	1.1	7
237	Dynamic responses of renal oxygenation at the onset of cardiopulmonary bypass in sheep and man. Perfusion (United Kingdom), 2022, 37, 624-632.	1.0	7
238	Protocol of a randomized controlled trial investigating the effectiveness of Recovery-focused Community support to Avoid readmissions and improve Participation after Stroke (ReCAPS). International Journal of Stroke, 2022, 17, 236-241.	5 . 9	7
239	Feasibility of community health workers using a clinical decision support system to screen and monitor non-communicable diseases in resource-poor settings: study protocol. MHealth, 2021, 7, 15-15.	1.6	7
240	Generation of cardio-protective antibodies after pneumococcal polysaccharide vaccine: Early results from a randomised controlled trial. Atherosclerosis, 2022, 346, 68-74.	0.8	7
241	Estimating the Annual Number of Strokes and the Issue of Imperfect Data: An Example from Australia. International Journal of Stroke, 2014, 9, 19-22.	5.9	6
242	Nurse-Led Intervention to Improve Knowledge of Medications in Survivors of Stroke or Transient Ischemic Attack: A Cluster Randomized Controlled Trial. Frontiers in Neurology, 2016, 7, 205.	2.4	6
243	Long-Term Outcomes of Ischemic Stroke of Undetermined Mechanism: A Population-Based Prospective Cohort. Neuroepidemiology, 2017, 49, 160-164.	2.3	6
244	The Incidence and Characteristics of Stroke in Urban-Dwelling Iranian Women. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 547-554.	1.6	6
245	Hospital Presentations in Long-Term Survivors of Stroke. Stroke, 2020, 51, 3673-3680.	2.0	6
246	Incidence and risk factors for stroke following percutaneous coronary intervention. International Journal of Stroke, 2020, 15, 909-922.	5.9	6
247	Additive association of knowledge and awareness on control of hypertension: a cross-sectional survey in rural India. Journal of Hypertension, 2021, 39, 107-116.	0.5	6
248	Cerebrovascular disease and dementia. Drugs of Today, 2005, 41, 815.	1.1	6
249	Protocol for evaluation of enhanced models of primary care in the management of stroke and other chronic disease (PRECISE). International Journal of Population Data Science, 2019, 4, 1097.	0.1	6
250	ASHA-Led Community-Based Groups to Support Control of Hypertension in Rural India Are Feasible and Potentially Scalable. Frontiers in Medicine, 2021, 8, 771822.	2.6	6
251	Determining the sensitivity of emergency dispatcher and paramedic diagnosis of stroke: statewide registry linkage study. Journal of the American College of Emergency Physicians Open, 2022, 3, .	0.7	6
252	Systematic Review of Observational Studies. Neuroepidemiology, 2010, 34, 262-263.	2.3	5

#	Article	IF	CITATIONS
253	Statistical Analysis Plan (SAP) for Shared Team Approach between Nurses and Doctors for Improved Risk Factor Management (STANDFIRM): A Randomised Controlled Trial. International Journal of Stroke, 2015, 10, 770-772.	5.9	5
254	Maximizing Patient Recruitment and Retention in a Secondary Stroke Prevention Clinical Trial: Lessons Learned from the STAND FIRM Study. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1371-1380.	1.6	5
255	Blood Pressure, Aortic Stiffness, Hemodynamics, and Cognition in Twin Pairs Discordant for Type 2 Diabetes. Journal of Alzheimer's Disease, 2019, 71, 763-773.	2.6	5
256	Sex Differences in Disease Profiles, Management, and Outcomes Among People with Atrial Fibrillation After Ischemic Stroke: Aggregated and Individual Participant Data Meta-Analyses. Women S Health Reports, 2020, 1, 190-202.	0.8	5
257	Assuming one dose per day yields a similar estimate of medication adherence in patients with stroke: An exploratory analysis using linked registry data. British Journal of Clinical Pharmacology, 2021, 87, 1089-1097.	2.4	5
258	Perspectives on rehabilitation for Aboriginal people with stroke: a qualitative study. Topics in Stroke Rehabilitation, 2022, 29, 295-309.	1.9	5
259	The Allure of Big Data to Improve Stroke Outcomes: Review of Current Literature. Current Neurology and Neuroscience Reports, 2022, 22, 151-160.	4.2	5
260	Co-Designing a New Yoga-Based Mindfulness Intervention for Survivors of Stroke: A Formative Evaluation. Neurology International, 2022, 14, 1-10.	2.8	5
261	Absolute cardiovascular risk scores and medication use in rural India: a cross-sectional study. BMJ Open, 2022, 12, e054617.	1.9	5
262	Exploring dimensions of quality-of-life in survivors of stroke with communication disabilities – a brief report. Topics in Stroke Rehabilitation, 2023, 30, 603-609.	1.9	5
263	Hypertension and the risk of intracerebral haemorrhage: special considerations in patients with renal disease. Nephrology Dialysis Transplantation, 1999, 14, 2291-2292.	0.7	4
264	Design and Methods of Population Surveys. Neuroepidemiology, 2010, 34, 267-269.	2.3	4
265	Rejoinder: Socioeconomic gradients and hypertension in low- and middle-income countries: a straw man and no solutions. International Journal of Epidemiology, 2014, 43, 1581-1582.	1.9	4
266	Neurobehavioral disability in stroke patients during subacute inpatient rehabilitation: prevalence and biopsychosocial associations. Topics in Stroke Rehabilitation, 2018, 25, 527-534.	1.9	4
267	Determining the feasibility and preliminary efficacy of a stroke instructional and educational DVD in a multinational context: a randomized controlled pilot study. Clinical Rehabilitation, 2018, 32, 1086-1097.	2.2	4
268	Hospital admissions prior to primary intracerebral haemorrhage and relevant factors associated with survival. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 105026.	1.6	4
269	The Incidence of Stroke in Indigenous Populations of Countries With a Very High Human Development Index: A Systematic Review Protocol. Frontiers in Neurology, 2021, 12, 661570.	2.4	4
270	Factors associated with arrival by ambulance for patients with stroke: a multicentre, national data linkage study. Australasian Emergency Care, 2021, 24, 167-173.	1.5	4

#	Article	IF	CITATIONS
271	Increased Relative Functional Gain and Improved Stroke Outcomes: A Linked Registry Study of the Impact of Rehabilitation. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106015.	1.6	4
272	Economic Evaluation Protocol and Statistical Analysis Plan for the Cost-Effectiveness of a Novel Australian Stroke Telemedicine Program; the Victorian Stroke Telemedicine (VST) program. Frontiers in Neurology, 2020, 11, 602044.	2.4	4
273	Hypertension as a Risk Factor for Stroke Subtypes. Hypertension Research, 1994, 17, S51-S54.	2.7	4
274	Factors associated with mental health service access among Australian community-dwelling survivors of stroke. Disability and Rehabilitation, 2023, 45, 504-511.	1.8	4
275	Editorial Comment—Minor Risk Factors for Intracerebral Hemorrhage: The Jury Is Still Out. Stroke, 2003, 34, 2065-2066.	2.0	3
276	Advances in Health Policy and Outcome 2010–2011. Stroke, 2012, 43, 300-301.	2.0	3
277	Economic Evaluation of a Pre-Hospital Protocol for Patients with Suspected Acute Stroke. Frontiers in Public Health, 2018, 6, 43.	2.7	3
278	Prevalence of diabetes and pre-diabetes in rural Tehri Garhwal, India: influence of diagnostic method. BMC Public Health, 2019, 19, 817.	2.9	3
279	A longitudinal examination of the frequency and correlates of self-reported neurobehavioural disability following stroke. Disability and Rehabilitation, 2022, 44, 2823-2831.	1.8	3
280	Continuum of care approach for managing non-communicable diseases in low- and middle-income countries. Journal of Global Health, 2020, 10, 010337.	2.7	3
281	Renal and dietary factors associated with hypertension in a setting of disadvantage in rural India. Journal of Human Hypertension, 2021, 35, 1118-1128.	2.2	3
282	Agreement between pharmaceutical claims data and patient-reported medication use after stroke. International Journal of Pharmacy Practice, 2021, 29, 397-399.	0.6	3
283	Association of hypertension with infection and inflammation in a setting of disadvantage in rural India. Journal of Human Hypertension, 2022, 36, 1011-1020.	2.2	3
284	Adherence to evidence-based processes of care reduces one-year mortality after aneurysmal subarachnoid hemorrhage (aSAH). Journal of the Neurological Sciences, 2021, 428, 117613.	0.6	3
285	Treatment with Multiple Therapeutic Classes of Medication Is Associated with Survival after Stroke. Neuroepidemiology, 2022, 56, 66-74.	2.3	3
286	Effect of the Coronavirus Disease 2019 Pandemic on the Quality of Stroke Care in Stroke Units and Alternative Wards: A National Comparative Analysis. Journal of Stroke, 2022, 24, 79-87.	3.2	3
287	Optimal Measures for Primary Care Physician Encounters after Stroke and Association with Survival: A Data Linkage Study. Neuroepidemiology, 2022, 56, 90-96.	2.3	3
288	Novel dietary intake assessment in populations with poor literacy. Asia Pacific Journal of Clinical Nutrition, 2016, 25, 202-12.	0.4	3

#	Article	IF	CITATIONS
289	Design and development of a clinical decision support system for community health workers to support early detection and management of non-communicable disease. BMJ Innovations, 2023, 9, 49-56.	1.7	3
290	RE: "DOES TEA AFFECT CARDIOVASCULAR DISEASE? A META-ANALYSIS". American Journal of Epidemiology, 2002, 156, 490-490.	3.4	2
291	Vascular Cognitive Impairment. , 2007, , 223-233.		2
292	Chapter 17 Stroke among women, ethnic groups, young adults, and children. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2008, 92, 337-353.	1.8	2
293	Benefits and Challenges in Stroke Research in Developing Countries. Brain Impairment, 2008, 9, 198-204.	0.7	2
294	Case-Control Studies: The Importance of Design and Conduct. Neuroepidemiology, 2010, 34, 264-266.	2.3	2
295	How generalisable is INTERSTROKE?. Lancet, The, 2010, 376, 1538-1539.	13.7	2
296	A plea for the use of systematic review methodology when writing guidelines and timely publication of guidelines. Internal Medicine Journal, 2012, 42, 1369-1371.	0.8	2
297	Advances in Stroke. Stroke, 2014, 45, 361-362.	2.0	2
298	Obesity Paradox versus Frailty Syndrome in First-Ever Ischemic Stroke Survivors. International Journal of Stroke, 2015, 10, E75-E75.	5.9	2
299	Understanding the potential for yoga and tai chi interventions to moderate risk factors for stroke – a scoping review. Future Neurology, 2018, 13, 239-252.	0.5	2
300	Age, sex, and setting in the etiology of stroke study (ASSESS): Study design and protocol. Journal of the Neurological Sciences, 2019, 399, 209-213.	0.6	2
301	Weekend hospital discharge is associated with suboptimal care and outcomes: An observational Australian Stroke Clinical Registry study. International Journal of Stroke, 2019, 14, 430-438.	5.9	2
302	Risk Factors for Dementia. Neuroepidemiology, 2008, 31, 68-68.	2.3	1
303	Expanding antiplatelet use for patients with stroke. Neurology, 2014, 83, 778-779.	1.1	1
304	Potential cost-savings may be considerable with management of hypertension according to updated US hypertension guidelines, but for women aged 35–44 years these benefits are unlikely. Evidence-Based Medicine, 2015, 20, 150-150.	0.6	1
305	A Promising Skills-Based Intervention to Reduce Blood Pressure in Individuals With Stroke and Transient Ischemic Attack. JAMA Neurology, 2019, 76, 13.	9.0	1
306	Selfâ€perceived acute psychological stress and risk of mortality, recurrence and disability after stroke: Mashhad Stroke Incidence Study. Stress and Health, 2021, 37, 819-825.	2.6	1

#	Article	IF	Citations
307	Quality of Care and One-Year Outcomes in Patients with Diabetes Hospitalised for Stroke or TIA: A Linked Registry Study. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 106083.	1.6	1
308	Understanding of medications and associations with adherence, unmet needs, and perceived control of risk factors at two years post-stroke. Research in Social and Administrative Pharmacy, 2022, , .	3.0	1
309	A Meta-Analysis of Rupture Risk for Intracranial Aneurysms 10 mm or Less in Size Selected for Conservative Management Without Repair. Frontiers in Neurology, 2021, 12, 743023.	2.4	1
310	Applying systems thinking to identify enablers and challenges to scale-up interventions for hypertension and diabetes in low-income and middle-income countries: protocol for a longitudinal mixed-methods study. BMJ Open, 2022, 12, e053122.	1.9	1
311	Linking Data From the Australian Stroke Clinical Registry With Ambulance and Emergency Administrative Data in Victoria. Inquiry (United States), 2022, 59, 004695802211022.	0.9	1
312	Telemedicine for Stroke: Quantifying the Long-Term National Costs and Health Benefits. Frontiers in Neurology, 0, 12, .	2.4	1
313	Teaching Courses. Neuroepidemiology, 2009, 33, 317-320.	2.3	0
314	Missed opportunities to prevent stroke recurrence. Clinical and Experimental Pharmacology and Physiology, 2010, 37, no-no.	1.9	0
315	Authors' Response to: Data sources for measuring the socioeconomic gradient of hypertension in rural populations of low- and middle-income countries. International Journal of Epidemiology, 2015, 44, 1747-1747.	1.9	O
316	Preventing stroke on the street where you live, work, and play. Lancet Public Health, The, 2018, 3, e158-e159.	10.0	0
317	Measuring stroke and transient ischemic attack burden in New Zealand: Protocol for the fifth Auckland Regional Community Stroke Study (ARCOS V). International Journal of Stroke, 2020, 15, 573-583.	5.9	0
318	Linking Australian Stroke Clinical Registry data with Australian government Medicare and medication dispensing claims data and the potential for bias. Australian and New Zealand Journal of Public Health, 2021, 45, 364-369.	1.8	0
319	Vaccination Against Herpes Zoster and the Potential to Reduce the Global Burden of Stroke. Stroke, 2021, 52, 1722-1723.	2.0	0
320	961Absolute cardiovascular disease risk scores and medication use in rural India. International Journal of Epidemiology, 2021, 50, .	1.9	0
321	970Comparison of lab-and non-lab based absolute cardiovascular disease risk scores in rural India. International Journal of Epidemiology, 2021, 50, .	1.9	0
322	Qualitative study of Stroke Survivors' Perceptions of Secondary Prevention. Journal of Advanced Nursing, 2022, 78, 1377-1388.	3.3	0
323	Burden of Cardiovascular Diseases Among Aboriginal and Torres Strait Islander Peoples: Mortality, Hospitalization and Risk Factors., 2010,, 919-931.		0
324	Secondary stroke prevention and primary care physicians. International Journal of Family & Community Medicine, 2017, 1, 8-9.	0.1	0

#	Article	lF	CITATIONS
325	Costs of acute hospitalisation for stroke and transient ischaemic attack in Australia. Health Information Management Journal, 0, , 183335832210902.	1.2	O
326	Personalized knowledge to reduce the risk of stroke (PERKS-International): Protocol for a randomized controlled trial. International Journal of Stroke, 2023, 18, 477-483.	5.9	0