

Amanda G. Thrift

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1692996/publications.pdf>

Version: 2024-02-01

326
papers

70,705
citations

10351

72
h-index

660

255
g-index

332
all docs

332
docs citations

332
times ranked

95812
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national age ^a sex specific all-cause and cause-specific mortality for 240 causes of death, 1990 ^a –2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2015, 385, 117-171.	6.3	5,847
2	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990 ^a –2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1211-1259.	6.3	5,578
3	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990 ^a –2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1545-1602.	6.3	5,298
4	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990 ^a –2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2015, 386, 743-800.	6.3	4,951
5	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980 ^a –2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1459-1544.	6.3	4,934
6	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990 ^a –2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1659-1724.	6.3	4,203
7	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980 ^a –2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1151-1210.	6.3	3,565
8	Health effects of dietary risks in 195 countries, 1990 ^a –2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2019, 393, 1958-1972.	6.3	3,062
9	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , 2017, 70, 1-25.	1.2	2,705
10	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990 ^a –2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2015, 386, 2287-2323.	6.3	2,184
11	Global, regional, and national burden of stroke, 1990 ^a –2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 439-458.	4.9	2,005
12	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990 ^a –2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1345-1422.	6.3	1,879
13	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990 ^a –2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1603-1658.	6.3	1,612
14	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990 ^a –2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1260-1344.	6.3	1,589
15	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990 ^a –2013: quantifying the epidemiological transition. <i>Lancet</i> , The, 2015, 386, 2145-2191.	6.3	1,544
16	Global, regional, and national burden of neurological disorders during 1990 ^a –2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology</i> , The, 2017, 16, 877-897.	4.9	1,521
17	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 165.	3.8	1,492
18	Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. <i>Neuroepidemiology</i> , 2015, 45, 161-176.	1.1	1,002

#	ARTICLE	IF	CITATIONS
19	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , 2018, 379, 2429-2437.	13.9	959
20	Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 46-55.	6.3	606
21	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1084-1150.	6.3	573
22	Inactive and Alone. <i>Stroke</i> , 2004, 35, 1005-1009.	1.0	524
23	The Global Burden of Anemia. <i>Hematology/Oncology Clinics of North America</i> , 2016, 30, 247-308.	0.9	493
24	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	6.3	413
25	Quality of Life After Stroke. <i>Stroke</i> , 2004, 35, 2340-2345.	1.0	381
26	Global stroke statistics. <i>International Journal of Stroke</i> , 2017, 12, 13-32.	2.9	351
27	Global Stroke Statistics. <i>International Journal of Stroke</i> , 2014, 9, 6-18.	2.9	329
28	A Very Early Rehabilitation Trial for Stroke (AVERT). <i>Stroke</i> , 2008, 39, 390-396.	1.0	328
29	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1423-1459.	6.3	284
30	Incidence of the Major Stroke Subtypes. <i>Stroke</i> , 2001, 32, 1732-1738.	1.0	279
31	Very Early Mobilization After Stroke Fast-Tracks Return to Walking. <i>Stroke</i> , 2011, 42, 153-158.	1.0	257
32	Prevention of stroke: a global perspective. <i>Lancet, The</i> , 2018, 392, 1269-1278.	6.3	256
33	Global Stroke Statistics 2019. <i>International Journal of Stroke</i> , 2020, 15, 819-838.	2.9	226
34	Statin Therapy and Outcome After Ischemic Stroke. <i>Stroke</i> , 2013, 44, 448-456.	1.0	200
35	Cost of Stroke in Australia From a Societal Perspective. <i>Stroke</i> , 2001, 32, 2409-2416.	1.0	191
36	Stroke Incidence on the East Coast of Australia. <i>Stroke</i> , 2000, 31, 2087-2092.	1.0	187

#	ARTICLE	IF	CITATIONS
37	Atlas of the Global Burden of Stroke (1990-2013): The GBD 2013 Study. <i>Neuroepidemiology</i> , 2015, 45, 230-236.	1.1	186
38	Sex differences in presentation, severity, and management of stroke in a population-based study. <i>Neurology</i> , 2010, 74, 975-981.	1.5	173
39	Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). <i>Neurology</i> , 2016, 86, 2138-2145.	1.5	170
40	Excessive Incidence of Stroke in Iran. <i>Stroke</i> , 2010, 41, e3-e10.	1.0	167
41	Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. <i>Neuroepidemiology</i> , 2015, 45, 203-214.	1.1	159
42	Primary stroke prevention worldwide: translating evidence into action. <i>Lancet Public Health</i> , The, 2022, 7, e74-e85.	4.7	156
43	Handicap After Stroke: How Does It Relate to Disability, Perception of Recovery, and Stroke Subtype?. <i>Stroke</i> , 2002, 33, 762-768.	1.0	148
44	Informal Care for Stroke Survivors. <i>Stroke</i> , 2002, 33, 1028-1033.	1.0	146
45	Three Important Subgroups of Hypertensive Persons at Greater Risk of Intracerebral Hemorrhage. <i>Hypertension</i> , 1998, 31, 1223-1229.	1.3	140
46	Interrater Reliability of the National Institutes of Health Stroke Scale: Rating by Neurologists and Nurses in a Community-Based Stroke Incidence Study. <i>Cerebrovascular Diseases</i> , 1999, 9, 323-327.	0.8	134
47	Brain Structural Change and Gait Decline: A Longitudinal Population-Based Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 1074-1079.	1.3	134
48	Risk Factors for Cerebral Hemorrhage in the Era of Well-Controlled Hypertension. <i>Stroke</i> , 1996, 27, 2020-2025.	1.0	128
49	Determinants of Handicap After Stroke. <i>Stroke</i> , 2004, 35, 715-720.	1.0	123
50	Long-Term Outcome in the North East Melbourne Stroke Incidence Study. <i>Stroke</i> , 2005, 36, 2082-2086.	1.0	123
51	Protocol and Pilot Data for Establishing the Australian Stroke Clinical Registry. <i>International Journal of Stroke</i> , 2010, 5, 217-226.	2.9	114
52	Not All Stroke Units Are the Same. <i>Stroke</i> , 2008, 39, 2059-2065.	1.0	111
53	Sex Differences in Long-Term Mortality After Stroke in the INSTRUCT (INternational STroke oUtcomes) Trial. <i>Stroke</i> , 2017, 48, 1180-1186.	1.0	110
54	Increased Risk of Cognitive Impairment 3 Months After Mild to Moderate First-Ever Stroke. <i>Stroke</i> , 2003, 34, 1136-1143.	1.0	108

#	ARTICLE	IF	CITATIONS
55	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. <i>Lancet</i> , The, 2017, 390, 588-599.	6.3	108
56	The Stroke Riskometer™ App: Validation of a Data Collection Tool and Stroke Risk Predictor. <i>International Journal of Stroke</i> , 2015, 10, 231-244.	2.9	103
57	Risk Factors for Stroke Due to Cerebral Infarction in Young Adults. <i>Stroke</i> , 1997, 28, 1913-1918.	1.0	103
58	Long-Term Cognitive Transitions, Rates of Cognitive Change, and Predictors of Incident Dementia in a Population-Based First-Ever Stroke Cohort. <i>Stroke</i> , 2006, 37, 2479-2483.	1.0	102
59	National stroke registries for monitoring and improving the quality of hospital care: A systematic review. <i>International Journal of Stroke</i> , 2016, 11, 28-40.	2.9	96
60	Urinary symptoms and natural history of urinary continence after first-ever stroke—a longitudinal population-based study. <i>Age and Ageing</i> , 2012, 41, 371-376.	0.7	91
61	Knowledge of risk factors and warning signs of stroke. <i>Vascular Health and Risk Management</i> , 2005, 1, 137-147.	1.0	90
62	Ischemic stroke risk and passive exposure to spouses' cigarette smoking. Melbourne Stroke Risk Factor Study (MERFS) Group. <i>American Journal of Public Health</i> , 1999, 89, 572-575.	1.5	88
63	Epidemiology of Intracerebral Hemorrhage. <i>Epidemiologic Reviews</i> , 1995, 17, 361-381.	1.3	87
64	Poverty and Stroke in India. <i>Stroke</i> , 2007, 38, 3063-3069.	1.0	87
65	Lifetime Cost of Stroke Subtypes in Australia. <i>Stroke</i> , 2003, 34, 2502-2507.	1.0	84
66	Stroke Units, Tissue Plasminogen Activator, Aspirin and Neuroprotection: Which Stroke Intervention Could Provide the Greatest Community Benefit?. <i>Cerebrovascular Diseases</i> , 2005, 20, 239-244.	0.8	83
67	Heavy Drinking, but Not Moderate or Intermediate Drinking, Increases the Risk of Intracerebral Hemorrhage. <i>Epidemiology</i> , 1999, 10, 307-312.	1.2	81
68	Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. <i>Neuroepidemiology</i> , 2017, 49, 45-61.	1.1	81
69	Estimating the Long-Term Costs Of Ischemic and Hemorrhagic Stroke for Australia. <i>Stroke</i> , 2009, 40, 915-921.	1.0	79
70	Progressive dementia after first-ever stroke. <i>Neurology</i> , 2004, 63, 785-792.	1.5	78
71	Brief Comprehensive Quality of Life Assessment After Stroke. <i>Stroke</i> , 2002, 33, 2888-2894.	1.0	77
72	Risk of primary intracerebral haemorrhage associated with aspirin and non-steroidal anti-inflammatory drugs: case-control study. <i>BMJ: British Medical Journal</i> , 1999, 318, 759-764.	2.4	76

#	ARTICLE	IF	CITATIONS
73	A Very Early Rehabilitation Trial (AVERT). <i>International Journal of Stroke</i> , 2006, 1, 169-171.	2.9	74
74	Longitudinal Relationships Between Cognitive Decline and Gait Slowing: The Tasmanian Study of Cognition and Gait. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 1226-1232.	1.7	74
75	Risk of Ischemic Stroke Among Users of the Oral Contraceptive Pill. <i>Stroke</i> , 2003, 34, 1575-1580.	1.0	71
76	Greater Incidence of Both Fatal and Nonfatal Strokes in Disadvantaged Areas. <i>Stroke</i> , 2006, 37, 877-882.	1.0	71
77	New Strategy to Reduce the Global Burden of Stroke. <i>Stroke</i> , 2015, 46, 1740-1747.	1.0	71
78	The Large and Growing Burden of Stroke. <i>Current Drug Targets</i> , 2007, 8, 786-793.	1.0	69
79	The state of stroke services across the globe: Report of World Stroke Organization's World Health Organization surveys. <i>International Journal of Stroke</i> , 2021, 16, 889-901.	2.9	68
80	The validity of brief screening cognitive instruments in the diagnosis of cognitive impairment and dementia after first-ever stroke. <i>International Psychogeriatrics</i> , 2006, 18, 295-305.	0.6	65
81	Very Early Mobilisation and Complications in the First 3 Months after Stroke: Further Results from Phase II of A Very Early Rehabilitation Trial (AVERT). <i>Cerebrovascular Diseases</i> , 2009, 28, 378-383.	0.8	65
82	Mobilisation "in Bed" Is Not Mobilisation. <i>Cerebrovascular Diseases</i> , 2007, 24, 157-158.	0.8	63
83	Urinary hypoxia: an intraoperative marker of risk of cardiac surgery-associated acute kidney injury. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 2191-2201.	0.4	63
84	Incidence of Stroke Subtypes in the North East Melbourne Stroke Incidence Study (NEMESIS): Differences between Men and Women. <i>Neuroepidemiology</i> , 2009, 32, 11-18.	1.1	62
85	The effect of very early mobilisation after stroke on psychological well-being. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 609-614.	0.8	60
86	The health loss from ischemic stroke and intracerebral hemorrhage: evidence from the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Health and Quality of Life Outcomes</i> , 2010, 8, 49.	1.0	59
87	Melbourne Mobile Stroke Unit and Reperfusion Therapy. <i>Stroke</i> , 2020, 51, 922-930.	1.0	58
88	Economic Evaluation alongside a Phase II, Multi-Centre, Randomised Controlled Trial of Very Early Rehabilitation after Stroke (AVERT). <i>Cerebrovascular Diseases</i> , 2008, 26, 475-481.	0.8	57
89	Long-Term Costs of Stroke Using 10-Year Longitudinal Data From the North East Melbourne Stroke Incidence Study. <i>Stroke</i> , 2014, 45, 3389-3394.	1.0	56
90	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. <i>Cardiology Clinics</i> , 2017, 35, 99-115.	0.9	56

#	ARTICLE	IF	CITATIONS
91	Vascular cognitive impairment and Alzheimer's disease: role of cerebral hypoperfusion and oxidative stress. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2012, 385, 953-959.	1.4	55
92	Neighborhood socioeconomic index and stroke incidence in a national cohort of blacks and whites. <i>Neurology</i> , 2016, 87, 2340-2347.	1.5	55
93	Sex Differences in Long-Term Quality of Life Among Survivors After Stroke in the INSTRUCT. <i>Stroke</i> , 2019, 50, 2299-2306.	1.0	54
94	The Prevalence, Impact and Economic Implications of Atrial Fibrillation in Stroke: What Progress Has Been Made?. <i>Neuroepidemiology</i> , 2013, 40, 227-239.	1.1	53
95	Incidence and Outcome of Subtypes of Ischaemic Stroke: Initial Results from the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Cerebrovascular Diseases</i> , 2003, 15, 133-139.	0.8	52
96	Gaps in Hypertension Guidelines in Low- and Middle-Income Versus High-Income Countries. <i>Hypertension</i> , 2016, 68, 1328-1337.	1.3	52
97	Sex Differences in Severity of Stroke in the INSTRUCT Study: a Meta-Analysis of Individual Participant Data. <i>Journal of the American Heart Association</i> , 2019, 8, e010235.	1.6	52
98	Factors associated with quality of life in 7-year survivors of stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1365-1371.	0.9	49
99	Do the socioeconomic and hypertension gradients in rural populations of low- and middle-income countries differ by geographical region? A systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2014, 43, 1563-1577.	0.9	49
100	Prevalence of Depression and Use of Antidepressant Medication at 5-Years Poststroke in the North East Melbourne Stroke Incidence Study. <i>Stroke</i> , 2006, 37, 2854-2855.	1.0	48
101	Factors contributing to sex differences in functional outcomes and participation after stroke. <i>Neurology</i> , 2018, 90, e1945-e1953.	1.5	47
102	Progression of White Matter Hyperintensities of Presumed Vascular Origin Increases the Risk of Falls in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 360-366.	1.7	44
103	Addressing the challenges of cross-jurisdictional data linkage between a national clinical quality registry and government-held health data. <i>Australian and New Zealand Journal of Public Health</i> , 2016, 40, 436-442.	0.8	44
104	Long-term unmet needs and associated factors in stroke or TIA survivors. <i>Neurology</i> , 2017, 89, 68-75.	1.5	44
105	Patterns of Stroke Recurrence According to Subtype of First Stroke Event: The North East Melbourne Stroke Incidence Study (NEMESIS). <i>International Journal of Stroke</i> , 2008, 3, 158-164.	2.9	43
106	Global stroke statistics: An update of mortality data from countries using a broad code of 'cerebrovascular diseases'. <i>International Journal of Stroke</i> , 2017, 12, 796-801.	2.9	42
107	STROKOG (stroke and cognition consortium): An international consortium to examine the epidemiology, diagnosis, and treatment of neurocognitive disorders in relation to cerebrovascular disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 7, 11-23.	1.2	41
108	Evaluation of a training program of hypertension for accredited social health activists (ASHA) in rural India. <i>BMC Health Services Research</i> , 2018, 18, 320.	0.9	41

#	ARTICLE	IF	CITATIONS
109	Effectiveness of a scalable group-based education and monitoring program, delivered by health workers, to improve control of hypertension in rural India: A cluster randomised controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1002997.	3.9	41
110	Control of Hypertension 5 Years After Stroke in the North East Melbourne Stroke Incidence Study. <i>Hypertension</i> , 2006, 48, 260-265.	1.3	39
111	Task-shifting for cardiovascular risk factor management: lessons from the Global Alliance for Chronic Diseases. <i>BMJ Global Health</i> , 2018, 3, e001092.	2.0	39
112	Is prestroke use of angiotensin-converting enzyme inhibitors associated with better outcome?. <i>Neurology</i> , 2007, 68, 1687-1693.	1.5	38
113	Socioeconomic disparities in stroke rates and outcome: pooled analysis of stroke incidence studies in Australia and New Zealand. <i>Medical Journal of Australia</i> , 2011, 195, 10-14.	0.8	38
114	Incidence, recurrence, and long-term survival of ischemic stroke subtypes: A population-based study in the Middle East. <i>International Journal of Stroke</i> , 2017, 12, 835-843.	2.9	38
115	Risk-adjusted hospital mortality rates for stroke: evidence from the Australian Stroke Clinical Registry (AuSCR). <i>Medical Journal of Australia</i> , 2017, 206, 345-350.	0.8	37
116	The Risk of Intracerebral Haemorrhage with Smoking. <i>Cerebrovascular Diseases</i> , 1999, 9, 34-39.	0.8	36
117	Discharge Is a Critical Time to Influence 10-Year Use of Secondary Prevention Therapies for Stroke. <i>Stroke</i> , 2014, 45, 539-544.	1.0	36
118	Factors that confound the prediction of renal medullary oxygenation and risk of acute kidney injury from measurement of bladder urine oxygen tension. <i>Acta Physiologica</i> , 2019, 227, e13294.	1.8	36
119	The role of context in implementation research for non-communicable diseases: Answering the "how-to" dilemma. <i>PLoS ONE</i> , 2019, 14, e0214454.	1.1	35
120	Exploring Barriers to and Enablers of the Adoption of Information and Communication Technology for the Care of Older Adults With Chronic Diseases: Scoping Review. <i>JMIR Aging</i> , 2022, 5, e25251.	1.4	35
121	Early mobilization and quality of life after stroke. <i>Neurology</i> , 2019, 93, e717-e728.	1.5	34
122	Trial Application of a Model of Resource Utilization, Costs, and Outcomes for Stroke (MORUCOS) to Assist Priority Setting in Stroke. <i>Stroke</i> , 2004, 35, 1041-1046.	1.0	33
123	Rationale and design of a randomized controlled trial of pneumococcal polysaccharide vaccine for prevention of cardiovascular events: The Australian Study for the Prevention through Immunization of Cardiovascular Events (AUSPICE). <i>American Heart Journal</i> , 2016, 177, 58-65.	1.2	33
124	Improving acute stroke care in regional hospitals: clinical evaluation of the Victorian Stroke Telemedicine program. <i>Medical Journal of Australia</i> , 2020, 212, 371-377.	0.8	33
125	Baseline Smoking Status and the Long-Term Risk of Death or Nonfatal Vascular Event in People with Stroke. <i>Stroke</i> , 2012, 43, 3173-3178.	1.0	32
126	Economic evaluation of the Melbourne Mobile Stroke Unit. <i>International Journal of Stroke</i> , 2021, 16, 466-475.	2.9	32

#	ARTICLE	IF	CITATIONS
127	Sex Disparities in Enrollment in Recent Randomized Clinical Trials of Acute Stroke. <i>JAMA Neurology</i> , 2021, 78, 666.	4.5	32
128	Geomagnetic Storms Can Trigger Stroke. <i>Stroke</i> , 2014, 45, 1639-1645.	1.0	31
129	Maximising data value and avoiding data waste: a validation study in stroke research. <i>Medical Journal of Australia</i> , 2019, 210, 27-31.	0.8	31
130	Comparison of Stroke Warning Sign Campaigns in Australia, England, and Canada. <i>International Journal of Stroke</i> , 2013, 8, 28-31.	2.9	30
131	Process evaluation in the field: global learnings from seven implementation research hypertension projects in low-and middle-income countries. <i>BMC Public Health</i> , 2019, 19, 953.	1.2	30
132	Trends Over Time in the Risk of Stroke After an Incident Transient Ischemic Attack. <i>Stroke</i> , 2014, 45, 3214-3218.	1.0	29
133	Utility of the Hospital Frailty Risk Score Derived From Administrative Data and the Association With Stroke Outcomes. <i>Stroke</i> , 2021, 52, 2874-2881.	1.0	29
134	Better outcomes for hospitalized patients with TIA when in stroke units. <i>Neurology</i> , 2016, 86, 2042-2048.	1.5	27
135	Promising Use of Big Data to Increase the Efficiency and Comprehensiveness of Stroke Outcomes Research. <i>Stroke</i> , 2019, 50, 1302-1309.	1.0	27
136	Potential roles of high salt intake and maternal malnutrition in the development of hypertension in disadvantaged populations. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, e78-90.	0.9	26
137	Lower systolic blood pressure is associated with poorer survival in long-term survivors of stroke. <i>Journal of Hypertension</i> , 2014, 32, 904-911.	0.3	26
138	Community-Based Intervention to Improve Cardiometabolic Targets in Patients With Stroke. <i>Stroke</i> , 2017, 48, 2504-2510.	1.0	26
139	Factors Associated With 90-Day Readmission After Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2020, 51, 571-578.	1.0	26
140	“Out of pocket” costs to stroke patients during the first year after stroke “ results from the North East Melbourne Stroke Incidence Study. <i>Journal of Clinical Neuroscience</i> , 2004, 11, 134-137.	0.8	25
141	Multicenter, Prospective, Controlled, Before-and-After, Quality Improvement Study (Stroke123) of Acute Stroke Care. <i>Stroke</i> , 2019, 50, 1525-1530.	1.0	25
142	HYPERTENSION 2020: CONFRONTING TOMORROW'S PROBLEM TODAY. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005, 32, 374-376.	0.9	24
143	Behaviour change strategies for reducing blood pressure-related disease burden: findings from a global implementation research programme. <i>Implementation Science</i> , 2015, 10, 158.	2.5	24
144	Sex Differences in Care and Long-Term Mortality After Stroke: Australian Stroke Clinical Registry. <i>Journal of Women's Health</i> , 2019, 28, 712-720.	1.5	24

#	ARTICLE	IF	CITATIONS
145	Why invest in a national public health program for stroke?. <i>Health Policy</i> , 2007, 83, 287-294.	1.4	23
146	Excess stroke incidence in young Aboriginal people in South Australia: Pooled results from two population-based studies. <i>International Journal of Stroke</i> , 2018, 13, 811-814.	2.9	23
147	Statistical Analysis Plan (SAP) for a Very Early Rehabilitation Trial (AVERT): An International Trial to Determine the Efficacy and Safety of Commencing out of Bed Standing and Walking Training (Very) Tj ETQq1 1 0.784314 rgBT /Overl Stroke. 2015, 10, 23-24.	2.9	22
148	Transitioning from a single-site pilot project to a state-wide regional telehealth service: The experience from the Victorian Stroke Telemedicine programme. <i>Journal of Telemedicine and Telecare</i> , 2017, 23, 850-855.	1.4	22
149	Pilot randomised clinical trial of an eHealth, self-management support intervention (iVERVE) for stroke: feasibility assessment in survivors 24 months post-event. <i>Pilot and Feasibility Studies</i> , 2020, 6, 172.	0.5	22
150	Gender-specific effects of caste and salt on hypertension in poverty: a population-based study. <i>Journal of Hypertension</i> , 2011, 29, 443-450.	0.3	21
151	What is Stroke Symptom Knowledge?. <i>International Journal of Stroke</i> , 2014, 9, 48-52.	2.9	21
152	Effectiveness of a shared team approach between nurses and doctors for improved risk factor management in survivors of stroke: a cluster randomized controlled trial. <i>European Journal of Neurology</i> , 2017, 24, 920-928.	1.7	21
153	Advances in Stroke 2017. <i>Stroke</i> , 2018, 49, e174-e199.	1.0	21
154	Factors influencing self-reported anxiety or depression following stroke or TIA using linked registry and hospital data. <i>Quality of Life Research</i> , 2018, 27, 3145-3155.	1.5	21
155	Long-term disability after stroke in Iran: Evidence from the Mashhad Stroke Incidence Study. <i>International Journal of Stroke</i> , 2019, 14, 44-47.	2.9	21
156	Stroke systems of care in high-income countries: what is optimal?. <i>Lancet, The</i> , 2020, 396, 1433-1442.	6.3	20
157	Greater Adherence to Secondary Prevention Medications Improves Survival After Stroke or Transient Ischemic Attack: A Linked Registry Study. <i>Stroke</i> , 2021, 52, 3569-3577.	1.0	20
158	SEX DIFFERENCES IN PRESENTATION, SEVERITY, AND MANAGEMENT OF STROKE IN A POPULATION-BASED STUDY. <i>Neurology</i> , 2010, 75, 670-671.	1.5	19
159	Adiposity has a greater impact on hypertension in lean than not-lean populations: a systematic review and meta-analysis. <i>European Journal of Epidemiology</i> , 2014, 29, 311-324.	2.5	19
160	Five-Year Recurrence Rate and the Predictors Following Stroke in the Mashhad Stroke Incidence Study: A Population-Based Cohort Study of Stroke in the Middle East. <i>Neuroepidemiology</i> , 2018, 50, 18-22.	1.1	19
161	Patterns of Use and Discontinuation of Secondary Prevention Medications After Stroke. <i>Neurology</i> , 2021, 96, e30-e41.	1.5	19
162	Inter-rater reliability of stroke sub-type classification by neurologists and nurses within a community-based stroke incidence study. <i>Journal of Clinical Neuroscience</i> , 2001, 8, 14-17.	0.8	18

#	ARTICLE	IF	CITATIONS
163	Reduced Risk of Intracerebral Hemorrhage With Dynamic Recreational Exercise but Not With Heavy Work Activity. <i>Stroke</i> , 2002, 33, 559-564.	1.0	18
164	Cholesterol Is Associated With Stroke, but Is Not a Risk Factor. <i>Stroke</i> , 2004, 35, 1524-1525.	1.0	18
165	Development and application of Model of Resource Utilization, Costs, and Outcomes for Stroke (MORUCOS): An Australian economic model for stroke. <i>International Journal of Technology Assessment in Health Care</i> , 2005, 21, 499-505.	0.2	18
166	Smoking Cessation at 5 Years after Stroke in the North East Melbourne Stroke Incidence Study. <i>Neuroepidemiology</i> , 2009, 32, 196-200.	1.1	18
167	Exploring the benefits of a stroke telemedicine programme: An organisational and societal perspective. <i>Journal of Telemedicine and Telecare</i> , 2016, 22, 489-494.	1.4	18
168	Factors associated with awareness, treatment and control of hypertension in a disadvantaged rural Indian population. <i>Journal of Human Hypertension</i> , 2017, 31, 347-353.	1.0	18
169	Stroke Severity Versus Dysphagia Screen as Driver for Post-stroke Pneumonia. <i>Frontiers in Neurology</i> , 2019, 10, 16.	1.1	18
170	Aboriginal and Torres Strait Islander Peoples and the Burden of Stroke. <i>International Journal of Stroke</i> , 2007, 2, 57-59.	2.9	17
171	AVERT2(a very early rehabilitation trial, a very effective reproductive trigger): retrospective observational analysis of the number of babies born to trial staff. <i>BMJ, The</i> , 2015, 351, h6432.	3.0	17
172	One-year case fatality rate following stroke in the Mashhad Stroke Incidence Study: a population-based study of stroke in Iran. <i>International Journal of Stroke</i> , 2015, 10, 96-102.	2.9	17
173	Exploring threats to generalisability in a large international rehabilitation trial (AVERT). <i>BMJ Open</i> , 2015, 5, e008378.	0.8	17
174	Cluster randomised feasibility trial to improve the Control of Hypertension In Rural India (CHIRI): a study protocol. <i>BMJ Open</i> , 2016, 6, e012404.	0.8	17
175	A Risk Score to Predict Hypertension in Primary Care Settings in Rural India. <i>Asia-Pacific Journal of Public Health</i> , 2016, 28, 26S-31S.	0.4	17
176	Regional differences in the care and outcomes of acute stroke patients in Australia: an observational study using evidence from the Australian Stroke Clinical Registry (AuSCR). <i>BMJ Open</i> , 2021, 11, e040418.	0.8	17
177	Organized Blood Pressure Control Programs to Prevent Stroke in Australia. <i>Stroke</i> , 2012, 43, 1370-1375.	1.0	16
178	Risk Factor Management in Survivors of Stroke: A Double-Blind, Cluster-Randomized, Controlled Trial. <i>International Journal of Stroke</i> , 2014, 9, 652-657.	2.9	16
179	Quality of stroke guidelines in low- and middle-income countries: a systematic review. <i>Bulletin of the World Health Organization</i> , 2021, 99, 640-652E.	1.5	16
180	Association between salt and hypertension in rural and urban populations of low to middle income countries: a systematic review and meta-analysis of population based studies. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2016, 25, 402-13.	0.3	16

#	ARTICLE	IF	CITATIONS
181	Reduced frequency of high cholesterol levels among patients with intracerebral haemorrhage. <i>Journal of Clinical Neuroscience</i> , 2002, 9, 376-380.	0.8	15
182	Excess Risk of Stroke in Australia's Aboriginal and Torres Strait Islander Populations. <i>Stroke</i> , 2011, 42, 1501-1502.	1.0	15
183	Methodology of the Stroke Self-Management Rehabilitation Trial: An International, Multisite Pilot Trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 297-303.	0.7	15
184	Treatment and Outcomes of Working Aged Adults with Stroke: Results from a National Prospective Registry. <i>Neuroepidemiology</i> , 2017, 49, 113-120.	1.1	15
185	Improving quality and outcomes of stroke care in hospitals: Protocol and statistical analysis plan for the Stroke123 implementation study. <i>International Journal of Stroke</i> , 2018, 13, 96-106.	2.9	15
186	Development of an electronic health message system to support recovery after stroke: Inspiring Virtual Enabled Resources following Vascular Events (iVERVE). <i>Patient Preference and Adherence</i> , 2018, Volume 12, 1213-1224.	0.8	15
187	Hypertension in Rural India: The Contribution of Socioeconomic Position. <i>Journal of the American Heart Association</i> , 2020, 9, e014486.	1.6	15
188	Sex Differences in Causes of Death After Stroke: Evidence from a National, Prospective Registry. <i>Journal of Women's Health</i> , 2021, 30, 314-323.	1.5	15
189	Smoking as a Risk Factor for Stroke. <i>Cerebrovascular Diseases</i> , 1993, 3, 129-138.	0.8	14
190	The role of blood pressure lowering before and after stroke. <i>Current Opinion in Neurology</i> , 2003, 16, 81-86.	1.8	14
191	Smoking as a Crucial Independent Determinant of Stroke. <i>Tobacco Induced Diseases</i> , 2004, 2, 67.	0.3	14
192	Estimating the Prevalence of Sleep-Disordered Breathing in Community-Based, Long-Term Stroke Survivors Using a Validated Predictive Model. <i>Cerebrovascular Diseases</i> , 2008, 26, 441-446.	0.8	14
193	Personalized medicine and stroke prevention: where are we?. <i>Vascular Health and Risk Management</i> , 2015, 11, 601.	1.0	14
194	Prescription of antihypertensive medication at discharge influences survival following stroke. <i>Neurology</i> , 2018, 90, e745-e753.	1.5	14
195	Knowledge of risk factors for hypertension in a rural Indian population. <i>Heart Asia</i> , 2019, 11, e011136.	1.1	14
196	Establishment of an internationally agreed minimum data set for acute telestroke. <i>Journal of Telemedicine and Telecare</i> , 2021, 27, 582-589.	1.4	14
197	Sex differences in quality of life after stroke were explained by patient factors, not clinical care: evidence from the Australian Stroke Clinical Registry. <i>European Journal of Neurology</i> , 2021, 28, 469-478.	1.7	14
198	Association between Farming and Chronic Energy Deficiency in Rural South India. <i>PLoS ONE</i> , 2014, 9, e87423.	1.1	14

#	ARTICLE	IF	CITATIONS
199	Quality of Life Is Poorer for Patients With Stroke Who Require an Interpreter. <i>Stroke</i> , 2018, 49, 761-764.	1.0	13
200	Early Mobilization After Stroke Is Not Associated With Cognitive Outcome. <i>Stroke</i> , 2018, 49, 2147-2154.	1.0	13
201	Sex differences in risk factors for aneurysmal subarachnoid haemorrhage: Systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , 2019, 406, 116446.	0.3	13
202	Regular physical activity postpones age of occurrence of first-ever stroke and improves long-term outcomes. <i>Neurological Sciences</i> , 2021, 42, 3203-3210.	0.9	13
203	Sex differences in aneurysmal subarachnoid haemorrhage (aSAH): aneurysm characteristics, neurological complications, and outcome. <i>Acta Neurochirurgica</i> , 2020, 162, 2271-2282.	0.9	13
204	Improving economic evaluations in stroke: A report from the ESO Health Economics Working Group. <i>European Stroke Journal</i> , 2020, 5, 184-192.	2.7	13
205	Factors Associated with Stroke Coding Quality: A Comparison of Registry and Administrative Data. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105469.	0.7	13
206	Individuals with first-ever clinical presentation of a lacunar infarction syndrome: Is there an increased likelihood of developing mild cognitive impairment in the first 12 months after stroke?. <i>Journal of Neuropsychology</i> , 2008, 2, 373-385.	0.6	12
207	Handicap 5 Years after Stroke in the North East Melbourne Stroke Incidence Study. <i>Cerebrovascular Diseases</i> , 2009, 27, 123-130.	0.8	12
208	The Global Alliance for Chronic Diseases Supports 15 Major Studies in Hypertension Prevention and Control in Low- and Middle-income Countries. <i>Journal of Clinical Hypertension</i> , 2016, 18, 600-605.	1.0	12
209	Socioeconomic Status and Long-Term Stroke Mortality, Recurrence and Disability in Iran: The Mashhad Stroke Incidence Study. <i>Neuroepidemiology</i> , 2019, 53, 27-31.	1.1	12
210	Outcomes for Patients With In-Hospital Stroke: A Multicenter Study From the Australian Stroke Clinical Registry (AuSCR). <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1302-1310.	0.7	12
211	Evaluating recruitment strategies for <scp>AUSPICE</scp> , a large Australian community-based randomised controlled trial. <i>Medical Journal of Australia</i> , 2019, 210, 409-415.	0.8	12
212	Stroke incidence and subtypes in Aboriginal people in remote Australia: a healthcare network population-based study. <i>BMJ Open</i> , 2020, 10, e039533.	0.8	12
213	Disparities in Antihypertensive Prescribing After Stroke. <i>Stroke</i> , 2019, 50, 3592-3599.	1.0	11
214	Heavy drinking, but not moderate or intermediate drinking, increases the risk of intracerebral hemorrhage. <i>Epidemiology</i> , 1999, 10, 307-12.	1.2	11
215	Effectiveness of an Intervention to Improve Risk Factor Knowledge in Patients With Stroke. <i>Stroke</i> , 2017, 48, 1101-1103.	1.0	10
216	Developing consensus measures for global programs: lessons from the Global Alliance for Chronic Diseases Hypertension research program. <i>Globalization and Health</i> , 2017, 13, 17.	2.4	10

#	ARTICLE	IF	CITATIONS
217	Intraoperative renal hypoxia and risk of cardiac surgery-associated acute kidney injury. <i>Journal of Cardiac Surgery</i> , 2021, 36, 3577-3585.	0.3	10
218	Out of sight, out of mind: long-term outcomes for people discharged home, to inpatient rehabilitation and to residential aged care after stroke. <i>Disability and Rehabilitation</i> , 2022, 44, 2608-2614.	0.9	10
219	The role of blood pressure lowering before and after stroke. <i>Current Opinion in Neurology</i> , 2003, 16, 81-6.	1.8	10
220	Acute Brain Infarction: Early Changes in Neurological Status. <i>Cerebrovascular Diseases</i> , 1997, 7, 6-9.	0.8	9
221	No Evidence for an Epidemic of Stroke with the Ageing of the Population. <i>Neuroepidemiology</i> , 2012, 38, 268-273.	1.1	9
222	Self-Reported Exercise Prevalence and Determinants in the Long Term After Stroke: The North East Melbourne Stroke Incidence Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 2855-2863.	0.7	9
223	Epidemiology of Intracranial and Extracranial Large Artery Stenosis in a Population-Based Study of Stroke in the Middle East. <i>Neuroepidemiology</i> , 2017, 48, 188-192.	1.1	9
224	What is known about the cost-effectiveness of neuropsychological interventions for individuals with acquired brain injury? A scoping review. <i>Neuropsychological Rehabilitation</i> , 2021, 31, 316-344.	1.0	9
225	Intraoperative and early postoperative prediction of cardiac surgery-associated acute kidney injury: Urinary oxygen tension compared with plasma and urinary biomarkers. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2022, 49, 228-241.	0.9	9
226	Risk factors for incident cardiovascular events among adults in low- and middle-income countries: A systematic review and meta-analysis of prospective cohort studies. <i>Preventive Medicine</i> , 2022, 158, 107036.	1.6	9
227	Is Stroke Incidence in Low- to Middle-Income Countries Driven by Economics?. <i>International Journal of Stroke</i> , 2012, 7, 307-308.	2.9	8
228	Case-fatality and functional status three months after first-ever stroke in Vietnam. <i>Journal of the Neurological Sciences</i> , 2016, 365, 65-71.	0.3	8
229	Five-Year Case Fatality Following First-Ever Stroke in the Mashhad Stroke Incidence Study: A Population-Based Study of Stroke in the Middle East. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 1085-1089.	0.7	8
230	Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in International Stroke Outcome Study (INSTRUMENT). <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106201.	0.7	8
231	Quality of life after stroke: a longitudinal analysis of a cluster randomized trial. <i>Quality of Life Research</i> , 2022, 31, 2445-2455.	1.5	8
232	Towards better reporting of the proportion of days covered method in cardiovascular medication adherence: A scoping review and new tool TENSPIDERS. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 4427-4442.	1.1	8
233	Incidence of first ever stroke during Hajj ceremony. <i>BMC Neurology</i> , 2013, 13, 193.	0.8	7
234	The potential health and economic impact of improving stroke care standards for Australia. <i>International Journal of Stroke</i> , 2017, 12, 875-885.	2.9	7

#	ARTICLE	IF	CITATIONS
235	Is length of time in a stroke unit associated with better outcomes for patients with stroke in Australia? An observational study. <i>BMJ Open</i> , 2018, 8, e022536.	0.8	7
236	Fatal and Nonfatal Events Within 14 days After Early, Intensive Mobilization Poststroke. <i>Neurology</i> , 2021, 96, .	1.5	7
237	Dynamic responses of renal oxygenation at the onset of cardiopulmonary bypass in sheep and man. <i>Perfusion (United Kingdom)</i> , 2022, 37, 624-632.	0.5	7
238	Protocol of a randomized controlled trial investigating the effectiveness of Recovery-focused Community support to Avoid readmissions and improve Participation after Stroke (ReCAPS). <i>International Journal of Stroke</i> , 2022, 17, 236-241.	2.9	7
239	Feasibility of community health workers using a clinical decision support system to screen and monitor non-communicable diseases in resource-poor settings: study protocol. <i>MHealth</i> , 2021, 7, 15-15.	0.9	7
240	Generation of cardio-protective antibodies after pneumococcal polysaccharide vaccine: Early results from a randomised controlled trial. <i>Atherosclerosis</i> , 2022, 346, 68-74.	0.4	7
241	Estimating the Annual Number of Strokes and the Issue of Imperfect Data: An Example from Australia. <i>International Journal of Stroke</i> , 2014, 9, 19-22.	2.9	6
242	Nurse-Led Intervention to Improve Knowledge of Medications in Survivors of Stroke or Transient Ischemic Attack: A Cluster Randomized Controlled Trial. <i>Frontiers in Neurology</i> , 2016, 7, 205.	1.1	6
243	Long-Term Outcomes of Ischemic Stroke of Undetermined Mechanism: A Population-Based Prospective Cohort. <i>Neuroepidemiology</i> , 2017, 49, 160-164.	1.1	6
244	The Incidence and Characteristics of Stroke in Urban-Dwelling Iranian Women. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 547-554.	0.7	6
245	Hospital Presentations in Long-Term Survivors of Stroke. <i>Stroke</i> , 2020, 51, 3673-3680.	1.0	6
246	Incidence and risk factors for stroke following percutaneous coronary intervention. <i>International Journal of Stroke</i> , 2020, 15, 909-922.	2.9	6
247	Additive association of knowledge and awareness on control of hypertension: a cross-sectional survey in rural India. <i>Journal of Hypertension</i> , 2021, 39, 107-116.	0.3	6
248	Cerebrovascular disease and dementia. <i>Drugs of Today</i> , 2005, 41, 815.	0.7	6
249	Protocol for evaluation of enhanced models of primary care in the management of stroke and other chronic disease (PRECISE). <i>International Journal of Population Data Science</i> , 2019, 4, 1097.	0.1	6
250	ASHA-Led Community-Based Groups to Support Control of Hypertension in Rural India Are Feasible and Potentially Scalable. <i>Frontiers in Medicine</i> , 2021, 8, 771822.	1.2	6
251	Determining the sensitivity of emergency dispatcher and paramedic diagnosis of stroke: statewide registry linkage study. <i>Journal of the American College of Emergency Physicians Open</i> , 2022, 3, .	0.4	6
252	Systematic Review of Observational Studies. <i>Neuroepidemiology</i> , 2010, 34, 262-263.	1.1	5

#	ARTICLE	IF	CITATIONS
253	Statistical Analysis Plan (SAP) for Shared Team Approach between Nurses and Doctors for Improved Risk Factor Management (STANDFIRM): A Randomised Controlled Trial. <i>International Journal of Stroke</i> , 2015, 10, 770-772.	2.9	5
254	Maximizing Patient Recruitment and Retention in a Secondary Stroke Prevention Clinical Trial: Lessons Learned from the STAND FIRM Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 1371-1380.	0.7	5
255	Blood Pressure, Aortic Stiffness, Hemodynamics, and Cognition in Twin Pairs Discordant for Type 2 Diabetes. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 763-773.	1.2	5
256	Sex Differences in Disease Profiles, Management, and Outcomes Among People with Atrial Fibrillation After Ischemic Stroke: Aggregated and Individual Participant Data Meta-Analyses. <i>Women S Health Reports</i> , 2020, 1, 190-202.	0.4	5
257	Assuming one dose per day yields a similar estimate of medication adherence in patients with stroke: An exploratory analysis using linked registry data. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1089-1097.	1.1	5
258	Perspectives on rehabilitation for Aboriginal people with stroke: a qualitative study. <i>Topics in Stroke Rehabilitation</i> , 2022, 29, 295-309.	1.0	5
259	The Allure of Big Data to Improve Stroke Outcomes: Review of Current Literature. <i>Current Neurology and Neuroscience Reports</i> , 2022, 22, 151-160.	2.0	5
260	Co-Designing a New Yoga-Based Mindfulness Intervention for Survivors of Stroke: A Formative Evaluation. <i>Neurology International</i> , 2022, 14, 1-10.	1.3	5
261	Absolute cardiovascular risk scores and medication use in rural India: a cross-sectional study. <i>BMJ Open</i> , 2022, 12, e054617.	0.8	5
262	Exploring dimensions of quality-of-life in survivors of stroke with communication disabilities – a brief report. <i>Topics in Stroke Rehabilitation</i> , 2023, 30, 603-609.	1.0	5
263	Hypertension and the risk of intracerebral haemorrhage: special considerations in patients with renal disease. <i>Nephrology Dialysis Transplantation</i> , 1999, 14, 2291-2292.	0.4	4
264	Design and Methods of Population Surveys. <i>Neuroepidemiology</i> , 2010, 34, 267-269.	1.1	4
265	Rejoinder: Socioeconomic gradients and hypertension in low- and middle-income countries: a straw man and no solutions. <i>International Journal of Epidemiology</i> , 2014, 43, 1581-1582.	0.9	4
266	Neurobehavioral disability in stroke patients during subacute inpatient rehabilitation: prevalence and biopsychosocial associations. <i>Topics in Stroke Rehabilitation</i> , 2018, 25, 527-534.	1.0	4
267	Determining the feasibility and preliminary efficacy of a stroke instructional and educational DVD in a multinational context: a randomized controlled pilot study. <i>Clinical Rehabilitation</i> , 2018, 32, 1086-1097.	1.0	4
268	Hospital admissions prior to primary intracerebral haemorrhage and relevant factors associated with survival. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 105026.	0.7	4
269	The Incidence of Stroke in Indigenous Populations of Countries With a Very High Human Development Index: A Systematic Review Protocol. <i>Frontiers in Neurology</i> , 2021, 12, 661570.	1.1	4
270	Factors associated with arrival by ambulance for patients with stroke: a multicentre, national data linkage study. <i>Australasian Emergency Care</i> , 2021, 24, 167-173.	0.7	4

#	ARTICLE	IF	CITATIONS
271	Increased Relative Functional Gain and Improved Stroke Outcomes: A Linked Registry Study of the Impact of Rehabilitation. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 106015.	0.7	4
272	Economic Evaluation Protocol and Statistical Analysis Plan for the Cost-Effectiveness of a Novel Australian Stroke Telemedicine Program; the Victorian Stroke Telemedicine (VST) program. <i>Frontiers in Neurology</i> , 2020, 11, 602044.	1.1	4
273	Hypertension as a Risk Factor for Stroke Subtypes. <i>Hypertension Research</i> , 1994, 17, S51-S54.	1.5	4
274	Factors associated with mental health service access among Australian community-dwelling survivors of stroke. <i>Disability and Rehabilitation</i> , 2023, 45, 504-511.	0.9	4
275	Editorial Commentâ€”Minor Risk Factors for Intracerebral Hemorrhage: The Jury Is Still Out. <i>Stroke</i> , 2003, 34, 2065-2066.	1.0	3
276	Advances in Health Policy and Outcome 2010â€”2011. <i>Stroke</i> , 2012, 43, 300-301.	1.0	3
277	Economic Evaluation of a Pre-Hospital Protocol for Patients with Suspected Acute Stroke. <i>Frontiers in Public Health</i> , 2018, 6, 43.	1.3	3
278	Prevalence of diabetes and pre-diabetes in rural Tehri Garhwal, India: influence of diagnostic method. <i>BMC Public Health</i> , 2019, 19, 817.	1.2	3
279	A longitudinal examination of the frequency and correlates of self-reported neurobehavioural disability following stroke. <i>Disability and Rehabilitation</i> , 2022, 44, 2823-2831.	0.9	3
280	Continuum of care approach for managing non-communicable diseases in low- and middle-income countries. <i>Journal of Global Health</i> , 2020, 10, 010337.	1.2	3
281	Renal and dietary factors associated with hypertension in a setting of disadvantage in rural India. <i>Journal of Human Hypertension</i> , 2021, 35, 1118-1128.	1.0	3
282	Agreement between pharmaceutical claims data and patient-reported medication use after stroke. <i>International Journal of Pharmacy Practice</i> , 2021, 29, 397-399.	0.3	3
283	Association of hypertension with infection and inflammation in a setting of disadvantage in rural India. <i>Journal of Human Hypertension</i> , 2022, 36, 1011-1020.	1.0	3
284	Adherence to evidence-based processes of care reduces one-year mortality after aneurysmal subarachnoid hemorrhage (aSAH). <i>Journal of the Neurological Sciences</i> , 2021, 428, 117613.	0.3	3
285	Treatment with Multiple Therapeutic Classes of Medication Is Associated with Survival after Stroke. <i>Neuroepidemiology</i> , 2022, 56, 66-74.	1.1	3
286	Effect of the Coronavirus Disease 2019 Pandemic on the Quality of Stroke Care in Stroke Units and Alternative Wards: A National Comparative Analysis. <i>Journal of Stroke</i> , 2022, 24, 79-87.	1.4	3
287	Optimal Measures for Primary Care Physician Encounters after Stroke and Association with Survival: A Data Linkage Study. <i>Neuroepidemiology</i> , 2022, 56, 90-96.	1.1	3
288	Novel dietary intake assessment in populations with poor literacy. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2016, 25, 202-12.	0.3	3

#	ARTICLE	IF	CITATIONS
289	Design and development of a clinical decision support system for community health workers to support early detection and management of non-communicable disease. <i>BMJ Innovations</i> , 2023, 9, 49-56.	1.0	3
290	RE: "DOES TEA AFFECT CARDIOVASCULAR DISEASE? A META-ANALYSIS". <i>American Journal of Epidemiology</i> , 2002, 156, 490-490.	1.6	2
291	Vascular Cognitive Impairment. , 2007, , 223-233.		2
292	Chapter 17 Stroke among women, ethnic groups, young adults, and children. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2008, 92, 337-353.	1.0	2
293	Benefits and Challenges in Stroke Research in Developing Countries. <i>Brain Impairment</i> , 2008, 9, 198-204.	0.5	2
294	Case-Control Studies: The Importance of Design and Conduct. <i>Neuroepidemiology</i> , 2010, 34, 264-266.	1.1	2
295	How generalisable is INTERSTROKE?. <i>Lancet, The</i> , 2010, 376, 1538-1539.	6.3	2
296	A plea for the use of systematic review methodology when writing guidelines and timely publication of guidelines. <i>Internal Medicine Journal</i> , 2012, 42, 1369-1371.	0.5	2
297	Advances in Stroke. <i>Stroke</i> , 2014, 45, 361-362.	1.0	2
298	Obesity Paradox versus Frailty Syndrome in First-Ever Ischemic Stroke Survivors. <i>International Journal of Stroke</i> , 2015, 10, E75-E75.	2.9	2
299	Understanding the potential for yoga and tai chi interventions to moderate risk factors for stroke â€“ a scoping review. <i>Future Neurology</i> , 2018, 13, 239-252.	0.9	2
300	Age, sex, and setting in the etiology of stroke study (ASSESS): Study design and protocol. <i>Journal of the Neurological Sciences</i> , 2019, 399, 209-213.	0.3	2
301	Weekend hospital discharge is associated with suboptimal care and outcomes: An observational Australian Stroke Clinical Registry study. <i>International Journal of Stroke</i> , 2019, 14, 430-438.	2.9	2
302	Risk Factors for Dementia. <i>Neuroepidemiology</i> , 2008, 31, 68-68.	1.1	1
303	Expanding antiplatelet use for patients with stroke. <i>Neurology</i> , 2014, 83, 778-779.	1.5	1
304	Potential cost-savings may be considerable with management of hypertension according to updated US hypertension guidelines, but for women aged 35â€“44â€“years these benefits are unlikely. <i>Evidence-Based Medicine</i> , 2015, 20, 150-150.	0.6	1
305	A Promising Skills-Based Intervention to Reduce Blood Pressure in Individuals With Stroke and Transient Ischemic Attack. <i>JAMA Neurology</i> , 2019, 76, 13.	4.5	1
306	Selfâ€“perceived acute psychological stress and risk of mortality, recurrence and disability after stroke: Mashhad Stroke Incidence Study. <i>Stress and Health</i> , 2021, 37, 819-825.	1.4	1

#	ARTICLE	IF	CITATIONS
307	Quality of Care and One-Year Outcomes in Patients with Diabetes Hospitalised for Stroke or TIA: A Linked Registry Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 106083.	0.7	1
308	Understanding of medications and associations with adherence, unmet needs, and perceived control of risk factors at two years post-stroke. <i>Research in Social and Administrative Pharmacy</i> , 2022, , .	1.5	1
309	A Meta-Analysis of Rupture Risk for Intracranial Aneurysms 10 mm or Less in Size Selected for Conservative Management Without Repair. <i>Frontiers in Neurology</i> , 2021, 12, 743023.	1.1	1
310	Applying systems thinking to identify enablers and challenges to scale-up interventions for hypertension and diabetes in low-income and middle-income countries: protocol for a longitudinal mixed-methods study. <i>BMJ Open</i> , 2022, 12, e053122.	0.8	1
311	Linking Data From the Australian Stroke Clinical Registry With Ambulance and Emergency Administrative Data in Victoria. <i>Inquiry (United States)</i> , 2022, 59, 004695802211022.	0.5	1
312	Telemedicine for Stroke: Quantifying the Long-Term National Costs and Health Benefits. <i>Frontiers in Neurology</i> , 0, 12, .	1.1	1
313	Teaching Courses. <i>Neuroepidemiology</i> , 2009, 33, 317-320.	1.1	0
314	Missed opportunities to prevent stroke recurrence. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, no-no.	0.9	0
315	Authorsâ€™ Response to: Data sources for measuring the socioeconomic gradient of hypertension in rural populations of low- and middle-income countries. <i>International Journal of Epidemiology</i> , 2015, 44, 1747-1747.	0.9	0
316	Preventing stroke on the street where you live, work, and play. <i>Lancet Public Health</i> , The, 2018, 3, e158-e159.	4.7	0
317	Measuring stroke and transient ischemic attack burden in New Zealand: Protocol for the fifth Auckland Regional Community Stroke Study (ARCOS V). <i>International Journal of Stroke</i> , 2020, 15, 573-583.	2.9	0
318	Linking Australian Stroke Clinical Registry data with Australian government Medicare and medication dispensing claims data and the potential for bias. <i>Australian and New Zealand Journal of Public Health</i> , 2021, 45, 364-369.	0.8	0
319	Vaccination Against Herpes Zoster and the Potential to Reduce the Global Burden of Stroke. <i>Stroke</i> , 2021, 52, 1722-1723.	1.0	0
320	961Absolute cardiovascular disease risk scores and medication use in rural India. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
321	970Comparison of lab-and non-lab based absolute cardiovascular disease risk scores in rural India. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
322	Qualitative study of Stroke Survivorsâ€™ Perceptions of Secondary Prevention. <i>Journal of Advanced Nursing</i> , 2022, 78, 1377-1388.	1.5	0
323	Burden of Cardiovascular Diseases Among Aboriginal and Torres Strait Islander Peoples: Mortality, Hospitalization and Risk Factors. , 2010, , 919-931.		0
324	Secondary stroke prevention and primary care physicians. <i>International Journal of Family & Community Medicine</i> , 2017, 1, 8-9.	0.1	0

#	ARTICLE	IF	CITATIONS
325	Costs of acute hospitalisation for stroke and transient ischaemic attack in Australia. Health Information Management Journal, 0, , 183335832210902.	0.9	0
326	Personalized knowledge to reduce the risk of stroke (PERKS-International): Protocol for a randomized controlled trial. International Journal of Stroke, 2023, 18, 477-483.	2.9	0