

# Amanda G. Thrift

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1692996/amanda-g-thrift-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

305  
papers

49,075  
citations

67  
h-index

221  
g-index

332  
ext. papers

60,645  
ext. citations

7.2  
avg. IF

7.8  
L-index

#	Paper	IF	Citations
305	Quality of life after stroke: a longitudinal analysis of a cluster randomized trial.. <i>Quality of Life Research</i> , <b>2022</b> , 1	3.7	0
304	Effect of the Coronavirus Disease 2019 Pandemic on the Quality of Stroke Care in Stroke Units and Alternative Wards: A National Comparative Analysis.. <i>Journal of Stroke</i> , <b>2022</b> , 24, 79-87	5.6	1
303	Factors associated with mental health service access among Australian community-dwelling survivors of stroke.. <i>Disability and Rehabilitation</i> , <b>2022</b> , 1-8	2.4	1
302	Exploring Barriers to and Enablers of the Adoption of Information and Communication Technology for the Care of Older Adults With Chronic Diseases: Scoping Review.. <i>JMIR Aging</i> , <b>2022</b> , 5, e25251	4.8	0
301	The Allure of Big Data to Improve Stroke Outcomes: Review of Current Literature.. <i>Current Neurology and Neuroscience Reports</i> , <b>2022</b> , 22, 151	6.6	
300	Generation of cardio-protective antibodies after pneumococcal polysaccharide vaccine: Early results from a randomised controlled trial.. <i>Atherosclerosis</i> , <b>2022</b> , 346, 68-74	3.1	
299	Risk factors for incident cardiovascular events among adults in low- and middle-income countries: A systematic review and Meta-analysis of prospective cohort studies.. <i>Preventive Medicine</i> , <b>2022</b> , 107036	4.3	0
298	Applying systems thinking to identify enablers and challenges to scale-up interventions for hypertension and diabetes in low-income and middle-income countries: protocol for a longitudinal mixed-methods study.. <i>BMJ Open</i> , <b>2022</b> , 12, e053122	3	
297	Absolute cardiovascular risk scores and medication use in rural India: a cross-sectional study.. <i>BMJ Open</i> , <b>2022</b> , 12, e054617	3	
296	Linking Data From the Australian Stroke Clinical Registry With Ambulance and Emergency Administrative Data in Victoria.. <i>Inquiry (United States)</i> , <b>2022</b> , 59, 469580221102200	1.4	
295	Establishment of an internationally agreed minimum data set for acute telestroke. <i>Journal of Telemedicine and Telecare</i> , <b>2021</b> , 27, 582-589	6.8	3
294	Case-Fatality and Functional Outcome after Subarachnoid Hemorrhage (SAH) in International STROKE oUtcomes sTudy (INSTRUCT). <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 31, 106201	2.8	1
293	Treatment with Multiple Therapeutic Classes of Medication is Associated with Survival after Stroke. <i>Neuroepidemiology</i> , <b>2021</b> ,	5.4	1
292	ASHA-Led Community-Based Groups to Support Control of Hypertension in Rural India Are Feasible and Potentially Scalable. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 771822	4.9	0
291	Primary stroke prevention worldwide: translating evidence into action. <i>Lancet Public Health</i> , <b>The</b> , <b>2021</b> ,	22.4	13
290	Additive association of knowledge and awareness on control of hypertension: a cross-sectional survey in rural India. <i>Journal of Hypertension</i> , <b>2021</b> , 39, 107-116	1.9	3
289	Regular physical activity postpones age of occurrence of first-ever stroke and improves long-term outcomes. <i>Neurological Sciences</i> , <b>2021</b> , 42, 3203-3210	3.5	6

288	Linking Australian Stroke Clinical Registry data with Australian government Medicare and medication dispensing claims data and the potential for bias. <i>Australian and New Zealand Journal of Public Health</i> , <b>2021</b> , 45, 364-369	2.3	
287	The Incidence of Stroke in Indigenous Populations of Countries With a Very High Human Development Index: A Systematic Review Protocol. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 661570	4.1	0
286	Regional differences in the care and outcomes of acute stroke patients in Australia: an observational study using evidence from the Australian Stroke Clinical Registry (AuSCR). <i>BMJ Open</i> , <b>2021</b> , 11, e040418	3	5
285	Dynamic responses of renal oxygenation at the onset of cardiopulmonary bypass in sheep and man. <i>Perfusion (United Kingdom)</i> , <b>2021</b> , 2676591211013640	1.9	0
284	The state of stroke services across the globe: Report of World Stroke Organization-World Health Organization surveys. <i>International Journal of Stroke</i> , <b>2021</b> , 16, 889-901	6.3	14
283	Agreement between pharmaceutical claims data and patient-reported medication use after stroke. <i>International Journal of Pharmacy Practice</i> , <b>2021</b> , 29, 397-399	1.7	1
282	Perspectives on rehabilitation for Aboriginal people with stroke: a qualitative study. <i>Topics in Stroke Rehabilitation</i> , <b>2021</b> , 1-15	2.6	0
281	Sex Disparities in Enrollment in Recent Randomized Clinical Trials of Acute Stroke: A Meta-analysis. <i>JAMA Neurology</i> , <b>2021</b> , 78, 666-677	17.2	12
280	Protocol of a randomized controlled trial investigating the effectiveness of Recovery-focused Community support to Avoid readmissions and improve Participation after Stroke (ReCAPS). <i>International Journal of Stroke</i> , <b>2021</b> , 17474930211022678	6.3	2
279	Intraoperative renal hypoxia and risk of cardiac surgery-associated acute kidney injury. <i>Journal of Cardiac Surgery</i> , <b>2021</b> , 36, 3577-3585	1.3	2
278	Economic evaluation of the Melbourne Mobile Stroke Unit. <i>International Journal of Stroke</i> , <b>2021</b> , 16, 466-475	4.75	14
277	Assuming one dose per day yields a similar estimate of medication adherence in patients with stroke: An exploratory analysis using linked registry data. <i>British Journal of Clinical Pharmacology</i> , <b>2021</b> , 87, 1089-1097	3.8	1
276	Sex differences in quality of life after stroke were explained by patient factors, not clinical care: evidence from the Australian Stroke Clinical Registry. <i>European Journal of Neurology</i> , <b>2021</b> , 28, 469-478	6	5
275	Factors Associated with Stroke Coding Quality: A Comparison of Registry and Administrative Data. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 30, 105469	2.8	5
274	Sex Differences in Causes of Death After Stroke: Evidence from a National, Prospective Registry. <i>Journal of Women's Health</i> , <b>2021</b> , 30, 314-323	3	3
273	Patterns of Use and Discontinuation of Secondary Prevention Medications After Stroke. <i>Neurology</i> , <b>2021</b> , 96, e30-e41	6.5	9
272	What is known about the cost-effectiveness of neuropsychological interventions for individuals with acquired brain injury? A scoping review. <i>Neuropsychological Rehabilitation</i> , <b>2021</b> , 31, 316-344	3.1	5
271	Renal and dietary factors associated with hypertension in a setting of disadvantage in rural India. <i>Journal of Human Hypertension</i> , <b>2021</b> , 35, 1118-1128	2.6	2

270	Self-perceived acute psychological stress and risk of mortality, recurrence and disability after stroke: Mashhad Stroke Incidence Study. <i>Stress and Health</i> , <b>2021</b> , 37, 819-825	3.7	1
269	Greater Adherence to Secondary Prevention Medications Improves Survival After Stroke or Transient Ischemic Attack: A Linked Registry Study. <i>Stroke</i> , <b>2021</b> , 52, 3569-3577	6.7	4
268	Factors associated with arrival by ambulance for patients with stroke: a multicentre, national data linkage study. <i>Australasian Emergency Care</i> , <b>2021</b> , 24, 167-173	1.8	1
267	Utility of the Hospital Frailty Risk Score Derived From Administrative Data and the Association With Stroke Outcomes. <i>Stroke</i> , <b>2021</b> , 52, 2874-2881	6.7	3
266	Association of hypertension with infection and inflammation in a setting of disadvantage in rural India. <i>Journal of Human Hypertension</i> , <b>2021</b> ,	2.6	1
265	Adherence to evidence-based processes of care reduces one-year mortality after aneurysmal subarachnoid hemorrhage (aSAH). <i>Journal of the Neurological Sciences</i> , <b>2021</b> , 428, 117613	3.2	0
264	Quality of stroke guidelines in low- and middle-income countries: a systematic review. <i>Bulletin of the World Health Organization</i> , <b>2021</b> , 99, 640-652E	8.2	5
263	Increased Relative Functional Gain and Improved Stroke Outcomes: A Linked Registry Study of the Impact of Rehabilitation. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 30, 106015	2.8	2
262	Quality of Care and One-Year Outcomes in Patients with Diabetes Hospitalised for Stroke or TIA: A Linked Registry Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 30, 106083	2.8	0
261	Feasibility of community health workers using a clinical decision support system to screen and monitor non-communicable diseases in resource-poor settings: study protocol. <i>MHealth</i> , <b>2021</b> , 7, 15	2.2	0
260	A Meta-Analysis of Rupture Risk for Intracranial Aneurysms 10 mm or Less in Size Selected for Conservative Management Without Repair.. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 743023	4.1	
259	Co-Designing a New Yoga-Based Mindfulness Intervention for Survivors of Stroke: A Formative Evaluation.. <i>Neurology International</i> , <b>2021</b> , 14, 1-10	1.2	0
258	Continuum of care approach for managing non-communicable diseases in low- and middle-income countries. <i>Journal of Global Health</i> , <b>2020</b> , 10, 010337	4.3	0
257	Global Stroke Statistics 2019. <i>International Journal of Stroke</i> , <b>2020</b> , 15, 819-838	6.3	84
256	Sex differences in aneurysmal subarachnoid haemorrhage (aSAH): aneurysm characteristics, neurological complications, and outcome. <i>Acta Neurochirurgica</i> , <b>2020</b> , 162, 2271-2282	3	4
255	Melbourne Mobile Stroke Unit and Reperfusion Therapy: Greater Clinical Impact of Thrombectomy Than Thrombolysis. <i>Stroke</i> , <b>2020</b> , 51, 922-930	6.7	32
254	Improving economic evaluations in stroke: A report from the ESO Health Economics Working Group. <i>European Stroke Journal</i> , <b>2020</b> , 5, 184-192	5.6	8
253	Stroke incidence and subtypes in Aboriginal people in remote Australia: a healthcare network population-based study. <i>BMJ Open</i> , <b>2020</b> , 10, e039533	3	3

252	Out of sight, out of mind: long-term outcomes for people discharged home, to inpatient rehabilitation and to residential aged care after stroke. <i>Disability and Rehabilitation</i> , <b>2020</b> , 1-7	2.4	5
251	Measuring stroke and transient ischemic attack burden in New Zealand: Protocol for the fifth Auckland Regional Community Stroke Study (ARCOS V). <i>International Journal of Stroke</i> , <b>2020</b> , 15, 573-583	6.3	
250	Effectiveness of a scalable group-based education and monitoring program, delivered by health workers, to improve control of hypertension in rural India: A cluster randomised controlled trial. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1002997	11.6	17
249	Factors Associated With 90-Day Readmission After Stroke or Transient Ischemic Attack: Linked Data From the Australian Stroke Clinical Registry. <i>Stroke</i> , <b>2020</b> , 51, 571-578	6.7	9
248	Hospital admissions prior to primary intracerebral haemorrhage and relevant factors associated with survival. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2020</b> , 29, 105026	2.8	2
247	Hospital Presentations in Long-Term Survivors of Stroke: Causes and Associated Factors in a Linked Data Study. <i>Stroke</i> , <b>2020</b> , 51, 3673-3680	6.7	3
246	Pilot randomised clinical trial of an eHealth, self-management support intervention (iVERVE) for stroke: feasibility assessment in survivors 12-24 months post-event. <i>Pilot and Feasibility Studies</i> , <b>2020</b> , 6, 172	1.9	5
245	A longitudinal examination of the frequency and correlates of self-reported neurobehavioural disability following stroke. <i>Disability and Rehabilitation</i> , <b>2020</b> , 1-9	2.4	3
244	Sex Differences in Disease Profiles, Management, and Outcomes Among People with Atrial Fibrillation After Ischemic Stroke: Aggregated and Individual Participant Data Meta-Analyses. <i>Women's Health Reports</i> , <b>2020</b> , 1, 190-202	0.5	2
243	Stroke systems of care in high-income countries: what is optimal?. <i>Lancet, The</i> , <b>2020</b> , 396, 1433-1442	4.0	5
242	Hypertension in Rural India: The Contribution of Socioeconomic Position. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e014486	6	6
241	Incidence and risk factors for stroke following percutaneous coronary intervention. <i>International Journal of Stroke</i> , <b>2020</b> , 15, 909-922	6.3	1
240	Improving acute stroke care in regional hospitals: clinical evaluation of the Victorian Stroke Telemedicine program. <i>Medical Journal of Australia</i> , <b>2020</b> , 212, 371-377	4	12
239	Fatal and non-fatal events within 14 days after early, intensive mobilization post stroke. <i>Neurology</i> , <b>2020</b> ,	6.5	4
238	Economic Evaluation Protocol and Statistical Analysis Plan for the Cost-Effectiveness of a Novel Australian Stroke Telemedicine Program; the Victorian Stroke Telemedicine (VST) program. <i>Frontiers in Neurology</i> , <b>2020</b> , 11, 602044	4.1	3
237	Sex differences in risk factors for aneurysmal subarachnoid haemorrhage: Systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , <b>2019</b> , 406, 116446	3.2	6
236	Blood Pressure, Aortic Stiffness, Hemodynamics, and Cognition in Twin Pairs Discordant for Type 2 Diabetes. <i>Journal of Alzheimer's Disease</i> , <b>2019</b> , 71, 763-773	4.3	3
235	Knowledge of risk factors for hypertension in a rural Indian population. <i>Heart Asia</i> , <b>2019</b> , 11, e011136	1.9	6

234	Multicenter, Prospective, Controlled, Before-and-After, Quality Improvement Study (Stroke123) of Acute Stroke Care. <i>Stroke</i> , <b>2019</b> , 50, 1525-1530	6.7	17
233	Factors that confound the prediction of renal medullary oxygenation and risk of acute kidney injury from measurement of bladder urine oxygen tension. <i>Acta Physiologica</i> , <b>2019</b> , 227, e13294	5.6	16
232	The role of context in implementation research for non-communicable diseases: Answering the How-to-Riddle. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214454	3.7	17
231	Socioeconomic Status and Long-Term Stroke Mortality, Recurrence and Disability in Iran: The Mashhad Stroke Incidence Study. <i>Neuroepidemiology</i> , <b>2019</b> , 53, 27-31	5.4	8
230	Sex Differences in Care and Long-Term Mortality After Stroke: Australian Stroke Clinical Registry. <i>Journal of Women's Health</i> , <b>2019</b> , 28, 712-720	3	18
229	Outcomes for Patients With In-Hospital Stroke: A Multicenter Study From the Australian Stroke Clinical Registry (AuSCR). <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2019</b> , 28, 1302-1310	2.8	5
228	Evaluating recruitment strategies for AUSPICE, a large Australian community-based randomised controlled trial. <i>Medical Journal of Australia</i> , <b>2019</b> , 210, 409-415	4	7
227	Global, regional, and national burden of stroke, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , <b>2019</b> , 18, 439-458	24.1	1102
226	Promising Use of Big Data to Increase the Efficiency and Comprehensiveness of Stroke Outcomes Research. <i>Stroke</i> , <b>2019</b> , 50, 1302-1309	6.7	18
225	Health effects of dietary risks in 195 countries, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , <b>2019</b> , 393, 1958-1972	4.0	1479
224	Maximising data value and avoiding data waste: a validation study in stroke research. <i>Medical Journal of Australia</i> , <b>2019</b> , 210, 27-31	4	21
223	Stroke Severity Versus Dysphagia Screen as Driver for Post-stroke Pneumonia. <i>Frontiers in Neurology</i> , <b>2019</b> , 10, 16	4.1	10
222	Age, sex, and setting in the etiology of stroke study (ASSESS): Study design and protocol. <i>Journal of the Neurological Sciences</i> , <b>2019</b> , 399, 209-213	3.2	2
221	Long-term disability after stroke in Iran: Evidence from the Mashhad Stroke Incidence Study. <i>International Journal of Stroke</i> , <b>2019</b> , 14, 44-47	6.3	16
220	Sex Differences in Long-Term Quality of Life Among Survivors After Stroke in the INSTRUCT. <i>Stroke</i> , <b>2019</b> , 50, 2299-2306	6.7	29
219	Early mobilization and quality of life after stroke: Findings from AVERT. <i>Neurology</i> , <b>2019</b> , 93, e717-e728	6.5	15
218	Process evaluation in the field: global learnings from seven implementation research hypertension projects in low-and middle-income countries. <i>BMC Public Health</i> , <b>2019</b> , 19, 953	4.1	16
217	Prevalence of diabetes and pre-diabetes in rural Tehri Garhwal, India: influence of diagnostic method. <i>BMC Public Health</i> , <b>2019</b> , 19, 817	4.1	2

216	Disparities in Antihypertensive Prescribing After Stroke: Linked Data From the Australian Stroke Clinical Registry. <i>Stroke</i> , <b>2019</b> , 50, 3592-3599	6.7	9
215	Protocol for evaluation of enhanced models of primary care in the management of stroke and other chronic disease (PRECISE): A data linkage healthcare evaluation study. <i>International Journal of Population Data Science</i> , <b>2019</b> , 4, 1097	1.4	1
214	Sex Differences in Severity of Stroke in the INSTRUCT Study: a Meta-Analysis of Individual Participant Data. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e010235	6	36
213	Weekend hospital discharge is associated with suboptimal care and outcomes: An observational Australian Stroke Clinical Registry study. <i>International Journal of Stroke</i> , <b>2019</b> , 14, 430-438	6.3	1
212	A Promising Skills-Based Intervention to Reduce Blood Pressure in Individuals With Stroke and Transient Ischemic Attack. <i>JAMA Neurology</i> , <b>2019</b> , 76, 13-14	17.2	1
211	Advances in Stroke 2017. <i>Stroke</i> , <b>2018</b> , 49, e174-e199	6.7	19
210	Prescription of antihypertensive medication at discharge influences survival following stroke. <i>Neurology</i> , <b>2018</b> , 90, e745-e753	6.5	8
209	Five-Year Case Fatality Following First-Ever Stroke in the Mashhad Stroke Incidence Study: A Population-Based Study of Stroke in the Middle East. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2018</b> , 27, 1085-1089	2.8	6
208	Quality of Life Is Poorer for Patients With Stroke Who Require an Interpreter: An Observational Australian Registry Study. <i>Stroke</i> , <b>2018</b> , 49, 761-764	6.7	7
207	Five-Year Recurrence Rate and the Predictors Following Stroke in the Mashhad Stroke Incidence Study: A Population-Based Cohort Study of Stroke in the Middle East. <i>Neuroepidemiology</i> , <b>2018</b> , 50, 18-22	5.4	14
206	Preventing stroke on the street where you live, work, and play. <i>Lancet Public Health</i> , <b>2018</b> , 3, e158-e159	6.7	15
205	Urinary hypoxia: an intraoperative marker of risk of cardiac surgery-associated acute kidney injury. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, 2191-2201	4.3	34
204	Improving quality and outcomes of stroke care in hospitals: Protocol and statistical analysis plan for the Stroke123 implementation study. <i>International Journal of Stroke</i> , <b>2018</b> , 13, 96-106	6.3	14
203	Early Mobilization After Stroke Is Not Associated With Cognitive Outcome. <i>Stroke</i> , <b>2018</b> , 49, 2147-2154	6.7	8
202	Economic Evaluation of a Pre-Hospital Protocol for Patients with Suspected Acute Stroke. <i>Frontiers in Public Health</i> , <b>2018</b> , 6, 43	6	2
201	Factors influencing self-reported anxiety or depression following stroke or TIA using linked registry and hospital data. <i>Quality of Life Research</i> , <b>2018</b> , 27, 3145-3155	3.7	13
200	Evaluation of a training program of hypertension for accredited social health activists (ASHA) in rural India. <i>BMC Health Services Research</i> , <b>2018</b> , 18, 320	2.9	29
199	The Incidence and Characteristics of Stroke in Urban-Dwelling Iranian Women. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2018</b> , 27, 547-554	2.8	3

198	Is length of time in a stroke unit associated with better outcomes for patients with stroke in Australia? An observational study. <i>BMJ Open</i> , <b>2018</b> , 8, e022536	3	2
197	Task-shifting for cardiovascular risk factor management: lessons from the Global Alliance for Chronic Diseases. <i>BMJ Global Health</i> , <b>2018</b> , 3, e001092	6.6	27
196	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , <b>2018</b> , 379, 2429-2437	59.2	495
195	Prevention of stroke: a global perspective. <i>Lancet, The</i> , <b>2018</b> , 392, 1269-1278	40	135
194	Understanding the potential for yoga and tai chi interventions to moderate risk factors for stroke □ a scoping review. <i>Future Neurology</i> , <b>2018</b> , 13, 239-252	1.5	2
193	Neurobehavioral disability in stroke patients during subacute inpatient rehabilitation: prevalence and biopsychosocial associations. <i>Topics in Stroke Rehabilitation</i> , <b>2018</b> , 1-8	2.6	3
192	Development of an electronic health message system to support recovery after stroke: Inspiring Virtual Enabled Resources following Vascular Events (IVERVE). <i>Patient Preference and Adherence</i> , <b>2018</b> , 12, 1213-1224	2.4	10
191	Excess stroke incidence in young Aboriginal people in South Australia: Pooled results from two population-based studies. <i>International Journal of Stroke</i> , <b>2018</b> , 13, 811-814	6.3	15
190	Determining the feasibility and preliminary efficacy of a stroke instructional and educational DVD in a multinational context: a randomized controlled pilot study. <i>Clinical Rehabilitation</i> , <b>2018</b> , 32, 1086-1097	3.3	3
189	Factors associated with awareness, treatment and control of hypertension in a disadvantaged rural Indian population. <i>Journal of Human Hypertension</i> , <b>2017</b> , 31, 347-353	2.6	10
188	STROKOG (stroke and cognition consortium): An international consortium to examine the epidemiology, diagnosis, and treatment of neurocognitive disorders in relation to cerebrovascular disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , <b>2017</b> , 7, 11-23	5.2	27
187	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. <i>JAMA - Journal of the American Medical Association</i> , <b>2017</b> , 317, 165-182	27.4	957
186	Sex Differences in Long-Term Mortality After Stroke in the INSTRUMENT (INTERNATIONAL STROKE OUTCOMES STUDY): A Meta-Analysis of Individual Participant Data. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2017</b> , 10,	5.8	70
185	Effectiveness of an Intervention to Improve Risk Factor Knowledge in Patients With Stroke: A Randomized Controlled Trial. <i>Stroke</i> , <b>2017</b> , 48, 1101-1103	6.7	10
184	Incidence, recurrence, and long-term survival of ischemic stroke subtypes: A population-based study in the Middle East. <i>International Journal of Stroke</i> , <b>2017</b> , 12, 835-843	6.3	25
183	Effectiveness of a shared team approach between nurses and doctors for improved risk factor management in survivors of stroke: a cluster randomized controlled trial. <i>European Journal of Neurology</i> , <b>2017</b> , 24, 920-928	6	13
182	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 70, 1-25	15.1	1804
181	The potential health and economic impact of improving stroke care standards for Australia. <i>International Journal of Stroke</i> , <b>2017</b> , 12, 875-885	6.3	4



180	Long-term unmet needs and associated factors in stroke or TIA survivors: An observational study. <i>Neurology</i> , <b>2017</b> , 89, 68-75	6.5	28
179	Risk-adjusted hospital mortality rates for stroke: evidence from the Australian Stroke Clinical Registry (AuSCR). <i>Medical Journal of Australia</i> , <b>2017</b> , 206, 345-350	4	29
178	Strategies to Improve Stroke Care Services in Low- and Middle-Income Countries: A Systematic Review. <i>Neuroepidemiology</i> , <b>2017</b> , 49, 45-61	5.4	58
177	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1084-1150	40	421
176	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1260-1344	40	1152
175	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1151-1210	40	2542
174	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1211-1259	40	3432
173	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1345-1422	40	1378
172	Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , <b>2017</b> , 16, 877-897	24.1	984
171	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2017</b> , 390, 1423-1459	40	224
170	Global stroke statistics: An update of mortality data from countries using a broad code of "cerebrovascular diseases". <i>International Journal of Stroke</i> , <b>2017</b> , 12, 796-801	6.3	27
169	Self-Reported Exercise Prevalence and Determinants in the Long Term After Stroke: The North East Melbourne Stroke Incidence Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2017</b> , 26, 2855-2863	2.8	7
168	Community-Based Intervention to Improve Cardiometabolic Targets in Patients With Stroke: A Randomized Controlled Trial. <i>Stroke</i> , <b>2017</b> , 48, 2504-2510	6.7	20
167	Epidemiology of Intracranial and Extracranial Large Artery Stenosis in a Population-Based Study of Stroke in the Middle East. <i>Neuroepidemiology</i> , <b>2017</b> , 48, 188-192	5.4	5
166	Treatment and Outcomes of Working Aged Adults with Stroke: Results from a National Prospective Registry. <i>Neuroepidemiology</i> , <b>2017</b> , 49, 113-120	5.4	8
165	Transitioning from a single-site pilot project to a state-wide regional telehealth service: The experience from the Victorian Stroke Telemedicine programme. <i>Journal of Telemedicine and Telecare</i> , <b>2017</b> , 23, 850-855	6.8	14
164	Long-Term Outcomes of Ischemic Stroke of Undetermined Mechanism: A Population-Based Prospective Cohort. <i>Neuroepidemiology</i> , <b>2017</b> , 49, 160-164	5.4	6
163	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. <i>Lancet, The</i> , <b>2017</b> , 390, 588-599	40	80

162	Developing consensus measures for global programs: lessons from the Global Alliance for Chronic Diseases Hypertension research program. <i>Globalization and Health</i> , <b>2017</b> , 13, 17	10	5
161	Global stroke statistics. <i>International Journal of Stroke</i> , <b>2017</b> , 12, 13-32	6.3	255
160	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. <i>Cardiology Clinics</i> , <b>2017</b> , 35, 99-115	2.5	40
159	Secondary stroke prevention and primary care physicians. <i>International Journal of Family &amp; Community Medicine</i> , <b>2017</b> , 1, 8-9	0.2	
158	A Risk Score to Predict Hypertension in Primary Care Settings in Rural India. <i>Asia-Pacific Journal of Public Health</i> , <b>2016</b> , 28, 26S-31S	2	9
157	Neighborhood socioeconomic index and stroke incidence in a national cohort of blacks and whites. <i>Neurology</i> , <b>2016</b> , 87, 2340-2347	6.5	32
156	Addressing the challenges of cross-jurisdictional data linkage between a national clinical quality registry and government-held health data. <i>Australian and New Zealand Journal of Public Health</i> , <b>2016</b> , 40, 436-442	2.3	35
155	Exploring the benefits of a stroke telemedicine programme: An organisational and societal perspective. <i>Journal of Telemedicine and Telecare</i> , <b>2016</b> , 22, 489-494	6.8	14
154	Cluster randomised feasibility trial to improve the Control of Hypertension In Rural India (CHIRI): a study protocol. <i>BMJ Open</i> , <b>2016</b> , 6, e012404	3	11
153	National stroke registries for monitoring and improving the quality of hospital care: A systematic review. <i>International Journal of Stroke</i> , <b>2016</b> , 11, 28-40	6.3	62
152	Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). <i>Neurology</i> , <b>2016</b> , 86, 2138-45	6.5	126
151	Association between salt and hypertension in rural and urban populations of low to middle income countries: a systematic review and meta-analysis of population based studies. <i>Asia Pacific Journal of Clinical Nutrition</i> , <b>2016</b> , 25, 402-13	1	12
150	Nurse-Led Intervention to Improve Knowledge of Medications in Survivors of Stroke or Transient Ischemic Attack: A Cluster Randomized Controlled Trial. <i>Frontiers in Neurology</i> , <b>2016</b> , 7, 205	4.1	5
149	The Global Alliance for Chronic Diseases Supports 15 Major Studies in Hypertension Prevention and Control in Low- and Middle-Income Countries. <i>Journal of Clinical Hypertension</i> , <b>2016</b> , 18, 600-5	2.3	10
148	Maximizing Patient Recruitment and Retention in a Secondary Stroke Prevention Clinical Trial: Lessons Learned from the STAND FIRM Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2016</b> , 25, 1371-80	2.8	5
147	Case-fatality and functional status three months after first-ever stroke in Vietnam. <i>Journal of the Neurological Sciences</i> , <b>2016</b> , 365, 65-71	3.2	3
146	Rationale and design of a randomized controlled trial of pneumococcal polysaccharide vaccine for prevention of cardiovascular events: The Australian Study for the Prevention through Immunization of Cardiovascular Events (AUSPICE). <i>American Heart Journal</i> , <b>2016</b> , 177, 58-65	4.9	29
145	Better outcomes for hospitalized patients with TIA when in stroke units: An observational study. <i>Neurology</i> , <b>2016</b> , 86, 2042-8	6.5	20

144	The Global Burden of Anemia. <i>Hematology/Oncology Clinics of North America</i> , <b>2016</b> , 30, 247-308	3.1	313
143	Gaps in Hypertension Guidelines in Low- and Middle-Income Versus High-Income Countries: A Systematic Review. <i>Hypertension</i> , <b>2016</b> , 68, 1328-1337	8.5	33
142	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1603-1658	40	1216
141	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1459-1544	40	3525
140	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1545-1602	40	3801
139	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1659-1724	40	2431
138	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , <b>2016</b> , 388, 1813-1850	40	302
137	Novel dietary intake assessment in populations with poor literacy. <i>Asia Pacific Journal of Clinical Nutrition</i> , <b>2016</b> , 25, 202-12	1	2
136	Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. <i>Lancet, The</i> , <b>2015</b> , 386, 46-55	40	440
135	Longitudinal Relationships Between Cognitive Decline and Gait Slowing: The Tasmanian Study of Cognition and Gait. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 1226-32	6.4	58
134	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , <b>2015</b> , 386, 2145-91	40	1203
133	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 386, 2287-323	40	1776
132	Methodology of the Stroke Self-Management Rehabilitation Trial: an international, multisite pilot trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2015</b> , 24, 297-303	2.8	14
131	Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 385, 117-71	40	4599
130	Progression of white matter hyperintensities of presumed vascular origin increases the risk of falls in older people. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 360-6	6.4	34
129	Obesity paradox versus frailty syndrome in first-ever ischemic stroke survivors. <i>International Journal of Stroke</i> , <b>2015</b> , 10, E75	6.3	2
128	Behaviour change strategies for reducing blood pressure-related disease burden: findings from a global implementation research programme. <i>Implementation Science</i> , <b>2015</b> , 10, 158	8.4	22
127	AVERT2 (a very early rehabilitation trial, a very effective reproductive trigger): retrospective observational analysis of the number of babies born to trial staff. <i>BMJ, The</i> , <b>2015</b> , 351, h6432	5.9	14

126	Statistical analysis plan (SAP) for Shared Team Approach between Nurses and Doctors For Improved Risk Factor Management (STANDFIRM): a randomised controlled trial. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 770-2	6.3	3
125	One-year case fatality rate following stroke in the Mashhad Stroke Incidence Study: a population-based study of stroke in Iran. <i>International Journal of Stroke</i> , <b>2015</b> , 10 Suppl A100, 96-102	6.3	12
124	Personalized medicine and stroke prevention: where are we?. <i>Vascular Health and Risk Management</i> , <b>2015</b> , 11, 601-11	4.4	10
123	New strategy to reduce the global burden of stroke. <i>Stroke</i> , <b>2015</b> , 46, 1740-7	6.7	57
122	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 386, 743-800	4.0	3802
121	Authors' Response to: Data sources for measuring the socioeconomic gradient of hypertension in rural populations of low- and middle-income countries. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 1747	7.8	
120	Exploring threats to generalisability in a large international rehabilitation trial (AVERT). <i>BMJ Open</i> , <b>2015</b> , 5, e008378	3	15
119	Potential cost-savings may be considerable with management of hypertension according to updated US hypertension guidelines, but for women aged 35-44 years these benefits are unlikely. <i>Evidence-Based Medicine</i> , <b>2015</b> , 20, 150		1
118	Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: The GBD 2013 Study. <i>Neuroepidemiology</i> , <b>2015</b> , 45, 161-76	5.4	743
117	Atlas of the Global Burden of Stroke (1990-2013): The GBD 2013 Study. <i>Neuroepidemiology</i> , <b>2015</b> , 45, 230-6	5.4	155
116	Sex Differences in Stroke Incidence, Prevalence, Mortality and Disability-Adjusted Life Years: Results from the Global Burden of Disease Study 2013. <i>Neuroepidemiology</i> , <b>2015</b> , 45, 203-14	5.4	117
115	The Stroke Riskometer(TM) App: validation of a data collection tool and stroke risk predictor. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 231-44	6.3	67
114	Statistical analysis plan (SAP) for A Very Early Rehabilitation Trial (AVERT): an international trial to determine the efficacy and safety of commencing out of bed standing and walking training (very early mobilization) within 24 h of stroke onset vs. usual stroke unit care. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 23-4	6.3	21
113	Global stroke statistics. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 6-18	6.3	167
112	Adiposity has a greater impact on hypertension in lean than not-lean populations: a systematic review and meta-analysis. <i>European Journal of Epidemiology</i> , <b>2014</b> , 29, 311-24	12.1	14
111	Geomagnetic storms can trigger stroke: evidence from 6 large population-based studies in Europe and Australasia. <i>Stroke</i> , <b>2014</b> , 45, 1639-45	6.7	19
110	Lower systolic blood pressure is associated with poorer survival in long-term survivors of stroke. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 904-11	1.9	20
109	Advances in stroke: Health policy/outcomes research 2013. <i>Stroke</i> , <b>2014</b> , 45, 361-2	6.7	2

108	Discharge is a critical time to influence 10-year use of secondary prevention therapies for stroke. <i>Stroke</i> , <b>2014</b> , 45, 539-44	6.7	28
107	Estimating the annual number of strokes and the issue of imperfect data: an example from Australia. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 19-22	6.3	5
106	Risk factor management in survivors of stroke: a double-blind, cluster-randomized, controlled trial. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 652-7	6.3	13
105	What is stroke symptom knowledge?. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 48-52	6.3	17
104	Do the socioeconomic and hypertension gradients in rural populations of low- and middle-income countries differ by geographical region? A systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , <b>2014</b> , 43, 1563-77	7.8	40
103	Rejoinder: Socioeconomic gradients and hypertension in low- and middle-income countries: a straw man and no solutions. <i>International Journal of Epidemiology</i> , <b>2014</b> , 43, 1581-2	7.8	3
102	Long-term costs of stroke using 10-year longitudinal data from the North East Melbourne Stroke Incidence Study. <i>Stroke</i> , <b>2014</b> , 45, 3389-94	6.7	41
101	Trends over time in the risk of stroke after an incident transient ischemic attack. <i>Stroke</i> , <b>2014</b> , 45, 3214-8	6.7	25
100	Association between farming and chronic energy deficiency in rural South India. <i>PLoS ONE</i> , <b>2014</b> , 9, e87423	4.7	10
99	Incidence of first ever stroke during Hajj ceremony. <i>BMC Neurology</i> , <b>2013</b> , 13, 193	3.1	3
98	Comparison of stroke warning sign campaigns in Australia, England, and Canada. <i>International Journal of Stroke</i> , <b>2013</b> , 8 Suppl A100, 28-31	6.3	26
97	The prevalence, impact and economic implications of atrial fibrillation in stroke: what progress has been made?. <i>Neuroepidemiology</i> , <b>2013</b> , 40, 227-39	5.4	36
96	Brain structural change and gait decline: a longitudinal population-based study. <i>Journal of the American Geriatrics Society</i> , <b>2013</b> , 61, 1074-9	5.6	95
95	Statin therapy and outcome after ischemic stroke: systematic review and meta-analysis of observational studies and randomized trials. <i>Stroke</i> , <b>2013</b> , 44, 448-56	6.7	169
94	Is stroke incidence in low- to middle-income countries driven by economics?. <i>International Journal of Stroke</i> , <b>2012</b> , 7, 307-8	6.3	7
93	Vascular cognitive impairment and Alzheimer's disease: role of cerebral hypoperfusion and oxidative stress. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>2012</b> , 385, 953-9	3.4	47
92	A plea for the use of systematic review methodology when writing guidelines and timely publication of guidelines. <i>Internal Medicine Journal</i> , <b>2012</b> , 42, 1369-71; author reply 1371-2	1.6	1
91	Urinary symptoms and natural history of urinary continence after first-ever stroke--a longitudinal population-based study. <i>Age and Ageing</i> , <b>2012</b> , 41, 371-6	3	71

90	No evidence for an epidemic of stroke with the ageing of the population. <i>Neuroepidemiology</i> , <b>2012</b> , 38, 268-73	5.4	8
89	Advances in health policy and outcome 2010-2011. <i>Stroke</i> , <b>2012</b> , 43, 300-1	6.7	3
88	Baseline smoking status and the long-term risk of death or nonfatal vascular event in people with stroke: a 10-year survival analysis. <i>Stroke</i> , <b>2012</b> , 43, 3173-8	6.7	25
87	Organized blood pressure control programs to prevent stroke in Australia: would they be cost-effective?. <i>Stroke</i> , <b>2012</b> , 43, 1370-5	6.7	14
86	Socioeconomic disparities in stroke rates and outcome: pooled analysis of stroke incidence studies in Australia and New Zealand. <i>Medical Journal of Australia</i> , <b>2011</b> , 195, 10-4	4	31
85	Gender-specific effects of caste and salt on hypertension in poverty: a population-based study. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 443-50	1.9	19
84	Very early mobilization after stroke fast-tracks return to walking: further results from the phase II AVERT randomized controlled trial. <i>Stroke</i> , <b>2011</b> , 42, 153-8	6.7	198
83	Factors associated with quality of life in 7-year survivors of stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2011</b> , 82, 1365-71	5.5	40
82	Protocol and pilot data for establishing the Australian Stroke Clinical Registry. <i>International Journal of Stroke</i> , <b>2010</b> , 5, 217-26	6.3	89
81	Potential roles of high salt intake and maternal malnutrition in the development of hypertension in disadvantaged populations. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2010</b> , 37, e78-90	3	24
80	Missed opportunities to prevent stroke recurrence. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2010</b> , 37, 773-4	3	
79	Sex differences in presentation, severity, and management of stroke in a population-based study. <i>Neurology</i> , <b>2010</b> , 75, 670-1; author reply 671	6.5	16
78	Case-control studies: the importance of design and conduct. <i>Neuroepidemiology</i> , <b>2010</b> , 34, 264-6	5.4	2
77	Design and methods of population surveys. <i>Neuroepidemiology</i> , <b>2010</b> , 34, 267-9	5.4	4
76	Excessive incidence of stroke in Iran: evidence from the Mashhad Stroke Incidence Study (MSIS), a population-based study of stroke in the Middle East. <i>Stroke</i> , <b>2010</b> , 41, e3-e10	6.7	137
75	Systematic review of observational studies. <i>Neuroepidemiology</i> , <b>2010</b> , 34, 262-3	5.4	1
74	Sex differences in presentation, severity, and management of stroke in a population-based study. <i>Neurology</i> , <b>2010</b> , 74, 975-81	6.5	136
73	How generalisable is INTERSTROKE?. <i>Lancet, The</i> , <b>2010</b> , 376, 1538-9; author reply 1539	4.0	2

72	The health loss from ischemic stroke and intracerebral hemorrhage: evidence from the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Health and Quality of Life Outcomes</i> , <b>2010</b> , 8, 49	3	48
71	Burden of Cardiovascular Diseases Among Aboriginal and Torres Strait Islander Peoples: Mortality, Hospitalization and Risk Factors <b>2010</b> , 919-931		
70	Handicap 5 years after stroke in the North East Melbourne Stroke Incidence Study. <i>Cerebrovascular Diseases</i> , <b>2009</b> , 27, 123-30	3.2	11
69	Incidence of stroke subtypes in the North East Melbourne Stroke Incidence Study (NEMESIS): differences between men and women. <i>Neuroepidemiology</i> , <b>2009</b> , 32, 11-8	5.4	52
68	Smoking cessation at 5 years after stroke in the North East Melbourne stroke incidence study. <i>Neuroepidemiology</i> , <b>2009</b> , 32, 196-200	5.4	16
67	Estimating the long-term costs of ischemic and hemorrhagic stroke for Australia: new evidence derived from the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , <b>2009</b> , 40, 915-21	6.7	68
66	Very early mobilisation and complications in the first 3 months after stroke: further results from phase II of A Very Early Rehabilitation Trial (AVERT). <i>Cerebrovascular Diseases</i> , <b>2009</b> , 28, 378-83	3.2	51
65	Stroke among women, ethnic groups, young adults, and children. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , <b>2009</b> , 92, 337-53	3	2
64	Teaching Courses. <i>Neuroepidemiology</i> , <b>2009</b> , 33, 317-320	5.4	1
63	Benefits and Challenges in Stroke Research in Developing Countries. <i>Brain Impairment</i> , <b>2008</b> , 9, 198-204	1	2
62	Estimating the prevalence of sleep-disordered breathing in community-based, long-term stroke survivors using a validated predictive model. <i>Cerebrovascular Diseases</i> , <b>2008</b> , 26, 441-6	3.2	10
61	Economic evaluation alongside a phase II, multi-centre, randomised controlled trial of very early rehabilitation after stroke (AVERT). <i>Cerebrovascular Diseases</i> , <b>2008</b> , 26, 475-81	3.2	48
60	The effect of very early mobilisation after stroke on psychological well-being. <i>Journal of Rehabilitation Medicine</i> , <b>2008</b> , 40, 609-14	3.4	48
59	A very early rehabilitation trial for stroke (AVERT): phase II safety and feasibility. <i>Stroke</i> , <b>2008</b> , 39, 390-6	6.7	272
58	Not all stroke units are the same: a comparison of physical activity patterns in Melbourne, Australia, and Trondheim, Norway. <i>Stroke</i> , <b>2008</b> , 39, 2059-65	6.7	90
57	Individuals with first-ever clinical presentation of a lacunar infarction syndrome: Is there an increased likelihood of developing mild cognitive impairment in the first 12 months after stroke?. <i>Journal of Neuropsychology</i> , <b>2008</b> , 2, 373-85	2.6	10
56	Patterns of stroke recurrence according to subtype of first stroke event: the North East Melbourne Stroke Incidence Study (NEMESIS). <i>International Journal of Stroke</i> , <b>2008</b> , 3, 158-64	6.3	38
55	Vascular Cognitive Impairment <b>2007</b> , 223-233		2

54	Poverty and stroke in India: a time to act. <i>Stroke</i> , <b>2007</b> , 38, 3063-9	6.7	71
53	The large and growing burden of stroke. <i>Current Drug Targets</i> , <b>2007</b> , 8, 786-93	3	58
52	Is prestroke use of angiotensin-converting enzyme inhibitors associated with better outcome?. <i>Neurology</i> , <b>2007</b> , 68, 1687-93	6.5	33
51	Mobilisation $\neq$ bed $\neq$ s not mobilisation. <i>Cerebrovascular Diseases</i> , <b>2007</b> , 24, 157-8; author reply 159	3.2	56
50	Why invest in a national public health program for stroke? An example using Australian data to estimate the potential benefits and cost implications. <i>Health Policy</i> , <b>2007</b> , 83, 287-94	3.2	21
49	Greater incidence of both fatal and nonfatal strokes in disadvantaged areas: the Northeast Melbourne Stroke Incidence Study. <i>Stroke</i> , <b>2006</b> , 37, 877-82	6.7	61
48	Long-term cognitive transitions, rates of cognitive change, and predictors of incident dementia in a population-based first-ever stroke cohort. <i>Stroke</i> , <b>2006</b> , 37, 2479-83	6.7	87
47	Prevalence of depression and use of antidepressant medication at 5-years poststroke in the North East Melbourne Stroke Incidence Study. <i>Stroke</i> , <b>2006</b> , 37, 2854-5	6.7	43
46	Control of hypertension 5 years after stroke in the North East Melbourne Stroke Incidence Study. <i>Hypertension</i> , <b>2006</b> , 48, 260-5	8.5	34
45	The validity of brief screening cognitive instruments in the diagnosis of cognitive impairment and dementia after first-ever stroke. <i>International Psychogeriatrics</i> , <b>2006</b> , 18, 295-305	3.4	54
44	A Very Early Rehabilitation Trial (AVERT). <i>International Journal of Stroke</i> , <b>2006</b> , 1, 169-71	6.3	60
43	Long-term outcome in the North East Melbourne Stroke Incidence Study: predictors of quality of life at 5 years after stroke. <i>Stroke</i> , <b>2005</b> , 36, 2082-6	6.7	107
42	Hypertension 2020: confronting tomorrow's problem today. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2005</b> , 32, 374-6	3	20
41	Stroke units, tissue plasminogen activator, aspirin and neuroprotection: which stroke intervention could provide the greatest community benefit?. <i>Cerebrovascular Diseases</i> , <b>2005</b> , 20, 239-44	3.2	75
40	Development and application of Model of Resource Utilization, Costs, and Outcomes for Stroke (MORUCOS): an Australian economic model for stroke. <i>International Journal of Technology Assessment in Health Care</i> , <b>2005</b> , 21, 499-505	1.8	16
39	Cerebrovascular disease and dementia. <i>Drugs of Today</i> , <b>2005</b> , 41, 815-25	2.5	3
38	Knowledge of risk factors and warning signs of stroke. <i>Vascular Health and Risk Management</i> , <b>2005</b> , 1, 137-47	4.4	69
37	Inactive and alone: physical activity within the first 14 days of acute stroke unit care. <i>Stroke</i> , <b>2004</b> , 35, 1005-9	6.7	410



36	Determinants of handicap after stroke: the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , <b>2004</b> , 35, 715-20	6.7	101
35	Cholesterol is associated with stroke, but is not a risk factor. <i>Stroke</i> , <b>2004</b> , 35, 1524-5	6.7	14
34	Quality of life after stroke: the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , <b>2004</b> , 35, 2340-5	6.7	332
33	Smoking as a crucial independent determinant of stroke. <i>Tobacco Induced Diseases</i> , <b>2004</b> , 2, 67-80	3.2	10
32	Progressive dementia after first-ever stroke: a community-based follow-up study. <i>Neurology</i> , <b>2004</b> , 63, 785-92	6.5	71
31	Out of pocket costs to stroke patients during the first year after stroke - results from the North East Melbourne Stroke Incidence Study. <i>Journal of Clinical Neuroscience</i> , <b>2004</b> , 11, 134-7	2.2	23
30	Trial application of a Model of Resource Utilization, Costs, and Outcomes for Stroke (MORUCOS) to assist priority setting in stroke. <i>Stroke</i> , <b>2004</b> , 35, 1041-6	6.7	28
29	Lifetime cost of stroke subtypes in Australia: findings from the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , <b>2003</b> , 34, 2502-7	6.7	74
28	Increased risk of cognitive impairment 3 months after mild to moderate first-ever stroke: a Community-Based Prospective Study of Nonaphasic English-Speaking Survivors. <i>Stroke</i> , <b>2003</b> , 34, 1136-43	6.7	92
27	Risk of ischemic stroke among users of the oral contraceptive pill: The Melbourne Risk Factor Study (MERFS) Group. <i>Stroke</i> , <b>2003</b> , 34, 1575-80	6.7	59
26	Incidence and outcome of subtypes of ischaemic stroke: initial results from the north East Melbourne stroke incidence study (NEMESIS). <i>Cerebrovascular Diseases</i> , <b>2003</b> , 15, 133-9	3.2	40
25	The role of blood pressure lowering before and after stroke. <i>Current Opinion in Neurology</i> , <b>2003</b> , 16, 81-86	6.1	13
24	The role of blood pressure lowering before and after stroke. <i>Current Opinion in Neurology</i> , <b>2003</b> , 16, 81-86	6.1	3
23	Brief comprehensive quality of life assessment after stroke: the assessment of quality of life instrument in the north East Melbourne stroke incidence study (NEMESIS). <i>Stroke</i> , <b>2002</b> , 33, 2888-94	6.7	68
22	Reduced risk of intracerebral hemorrhage with dynamic recreational exercise but not with heavy work activity. <i>Stroke</i> , <b>2002</b> , 33, 559-64	6.7	16
21	Re: Does tea affect cardiovascular disease? A meta-analysis. <i>American Journal of Epidemiology</i> , <b>2002</b> , 156, 490; author reply 490-1	3.8	2
20	Handicap after stroke: how does it relate to disability, perception of recovery, and stroke subtype?: the north North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , <b>2002</b> , 33, 762-8	6.7	123
19	Informal care for stroke survivors: results from the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , <b>2002</b> , 33, 1028-33	6.7	124

18	Reduced frequency of high cholesterol levels among patients with intracerebral haemorrhage. <i>Journal of Clinical Neuroscience</i> , <b>2002</b> , 9, 376-80	2.2	14
17	Cost of stroke in Australia from a societal perspective: results from the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , <b>2001</b> , 32, 2409-16	6.7	148
16	Incidence of the major stroke subtypes: initial findings from the North East Melbourne stroke incidence study (NEMESIS). <i>Stroke</i> , <b>2001</b> , 32, 1732-8	6.7	243
15	Inter-rater reliability of stroke sub-type classification by neurologists and nurses within a community-based stroke incidence study. <i>Journal of Clinical Neuroscience</i> , <b>2001</b> , 8, 14-7	2.2	15
14	Stroke incidence on the east coast of Australia: the North East Melbourne Stroke Incidence Study (NEMESIS). <i>Stroke</i> , <b>2000</b> , 31, 2087-92	6.7	169
13	Heavy Drinking, but Not Moderate or Intermediate Drinking, Increases the Risk of Intracerebral Hemorrhage. <i>Epidemiology</i> , <b>1999</b> , 10, 307-312	3.1	74
12	Risk of primary intracerebral haemorrhage associated with aspirin and non-steroidal anti-inflammatory drugs: case-control study. <i>BMJ: British Medical Journal</i> , <b>1999</b> , 318, 759-64		56
11	The risk of intracerebral haemorrhage with smoking. The Melbourne Risk Factor Study Group. <i>Cerebrovascular Diseases</i> , <b>1999</b> , 9, 34-9	3.2	32
10	Ischemic stroke risk and passive exposure to spouses' cigarette smoking. Melbourne Stroke Risk Factor Study (MERFS) Group. <i>American Journal of Public Health</i> , <b>1999</b> , 89, 572-5	5.1	71
9	Interrater reliability of the National Institutes of Health Stroke Scale: rating by neurologists and nurses in a community-based stroke incidence study. <i>Cerebrovascular Diseases</i> , <b>1999</b> , 9, 323-7	3.2	109
8	Heavy drinking, but not moderate or intermediate drinking, increases the risk of intracerebral hemorrhage. <i>Epidemiology</i> , <b>1999</b> , 10, 307-12	3.1	11
7	Three important subgroups of hypertensive persons at greater risk of intracerebral hemorrhage. Melbourne Risk Factor Study Group. <i>Hypertension</i> , <b>1998</b> , 31, 1223-9	8.5	124
6	Acute Brain Infarction: Early Changes in Neurological Status. <i>Cerebrovascular Diseases</i> , <b>1997</b> , 7, 6-9	3.2	7
5	Risk factors for stroke due to cerebral infarction in young adults. <i>Stroke</i> , <b>1997</b> , 28, 1913-8	6.7	81
4	Risk factors for cerebral hemorrhage in the era of well-controlled hypertension. Melbourne Risk Factor Study (MERFS) Group. <i>Stroke</i> , <b>1996</b> , 27, 2020-5	6.7	87
3	Epidemiology of intracerebral hemorrhage. <i>Epidemiologic Reviews</i> , <b>1995</b> , 17, 361-81	4.1	69
2	Hypertension as a Risk Factor for Stroke Subtypes. <i>Hypertension Research</i> , <b>1994</b> , 17, S51-S54	4.7	2
1	Smoking as a Risk Factor for Stroke. <i>Cerebrovascular Diseases</i> , <b>1993</b> , 3, 129-138	3.2	9

