

Emilia Sato

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1696142/emilia-sato-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

2,584
citations

29
h-index

49
g-index

84
ext. papers

3,073
ext. citations

2.8
avg, IF

4.61
L-index

#	Paper	IF	Citations
76	Different epidemiologic profiles of systemic vasculitis between Brazil and Peru-preliminary results in two referral centers from both countries.. <i>Clinical Rheumatology</i> , 2022 , 41, 635	3.9	0
75	Chronic use of hydroxychloroquine did not protect against COVID-19 in a large cohort of patients with rheumatic diseases in Brazil. <i>Advances in Rheumatology</i> , 2021 , 61, 60	3	4
74	Transverse Myelitis in Systemic Lupus Erythematosus: Clinical Features and Prognostic Factors in a Large Cohort of Latin American Patients. <i>Journal of Clinical Rheumatology</i> , 2021 , 27, S204-S211	1.1	4
73	Factors associated with neuropsychiatric involvement in Latin American patients with systemic lupus erythematosus. <i>Lupus</i> , 2021 , 30, 1481-1491	2.6	
72	Revisiting hydroxychloroquine and chloroquine for patients with chronic immunity-mediated inflammatory rheumatic diseases. <i>Advances in Rheumatology</i> , 2020 , 60, 32	3	24
71	A retrospective cohort study to assess PET-CT findings and clinical outcomes in Takayasu arteritis: does 18F-fluorodeoxyglucose uptake in arteries predict relapses?. <i>Rheumatology International</i> , 2020 , 40, 1123-1131	3.6	5
70	Psychoanalytic psychotherapy improves quality of life, depression, anxiety and coping in patients with systemic lupus erythematosus: a controlled randomized clinical trial. <i>Advances in Rheumatology</i> , 2019 , 59, 4	3	19
69	Predictors of Remission and Low Disease Activity State in Systemic Lupus Erythematosus: Data from a Multiethnic, Multinational Latin American Cohort. <i>Journal of Rheumatology</i> , 2019 , 46, 1299-1308	4.1	9
68	Factors predictive of serious infections over time in systemic lupus erythematosus patients: data from a multi-ethnic, multi-national, Latin American lupus cohort. <i>Lupus</i> , 2019 , 28, 1101-1110	2.6	26
67	Jaccoud's arthropathy in SLE: findings from a Latin American multiethnic population. <i>Lupus Science and Medicine</i> , 2019 , 6, e000343	4.6	3
66	Predictive factors of flares in systemic lupus erythematosus patients: data from a multiethnic Latin American cohort. <i>Lupus</i> , 2018 , 27, 536-544	2.6	13
65	First Latin American clinical practice guidelines for the treatment of systemic lupus erythematosus: Latin American Group for the Study of Lupus (GLADEL,)-Pan-American League of Associations of Rheumatology (PANLAR). <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1549-1557	2.4	57
64	Therapeutic Guidelines for Latin American Lupus Patients: Methodology. <i>Journal of Clinical Rheumatology</i> , 2018 , 24, 41-44	1.1	3
63	Endothelial progenitor cells and vascular endothelial growth factor in patients with Takayasu's arteritis. <i>Advances in Rheumatology</i> , 2018 , 58, 24	3	1
62	Early discoid lupus erythematosus protects against renal disease in patients with systemic lupus erythematosus: longitudinal data from a large Latin American cohort. <i>Lupus</i> , 2017 , 26, 73-83	2.6	6
61	Factors predictive of high disease activity early in the course of SLE in patients from a Latin-American cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2017 , 47, 199-203	5.3	5
60	Remission and Low Disease Activity Status (LDAS) protect lupus patients from damage occurrence: data from a multiethnic, multinational Latin American Lupus Cohort (GLADEL). <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 2071-2074	2.4	62

59	The Influence of Income and Formal Education on Damage in Brazilian Patients With Systemic Lupus Erythematosus. <i>Journal of Clinical Rheumatology</i> , 2017 , 23, 246-251	1.1	7
58	Causas de mortalidade no LES e estratégias de prevenção. <i>Revista Paulista De Reumatologia</i> , 2017 , 35-37	0.1	
57	Prevalence of musculoskeletal symptoms in the five urban regions of Brazil-the Brazilian COPCORD study (BRAZCO). <i>Clinical Rheumatology</i> , 2016 , 35, 1217-23	3.9	7
56	Leflunomide in Takayasu arteritis - A long term observational study. <i>Revista Brasileira De Reumatologia</i> , 2016 , 56, 371-5		12
55	Leflunomide in Takayasu arteritis - A long term observational study. <i>Revista Brasileira De Reumatologia</i> , 2016 ,		25
54	The relevance of performing exercise test before starting supervised physical exercise in asymptomatic cardiovascular patients with rheumatic diseases. <i>Rheumatology</i> , 2016 , 55, 1978-1986	3.9	6
53	Atorvastatin reduced soluble receptors of TNF-alpha in systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 42-8	2.2	9
52	Lupus in Latin-American patients: lessons from the GLADEL cohort. <i>Lupus</i> , 2015 , 24, 536-45	2.6	39
51	Perceptions of the population regarding generic drugs in Brazil: a nationwide survey. <i>BMC Public Health</i> , 2015 , 15, 117	4.1	9
50	Evaluation of functional capacity in individuals with signs and symptoms of musculoskeletal disease: results of the BRAZCO population study (Brazilian COPCORD Study). <i>Rheumatology International</i> , 2015 , 35, 1873-9	3.6	5
49	Brazilian urban population norms derived from the health-related quality of life SF-6D. <i>Quality of Life Research</i> , 2015 , 24, 2559-64	3.7	12
48	A Study of Multiple Causes of Death in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 2221-8	4.1	29
47	Visual loss resulting from immunosuppressive therapy in patients with syphilitic uveitis. <i>Arquivos Brasileiros De Oftalmologia</i> , 2015 , 78, 185-6	1.1	5
46	High mobility group box 1 levels in large vessel vasculitis are not associated with disease activity but are influenced by age and statins. <i>Arthritis Research and Therapy</i> , 2015 , 17, 158	5.7	9
45	Primary cardiac disease in systemic lupus erythematosus patients: protective and risk factors--data from a multi-ethnic Latin American cohort. <i>Rheumatology</i> , 2014 , 53, 1431-8	3.9	27
44	Long-term persistence of anti- β glycoprotein I in treated leprosy patients. <i>Lupus</i> , 2014 , 23, 1249-51	2.6	6
43	Supervised physical exercise improves endothelial function in patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2013 , 52, 2187-95	3.9	36
42	The effect of acute physical exercise on cytokine levels in patients with systemic lupus erythematosus. <i>Lupus</i> , 2013 , 22, 1479-83	2.6	9

41	Short-term effect of leflunomide in patients with Takayasu arteritis: an observational study. <i>Scandinavian Journal of Rheumatology</i> , 2012 , 41, 227-30	1.9	56
40	Oral microbial colonization in patients with systemic lupus erythematosus: correlation with treatment and disease activity. <i>Lupus</i> , 2012 , 21, 969-77	2.6	18
39	Increased myeloperoxidase plasma levels in rheumatoid arthritis. <i>Rheumatology International</i> , 2012 , 32, 1605-9	3.6	27
38	Mortality profile related to systemic lupus erythematosus: a multiple cause-of-death analysis. <i>Journal of Rheumatology</i> , 2012 , 39, 496-503	4.1	48
37	IL-2, IL-5, TNF- α and IFN- γ mRNA expression in epidermal keratinocytes of systemic lupus erythematosus skin lesions. <i>Clinics</i> , 2011 , 66, 77-82	2.3	23
36	Pattern on the antinuclear antibody-HEp-2 test is a critical parameter for discriminating antinuclear antibody-positive healthy individuals and patients with autoimmune rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2011 , 63, 191-200		208
35	Atorvastatin therapy reduces interferon-regulated chemokine CXCL9 plasma levels in patients with systemic lupus erythematosus. <i>Lupus</i> , 2010 , 19, 927-34	2.6	11
34	Antiplatelet therapy for the prevention of arterial ischemic events in takayasu arteritis. <i>Circulation Journal</i> , 2010 , 74, 1236-41	2.9	81
33	Increased plasma myeloperoxidase levels in systemic lupus erythematosus. <i>Rheumatology International</i> , 2010 , 30, 779-84	3.6	25
32	Trends in dermatomyositis- and polymyositis-related mortality in the state of S \tilde{a} Paulo, Brazil, 1985-2007: multiple cause-of-death analysis. <i>BMC Public Health</i> , 2010 , 10, 597	4.1	14
31	Antimalarial treatment may have a time-dependent effect on lupus survival: data from a multinational Latin American inception cohort. <i>Arthritis and Rheumatism</i> , 2010 , 62, 855-62		145
30	Leprosy-related joint involvement. <i>Clinical Rheumatology</i> , 2009 , 28, 79-84	3.9	34
29	Risk factors for cardiovascular disease and endothelin-1 levels in Takayasu arteritis patients. <i>Clinical Rheumatology</i> , 2009 , 28, 379-83	3.9	20
28	Vitamin D deficiency in patients with active systemic lupus erythematosus. <i>Osteoporosis International</i> , 2009 , 20, 427-33	5.3	140
27	Childhood systemic lupus erythematosus in Latin America. The GLADEL experience in 230 children. <i>Lupus</i> , 2008 , 17, 596-604	2.6	94
26	Anti-cyclic citrullinated peptide antibodies and rheumatoid factor in leprosy patients with articular involvement. <i>Brazilian Journal of Medical and Biological Research</i> , 2008 , 41, 1005-10	2.8	19
25	Consenso de l \ddot{u} s eritematoso sist \tilde{e} mico. <i>Revista Brasileira De Reumatologia</i> , 2008 , 48, 196-207		13
24	Impact of hypertension and hyperhomocysteinemia on arterial thrombosis in primary antiphospholipid syndrome. <i>Lupus</i> , 2007 , 16, 782-7	2.6	22

23	Atorvastatin therapy improves endothelial-dependent vasodilation in patients with systemic lupus erythematosus: an 8 weeks controlled trial. <i>Rheumatology</i> , 2007 , 46, 1560-5	3.9	93
22	Comment on: Atorvastatin therapy improves endothelial-dependent vasodilation in patients with systemic lupus erythematosus: an 8 weeks controlled trial: reply. <i>Rheumatology</i> , 2007 , 47, 382-383	3.9	
21	Double-blind, randomized, controlled clinical trial of clofazimine compared with chloroquine in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3073-8		86
20	Effects of supervised cardiovascular training program on exercise tolerance, aerobic capacity, and quality of life in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2005 , 53, 838-44		90
19	Skin is the most frequently damaged system in recent-onset systemic lupus erythematosus in a tropical region. <i>Clinical Rheumatology</i> , 2005 , 24, 377-80	3.9	12
18	Atherosclerotic plaque in carotid arteries in systemic lupus erythematosus: frequency and associated risk factors. <i>Sao Paulo Medical Journal</i> , 2005 , 123, 137-42	1.6	22
17	High prevalence of vertebral deformity in premenopausal systemic lupus erythematosus patients. <i>Lupus</i> , 2005 , 14, 529-33	2.6	53
16	Adolescentes com Lúpus Eritematoso Sistêmico: um estudo por meio do método de roschach. <i>Psicologia: Teoria E Pesquisa</i> , 2004 , 20, 145-151	1	2
15	Myocardial perfusion scintigraphy and coronary disease risk factors in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 1066-70	2.4	30
14	Coronary artery angiography in systemic lupus erythematosus patients with abnormal myocardial perfusion scintigraphy. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3168-75		32
13	Scleroderma-like nailfold capillaroscopic abnormalities are associated with anti-U1-RNP antibodies and Raynaud's phenomenon in SLE patients. <i>Lupus</i> , 2002 , 11, 35-41	2.6	65
12	Estimating the incidence of systemic lupus erythematosus in a tropical region (Natal, Brazil). <i>Lupus</i> , 2002 , 11, 528-32	2.6	71
11	Elevation of soluble interleukin-2 receptor levels in the bronchoalveolar lavage from patients with systemic sclerosis. <i>Rheumatology International</i> , 2001 , 21, 122-6	3.6	5
10	Methotrexate therapy in systemic lupus erythematosus. <i>Lupus</i> , 2001 , 10, 162-4	2.6	48
9	Vena cava thrombosis associated with nephrotic syndrome in the puerperal gestational cycle. <i>Sao Paulo Medical Journal</i> , 2001 , 119, 24-8	1.6	1
8	Takayasu arteritis. Treatment and prognosis in a university center in Brazil. <i>International Journal of Cardiology</i> , 2000 , 75 Suppl 1, S163-6	3.2	39
7	Demographic, clinical, and angiographic data of patients with Takayasu arteritis in Brazil. <i>International Journal of Cardiology</i> , 1998 , 66 Suppl 1, S67-70; discussion S71	3.2	32
6	Long-term thalidomide use in refractory cutaneous lesions of systemic lupus erythematosus. <i>Revista Da Associação Médica Brasileira</i> , 1998 , 44, 289-93	1.4	30

5	C2 deficiency in blood donors and lupus patients: prevalence, clinical characteristics and HLA-associations in the Brazilian population. <i>Lupus</i> , 1997 , 6, 462-6	2.6	14
4	Clinical implications of autoantibodies in HIV infection. <i>Aids</i> , 1997 , 11, 1845-50	3.5	52
3	Controlled trial with chloroquine diphosphate in systemic lupus erythematosus. <i>Lupus</i> , 1996 , 5, 237-41	2.6	98
2	Systemic lupus erythematosus in S̃ Paulo/Brazil: a clinical and laboratory overview. <i>Lupus</i> , 1995 , 4, 100-3	2.6	21
1	A controlled trial of pulse cyclophosphamide versus pulse methylprednisolone in severe lupus nephritis. <i>Lupus</i> , 1994 , 3, 107-12	2.6	45