

# Bahia Hakiki

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1696488/publications.pdf>

Version: 2024-02-01

62  
papers

2,942  
citations

159525

30  
h-index

175177

52  
g-index

62  
all docs

62  
docs citations

62  
times ranked

2814  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neuropsychological features in childhood and juvenile multiple sclerosis. <i>Neurology</i> , 2014, 83, 1432-1438.	1.5	227
2	Association of MRI metrics and cognitive impairment in radiologically isolated syndromes. <i>Neurology</i> , 2012, 78, 309-314.	1.5	169
3	Cognitive impairment in early stages of multiple sclerosis. <i>Neurological Sciences</i> , 2010, 31, 211-214.	0.9	153
4	Cognitive impairment predicts conversion to multiple sclerosis in clinically isolated syndromes. <i>Multiple Sclerosis Journal</i> , 2010, 16, 62-67.	1.4	144
5	Pregnancy and fetal outcomes after interferon- $\beta$ exposure in multiple sclerosis. <i>Neurology</i> , 2010, 75, 1794-1802.	1.5	142
6	Breastfeeding is not related to postpartum relapses in multiple sclerosis. <i>Neurology</i> , 2011, 77, 145-150.	1.5	135
7	Cognitive reserve and cortical atrophy in multiple sclerosis. <i>Neurology</i> , 2013, 80, 1728-1733.	1.5	113
8	Prevalence of neuromyelitis optica spectrum disorder and phenotype distribution. <i>Journal of Neurology</i> , 2009, 256, 1891-1898.	1.8	112
9	Coping strategies, psychological variables and their relationship with quality of life in multiple sclerosis. <i>Neurological Sciences</i> , 2009, 30, 15-20.	0.9	110
10	Computer-assisted rehabilitation of attention in patients with multiple sclerosis: results of a randomized, double-blind trial. <i>Multiple Sclerosis Journal</i> , 2014, 20, 91-98.	1.4	103
11	The brief international cognitive assessment for multiple sclerosis (BICAMS): normative values with gender, age and education corrections in the Italian population. <i>BMC Neurology</i> , 2014, 14, 171.	0.8	99
12	Pregnancy and fetal outcomes after Glatiramer Acetate exposure in patients with multiple sclerosis: a prospective observational multicentric study. <i>BMC Neurology</i> , 2012, 12, 124.	0.8	82
13	Epidural analgesia and cesarean delivery in multiple sclerosis post-partum relapses: the Italian cohort study. <i>BMC Neurology</i> , 2012, 12, 165.	0.8	78
14	Relevance of Brain Lesion Location to Cognition in Relapsing Multiple Sclerosis. <i>PLoS ONE</i> , 2012, 7, e44826.	1.1	78
15	Improving the Characterization of Radiologically Isolated Syndrome Suggestive of Multiple Sclerosis. <i>PLoS ONE</i> , 2011, 6, e19452.	1.1	74
16	Cortical lesions in radiologically isolated syndrome. <i>Neurology</i> , 2011, 77, 1896-1899.	1.5	73
17	Postpartum relapses increase the risk of disability progression in multiple sclerosis: the role of disease modifying drugs. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 845-850.	0.9	66
18	Brain metabolic changes suggestive of axonal damage in radiologically isolated syndrome. <i>Neurology</i> , 2013, 80, 2090-2094.	1.5	63

#	ARTICLE	IF	CITATIONS
19	Anxiety state affects information processing speed in patients with multiple sclerosis. <i>Neurological Sciences</i> , 2014, 35, 559-563.	0.9	51
20	Withdrawal of fingolimod treatment for relapsingâ€“remitting multiple sclerosis: report of six cases. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1636-1639.	1.4	50
21	Dysregulation of sphingosine 1 phosphate receptor-1 (S1P1) signaling and regulatory lymphocyte-dependent immunosuppression in a model of post-fingolimod MS rebound. <i>Brain, Behavior, and Immunity</i> , 2015, 50, 78-86.	2.0	48
22	Impact of cognitive impairment on coping strategies in multiple sclerosis. <i>Clinical Neurology and Neurosurgery</i> , 2010, 112, 127-130.	0.6	47
23	Natalizumab may reduce cognitive changes and brain atrophy rate in relapsingâ€“remitting multiple sclerosis: a prospective, â€“nonâ€“randomized pilot study. <i>European Journal of Neurology</i> , 2013, 20, 986-990.	1.7	46
24	Appraisal of Brain Connectivity in Radiologically Isolated Syndrome by Modeling Imaging Measures. <i>Journal of Neuroscience</i> , 2015, 35, 550-558.	1.7	42
25	Comparison between Ischemic and Hemorrhagic Strokes in Functional Outcome at Discharge from an Intensive Rehabilitation Hospital. <i>Diagnostics</i> , 2021, 11, 38.	1.3	41
26	Score on Coma Recovery Scale-Revised at admission predicts outcome at discharge in intensive rehabilitation after severe brain injury. <i>Brain Injury</i> , 2018, 32, 730-734.	0.6	39
27	Treatment of multiple sclerosis with rituximab: A multicentric Italianâ€“Swiss experience. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1519-1531.	1.4	38
28	â€“Subclinical MSâ€“™: followâ€“up of four cases. <i>European Journal of Neurology</i> , 2008, 15, 858-861.	1.7	35
29	The cognitive reserve theory in the setting of pediatric-onset multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1741-1749.	1.4	32
30	The contribution of cerebrospinal fluid oligoclonal bands to the early diagnosis of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 472-478.	1.4	31
31	A comparison of the brief international cognitive assessment for multiple sclerosis and the brief repeatable battery in multiple sclerosis patients. <i>BMC Neurology</i> , 2015, 15, 204.	0.8	31
32	Improvement on the Coma Recovery Scaleâ€“Revised During the First Four Weeks of Hospital Stay Predicts Outcome at Discharge in Intensive Rehabilitation After Severe Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 914-919.	0.5	31
33	Serum and CSF N-acetyl aspartate levels differ in multiple sclerosis and neuromyelitis optica. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011, 82, 1355-1359.	0.9	29
34	Paternal therapy with disease modifying drugs in multiple sclerosis and pregnancy outcomes: a prospective observational multicentric study. <i>BMC Neurology</i> , 2014, 14, 114.	0.8	27
35	Prognostic value of post-acute EEG in severe disorders of consciousness, using American Clinical Neurophysiology Society terminology. <i>Neurophysiologie Clinique</i> , 2019, 49, 317-327.	1.0	25
36	EEG and Coma Recovery Scaleâ€“Revised prediction of neurological outcome in Disorder of Consciousness patients. <i>Acta Neurologica Scandinavica</i> , 2020, 142, 221-228.	1.0	25

#	ARTICLE	IF	CITATIONS
37	Intravenous mitoxantrone and cyclophosphamide as second-line therapy in multiple sclerosis: An open-label comparative study of efficacy and safety. <i>Journal of the Neurological Sciences</i> , 2008, 266, 25-30.	0.3	23
38	Rebound after Fingolimod suspension in a pediatric-onset multiple sclerosis patient. <i>Journal of Neurology</i> , 2013, 260, 1675-1677.	1.8	23
39	No association between chronic cerebrospinal venous insufficiency and pediatric-onset multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2012, 18, 1791-1796.	1.4	19
40	Pronounced Structural and Functional Damage in Early Adult Pediatric-Onset Multiple Sclerosis with No or Minimal Clinical Disability. <i>Frontiers in Neurology</i> , 2017, 8, 608.	1.1	19
41	Predictors of Function, Activity, and Participation of Stroke Patients Undergoing Intensive Rehabilitation: A Multicenter Prospective Observational Study Protocol. <i>Frontiers in Neurology</i> , 2021, 12, 632672.	1.1	15
42	Predicting Outcome of Acquired Brain Injury by the Evolution of Paroxysmal Sympathetic Hyperactivity Signs. <i>Journal of Neurotrauma</i> , 2021, 38, 1988-1994.	1.7	15
43	Cognitive rehabilitation in children and adolescents with multiple sclerosis. <i>Neurological Sciences</i> , 2010, 31, 275-278.	0.9	13
44	Decannulation After a Severe Acquired Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1906-1913.	0.5	13
45	Data-driven prediction of decannulation probability and timing in patients with severe acquired brain injury. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 209, 106345.	2.6	12
46	ApolipoproteinE epsilon 4 allele is not associated with disease course and severity in multiple sclerosis. <i>Acta Neurologica Scandinavica</i> , 2009, 120, 439-441.	1.0	11
47	Clinical, Neurophysiological, and Genetic Predictors of Recovery in Patients With Severe Acquired Brain Injuries (PRABI): A Study Protocol for a Longitudinal Observational Study. <i>Frontiers in Neurology</i> , 2022, 13, 711312.	1.1	11
48	Electrodiagnostic findings in patients with non-COVID-19 and COVID-19 related acute respiratory distress syndrome. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 161-169.	1.0	10
49	Critical illness polyneuromyopathy: Functional impact after severe acquired brain injuries. <i>Acta Neurologica Scandinavica</i> , 2020, 142, 574-584.	1.0	9
50	Gender differences in post-stroke functional outcome at discharge from an intensive rehabilitation hospital. <i>European Journal of Neurology</i> , 2021, 28, 1601-1608.	1.7	9
51	Merging Clinical and EEG Biomarkers in an Elastic-Net Regression for Disorder of Consciousness Prognosis Prediction. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2022, 30, 1504-1513.	2.7	9
52	Development and implementation of a stroke rehabilitation integrated care pathway in an Italian no profit institution: an observational study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 56, 713-724.	1.1	8
53	Critical Illness Polyneuropathy and Myopathy and Clinical Detection of the Recovery of Consciousness in Severe Acquired Brain Injury Patients with Disorders of Consciousness after Rehabilitation. <i>Diagnostics</i> , 2022, 12, 516.	1.3	8
54	Decannulation and improvement of responsiveness in patients with disorders of consciousness. <i>Neuropsychological Rehabilitation</i> , 2022, 32, 520-536.	1.0	7

#	ARTICLE	IF	CITATIONS
55	Impact of occupational complexity on cognitive decline in the oldest-old. <i>Aging and Mental Health</i> , 2021, 25, 1630-1635.	1.5	6
56	Redefining a minimal rehabilitation assessment protocol for Severe Acquired Brain Injuries. <i>European Journal of Physical and Rehabilitation Medicine</i> , 0, , .	1.1	4
57	Critical issue on the extinction and inattention substest of NIHSS scale: an analysis on post-acute stroke patients attending inpatient rehabilitation. <i>BMC Neurology</i> , 2021, 21, 475.	0.8	3
58	Effects of COVID-19 pandemic on intensive rehabilitation after severe acquired brain injuries. <i>Neurological Sciences</i> , 2021, 43, 791.	0.9	2
59	Factors influencing trunk control recovery after intensive rehabilitation in post-stroke patients: a multicentre prospective study. <i>Topics in Stroke Rehabilitation</i> , 2023, 30, 109-118.	1.0	2
60	Acquired brain injuries: neurophysiology in early prognosis and rehabilitation pathway. , 2021, , .		1
61	Impact of decompressive craniectomy on functional outcome of severe acquired brain injuries patients, at discharge from intensive inpatient rehabilitation. <i>Disability and Rehabilitation</i> , 2021, , 1-7.	0.9	1
62	Association of MRI metrics and cognitive impairment in radiologically isolated syndromes. <i>Yearbook of Neurology and Neurosurgery</i> , 2012, 2012, 74-75.	0.0	0