Yanni Wang

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1697117/yanni-wang-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

300 5,947 39 67 g-index

358 9,560 6.6 5.89 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
300	miRNAs derived from plasma small extracellular vesicles predict organo-tropic metastasis of gastric cancer <i>Gastric Cancer</i> , 2022 , 25, 360	7.6	3
299	Efficacy and Safety of Larotrectinib in Patients With Tropomyosin Receptor Kinase Fusion-Positive Lung Cancers <i>JCO Precision Oncology</i> , 2022 , 6, e2100418	3.6	6
298	Sorafenib Plus Hepatic Arterial Infusion Chemotherapy versus Sorafenib for Hepatocellular Carcinoma with Major Portal Vein Tumor Thrombosis: A Randomized Trial <i>Radiology</i> , 2022 , 211545	20.5	3
297	Randomized, phase 3 study of second-line tislelizumab versus chemotherapy in advanced or metastatic esophageal squamous cell carcinoma, RATIONALE 302: Asia subgroup <i>Journal of Clinical Oncology</i> , 2022 , 40, 279-279	2.2	
296	A first-in-human phase Ia/b, open-label, multicenter study of the TRAILR2 agonist BI 905711 in patients (pts) with advanced gastrointestinal (GI) cancers <i>Journal of Clinical Oncology</i> , 2022 , 40, TPS22	22 ² TPS	222
295	A phase Ib/II, multicenter, open-label study of AK104, a PD-1/CTLA-4 bispecific antibody, combined with chemotherapy (chemo) as first-line therapy for advanced gastric (G) or gastroesophageal junction (GEJ) cancer <i>Journal of Clinical Oncology</i> , 2022 , 40, 308-308	2.2	2
294	First-line pembrolizumab plus chemotherapy versus chemotherapy in advanced esophageal cancer: Longer-term efficacy, safety, and quality-of-life results from the phase 3 KEYNOTE-590 study <i>Journal of Clinical Oncology</i> , 2022 , 40, 241-241	2.2	2
293	Trastuzumab combined with irinotecan in patients with HER2-positive metastatic colorectal cancer: A phase II multicenter single-arm study and exploratory biomarker analysis <i>Journal of Clinical Oncology</i> , 2022 , 40, 301-301	2.2	
292	Tislelizumab versus chemotherapy as second-line treatment for advanced or metastatic esophageal squamous cell carcinoma (ESCC, RATIONALE 302): Impact on health-related quality of life (HRQoL) <i>Journal of Clinical Oncology</i> , 2022 , 40, 268-268	2.2	O
291	LEAP-014: An open-label, randomized, phase 3 study of first-line lenvatinib plus pembrolizumab plus chemotherapy in esophageal squamous cell carcinoma <i>Journal of Clinical Oncology</i> , 2022 , 40, TPS	3 67 -TF	PS ¹ 367
290	Safety, antitumor activity and biomarkers of sugemalimab in Chinese patients with advanced solid tumors or lymphomas: results from the first-in-human phase 1 trial <i>Cancer Immunology, Immunotherapy</i> , 2022 , 1	7.4	2
289	Abstract P5-16-04: Preliminary safety and efficacy results of KN046 (an anti-PD-L1/CTLA-4 bispecific antibody) in combination with KN026 (a HER2-targeted bispecific antibody) in patients with metastatic HER2-positive breast cancer: A phase II trial. <i>Cancer Research</i> , 2022 , 82, P5-16-04-P5-16	10.1 5 -04	
288	Plasma extracellular vesicle derived protein profile predicting and monitoring immunotherapeutic outcomes of gastric cancer <i>Journal of Extracellular Vesicles</i> , 2022 , 11, e12209	16.4	1
287	Characteristics and Prognosis of Acquired Resistance to Immune Checkpoint Inhibitors in Gastrointestinal Cancer <i>JAMA Network Open</i> , 2022 , 5, e224637	10.4	0
286	Nivolumab plus chemotherapy or ipilimumab in gastro-oesophageal cancer <i>Nature</i> , 2022 ,	50.4	13
285	Time to raise the bar: Transition rate of phase 1 programs on anticancer drugs <i>Cancer Cell</i> , 2022 , 40, 233-235	24.3	0
284	Clinicopathological features of HER2 positive metastatic colorectal cancer and survival analysis of anti-HER2 treatment <i>BMC Cancer</i> , 2022 , 22, 355	4.8	O

283	Evaluation of Event-Free Survival Surrogating Overall Survival as the Endpoint in Neoadjuvant Clinical Trials of Gastroesophageal Adenocarcinoma <i>Frontiers in Oncology</i> , 2022 , 12, 835389	5.3	Ο
282	Paclitaxel and cisplatin with or without cetuximab in metastatic esophageal squamous cell carcinoma: a randomized, multicenter phase II trial <i>Innovation(China)</i> , 2022 , 3, 100239	17.8	
281	Tislelizumab Versus Chemotherapy as Second-Line Treatment for Advanced or Metastatic Esophageal Squamous Cell Carcinoma (RATIONALE-302): A Randomized Phase III Study <i>Journal of Clinical Oncology</i> , 2022 , JCO2101926	2.2	2
2 80	Mutations of PI3K-AKT-mTOR pathway as predictors for immune cell infiltration and immunotherapy efficacy in dMMR/MSI-H gastric adenocarcinoma <i>BMC Medicine</i> , 2022 , 20, 133	11.4	3
279	Update and validation of a diagnostic model to identify prevalent malignant lesions in esophagus in general population <i>EClinicalMedicine</i> , 2022 , 47, 101394	11.3	О
278	Surufatinib plus toripalimab in patients with advanced solid tumors: a single-arm, open-label, phase 1 trial <i>Journal of Cancer Research and Clinical Oncology</i> , 2022 , 1	4.9	Ο
277	Sintilimab versus placebo in combination with chemotherapy as first line treatment for locally advanced or metastatic oesophageal squamous cell carcinoma (ORIENT-15): multicentre, randomised, double blind, phase 3 trial <i>BMJ, The</i> , 2022 , 377, e068714	5.9	8
276	Claudin18.2-specific CAR T cells in gastrointestinal cancers: phase 1 trial interim results <i>Nature Medicine</i> , 2022 ,	50.5	16
275	Health-related quality of life in patients with advanced well-differentiated pancreatic and extrapancreatic neuroendocrine tumors treated with surufatinib versus placebo: Results from two randomized, double-blind, phase III trials (SANET-p and SANET-ep) European Journal of Cancer,	7·5	0
274	2022 , 169, 1-9 From AVATAR Mice to Patients: RC48-ADC Exerted Promising Efficacy in Advanced Gastric Cancer With HER2 Expression <i>Frontiers in Pharmacology</i> , 2021 , 12, 757994	5.6	O
273	The KEYNOTE-811 trial of dual PD-1 and HER2 blockade in HER2-positive gastric cancer <i>Nature</i> , 2021 , 600, 727-730	50.4	36
272	Tumor-associated autoantibodies in ESCC screening: Detecting prevalent early-stage malignancy or predicting future cancer risk?. <i>EBioMedicine</i> , 2021 , 73, 103674	8.8	O
271	Redefine Hyperprogressive Disease During Treatment With Immune-Checkpoint Inhibitors in Patients With Gastrointestinal Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 761110	5.3	2
270	Germline HLA-B evolutionary divergence influences the efficacy of immune checkpoint blockade therapy in gastrointestinal cancer. <i>Genome Medicine</i> , 2021 , 13, 175	14.4	1
269	CAN017, a novel anti-HER3 antibody, exerted great potency in mouse avatars of esophageal squamous cell carcinoma with NRG1 as a biomarker. <i>American Journal of Cancer Research</i> , 2021 , 11, 16	97 ⁴ 170	8
268	372 Association of tumor mutation burden (TMB) and genomic alterations (GA) with clinical outcomes in Chinese patients with advanced solid tumors treated with tislelizumab 2021 , 9, A400-A40	0	
267	Serious Adverse Events Reporting in Phase III Randomized Clinical Trials of Colorectal Cancer Treatments: A Systematic Analysis. <i>Frontiers in Pharmacology</i> , 2021 , 12, 754858	5.6	0
266	Efficacy and safety of weekly paclitaxel with or without ramucirumab as second-line therapy for the treatment of advanced gastric or gastroesophageal junction adenocarcinoma (RAINBOW-Asia): a randomised, multicentre, double-blind, phase 3 trial. <i>The Lancet Gastroenterology and Hepatology</i> ,	18.8	4

265	Efficacy and safety of a novel anti-HER2 therapeutic antibody RC48 in patients with HER2-overexpressing, locally advanced or metastatic gastric or gastroesophageal junction cancer: a single-arm phase II study. <i>Cancer Communications</i> , 2021 , 41, 1173-1182	9.4	11
264	Early Interdisciplinary Supportive Care in Patients With Previously Untreated Metastatic Esophagogastric Cancer: A Phase III Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2021 , 39, 748-756	2.2	20
263	Quantitative imaging of intracellular nanoparticle exposure enables prediction of nanotherapeutic efficacy. <i>Nature Communications</i> , 2021 , 12, 2385	17.4	5
262	KEYNOTE-975 study design: a Phase III study of definitive chemoradiotherapy plus pembrolizumab in patients with esophageal carcinoma. <i>Future Oncology</i> , 2021 , 17, 1143-1153	3.6	11
261	Quality-adjusted survival in patients with metastatic colorectal cancer treated with fruquintinib in the FRESCO trial. Future Oncology, 2021, 17, 1923-1931	3.6	O
260	Dose escalation and expansion (phase Ia/Ib) study of GLS-010, a recombinant fully human antiprogrammed death-1 monoclonal antibody for advanced solid tumors or lymphoma. <i>European Journal of Cancer</i> , 2021 , 148, 1-13	7.5	3
259	First-line (1L) nivolumab (NIVO) plus chemotherapy (chemo) versus chemo in advanced gastric cancer/gastroesophageal junction cancer/esophageal adenocarcinoma (GC/GEJC/EAC): Expanded efficacy and safety data from CheckMate 649 <i>Journal of Clinical Oncology</i> , 2021 , 39, 4002-4002	2.2	5
258	A genomic mutation signature predicts the clinical outcomes of immunotherapy and characterizes immunophenotypes in gastrointestinal cancer. <i>Npj Precision Oncology</i> , 2021 , 5, 36	9.8	2
257	Phase I study of the recombinant humanized anti-HER2 monoclonal antibody-MMAE conjugate RC48-ADC in patients with HER2-positive advanced solid tumors. <i>Gastric Cancer</i> , 2021 , 24, 913-925	7.6	15
256	Subgroup analysis by Ki-67 and baseline CgA of the randomized, placebo-controlled phase 3 study of surufatinib in advanced well-differentiated pancreatic neuroendocrine tumors (SANET-p) <i>Journal of Clinical Oncology</i> , 2021 , 39, 4111-4111	2.2	
255	First-line pembrolizumab plus chemotherapy versus chemotherapy in patients with advanced esophageal cancer: Chinese subgroup analysis of KEYNOTE-590 <i>Journal of Clinical Oncology</i> , 2021 , 39, 4049-4049	2.2	2
254	Phase II trial of surufatinib plus toripalimab for disease progression after first-line chemotherapy with platinum and fluoropyrimidine in advanced gastric or gastroesophageal junction adenocarcinoma <i>Journal of Clinical Oncology</i> , 2021 , 39, e16040-e16040	2.2	1
253	Pharmacokinetic study of lenvatinib in Chinese patients with solid tumors. <i>Future Oncology</i> , 2021 , 17, 1855-1863	3.6	1
252	Long-term efficacy and safety of larotrectinib in an integrated dataset of patients with TRK fusion cancer <i>Journal of Clinical Oncology</i> , 2021 , 39, 3108-3108	2.2	8
251	Phase 1 study of SHR-1701, a bifunctional fusion protein targeting PD-L1 and TGF-In patients with advanced solid tumors <i>Journal of Clinical Oncology</i> , 2021 , 39, 2503-2503	2.2	4
250	RATIONALE 302: Randomized, phase 3 study of tislelizumab versus chemotherapy as second-line treatment for advanced unresectable/metastatic esophageal squamous cell carcinoma <i>Journal of Clinical Oncology</i> , 2021 , 39, 4012-4012	2.2	16
249	Updated safety and efficacy of MSB2311 (an anti-programmed death-ligand 1 antibody) in Chinese patients with advanced solid tumors and hematological malignancies from a phase 1 study <i>Journal of Clinical Oncology</i> , 2021 , 39, e14547-e14547	2.2	
248	A multicenter study assessing the prevalence of germline genetic alterations in Chinese gastric-cancer patients. <i>Gastroenterology Report</i> , 2021 , 9, 339-349	3.3	1

(2021-2021)

247	PTCH1 mutation promotes antitumor immunity and the response to immune checkpoint inhibitors in colorectal cancer patients. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1	7.4	1
246	Profiling heterogenous sizes of circulating tumor microemboli to track therapeutic resistance and prognosis in advanced gastric cancer. <i>Human Cell</i> , 2021 , 34, 1446-1454	4.5	2
245	Genetic differences between lung metastases and liver metastases from left-sided microsatellite stable colorectal cancer: next generation sequencing and clinical implications. <i>Annals of Translational Medicine</i> , 2021 , 9, 967	3.2	0
244	First-line nivolumab plus chemotherapy versus chemotherapy alone for advanced gastric, gastro-oesophageal junction, and oesophageal adenocarcinoma (CheckMate 649): a randomised, open-label, phase 3 trial. <i>Lancet, The</i> , 2021 , 398, 27-40	40	216
243	Association of Lymphocyte-to-Monocyte Ratio With Survival in Advanced Gastric Cancer Patients Treated With Immune Checkpoint Inhibitor. <i>Frontiers in Oncology</i> , 2021 , 11, 589022	5.3	5
242	Subcutaneous envafolimab monotherapy in patients with advanced defective mismatch repair/microsatellite instability high solid tumors. <i>Journal of Hematology and Oncology</i> , 2021 , 14, 95	22.4	8
241	Glutathione-responsive PLGA nanocomplex for dual delivery of doxorubicin and curcumin to overcome tumor multidrug resistance. <i>Nanomedicine</i> , 2021 , 16, 1411-1427	5.6	2
240	Impact of Ga-NOTA-MAL-MZHER2 PET imaging in advanced gastric cancer patients and therapeutic response monitoring. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 161-175	8.8	8
239	Size of Lugol-unstained lesions as a predictor for risk of progression in premalignant lesions of the esophagus. <i>Gastrointestinal Endoscopy</i> , 2021 , 93, 1065-1073.e3	5.2	2
238	Advances on immune-related adverse events associated with immune checkpoint inhibitors. <i>Frontiers of Medicine</i> , 2021 , 15, 33-42	12	14
237	Nab-paclitaxel plus S-1 versus nab-paclitaxel plus gemcitabine as first-line chemotherapy in patients with advanced pancreatic ductal adenocarcinoma: a randomized study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 1529-1536	4.9	1
236	MAHOGANY: margetuximab combination in HER2+ unresectable/metastatic gastric/gastroesophageal junction adenocarcinoma. <i>Future Oncology</i> , 2021 , 17, 1155-1164	3.6	22
235	Ultrasensitive Gastric Cancer Circulating Tumor Cellular RNA Detection Based on a Molecular Beacon. <i>Analytical Chemistry</i> , 2021 , 93, 665-670	7.8	9
234	Early change in peripheral CD4 T cells associated with clinical outcomes of immunotherapy in gastrointestinal cancer. <i>Immunotherapy</i> , 2021 , 13, 55-66	3.8	3
233	RAINBOW-Asia: A randomized, multicenter, double-blind, phase III study of ramucirumab plus paclitaxel versus placebo plus paclitaxel in the treatment of advanced gastric or gastroesophageal junction (GEJ) adenocarcinoma following disease progression on first-line chemotherapy with	2.2	2
232	Heterogeneous constitutional mismatch repair deficiency with MSH6 missense mutation clinically benefits from pembrolizumab and regorafenib combination therapy: a case report and literature review. Hereditary Cancer in Clinical Practice, 2021, 19, 7	2.3	O
231	Health-related quality of life (HRQoL) of pembrolizumab plus chemotherapy versus chemotherapy as first-line therapy in patients with advanced esophageal cancer: The phase III KEYNOTE-590 study <i>Journal of Clinical Oncology</i> , 2021 , 39, 168-168	2.2	2
230	Integrative analysis of genomic, epigenomic and transcriptomic data identified molecular subtypes of esophageal carcinoma. <i>Aging</i> , 2021 , 13, 6999-7019	5.6	2

229	Determination of a novel photosensitizer sinoporphyrin sodium in human plasma by ultra-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 195, 113852	3.5	О
228	Phase I study of intraperitoneal bevacizumab for treating refractory malignant ascites. <i>Journal of International Medical Research</i> , 2021 , 49, 300060520986664	1.4	1
227	The Chinese Society of Clinical Oncology (CSCO): Clinical guidelines for the diagnosis and treatment of gastric cancer, 2021. <i>Cancer Communications</i> , 2021 , 41, 747-795	9.4	36
226	Proteomics provides individualized options of precision medicine for patients with gastric cancer. <i>Science China Life Sciences</i> , 2021 , 64, 1199-1211	8.5	O
225	The loss of RNA N-adenosine methyltransferase Mettl14 in tumor-associated macrophages promotes CD8 Tikell dysfunction and tumor growth. <i>Cancer Cell</i> , 2021 , 39, 945-957.e10	24.3	21
224	Perioperative or postoperative adjuvant oxaliplatin with S-1 versus adjuvant oxaliplatin with capecitabine in patients with locally advanced gastric or gastro-oesophageal junction adenocarcinoma undergoing D2 gastrectomy (RESOLVE): an open-label, superiority and	21.7	27
223	Reply to M. A. Liu et al. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2519	2.2	
222	Pembrolizumab plus chemotherapy versus chemotherapy alone for first-line treatment of advanced oesophageal cancer (KEYNOTE-590): a randomised, placebo-controlled, phase 3 study. <i>Lancet, The</i> , 2021 , 398, 759-771	40	85
221	Treatment Patterns and Outcomes in Chinese Patients with Gastric Cancer by HER2 Status: A Noninterventional Registry Study (EVIDENCE). <i>Oncologist</i> , 2021 , 26, e1567-e1580	5.7	2
220	Subgroup Analysis by Liver Metastasis in the FRESCO Trial Comparing Fruquintinib versus Placebo Plus Best Supportive Care in Chinese Patients with Metastatic Colorectal Cancer. <i>OncoTargets and Therapy</i> , 2021 , 14, 4439-4450	4.4	1
2 19	The Inconsistent and Inadequate Reporting Of Immune-Related Adverse Events in PD-1/PD-L1 Inhibitors: A Systematic Review of Randomized Controlled Clinical Trials. <i>Oncologist</i> , 2021 , 26, e2239-e2	<u> 2</u> 46	О
218	A validated HPLC-MS/MS method for determination of simmitecan and its metabolite chimmitecan in human plasma and its application to a pharmacokinetic study in Chinese patients with advanced solid tumor. <i>Journal of Separation Science</i> , 2021 , 44, 3959-3966	3.4	О
217	Clinicopathological Characteristics and Response to Chemotherapy in Treatment-Naive Epstein-Barr Virus Associated Gastric Cancer: A Retrospective Study. <i>Frontiers in Oncology</i> , 2021 , 11, 611676	5.3	1
216	Appropriate PD-L1 Cutoff Value for Gastric Cancer Immunotherapy: A Systematic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2021 , 11, 646355	5.3	5
215	Dysregulated KRAS gene-signaling axis and abnormal chromatin remodeling drive therapeutic resistance in heterogeneous-sized circulating tumor cells in gastric cancer patients. <i>Cancer Letters</i> , 2021 , 517, 78-87	9.9	2
214	Avapritinib Versus Regorafenib in Locally Advanced Unresectable or Metastatic GI Stromal Tumor: A Randomized, Open-Label Phase III Study. <i>Journal of Clinical Oncology</i> , 2021 , 39, 3128-3139	2.2	12
213	Anlotinib plus TQB2450 in patients with advanced refractory biliary tract cancer (BTC): An open-label, dose-escalating, and dose-expansion cohort of phase Ib trial <i>Journal of Clinical Oncology</i> , 2021 , 39, 292-292	2.2	3
212	Efficacy and Safety of Nab-Paclitaxel Plus S-1 versus Nab-Paclitaxel Plus Gemcitabine for First-Line Chemotherapy in Advanced Pancreatic Ductal Adenocarcinoma. <i>Cancer Management and Research</i> , 2020 , 12, 12657-12666	3.6	2

(2020-2020)

211	Camrelizumab versus investigator® choice of chemotherapy as second-line therapy for advanced or metastatic oesophageal squamous cell carcinoma (ESCORT): a multicentre, randomised, open-label, phase 3 study. <i>Lancet Oncology, The</i> , 2020 , 21, 832-842	21.7	118
210	Prediction of Human Pharmacokinetics and Clinical Effective Dose of SI-B001, an EGFR/HER3 Bi-specific Monoclonal Antibody. <i>Journal of Pharmaceutical Sciences</i> , 2020 , 109, 3172-3180	3.9	2
209	Tislelizumab in Chinese patients with advanced solid tumors: an open-label, non-comparative, phase 1/2 study 2020 , 8,		30
208	Multi-omics characterization of molecular features of gastric cancer correlated with response to neoadjuvant chemotherapy. <i>Science Advances</i> , 2020 , 6, eaay4211	14.3	20
207	Efficacy and safety of neoadjuvant immunotherapy in patients with microsatellite instability-high gastrointestinal malignancies: A case series. <i>European Journal of Surgical Oncology</i> , 2020 , 46, e33-e39	3.6	8
206	Efficacy, Safety, and Biomarkers of Toripalimab in Patients with Recurrent or Metastatic Neuroendocrine Neoplasms: A Multiple-Center Phase Ib Trial. <i>Clinical Cancer Research</i> , 2020 , 26, 2337-2	3 ¹² 5 ⁹	31
205	Epigenetic therapy inhibits metastases by disrupting premetastatic niches. <i>Nature</i> , 2020 , 579, 284-290	50.4	109
204	Clinical trial analysis of 2019-nCoV therapy registered in China. <i>Journal of Medical Virology</i> , 2020 , 92, 540-545	19.7	97
203	Shanghai international consensus on diagnosis and comprehensive treatment of colorectal liver metastases (version 2019). <i>European Journal of Surgical Oncology</i> , 2020 , 46, 955-966	3.6	7
202	Baseline derived neutrophil-to-lymphocyte ratio as a prognostic biomarker for non-colorectal gastrointestinal cancer patients treated with immune checkpoint blockade. <i>Clinical Immunology</i> , 2020 , 212, 108345	9	9
201	Response to "Comments on Ethang et al: Clinical trial analysis of 2019-nCoV therapy registered in ChinaP. <i>Journal of Medical Virology</i> , 2020 , 92, 713	19.7	7
200	Imaging and clinical correlates with regorafenib in metastatic colorectal cancer. <i>Cancer Treatment Reviews</i> , 2020 , 86, 102020	14.4	4
199	Etoposide and cisplatin versus irinotecan and cisplatin as the first-line therapy for patients with advanced, poorly differentiated gastroenteropancreatic neuroendocrine carcinoma: A randomized phase 2 study. <i>Cancer</i> , 2020 , 126 Suppl 9, 2086-2092	6.4	19
198	A phase II study of efficacy and safety of RC48-ADC in patients with locally advanced or metastatic HER2-overexpressing gastric or gastroesophageal junction cancers <i>Journal of Clinical Oncology</i> , 2020 , 38, 4560-4560	2.2	14
197	Early carcinoembryonic antigen (CEA) dynamics to predict fruquintinib efficacy in FRESCO, a 3+ line metastatic colorectal carcinoma (mCRC) phase III trial <i>Journal of Clinical Oncology</i> , 2020 , 38, e16001-e1	1 <i>60</i> 01	1
196	Association of HLA class I genotype with outcomes of gastrointestinal cancer patients with immunotherapy <i>Journal of Clinical Oncology</i> , 2020 , 38, e16551-e16551	2.2	1
195	Safety, pharmacokinetics, and efficacy of RC48-ADC in a phase I study in patients with HER2-overexpression advanced solid cancer <i>Journal of Clinical Oncology</i> , 2020 , 38, 334-334	2.2	2
194	Use of Radiomics to Predict Response to Immunotherapy of Malignant Tumors of the Digestive System. <i>Medical Science Monitor</i> , 2020 , 26, e924671	3.2	5

193	Evaluation and reflection on claudin 18.2 targeting therapy in advanced gastric cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020 , 32, 263-270	3.8	7
192	Immune checkpoint inhibitors for treatment of advanced gastric or gastroesophageal junction cancer: Current evidence and future perspectives. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020 , 32, 287-302	3.8	8
191	MSB2311, an anti-programmed death-ligand 1 antibody, in advanced solid tumors and hematological malignancies: Safety and tolerability, early anti-cancer activities from a phase I study in Chinese patients <i>Journal of Clinical Oncology</i> , 2020 , 38, e15011-e15011	2.2	
190	Envafolimab (KN035) in advanced tumors with mismatch-repair deficiency <i>Journal of Clinical Oncology</i> , 2020 , 38, 3021-3021	2.2	O
189	Association between immune and tumor gene signatures with response or resistance to tislelizumab monotherapy or in combination with chemotherapy in gastroesophageal adenocarcinoma <i>Journal of Clinical Oncology</i> , 2020 , 38, 3115-3115	2.2	
188	Effect of TP53 mutation on antitumor immunity and responsiveness to immunotherapy in colorectal cancer <i>Journal of Clinical Oncology</i> , 2020 , 38, e16014-e16014	2.2	
187	Phase I study to assess the safety, tolerability, pharmacokinetics/pharmacodynamics and preliminary efficacy of SC10914 in patients with advanced solid tumors <i>Journal of Clinical Oncology</i> , 2020 , 38, 6047-6047	2.2	
186	Identification of "regulation of RhoA activity panel" as a prognostic and predictive biomarker for gastric cancer. <i>Aging</i> , 2020 , 13, 714-734	5.6	О
185	Absence of Iodine Staining Associates With Progression of Esophageal Lesions in a Prospective Endoscopic Surveillance Study in China. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 1626-1635.e	6 .9	6
184	YARS as an oncogenic protein that promotes gastric cancer progression through activating PI3K-Akt signaling. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 329-342	4.9	15
183	Construction of I-trastuzumab for noninvasive PET imaging of HER2 expression: from patient-derived xenograft models to gastric cancer patients. <i>Gastric Cancer</i> , 2020 , 23, 614-626	7.6	9
182	Regorafenib, TAS-102, or fruquintinib for metastatic colorectal cancer: any difference in randomized trials?. <i>International Journal of Colorectal Disease</i> , 2020 , 35, 295-306	3	8
181	Regorafenib in Chinese patients with metastatic colorectal cancer: Subgroup analysis of the phase 3 CONCUR trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1307-1316	4	4
180	Favorable response to immunotherapy in a pancreatic neuroendocrine tumor with temozolomide-induced high tumor mutational burden. <i>Cancer Communications</i> , 2020 , 40, 746-751	9.4	4
179	Current Status and Future Perspective of Immunotherapy in Gastrointestinal Cancers. <i>Innovation(China)</i> , 2020 , 1, 100041	17.8	19
178	Plasma-based microsatellite instability detection strategy to guide immune checkpoint blockade treatment 2020 , 8,		4
177	Tumor copy-number alterations predict response to immune-checkpoint-blockade in gastrointestinal cancer 2020 , 8,		14
176	Prediction of immune checkpoint inhibition with immune oncology-related gene expression in gastrointestinal cancer using a machine learning classifier 2020 , 8,		11

(2019-2020)

175	Pyrotinib combined with CDK4/6 inhibitor in HER2-positive metastatic gastric cancer: A promising strategy from AVATAR mouse to patients. <i>Clinical and Translational Medicine</i> , 2020 , 10, e148	5.7	6
174	Germline Profiling and Molecular Characterization of Early Onset Metastatic Colorectal Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 568911	5.3	6
173	Surufatinib in advanced pancreatic neuroendocrine tumours (SANET-p): a randomised, double-blind, placebo-controlled, phase 3 study. <i>Lancet Oncology, The</i> , 2020 , 21, 1489-1499	21.7	39
172	Surufatinib in advanced extrapancreatic neuroendocrine tumours (SANET-ep): a randomised, double-blind, placebo-controlled, phase 3 study. <i>Lancet Oncology, The</i> , 2020 , 21, 1500-1512	21.7	38
171	The Gut Microbiome Is Associated with Clinical Response to Anti-PD-1/PD-L1 Immunotherapy in Gastrointestinal Cancer. <i>Cancer Immunology Research</i> , 2020 , 8, 1251-1261	12.5	45
170	Safety Profile and Adverse Events of Special Interest for Fruquintinib in Chinese Patients with Previously Treated Metastatic Colorectal Cancer: Analysis of the Phase® FRESCO Trial. <i>Advances in Therapy</i> , 2020 , 37, 4585-4598	4.1	1
169	Development of an LC-MS/MS method for quantitative analysis of Chlorogenic acid in human plasma and its application to a pharmacokinetic study in Chinese patients with advanced solid tumor. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 177, 112809	3.5	6
168	Pharmacokinetics, Safety, and Preliminary Efficacy of Oral Trifluridine/Tipiracil in Chinese Patients with Solid Tumors: A Phase 1b, Open-Label Study. <i>Clinical Pharmacology: Advances and Applications</i> , 2020 , 12, 21-33	1.5	2
167	The current status of and prospects in research regarding gastrointestinal stromal tumors in China. <i>Cancer</i> , 2020 , 126 Suppl 9, 2048-2053	6.4	5
166	Granzyme A from cytotoxic lymphocytes cleaves GSDMB to trigger pyroptosis in target cells. <i>Science</i> , 2020 , 368,	33.3	270
166		33·3 5·7	2709
	Science, 2020, 368, Clinical implications of plasma ctDNA features and dynamics in gastric cancer treated with		
165	Science, 2020, 368, Clinical implications of plasma ctDNA features and dynamics in gastric cancer treated with HER2-targeted therapies. Clinical and Translational Medicine, 2020, 10, e254 Chromosomal instability of circulating tumor DNA reflect therapeutic responses in advanced	5.7	9
165 164	Clinical implications of plasma ctDNA features and dynamics in gastric cancer treated with HER2-targeted therapies. Clinical and Translational Medicine, 2020, 10, e254 Chromosomal instability of circulating tumor DNA reflect therapeutic responses in advanced gastric cancer. Cell Death and Disease, 2019, 10, 697	5·7 9.8	9
165 164 163	Clinical implications of plasma ctDNA features and dynamics in gastric cancer treated with HER2-targeted therapies. Clinical and Translational Medicine, 2020, 10, e254 Chromosomal instability of circulating tumor DNA reflect therapeutic responses in advanced gastric cancer. Cell Death and Disease, 2019, 10, 697 Challenges in anticancer drug R&D in China. Lancet Oncology, The, 2019, 20, 183-186 Voltage-dependent calcium channel PII subunit is a specific candidate marker for identifying	5.7 9.8 21.7	9 11 8
165 164 163	Clinical implications of plasma ctDNA features and dynamics in gastric cancer treated with HER2-targeted therapies. Clinical and Translational Medicine, 2020, 10, e254 Chromosomal instability of circulating tumor DNA reflect therapeutic responses in advanced gastric cancer. Cell Death and Disease, 2019, 10, 697 Challenges in anticancer drug R&D in China. Lancet Oncology, The, 2019, 20, 183-186 Voltage-dependent calcium channel 21 subunit is a specific candidate marker for identifying gastric cancer stem cells. Cancer Management and Research, 2019, 11, 4707-4718 Reduced m6A modification predicts malignant phenotypes and augmented Wnt/PI3K-Akt signaling	5.7 9.8 21.7	9 11 8 7
165 164 163 162	Clinical implications of plasma ctDNA features and dynamics in gastric cancer treated with HER2-targeted therapies. Clinical and Translational Medicine, 2020, 10, e254 Chromosomal instability of circulating tumor DNA reflect therapeutic responses in advanced gastric cancer. Cell Death and Disease, 2019, 10, 697 Challenges in anticancer drug R&D in China. Lancet Oncology, The, 2019, 20, 183-186 Voltage-dependent calcium channel All subunit is a specific candidate marker for identifying gastric cancer stem cells. Cancer Management and Research, 2019, 11, 4707-4718 Reduced m6A modification predicts malignant phenotypes and augmented Wnt/Pl3K-Akt signaling in gastric cancer. Cancer Medicine, 2019, 8, 4766-4781 Pharmacokinetic and exposure-response analysis of pertuzumab in patients with HER2-positive metastatic gastric or gastroesophageal junction cancer. Cancer Chemotherapy and Pharmacology,	5.7 9.8 21.7 3.6 4.8	9 11 8 7 118

157	Phase II APEC trial: The impact of primary tumor side on outcomes of first-line cetuximab plus FOLFOX or FOLFIRI in patients with RAS wild-type metastatic colorectal cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019 , 15, 225-230	1.9	3
156	Nimotuzumab Plus Paclitaxel and Cisplatin as a 1-Line Treatment for Esophageal Cancer: Long Term Follow-up of a Phase II Study. <i>Journal of Cancer</i> , 2019 , 10, 1409-1416	4.5	6
155	Hepatoid adenocarcinoma of the stomach: a unique subgroup with distinct clinicopathological and molecular features. <i>Gastric Cancer</i> , 2019 , 22, 1183-1192	7.6	34
154	The Chinese Society of Clinical Oncology (CSCO): clinical guidelines for the diagnosis and treatment of gastric cancer. <i>Cancer Communications</i> , 2019 , 39, 10	9.4	199
153	Delanzomib, a novel proteasome inhibitor, sensitizes breast cancer cells to doxorubicin-induced apoptosis. <i>Thoracic Cancer</i> , 2019 , 10, 918-929	3.2	2
152	Application of next-generation sequencing technology to precision medicine in cancer: joint consensus of the Tumor Biomarker Committee of the Chinese Society of Clinical Oncology. <i>Cancer Biology and Medicine</i> , 2019 , 16, 189-204	5.2	12
151	EPHA2 blockade reverses acquired resistance to afatinib induced by EPHA2-mediated MAPK pathway activation in gastric cancer cells and avatar mice. <i>International Journal of Cancer</i> , 2019 , 145, 2440-2449	7.5	11
150	Autophagy inhibition enhances PD-L1 expression in gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 140	12.8	54
149	Expert consensus on multidisciplinary therapy of colorectal cancer with lung metastases (2019 edition). <i>Journal of Hematology and Oncology</i> , 2019 , 12, 16	22.4	33
148	KEYNOTE-590: Phase III study of first-line chemotherapy with or without pembrolizumab for advanced esophageal cancer. <i>Future Oncology</i> , 2019 , 15, 1057-1066	3.6	77
147	Hyperprogression after immunotherapy in patients with malignant tumors of digestive system. <i>BMC Cancer</i> , 2019 , 19, 705	4.8	17
146	Clinicopathological features and prognostic validity of the European Neuroendocrine Tumor Society (ENETS) and American Joint Committee on Cancer (AJCC) 8th staging systems in colonic neuroendocrine neoplasms. <i>Cancer Medicine</i> , 2019 , 8, 5000-5011	4.8	6
145	Molecularly annotation of mouse avatar models derived from patients with colorectal cancer liver metastasis. <i>Theranostics</i> , 2019 , 9, 3485-3500	12.1	4
144	Serological Markers Associated With Response to Immune Checkpoint Blockade in Metastatic Gastrointestinal Tract Cancer. <i>JAMA Network Open</i> , 2019 , 2, e197621	10.4	16
143	Pertuzumab in combination with trastuzumab and chemotherapy for Chinese patients with HER2-positive metastatic gastric or gastroesophageal junction cancer: a subpopulation analysis of the JACOB trial. <i>Cancer Communications</i> , 2019 , 39, 38	9.4	10
142	Phosphoproteomics Enables Molecular Subtyping and Nomination of Kinase Candidates for Individual Patients of Diffuse-Type Gastric Cancer. <i>IScience</i> , 2019 , 22, 44-57	6.1	8
141	S-1 plus oxaliplatin versus S-1 plus cisplatin as first-line treatment for advanced diffuse-type or mixed-type gastric/gastroesophageal junction adenocarcinoma: A randomized, phase 3 trial <i>Journal of Clinical Oncology</i> , 2019 , 37, 4017-4017	2.2	5
140	Treatment patterns and outcomes in Chinese gastric cancer by HER2 status: A non-interventional registry study (EVIDENCE) <i>Journal of Clinical Oncology</i> , 2019 , 37, 4025-4025	2.2	1

139	Association of frequent amplification of chromosome 11q13 in esophageal squamous cell cancer with clinical benefit to immune check point blockade <i>Journal of Clinical Oncology</i> , 2019 , 37, 4036-4036	2.2	5
138	Updated results of a phase IIa study to evaluate the clinical efficacy and safety of erdafitinib in Asian advanced cholangiocarcinoma (CCA) patients with FGFR alterations <i>Journal of Clinical Oncology</i> , 2019 , 37, 4117-4117	2.2	41
137	The ctDNA in peritoneal effusion of advanced gastric cancer for auxiliary diagnosis of peritoneal metastasis <i>Journal of Clinical Oncology</i> , 2019 , 37, e15516-e15516	2.2	1
136	Nab-paclitaxel/S-1(AS) versus nab-paclitaxel/gemcitabine(AG) for first-line chemotherapy in advanced pancreatic ductal adenocarcinoma (aPDAC): A retrospective analysis of efficacy and safety <i>Journal of Clinical Oncology</i> , 2019 , 37, e15743-e15743	2.2	1
135	Genomic dissection of gastrointestinal and lung neuroendocrine neoplasm. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2019 , 31, 918-929	3.8	5
134	Dbx2 exhibits a tumor-promoting function in hepatocellular carcinoma cell lines regulating Shh-Gli1 signaling. <i>World Journal of Gastroenterology</i> , 2019 , 25, 923-940	5.6	6
133	Association between hand-foot skin reaction (HFSR) and survival benefit of fruquintinib in FRESCO trial <i>Journal of Clinical Oncology</i> , 2019 , 37, e15012-e15012	2.2	1
132	A multi-institutional investigation assessing prevalence of germline genetic alterations in Chinese patients with gastric carcinoma <i>Journal of Clinical Oncology</i> , 2019 , 37, e13020-e13020	2.2	
131	Targeting autophagy potentiates antitumor activity of Met-TKIs against Met-amplified gastric cancer. <i>Cell Death and Disease</i> , 2019 , 10, 139	9.8	13
130	Effects of treatment and vitamin and garlic supplementation on gastric cancer incidence and mortality: follow-up of a randomized intervention trial. <i>BMJ, The</i> , 2019 , 366, l5016	5.9	73
129	PRL-3 Promotes Ubiquitination and Degradation of AURKA and Colorectal Cancer Progression via Dephosphorylation of FZR1. <i>Cancer Research</i> , 2019 , 79, 928-940	10.1	17
128	Efficacy of endoscopic screening for esophageal cancer in China (ESECC): design and preliminary results of a population-based randomised controlled trial. <i>Gut</i> , 2019 , 68, 198-206	19.2	49
127	A proteomic landscape of diffuse-type gastric cancer. <i>Nature Communications</i> , 2018 , 9, 1012	17.4	97
126	A multicenter, randomized trial comparing efficacy and safety of paclitaxel/capecitabine and cisplatin/capecitabine in advanced gastric cancer. <i>Gastric Cancer</i> , 2018 , 21, 782-791	7.6	14
125	Targeting c-Myc: JQ1 as a promising option for c-Myc-amplified esophageal squamous cell carcinoma. <i>Cancer Letters</i> , 2018 , 419, 64-74	9.9	25
124	Dual PI3K/mTOR inhibitor BEZ235 as a promising therapeutic strategy against paclitaxel-resistant gastric cancer via targeting PI3K/Akt/mTOR pathway. <i>Cell Death and Disease</i> , 2018 , 9, 123	9.8	62
123	Survival Benefit of Palliative Local Treatments and Efficacy of Different Pharmacotherapies in Colorectal Cancer With Lung Metastasis: Results From a Large Retrospective Study. <i>Clinical Colorectal Cancer</i> , 2018 , 17, e233-e255	3.8	17
122	Characterization and validation of potential therapeutic targets based on the molecular signature of patient-derived xenografts in gastric cancer. <i>Journal of Hematology and Oncology</i> , 2018 , 11, 20	22.4	25

121	Management of gastrointestinal adverse events induced by immune-checkpoint inhibitors. <i>Chronic Diseases and Translational Medicine</i> , 2018 , 4, 1-7	3.9	5
120	Non-Gaussian diffusion imaging with a fractional order calculus model to predict response of gastrointestinal stromal tumor to second-line sunitinib therapy. <i>Magnetic Resonance in Medicine</i> , 2018 , 79, 1399-1406	4.4	20
119	Quantified postsurgical small cell size CTCs and EpCAM circulating tumor stem cells with cytogenetic abnormalities in hepatocellular carcinoma patients determine cancer relapse. <i>Cancer Letters</i> , 2018 , 412, 99-107	9.9	47
118	Clinicopathological features and outcome for neuroendocrine neoplasms of gastroesophageal junction: A population-based study. <i>Cancer Medicine</i> , 2018 , 7, 4361-4370	4.8	8
117	A prospective study on the changes and clinical significance of pre-operative and post-operative circulating tumor cells in resectable gastric cancer. <i>Journal of Translational Medicine</i> , 2018 , 16, 171	8.5	14
116	Augmented antitumor activity by olaparib plus AZD1775 in gastric cancer through disrupting DNA damage repair pathways and DNA damage checkpoint. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 129	12.8	26
115	Wee1 Inhibitor AZD1775 Combined with Cisplatin Potentiates Anticancer Activity against Gastric Cancer by Increasing DNA Damage and Cell Apoptosis. <i>BioMed Research International</i> , 2018 , 2018, 5813	2 ³ 92	11
114	Evolutionary Expression of HER2 Conferred by Chromosome Aneuploidy on Circulating Gastric Cancer Cells Contributes to Developing Targeted and Chemotherapeutic Resistance. <i>Clinical Cancer Research</i> , 2018 , 24, 5261-5271	12.9	23
113	Efficacy and Safety of Sunitinib in Patients with Well-Differentiated Pancreatic Neuroendocrine Tumours. <i>Neuroendocrinology</i> , 2018 , 107, 237-245	5.6	32
112	Establishment and genomic characterizations of patient-derived esophageal squamous cell carcinoma xenograft models using biopsies for treatment optimization. <i>Journal of Translational Medicine</i> , 2018 , 16, 15	8.5	10
111	Aflibercept plus FOLFIRI in Asian patients with pretreated metastatic colorectal cancer: a randomized Phase III study. <i>Future Oncology</i> , 2018 , 14, 2031-2044	3.6	11
110	Impact of duration of adjuvant chemotherapy in radically resected patients with T4bN1-3M0/TxN3bM0 gastric cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 31-39	3.4	8
109	MRI in predicting the response of gastrointestinal stromal tumor to targeted therapy: a patient-based multi-parameter study. <i>BMC Cancer</i> , 2018 , 18, 811	4.8	7
108	A novel oral camptothecin analog, gimatecan, exhibits superior antitumor efficacy than irinotecan toward esophageal squamous cell carcinoma in vitro and in vivo. <i>Cell Death and Disease</i> , 2018 , 9, 661	9.8	22
107	Impact of primary tumor side on outcomes of every-2-weeks (q2w) cetuximab + first-line FOLFOX or FOLFIRI in patients with RAS wild-type (wt) metastatic colorectal cancer (mCRC) in the phase 2 APEC trial <i>Journal of Clinical Oncology</i> , 2018 , 36, 3534-3534	2.2	1
106	Subgroup analysis by prior anti-VEGF or anti-EGFR target therapy in FRESCO, a randomized, double-blind, phase 3 trial comparing fruquintinib versus placebo plus best supportive care in Chinese patients with metastatic colorectal cancer (mCRC) <i>Journal of Clinical Oncology</i> , 2018 , 36, 3537	2.2 -3537	1
105	Safety, pharmacokinetics and efficacy of RC48-ADC in a phase I study in patients with HER2-overexpression advanced solid cancer <i>Journal of Clinical Oncology</i> , 2018 , 36, e16059-e16059	2.2	13
104	Recombinant humanized anti-PD-1 monoclonal antibody (JS001) as salvage treatment for advanced gastric adenocarcinoma: Preliminary results of an open-label, multi-cohort, phase Ib/II clinical study <i>Journal of Clinical Oncology</i> , 2018 , 36, 108-108	2.2	3

(2018-2018)

103	Recombinant humanized anti-PD-1 monoclonal antibody (JS001) as salvage treatment for advanced esophageal squamous cell carcinoma: Preliminary results of an open-label, multi-cohort, phase Ib/II clinical study <i>Journal of Clinical Oncology</i> , 2018 , 36, 116-116	2.2	5
102	Impact of primary tumor side (TS) on outcomes of once-every-2-weeks (q2w) cetuximab + first-line (1L) FOLFOX or FOLFIRI in patients with RAS wild-type (wt) metastatic colorectal cancer (mCRC) in the phase 2 APEC trial <i>Journal of Clinical Oncology</i> , 2018 , 36, 747-747	2.2	1
101	miR-34a increases the sensitivity of colorectal cancer cells to 5-fluorouracil and. <i>American Journal of Cancer Research</i> , 2018 , 8, 280-290	4.4	10
100	Clinical study of ultrasound and microbubbles for enhancing chemotherapeutic sensitivity of malignant tumors in digestive system. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research,</i> 2018 , 30, 553-563	3.8	21
99	Quality-adjusted time without symptoms or toxicity (Q-TWiST) of patients with metastatic colorectal cancer (mCRC) treated with fruquintinib in a phase II clinical trial <i>Journal of Clinical Oncology</i> , 2018 , 36, 765-765	2.2	
98	Clinical characters and prognostic factors of young female patients (pts) with metastatic gastric adenocarcinoma (GC) <i>Journal of Clinical Oncology</i> , 2018 , 36, 133-133	2.2	
97	The pathway regulating RhoA activity to predict the survival of gastric cancers <i>Journal of Clinical Oncology</i> , 2018 , 36, 49-49	2.2	
96	A phase 3, randomized, open-label study to compare the efficacy of tislelizumab (BGB-A317) versus chemotherapy as second-line therapy for advanced unresectable/metastatic esophageal squamous cell carcinoma (ESCC) <i>Journal of Clinical Oncology</i> , 2018 , 36, TPS3111-TPS3111	2.2	
95	Cost-effectiveness analysis of nivolumab and apatinib in third-line gastric cancer therapy <i>Journal of Clinical Oncology</i> , 2018 , 36, e18931-e18931	2.2	
94	SPANOM: A cost-effective method of detecting MSI in ctDNA <i>Journal of Clinical Oncology</i> , 2018 , 36, e24263-e24263	2.2	
93	Genomic profiling of early-onset metastatic Chinese colorectal cancer (mCRC) patients: The development of a PFS prediction model for first line treatments <i>Journal of Clinical Oncology</i> , 2018 , 36, e15657-e15657	2.2	
92	HER2 copy number of circulating tumour DNA functions as a biomarker to predict and monitor trastuzumab efficacy in advanced gastric cancer. <i>European Journal of Cancer</i> , 2018 , 88, 92-100	7.5	35
91	Predictive and prognostic value of serum AFP level and its dynamic changes in advanced gastric cancer patients with elevated serum AFP. World Journal of Gastroenterology, 2018, 24, 266-273	5.6	13
90	Results of a Randomized, Double-Blind, Placebo-Controlled, Phase III Trial of Trifluridine/Tipiracil (TAS-102) Monotherapy in Asian Patients With Previously Treated Metastatic Colorectal Cancer: The TERRA Study. <i>Journal of Clinical Oncology</i> , 2018 , 36, 350-358	2.2	99
89	Liquid biopsy: a powerful tool to monitor trastuzumab resistance in HER2-positive metastatic gastric cancer. <i>Cancer Communications</i> , 2018 , 38, 72	9.4	10
88	Noninvasive Detection of HER2 Expression in Gastric Cancer by Cu-NOTA-Trastuzumab in PDX Mouse Model and in Patients. <i>Molecular Pharmaceutics</i> , 2018 , 15, 5174-5182	5.6	9
87	Mouse avatar models of esophageal squamous cell carcinoma proved the potential for EGFR-TKI afatinib and uncovered Src family kinases involved in acquired resistance. <i>Journal of Hematology and Oncology</i> , 2018 , 11, 109	22.4	15
86	Pertuzumab plus trastuzumab and chemotherapy for HER2-positive metastatic gastric or gastro-oesophageal junction cancer (JACOB): final analysis of a double-blind, randomised, placebo-controlled phase 3 study. <i>Lancet Oncology, The</i> , 2018 , 19, 1372-1384	21.7	193

85	Effect of Fruquintinib vs Placebo on Overall Survival in Patients With Previously Treated Metastatic Colorectal Cancer: The FRESCO Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2486-2496	27.4	99
84	Effect of folic acid supplementation on cancer risk among adults with hypertension in China: A randomized clinical trial. <i>International Journal of Cancer</i> , 2017 , 141, 837-847	7.5	20
83	Association of serum uric acid with increased risk of cancer among hypertensive Chinese. <i>International Journal of Cancer</i> , 2017 , 141, 112-120	7.5	11
82	Characterization of Aurora A and Its Impact on the Effect of Cisplatin-Based Chemotherapy in Patients with Non-Small Cell Lung Cancer. <i>Translational Oncology</i> , 2017 , 10, 367-377	4.9	10
81	Olaparib in combination with paclitaxel in patients with advanced gastric cancer who have progressed following first-line therapy (GOLD): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2017 , 18, 1637-1651	21.7	174
80	Clinicopathological features and prognostic validity of WHO grading classification of SI-NENs. <i>BMC Cancer</i> , 2017 , 17, 521	4.8	8
79	Efficacy and safety of weekly nab-paclitaxel plus gemcitabine in Chinese patients with metastatic adenocarcinoma of the pancreas: a phase II study. <i>BMC Cancer</i> , 2017 , 17, 885	4.8	10
78	Gimatecan exerts potent antitumor activity against gastric cancer in vitro and in vivo via AKT and MAPK signaling pathways. <i>Journal of Translational Medicine</i> , 2017 , 15, 253	8.5	6
77	Clinicopathologic features and treatment efficacy of Chinese patients with BRAF-mutated metastatic colorectal cancer: a retrospective observational study. <i>Chinese Journal of Cancer</i> , 2017 , 36, 81		8
76	Famitinib versus placebo in the treatment of refractory metastatic colorectal cancer: a multicenter, randomized, double-blinded, placebo-controlled, phase II clinical trial. <i>Chinese Journal of Cancer</i> , 2017 , 36, 97		14
75	Circulating tumor DNA functions as an alternative for tissue to overcome tumor heterogeneity in advanced gastric cancer. <i>Cancer Science</i> , 2017 , 108, 1881-1887	6.9	44
74	Phase IV Study of Sunitinib in Chinese Patients with Imatinib-Resistant or Imatinib-Intolerant Gastrointestinal Stromal Tumors. <i>Oncology and Therapy</i> , 2017 , 5, 171-180	2.7	1
73	Examination of multiple UGT1A and DPYD polymorphisms has limited ability to predict the toxicity and efficacy of metastatic colorectal cancer treated with irinotecan-based chemotherapy: a retrospective analysis. <i>BMC Cancer</i> , 2017 , 17, 437	4.8	13
72	CDK4/6 inhibitor-SHR6390 exerts potent antitumor activity in esophageal squamous cell carcinoma by inhibiting phosphorylated Rb and inducing G1 cell cycle arrest. <i>Journal of Translational Medicine</i> , 2017 , 15, 127	8.5	29
71	Phase II Study of Hepatic Arterial Infusion Chemotherapy with Oxaliplatin and 5-Fluorouracil for Advanced Perihilar Cholangiocarcinoma. <i>Radiology</i> , 2017 , 283, 580-589	20.5	22
70	Efficacy, Tolerability, and Biomarker Analyses of Once-Every-2-Weeks Cetuximab Plus First-Line FOLFOX or FOLFIRI in Patients With KRAS or All RAS Wild-Type Metastatic Colorectal Cancer: The Phase 2 APEC Study. <i>Clinical Colorectal Cancer</i> , 2017 , 16, e73-e88	3.8	10
69	Association Between Use of Traditional Chinese Medicine Herbal Therapy and Survival Outcomes in Patients With Stage II and III Colorectal Cancer: A Multicenter Prospective Cohort Study. <i>Journal of the National Cancer Institute Monographs</i> , 2017 , 2017,	4.8	23
68	Multimodality Treatment Including Triplet Regimen as First-Line Chemotherapy May Improve Prognosis of Serum AFP-Elevated Gastric Cancer with Liver Metastasis. <i>Gastroenterology Research and Practice</i> , 2017 , 2017, 5080361	2	4

(2016-2017)

67	oxaliplatin with capecitabine (XELOX) in locally advanced gastric cancer: RESOLVE Trial <i>Journal of Clinical Oncology</i> , 2017 , 35, e15519-e15519	2.2	1
66	Nimotuzumab plus paclitaxel and cisplatin as 1st line treatment for unresectable esophageal squamous cell carcinoma: Long term follow-up of survival in a phase II study <i>Journal of Clinical Oncology</i> , 2017 , 35, e15573-e15573	2.2	4
65	A Phase I/II trial of fruquintinib in combination with paclitaxel for second-line treatment in patients with advanced gastric cancer <i>Journal of Clinical Oncology</i> , 2017 , 35, 128-128	2.2	4
64	Sulfatinib, a novel kinase inhibitor, in patients with advanced solid tumors: results from a phase I study. <i>Oncotarget</i> , 2017 , 8, 42076-42086	3.3	23
63	Genomic alterations in advanced gastric cancer endoscopic biopsy samples using targeted next-generation sequencing. <i>American Journal of Cancer Research</i> , 2017 , 7, 1540-1553	4.4	18
62	Chinese consensus guidelines for diagnosis and management of gastrointestinal stromal tumor. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research, 2017 , 29, 281-293	3.8	74
61	A phase I, open-label, nonrandomized, pharmacokinetic study of trifluridine/tipiracil (TAS-102) in Chinese patients with solid tumors <i>Journal of Clinical Oncology</i> , 2017 , 35, e14079-e14079	2.2	
60	Randomized multicenter phase III study of a modified docetaxel and cisplatin plus fluorouracil regimen compared with cisplatin and fluorouracil as first-line therapy for advanced or locally recurrent gastric cancer. <i>Gastric Cancer</i> , 2016 , 19, 234-44	7.6	66
59	miR-215 promotes malignant progression of gastric cancer by targeting RUNX1. <i>Oncotarget</i> , 2016 , 7, 4817-28	3.3	45
58	GATA binding protein 2 overexpression is associated with poor prognosis in KRAS mutant colorectal cancer. <i>Oncology Reports</i> , 2016 , 36, 1672-8	3.5	10
57	The anti-HER3 antibody in combination with trastuzumab exerts synergistic antitumor activity in HER2-positive gastric cancer. <i>Cancer Letters</i> , 2016 , 380, 20-30	9.9	14
56	PD-L1 expression is associated with massive lymphocyte infiltration and histology in gastric cancer. <i>Human Pathology</i> , 2016 , 55, 182-9	3.7	44
55	Optimal regimen of trastuzumab in combination with oxaliplatin/ capecitabine in first-line treatment of HER2-positive advanced gastric cancer (CGOG1001): a multicenter, phase II trial. <i>BMC Cancer</i> , 2016 , 16, 68	4.8	59
54	Expert consensus on maintenance treatment for metastatic colorectal cancer in China. <i>Chinese Journal of Cancer</i> , 2016 , 35, 13		9
53	Dynamic monitoring of circulating tumour cells to evaluate therapeutic efficacy in advanced gastric cancer. <i>British Journal of Cancer</i> , 2016 , 114, 138-45	8.7	60
52	Reply to the letter by Takeshi Yamada et al. concerning "Is serum HER2 ECD a predictive biomarker for response to trastuzumab in advanced gastric cancer?". <i>Journal of Gastroenterology</i> , 2016 , 51, 508	6.9	
51	A randomized, multicenter, controlled study to compare perioperative chemotherapy of oxaliplatin combined with TS-1 (SOX) versus SOX or oxaliplatin with capecitabine (XELOX) as post-operative chemotherapy in locally advanced gastric adenocarcinoma with D2 dissection (RESOLVE Trial)	2.2	1
50	Journal of Clinical Oncology, 2016 , 34, TPS4136-TPS4136 Pembrolizumab for previously treated metastatic adenocarcinoma or squamous cell carcinoma of the esophagus: Phase 2 KEYNOTE-180 study <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS4139-TPS4139	2.2	3

49	KEYNOTE-181: Phase 3, open-label study of second-line pembrolizumab vs single-agent chemotherapy in patients with advanced/metastatic esophageal adenocarcinoma <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS4140-TPS4140	2.2	7
48	Pembrolizumab (MK-3475) for previously treated metastatic adenocarcinoma or squamous cell carcinoma of the esophagus: Phase II KEYNOTE-180 study <i>Journal of Clinical Oncology</i> , 2016 , 34, TPS1	8 9-1 PS	5189
47	Efficacy of trastuzumab beyond progression in HER2 positive advanced gastric cancer: a multicenter prospective observational cohort study. <i>Oncotarget</i> , 2016 , 7, 50656-50665	3.3	33
46	Induction of anti-EGFR immune response with mimotopes identified from a phage display peptide library by panitumumab. <i>Oncotarget</i> , 2016 , 7, 75293-75306	3.3	8
45	Intratumoral KIT mutational heterogeneity and recurrent KIT/PDGFRA mutations in KIT/PDGFRA wild-type gastrointestinal stromal tumors. <i>Oncotarget</i> , 2016 , 7, 30241-9	3.3	6
44	Programmed death-ligand-1 expression in advanced gastric cancer detected with RNA in situ hybridization and its clinical significance. <i>Oncotarget</i> , 2016 , 7, 39671-39679	3.3	30
43	Aneuploidy of chromosome 8 in circulating tumor cells correlates with prognosis in patients with advanced gastric cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2016 , 28, 579-588	3.8	17
42	Clinicopathologic and Molecular Features of Colorectal Adenocarcinoma with Signet-Ring Cell Component. <i>PLoS ONE</i> , 2016 , 11, e0156659	3.7	17
41	Circulating Chromogranin A as A Marker for Monitoring Clinical Response in Advanced Gastroenteropancreatic Neuroendocrine Tumors. <i>PLoS ONE</i> , 2016 , 11, e0154679	3.7	9
40	Risk prediction for early-onset gastric carcinoma: a case-control study of polygenic gastric cancer in Han Chinese with hereditary background. <i>Oncotarget</i> , 2016 , 7, 33608-15	3.3	14
39	Study protocol of the Asian XELIRI ProjecT (AXEPT): a multinational, randomized, non-inferiority, phase III trial of second-line chemotherapy for metastatic colorectal cancer, comparing the efficacy and safety of XELIRI with or without bevacizumab versus FOLFIRI with or without bevacizumab.		10
38	Chinese Journal of Cancer, 2016, 35, 102 The patterns and timing of recurrence after curative resection for gastric cancer in China. World Journal of Surgical Oncology, 2016, 14, 305	3.4	49
37	Famitinib exerted powerful antitumor activity in human gastric cancer cells and xenografts. <i>Oncology Letters</i> , 2016 , 12, 1763-1768	2.6	4
36	Nimotuzumab plus paclitaxel and cisplatin as the first line treatment for advanced esophageal squamous cell cancer: A single centre prospective phase II trial. <i>Cancer Science</i> , 2016 , 107, 486-90	6.9	35
35	Establishment and characterization of patient-derived tumor xenograft using gastroscopic biopsies in gastric cancer. <i>Scientific Reports</i> , 2015 , 5, 8542	4.9	52
34	Nilotinib versus imatinib as first-line therapy for patients with unresectable or metastatic gastrointestinal stromal tumours (ENESTg1): a randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2015 , 16, 550-60	21.7	79
33	Circulating PD-L1 in NSCLC patients and the correlation between the level of PD-L1 expression and the clinical characteristics. <i>Thoracic Cancer</i> , 2015 , 6, 534-8	3.2	86
32	Helicobacter pylori, cyclooxygenase-2 and evolution of gastric lesions: results from an intervention trial in China. <i>Carcinogenesis</i> , 2015 , 36, 1572-9	4.6	13

31	Tumor MET Expression and Gene Amplification in Chinese Patients with Locally Advanced or Metastatic Gastric or Gastroesophageal Junction Cancer. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 2634	1-41 ¹	15
30	Bevacizumab plus capecitabine and cisplatin in Chinese patients with inoperable locally advanced or metastatic gastric or gastroesophageal junction cancer: randomized, double-blind, phase III study (AVATAR study). <i>Gastric Cancer</i> , 2015 , 18, 168-76	7.6	179
29	Dual PI3K/mTOR inhibitor BEZ235 exerts extensive antitumor activity in HER2-positive gastric cancer. <i>BMC Cancer</i> , 2015 , 15, 894	4.8	21
28	Phase II Study of Recombinant Antitumor and Antivirus Protein Injection Compared With Placebo in Metastatic Colorectal Cancer After Failure of Standard Treatment. <i>Oncologist</i> , 2015 , 20, 619-20	5.7	1
27	Expression and clinical significance of c-Met in advanced esophageal squamous cell carcinoma. <i>BMC Cancer</i> , 2015 , 15, 6	4.8	22
26	Integrating biomarkers in colorectal cancer trials in the West and China. <i>Nature Reviews Clinical Oncology</i> , 2015 , 12, 553-60	19.4	9
25	HER2 discordance between paired primary gastric cancer and metastasis: a meta-analysis. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2015 , 27, 163-71	3.8	16
24	Detection of Epstein B arr virus infection in cancer by using highly specific nanoprobe based on dBSA capped CdTe quantum dots. <i>RSC Advances</i> , 2014 , 4, 22545	3.7	8
23	Combination of microtubule associated protein-tau and Eubulin III predicts chemosensitivity of paclitaxel in patients with advanced gastric cancer. <i>European Journal of Cancer</i> , 2014 , 50, 2328-35	7.5	23
22	Effects of Helicobacter pylori treatment on gastric cancer incidence and mortality in subgroups. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	85
21	Methylation status of blood leukocyte DNA and risk of gastric cancer in a high-risk Chinese population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2019-26	4	9
20	Prognostic significance of MET amplification and expression in gastric cancer: a systematic review with meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e84502	3.7	61
19	Efficacy and safety of the FOLFOX4 regimen versus doxorubicin in Chinese patients with advanced hepatocellular carcinoma: a subgroup analysis of the EACH study. <i>Oncologist</i> , 2014 , 19, 1169-78	5.7	50
18	Clinical significance of phenotyping and karyotyping of circulating tumor cells in patients with advanced gastric cancer. <i>Oncotarget</i> , 2014 , 5, 6594-602	3.3	57
17	A comparative study between Embosphere([]) and conventional transcatheter arterial chemoembolization for treatment of unresectable liver metastasis from GIST. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer	3.8	10
16	Research, 2014, 26, 124-31 Retrospective analysis of adjuvant chemotherapy for curatively resected gastric cancer. World Journal of Gastroenterology, 2014, 20, 3356-63	5.6	1
15	A phase II study of sequential Irinotecan plus cisplatin (IP) and octretide LAR as first-line treatment of metastatic or inoperable poorly differentiated gastroenteropancreatic neuroendocrine carcinoma (GEP-NEC) <i>Journal of Clinical Oncology</i> , 2014 , 32, e15156-e15156	2.2	
14	First-in-human (FIH) phase I study of a selective VEGFR/FGFR dual inhibitor sulfatinib with milled formulation in patients with advanced solid tumors <i>Journal of Clinical Oncology</i> , 2014 , 32, 2615-2615	2.2	

13	Nimotuzumab plus paclitaxel and cisplatin as first-line treatment for esophageal squamous cell cancer: Final results of a single-center prospective clinical trial <i>Journal of Clinical Oncology</i> , 2014 , 32, 4070-4070	2.2	
12	A phase I dose escalation study to evaluate safety and tolerability of cabazitaxel (Cbz) as a single agent in patients (pts) with advanced gastric adenocarcinoma who have failed prior chemotherapy (CT) regimens (GASTANA) <i>Journal of Clinical Oncology</i> , 2014 , 32, 141-141	2.2	
11	Management of gastric cancer in Asia: resource-stratified guidelines. <i>Lancet Oncology, The</i> , 2013 , 14, e535-47	21.7	344
10	A phase II study of triweekly paclitaxel and capecitabine combination therapy in patients with fluoropyrimidine-platinum-resistant metastatic gastric adenocarcinoma. <i>Journal of Cancer Research and Therapeutics</i> , 2013 , 9 Suppl, S153-7	1.2	5
9	Phase III trial of nilotinib versus imatinib as first-line targeted therapy of advanced gastrointestinal stromal tumors (GIST) <i>Journal of Clinical Oncology</i> , 2013 , 31, 10501-10501	2.2	7
8	Nimotuzumab plus paclitaxel and cisplatin as first-line treatment for esophageal squamous cell cancer: A single center prospective clinical trial <i>Journal of Clinical Oncology</i> , 2013 , 31, 4097-4097	2.2	1
7	Pertuzumab (P) with trastuzumab (T) and chemotherapy (CTX) in patients (pts) with HER2-positive metastatic gastric or gastroesophageal junction (GEJ) cancer: An international phase III study (JACOB) <i>Journal of Clinical Oncology</i> , 2013 , 31, TPS4150-TPS4150	2.2	10
6	Phase II study of weekly scheduled irinotecan and capecitabine treatment in advanced colorectal cancer patients <i>Journal of Clinical Oncology</i> , 2013 , 31, e14644-e14644	2.2	
5	Efficacy of paclitaxel plus cisplatin in advanced esophageal squamous cell cancer: Further analysis of single center, prospective study <i>Journal of Clinical Oncology</i> , 2013 , 31, e15174-e15174	2.2	O
4	Combination chemotherapy with paclitaxel, cisplatin and fluorouracil for patients with advanced and metastatic gastric or esophagogastric junction adenocarcinoma: a multicenter prospective study. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing	3.8	11
3	Safety of everolimus (EVE) in Asian patients (pts) with advanced gastric cancer (AGC) enrolled in the phase III GRANITE-1 study <i>Journal of Clinical Oncology</i> , 2012 , 30, 4081-4081	2.2	
2	PhaseIII studylof nimotuzumab combinationIwith paclitaxelIand cisplatinIasIthe first-line treatmentIn patientsIwithIocal advancedIor metastatic esophageal squamous cell cancer[(ESCC): An interim analysis <i>Journal of Clinical Oncology</i> , 2012 , 30, e14604-e14604	2.2	
1	Retrospective study of cetuximab in combination with chemotherapy for patients with colorectal cancer. <i>Chinese-German Journal of Clinical Oncology</i> , 2008 , 7, 400-403		1