

Iwata Ozaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1697160/publications.pdf>

Version: 2024-02-01

90
papers

3,191
citations

159358

30
h-index

161609

54
g-index

92
all docs

92
docs citations

92
times ranked

4503
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss of PDCD4 expression in human lung cancer correlates with tumour progression and prognosis. <i>Journal of Pathology</i> , 2003, 200, 640-646.	2.1	242
2	Visceral fat accumulation and insulin resistance are important factors in nonalcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2006, 41, 462-469.	2.3	239
3	Evaluation of acoustic radiation force impulse elastography for fibrosis staging of chronic liver disease: a pilot study. <i>Liver International</i> , 2010, 30, 538-545.	1.9	199
4	Pilot study of liraglutide effects in nonalcoholic steatohepatitis and nonalcoholic fatty liver disease with glucose intolerance in Japanese patients (LEAN-J). <i>Hepatology Research</i> , 2015, 45, 269-278.	1.8	148
5	The effect of menatetrenone, a vitamin K2 analog, on disease recurrence and survival in patients with hepatocellular carcinoma after curative treatment. <i>Cancer</i> , 2006, 106, 867-872.	2.0	117
6	Severity of nonalcoholic steatohepatitis is associated with substitution of adipose tissue in skeletal muscle. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 1507-1514.	1.4	106
7	A pilot trial of body weight reduction for nonalcoholic fatty liver disease with a home-based lifestyle modification intervention delivered in collaboration with interdisciplinary medical staff. <i>Journal of Gastroenterology</i> , 2009, 44, 1203-1208.	2.3	88
8	Control Mechanisms of the Tumor Suppressor PDCD4: Expression and Functions. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2304.	1.8	88
9	Correlations between trait anxiety, personality and fatigue. <i>Journal of Psychosomatic Research</i> , 2003, 55, 493-500.	1.2	86
10	Age-related fat deposition in multifidus muscle could be a marker for nonalcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2010, 45, 218-224.	2.3	83
11	Sarcopenia is a risk factor for the recurrence of hepatocellular carcinoma after curative treatment. <i>Hepatology Research</i> , 2016, 46, 201-208.	1.8	81
12	Expression of SPARC in normal and fibrotic livers. <i>Hepatology</i> , 1995, 21, 847-854.	3.6	72
13	Influence of alcohol consumption and gene polymorphisms of ADH2 and ALDH2 on hepatocellular carcinoma in a Japanese population. <i>International Journal of Cancer</i> , 2006, 118, 1501-1507.	2.3	70
14	A Splice Mutation in the Human Canalicular Multispecific Organic Anion Transporter Gene Causes Dubin-Johnson Syndrome. <i>Biochemical and Biophysical Research Communications</i> , 1998, 253, 454-457.	1.0	69
15	Hepatocyte growth factor induces collagenase (matrix metalloproteinase-1) via the transcription factor Ets-1 in human hepatic stellate cell line. <i>Journal of Hepatology</i> , 2002, 36, 169-178.	1.8	69
16	Menatetrenone, a Vitamin K2 Analogue, Inhibits Hepatocellular Carcinoma Cell Growth by Suppressing Cyclin D1 Expression through Inhibition of Nuclear Factor κ B Activation. <i>Clinical Cancer Research</i> , 2007, 13, 2236-2245.	3.2	68
17	Inverse association between coffee drinking and the risk of hepatocellular carcinoma: a case-control study in Japan. <i>Cancer Science</i> , 2007, 98, 214-218.	1.7	68
18	α 1-integrin protects hepatoma cells from chemotherapy induced apoptosis via a mitogen-activated protein kinase dependent pathway. <i>Cancer</i> , 2002, 95, 896-906.	2.0	67

#	ARTICLE	IF	CITATIONS
19	The pathological role of visceral fat accumulation in steatosis, inflammation, and progression of nonalcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2011, 46, 70-78.	2.3	66
20	Efficacy and safety of radiofrequency ablation for elderly hepatocellular carcinoma patients. <i>Hepatology Research</i> , 2010, 40, 997-1005.	1.8	60
21	Gln27Glu β 2-adrenergic receptor variant is associated with hypertriglyceridemia and the development of fatty liver. <i>Clinica Chimica Acta</i> , 2001, 314, 85-91.	0.5	49
22	Effects of home-based exercise and branched-chain amino acid supplementation on aerobic capacity and glycemic control in patients with cirrhosis. <i>Hepatology Research</i> , 2017, 47, E193-E200.	1.8	48
23	Radiofrequency Ablation with the Real-Time Virtual Sonography System for Treating Hepatocellular Carcinoma Difficult to Detect by Ultrasonography. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2007, 40, 66-72.	0.6	43
24	Regulation of TGF- β 1-Induced Pro-Apoptotic Signaling by Growth Factor Receptors and Extracellular Matrix Receptor Integrins in the Liver. <i>Frontiers in Physiology</i> , 2011, 2, 78.	1.3	40
25	Waist circumference correlates with hepatic fat accumulation in male Japanese patients with non-alcoholic fatty liver disease, but not in females. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, 908-913.	1.4	38
26	Eradication of hepatitis C virus by interferon improves whole-body insulin resistance and hyperinsulinaemia in patients with chronic hepatitis C. <i>Liver International</i> , 2009, 29, 871-877.	1.9	38
27	Interaction between cytochrome P450 1A2 genetic polymorphism and cigarette smoking on the risk of hepatocellular carcinoma in a Japanese population. <i>Carcinogenesis</i> , 2009, 30, 1729-1734.	1.3	36
28	Post-challenge hyperglycemia is a significant risk factor for the development of hepatocellular carcinoma in patients with chronic hepatitis C. <i>Journal of Gastroenterology</i> , 2011, 46, 790-798.	2.3	36
29	Expression patterns of programmed cell death 4 protein in normal human skin and some representative skin lesions. <i>Experimental Dermatology</i> , 2007, 16, 179-184.	1.4	34
30	Control of a tumor suppressor PDCD4: Degradation mechanisms of the protein in hepatocellular carcinoma cells. <i>Cellular Signalling</i> , 2014, 26, 603-610.	1.7	33
31	Transforming growth factor-beta1-induced apoptosis is blocked by beta1-integrin-mediated mitogen-activated protein kinase activation in human hepatoma cells. <i>Cancer Science</i> , 2004, 95, 878-886.	1.7	31
32	Hepatitis C virus infection enhances insulin resistance induced by visceral fat accumulation. <i>Liver International</i> , 2009, 29, 213-220.	1.9	31
33	The role of PKC isoforms in the inhibition of NF- κ B activation by vitamin K2 in human hepatocellular carcinoma cells. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 1668-1675.	1.9	31
34	Induction of multiple matrix metalloproteinase genes in human hepatocellular carcinoma by hepatocyte growth factor via a transcription factor Ets-1. <i>Hepatology Research</i> , 2003, 27, 289-301.	1.8	30
35	Downregulation of programmed cell death 4 (PDCD4) in tumorigenesis and progression of human digestive tract cancers. <i>Tumor Biology</i> , 2013, 34, 3879-3885.	0.8	27
36	Glucagon-Like Peptide-1 Receptor Agonist Prevented the Progression of Hepatocellular Carcinoma in a Mouse Model of Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5722.	1.8	27

#	ARTICLE	IF	CITATIONS
37	Transforming growth factor- β activates pancreatic stellate cells and may be involved in matrix metalloproteinase-1 upregulation. <i>Laboratory Investigation</i> , 2013, 93, 720-732.	1.7	26
38	Whole-Body Insulin Sensitivity Index Is a Highly Specific Predictive Marker for Virological Response to Peginterferon Plus Ribavirin Therapy in Chronic Hepatitis C Patients with Genotype 1b and High Viral Load. <i>Digestive Diseases and Sciences</i> , 2010, 55, 183-189.	1.1	25
39	Pertussis outbreak in university students and evaluation of acellular pertussis vaccine effectiveness in Japan. <i>BMC Infectious Diseases</i> , 2015, 15, 45.	1.3	25
40	Case-control study on cigarette smoking and the risk of hepatocellular carcinoma among Japanese. <i>Cancer Science</i> , 2008, 99, 93-97.	1.7	23
41	Interaction between interleukin-1 β β 31T/C gene polymorphism and drinking and smoking habits on the risk of hepatocellular carcinoma among Japanese. <i>Cancer Letters</i> , 2008, 271, 98-104.	3.2	23
42	Expression patterns of the tumor suppressor PDCD4 and correlation with β -catenin expression in gastric cancers. <i>Oncology Reports</i> , 2011, 26, 1385-92.	1.2	22
43	Body mass index is associated with age-at-onset of HCV-infected hepatocellular carcinoma patients. <i>World Journal of Gastroenterology</i> , 2011, 17, 914.	1.4	21
44	The Relationship between Insulin Resistance and Polymorphisms of the Endothelial Nitric Oxide Synthase Gene in Patients with Coronary Artery Disease.. <i>Journal of Atherosclerosis and Thrombosis</i> , 2003, 10, 43-47.	0.9	20
45	hOGG1 Ser326Cys Polymorphism and Risk of Hepatocellular Carcinoma among Japanese. <i>Journal of Epidemiology</i> , 2006, 16, 233-239.	1.1	19
46	High serum leptin is an independent risk factor for non-response patients with low viremia to antiviral treatment in chronic hepatitis C. <i>World Journal of Gastroenterology</i> , 2006, 12, 556.	1.4	19
47	Association of the Pro90Ser CD36 mutation with elevated free fatty acid concentrations but not with insulin resistance syndrome in Japanese. <i>Clinica Chimica Acta</i> , 2001, 314, 125-130.	0.5	18
48	Mechanism of β 1-integrin-mediated hepatoma cell growth involves p27 and S-phase kinase-associated protein 2. <i>Hepatology</i> , 2003, 38, 305-313.	3.6	18
49	Vitamin K and hepatocellular carcinoma: The basic and clinic. <i>World Journal of Clinical Cases</i> , 2015, 3, 757.	0.3	17
50	Current management practices for HBs antigen or anti-HCV antibody positive individuals in non-hepatology departments at a university hospital. <i>Acta Hepatologica Japonica</i> , 2013, 54, 307-316.	0.0	17
51	Pharmacological effects of Dai-saiko-to on lipid biosynthesis in cultured human hepatocyte HepG2 cells. <i>Journal of Ethnopharmacology</i> , 1995, 46, 49-54.	2.0	16
52	PDCD4 Knockdown Induces Senescence in Hepatoma Cells by Up-Regulating the p21 Expression. <i>Frontiers in Oncology</i> , 2018, 8, 661.	1.3	15
53	Mechanisms of PKC-Mediated Enhancement of HIF-1 β Activity and its Inhibition by Vitamin K2 in Hepatocellular Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1022.	1.8	15
54	Antifibrotic effects of hepatocyte growth factor on scleroderma fibroblasts and analysis of its mechanism. <i>Modern Rheumatology</i> , 2006, 16, 364-371.	0.9	15

#	ARTICLE	IF	CITATIONS
55	Metabolic factors are associated with serum alanine aminotransferase levels in patients with chronic hepatitis C. <i>Journal of Gastroenterology</i> , 2011, 46, 529-535.	2.3	14
56	Regulation of tumor suppressor PDCD4 by novel protein kinase C isoforms. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010, 1803, 1020-1027.	1.9	13
57	Hepatocellular Carcinoma and Vitamin K. <i>Vitamins and Hormones</i> , 2008, 78, 435-442.	0.7	12
58	Inhibition of matrix metalloproteinase expression by menatetrenone, a vitamin K2 analogue. <i>Oncology Reports</i> , 2009, 22, 599-604.	1.2	12
59	Localized Myxedema, Associated with Increased Serum Hyaluronic Acid, and Response to Steroid Pulse Therapy.. <i>Internal Medicine</i> , 1995, 34, 424-429.	0.3	11
60	Serum lipoprotein(a) levels before and after subtotal thyroidectomy in subjects with hyperthyroidism. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 4-7.	1.5	11
61	High-dose vitamins E and C supplementation prevents ribavirin-induced hemolytic anemia in patients with chronic hepatitis C. <i>Hepatology Research</i> , 2007, 37, 317-324.	1.8	11
62	Whole-body Insulin Resistance is Associated with Elevated Serum Î±-fetoprotein Levels in Patients with Chronic Hepatitis C. <i>Internal Medicine</i> , 2013, 52, 2393-2400.	0.3	11
63	Degradation of the Tumor Suppressor PDCD4 Is Impaired by the Suppression of p62/SQSTM1 and Autophagy. <i>Cells</i> , 2020, 9, 218.	1.8	10
64	Population-based study of hepatitis C virus infection and hepatocellular carcinoma in western Japan. <i>Hepatology Research</i> , 2002, 23, 18-24.	1.8	9
65	Immunogenicity and Safety after Booster Vaccination of Diphtheria, Tetanus, and Acellular Pertussis in Young Adults: an Open Randomized Controlled Trial in Japan. <i>Vaccine Journal</i> , 2013, 20, 1799-1804.	3.2	9
66	Efficacy of ezetimibe for reducing serum low-density lipoprotein cholesterol levels resistant to lifestyle intervention in patients with non-alcoholic fatty liver disease. <i>Hepatology Research</i> , 2014, 44, 812-817.	1.8	8
67	Impairment of health-related quality of life in patients with chronic hepatitis C is associated with insulin resistance. <i>Journal of Gastroenterology</i> , 2014, 49, 317-323.	2.3	7
68	Efficacy and Safety of Telaprevir, Pegylated Interferon α-2b and Ribavirin Triple Therapy in Japanese Patients Infected with Hepatitis C Virus Genotype 1b. <i>Internal Medicine</i> , 2015, 54, 2551-2560.	0.3	7
69	Regulation of interferon signaling and HCV RNA replication by extracellular matrix. <i>International Journal of Molecular Medicine</i> , 2018, 42, 957-965.	1.8	6
70	Survival advantage of radiofrequency ablation for hepatocellular carcinoma: comparison with ethanol injection. <i>Hepato-Gastroenterology</i> , 2013, 60, 1399-404.	0.5	5
71	The meaningful information of liver disease prevention contributes to the improvement of consultation rate of screening test for HBV & HCV. <i>Acta Hepatologica Japonica</i> , 2012, 53, 591-601.	0.0	4
72	Efficacy of pegylated interferon plus ribavirin in combination with corticosteroid for two cases of combined hepatitis C and autoimmune hepatitis. <i>Clinical Journal of Gastroenterology</i> , 2012, 5, 141-145.	0.4	4

#	ARTICLE	IF	CITATIONS
73	Asunaprevir and daclatasvir in hemodialysis patients with chronic hepatitis C virus genotype 1b infection. <i>JGH Open</i> , 2017, 1, 148-152.	0.7	3
74	A case presenting with impaired vision due to cortical blindness as a complication of hepatic encephalopathy. <i>Acta Hepatologica Japonica</i> , 2004, 45, 423-427.	0.0	3
75	A case of portal hypertension caused by intrahepatic arterio-portal fistula formed after percutaneous liver biopsy 35 years previously, markedly improved by transcatheter arterial embolization against the fistula. <i>Acta Hepatologica Japonica</i> , 2008, 49, 506-511.	0.0	2
76	Impact of Body Weight Reduction via Diet and Exercise on the Anti-Viral Effects of Pegylated Interferon Plus Ribavirin in Chronic Hepatitis C Patients with Insulin Resistance: A Randomized Controlled Pilot Trial. <i>Internal Medicine</i> , 2015, 54, 3113-3119.	0.3	1
77	Clinical course of hepatitis B surface antigen positive subjects following screening: A retrospective observational study from <sc>April</sc> 2008 to <sc>January</sc> 2013. <i>Hepatology Research</i> , 2016, 46, 678-685.	1.8	1
78	Changes of hepatitis C virus-infected individuals in Saga prefecture during 1992-2006: current status and future prediction. <i>Acta Hepatologica Japonica</i> , 2009, 50, 122-131.	0.0	1
79	Successful cyclosporine treatment for a case with acute-onset autoimmune hepatitis presenting as severe type. <i>Acta Hepatologica Japonica</i> , 2010, 51, 549-556.	0.0	1
80	Peliosis Hepatis in a Patient with Granulomatous Hepatitis Caused by BCG Therapy.. <i>Acta Hepatologica Japonica</i> , 1997, 38, 602-606.	0.0	1
81	HSPA8 Single-Nucleotide Polymorphism Is Associated with Serum HSC70 Concentration and Carotid Artery Atherosclerosis in Nonalcoholic Fatty Liver Disease. <i>Genes</i> , 2022, 13, 1265.	1.0	1
82	Hepatic triglyceride lipase mRNA expression in various liver diseases. <i>Gastroenterologia Japonica</i> , 1993, 28, 437-437.	0.4	0
83	Reply.. <i>Hepatology</i> , 2008, 47, 1095-1096.	3.6	0
84	Prediction of anemia in triple therapy with peginterferon α -2b, ribavirin, and telaprevir for patients with chronic hepatitis C from the viewpoint of renal function. <i>Acta Hepatologica Japonica</i> , 2013, 54, 509-512.	0.0	0
85	Acute liver damage following ingestion of sea hare eggs. <i>Acta Hepatologica Japonica</i> , 2005, 46, 658-662.	0.0	0
86	Evaluation of hepatitis B patients under treatment with nucleoside analogues by COBAS TaqMan HBV Test. <i>Acta Hepatologica Japonica</i> , 2008, 49, 483-484.	0.0	0
87	The utility of natural human interferon β in a case of chronic hepatitis C with a history of peg-interferon α 2a related erythema multiforme. <i>Acta Hepatologica Japonica</i> , 2010, 51, 112-118.	0.0	0
88	Programmed Cell Death 4. , 2011, , 2995-2998.		0
89	Programmed Cell Death 4. , 2016, , 3711-3716.		0
90	The Factors Associated with Chill Syndrome Using Terasawa's <i>ki</i> , <i>ketsu</i> and <i>sui</i> (<i>qi</i> , blood and fluid) Diagnostic Score. <i>Kampo Medicine</i> , 2020, 71, 1-7.	0.1	0