

Sara Amancio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1697295/publications.pdf>

Version: 2024-02-01

58
papers

1,309
citations

304602

22
h-index

395590

33
g-index

61
all docs

61
docs citations

61
times ranked

1566
citing authors

#	ARTICLE	IF	CITATIONS
1	Developmental Regulation of Transcription in Touriga Nacional Berries under Deficit Irrigation. <i>Plants</i> , 2022, 11, 827.	1.6	1
2	Portuguese wild grapevine genome re-sequencing (<i>Vitis vinifera sylvestris</i>). <i>Scientific Reports</i> , 2020, 10, 18993.	1.6	4
3	Selecting Aragonez Genotypes Able to Outplay Climate Change-Driven Abiotic Stress. <i>Frontiers in Plant Science</i> , 2020, 11, 599230.	1.7	7
4	Cutting the Gordian Knot of abiotic stress in grapevine: From the test tube to climate change adaptation. <i>Physiologia Plantarum</i> , 2019, 165, 330-342.	2.6	25
5	<i>Vitis</i> flower types: from the wild to crop plants. <i>PeerJ</i> , 2019, 7, e7879.	0.9	10
6	Physiological and agronomical responses to environmental fluctuations of two Portuguese grapevine varieties during three field seasons. <i>Ciencia E Tecnica Vitivinicola</i> , 2018, 33, 1-14.	0.3	3
7	<i>Vitis</i> Flower Sex Specification Acts Downstream and Independently of the ABCDE Model Genes. <i>Frontiers in Plant Science</i> , 2018, 9, 1029.	1.7	19
8	Deep analysis of wild <i>Vitis</i> flower transcriptome reveals unexplored genome regions associated with sex specification. <i>Plant Molecular Biology</i> , 2017, 93, 151-170.	2.0	19
9	VviAPRT3 and VviFSEX: Two Genes Involved in Sex Specification Able to Distinguish Different Flower Types in <i>Vitis</i> . <i>Frontiers in Plant Science</i> , 2017, 8, 98.	1.7	29
10	How the Depletion in Mineral Major Elements Affects Grapevine (<i>Vitis vinifera</i> L.) Primary Cell Wall. <i>Frontiers in Plant Science</i> , 2017, 8, 1439.	1.7	2
11	Design of a Custom RT-qPCR Array for Assignment of Abiotic Stress Tolerance in Traditional Portuguese Grapevine Varieties. <i>Frontiers in Plant Science</i> , 2017, 8, 1835.	1.7	12
12	The Sulfur Pathway and Diagnosis of Sulfate Depletion in Grapevine. <i>Proceedings of the International Plant Sulfur Workshop</i> , 2017, , 181-189.	0.1	2
13	Differential physiological response of the grapevine varieties Touriga Nacional and Trincadeira to combined heat, drought and light stresses. <i>Plant Biology</i> , 2016, 18, 101-111.	1.8	64
14	Immunolocalization of cell wall polymers in grapevine (<i>Vitis vinifera</i>) internodes under nitrogen, phosphorus or sulfur deficiency. <i>Journal of Plant Research</i> , 2016, 129, 1151-1163.	1.2	13
15	Transcriptomic comparison between two <i>Vitis vinifera</i> L. varieties (Trincadeira and Touriga Nacional) in abiotic stress conditions. <i>BMC Plant Biology</i> , 2016, 16, 224.	1.6	41
16	Regulation of cell wall remodeling in grapevine (<i>Vitis vinifera</i> L.) callus under individual mineral stress deficiency. <i>Journal of Plant Physiology</i> , 2016, 190, 95-105.	1.6	16
17	Characterization of the serine acetyltransferase gene family of <i>Vitis vinifera</i> uncovers differences in regulation of OAS synthesis in woody plants. <i>Frontiers in Plant Science</i> , 2015, 6, 74.	1.7	19
18	Relating Water Deficiency to Berry Texture, Skin Cell Wall Composition, and Expression of Remodeling Genes in Two <i>Vitis vinifera</i> L. Varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 3951-3961.	2.4	10

#	ARTICLE	IF	CITATIONS
19	Selective silencing of <i>2Cys</i> and <i>type-ε</i> Peroxiredoxins discloses their roles in cell redox state and stress signaling. <i>Journal of Integrative Plant Biology</i> , 2015, 57, 591-601.	4.1	15
20	Foreword: The Value of Sulfur for Grapevine. <i>Proceedings of the International Plant Sulfur Workshop</i> , 2015, , 1-7.	0.1	0
21	Heat stress in grapevine: the pros and cons of acclimation. <i>Plant, Cell and Environment</i> , 2015, 38, 777-789.	2.8	45
22	Comparison of plantain plantlets propagated in temporary immersion bioreactors and gelled medium during in vitro growth and acclimatization. <i>Biologia Plantarum</i> , 2014, 58, 29-38.	1.9	37
23	Heat and water stress induce unique transcriptional signatures of heat-shock proteins and transcription factors in grapevine. <i>Functional and Integrative Genomics</i> , 2014, 14, 135-148.	1.4	65
24	Mineral stress affects the cell wall composition of grapevine (<i>Vitis vinifera</i> L.) callus. <i>Plant Science</i> , 2013, 205-206, 111-120.	1.7	37
25	<i>Vitis vinifera</i> secondary metabolism as affected by sulfate depletion: Diagnosis through phenylpropanoid pathway genes and metabolites. <i>Plant Physiology and Biochemistry</i> , 2013, 66, 118-126.	2.8	30
26	Peroxiredoxins are involved in two independent signalling pathways in the abiotic stress protection in <i>Vitis vinifera</i> . <i>Biologia Plantarum</i> , 2013, 57, 675-683.	1.9	16
27	The physiology of ex vitro pineapple (<i>Ananas comosus</i> L. Merr. var MD-2) as CAM or C3 is regulated by the environmental conditions: proteomic and transcriptomic profiles. <i>Plant Cell Reports</i> , 2013, 32, 1807-1818.	2.8	17
28	Microarray-based uncovering reference genes for quantitative real time PCR in grapevine under abiotic stress. <i>BMC Research Notes</i> , 2012, 5, 220.	0.6	41
29	The physiology of ex vitro pineapple (<i>Ananas comosus</i> L. Merr. var MD-2) as CAM or C3 is regulated by the environmental conditions. <i>Plant Cell Reports</i> , 2012, 31, 757-769.	2.8	30
30	Comparative Transcriptomic Profiling of <i>Vitis vinifera</i> Under High Light Using a Custom-Made Array and the Affymetrix GeneChip. <i>Molecular Plant</i> , 2011, 4, 1038-1051.	3.9	22
31	Ex vitro acclimatization of plantain plantlets micropropagated in temporary immersion bioreactor. <i>Biologia Plantarum</i> , 2010, 54, 237-244.	1.9	27
32	Identification and expression of cytokinin signaling and meristem identity genes in sulfur deficient grapevine (<i>Vitis vinifera</i> L.). <i>Plant Signaling and Behavior</i> , 2009, 4, 1128-1135.	1.2	8
33	Sugarcane (<i>Saccharum</i> sp. Hybrid) Propagated in Headspace Renovating Systems Shows Autotrophic Characteristics and Develops Improved Anti-oxidative Response. <i>Tropical Plant Biology</i> , 2009, 2, 38-50.	1.0	13
34	EFFECT OF GEL MEDIUM AND TIB PROPAGATION TECHNIQUES ON STRESS DEFENSE AND ANATOMY OF SUGARCANE LEAVES DURING ACCLIMATIZATION. <i>Acta Horticulturae</i> , 2009, , 441-446.	0.1	2
35	Grapevine & Sulfur: Old Partners, New Achievements. , 2009, , 31-52.		4
36	Quantitation of endogenous levels of IAA, IAAsp and IBA in micro-propagated shoots of hybrid chestnut pre-treated with IBA. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2008, 44, 412-418.	0.9	16

#	ARTICLE	IF	CITATIONS
37	<i>Solanum lycopersicon</i> Mill. and <i>Nicotiana benthamiana</i> L. under high light show distinct responses to anti-oxidative stress. <i>Journal of Plant Physiology</i> , 2008, 165, 1300-1312.	1.6	23
38	Integration of stress produced reactive oxygen species in the stomatal regulation of micropropagated <i>Vitis vinifera</i> L. plantlets impaired in ABA signalling. <i>Plant Signaling and Behavior</i> , 2008, 3, 558-559.	1.2	3
39	Derepressed Sulfate Transporters Are Strongly and Rapidly Repressed after Sulfate Addition to Sulfur-Depleted <i>Vitis</i> Cells. <i>International Journal of Plant Sciences</i> , 2008, 169, 987-997.	0.6	7
40	Gain of function of stomatal movements in rooting <i>Vitis vinifera</i> L. plants: regulation by H ₂ O ₂ is independent of ABA before the protruding of roots. <i>Plant Cell Reports</i> , 2007, 26, 2149-2157.	2.8	23
41	Activation of the Ascorbate-Glutathione Cycle Is an Early Response of Micropropagated <i>Vitis vinifera</i> L. Explants Transferred to ex Vitro. <i>International Journal of Plant Sciences</i> , 2006, 167, 759-770.	0.6	32
42	Patterns of B-type cyclin gene expression during adventitious rooting of micropropagated cork oak. <i>Plant Cell, Tissue and Organ Culture</i> , 2006, 86, 367-374.	1.2	9
43	Stability and activity of rubisco in chestnut plantlets transferred to ex vitro conditions under elevated CO ₂ . <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2005, 41, 525-531.	0.9	3
44	Monitoring the stability of Rubisco in micropropagated grapevine (<i>Vitis vinifera</i> L.) by two-dimensional electrophoresis. <i>Journal of Plant Physiology</i> , 2005, 162, 365-374.	1.6	19
45	RAPD Assessment for Identification of Clonal Identity and Genetic Stability of in vitro Propagated Chestnut Hybrids. <i>Plant Cell, Tissue and Organ Culture</i> , 2004, 77, 23-27.	1.2	58
46	Cloning and characterisation of a basic IAA oxidase associated with root induction in <i>Vitis vinifera</i> . <i>Plant Physiology and Biochemistry</i> , 2004, 42, 609-615.	2.8	31
47	Antioxidant defence system in plantlets transferred from in vitro to ex vitro: effects of increasing light intensity and CO ₂ concentration. <i>Plant Science</i> , 2002, 162, 33-40.	1.7	53
48	Effect of ex vitro conditions on growth and acquisition of autotrophic behaviour during the acclimatisation of chestnut regenerated in vitro. <i>Scientia Horticulturae</i> , 2002, 95, 151-164.	1.7	19
49	Involvement of free and conjugated polyamines and free amino acids in the adventitious rooting of micropropagated cork oak and grapevine shoots. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 1071-1080.	2.8	27
50	Title is missing!. <i>Plant Cell, Tissue and Organ Culture</i> , 2001, 67, 271-280.	1.2	64
51	Uptake and assimilation of sulphate by sulphur deficient <i>Zea mays</i> cells: The role of O-acetyl-L-serine in the interaction between nitrogen and sulphur assimilatory pathways. <i>Plant Physiology and Biochemistry</i> , 1999, 37, 283-290.	2.8	45
52	Title is missing!. <i>Plant Cell, Tissue and Organ Culture</i> , 1999, 58, 31-37.	1.2	41
53	EFFECT OF ROOTING CONDITIONS ON SURVIVAL AND GROWTH DURING ACCLIMATIZATION OF MICROPROPAGATED CHESTNUT PLANTS (<i>CASTANEA SATIVA</i> X <i>C. CRENATA</i>). <i>Acta Horticulturae</i> , 1999, , 235-242.	0.1	5
54	In vitro propagation of chestnut (<i>Castanea sativa</i> L. - <i>C. crenata</i>): Effects of rooting treatments on plant survival, peroxidase activity and anatomical changes during adventitious root formation. <i>Scientia Horticulturae</i> , 1998, 72, 265-275.	1.7	58

#	ARTICLE	IF	CITATIONS
55	Rooting and acclimatization of chestnut by in vitro propagation. , 1994, , 303-308.		2
56	Effects of the source of inorganic nitrogen on C and N interaction in maize callus tissue: phosphoenolpyruvate carboxylase activity, cytosolic pH and 15N amino acids. Physiologia Plantarum, 1993, 89, 618-625.	2.6	8
57	Nitrate and Ammonium Assimilation by Roots of Maize (Zea maysL.) Seedlings as Investigated by In Vivo 15N-NMR. Journal of Experimental Botany, 1992, 43, 633-639.	2.4	36
58	Synchronous growth and synthesis of macromolecules in a naturally wall-less volvocale, Dunaliella bioculata. Protoplasma, 1978, 95, 135-144.	1.0	15