

Xujun Duan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1697679/xujun-duan-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

3,204
citations

33
h-index

55
g-index

81
ext. papers

4,082
ext. citations

4.9
avg, IF

5.26
L-index

#	Paper	IF	Citations
76	Altered functional connectivity and small-world in mesial temporal lobe epilepsy. <i>PLoS ONE</i> , 2010 , 5, e8525	3.7	391
75	Selective aberrant functional connectivity of resting state networks in social anxiety disorder. <i>NeuroImage</i> , 2010 , 52, 1549-58	7.9	235
74	Default mode network abnormalities in mesial temporal lobe epilepsy: a study combining fMRI and DTI. <i>Human Brain Mapping</i> , 2011 , 32, 883-95	5.9	229
73	Amygdala subregional structure and intrinsic functional connectivity predicts individual differences in anxiety during early childhood. <i>Biological Psychiatry</i> , 2014 , 75, 892-900	7.9	159
72	Evaluation of effective connectivity of motor areas during motor imagery and execution using conditional Granger causality. <i>NeuroImage</i> , 2011 , 54, 1280-8	7.9	122
71	Multivariate classification of autism spectrum disorder using frequency-specific resting-state functional connectivity--A multi-center study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 64, 1-9	5.5	100
70	More than just statics: temporal dynamics of intrinsic brain activity predicts the suicidal ideation in depressed patients. <i>Psychological Medicine</i> , 2019 , 49, 852-860	6.9	84
69	Characterization of post-traumatic stress disorder using resting-state fMRI with a multi-level parametric classification approach. <i>Brain Topography</i> , 2015 , 28, 221-37	4.3	81
68	Specific frequency bands of amplitude low-frequency oscillation encodes personality. <i>Human Brain Mapping</i> , 2014 , 35, 331-9	5.9	76
67	Frequency dependent hub role of the dorsal and ventral right anterior insula. <i>NeuroImage</i> , 2018 , 165, 112-117	7.9	74
66	Intrinsic functional connectivity variance and state-specific under-connectivity in autism. <i>Human Brain Mapping</i> , 2017 , 38, 5740-5755	5.9	64
65	Static and dynamic connectomics differentiate between depressed patients with and without suicidal ideation. <i>Human Brain Mapping</i> , 2018 , 39, 4105-4118	5.9	64
64	Disrupted functional connectivity in social anxiety disorder: a resting-state fMRI study. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 701-11	3.3	63
63	Reduced caudate volume and enhanced striatal-DMN integration in chess experts. <i>NeuroImage</i> , 2012 , 60, 1280-6	7.9	54
62	Neural mechanism of unconscious perception of surprised facial expression. <i>NeuroImage</i> , 2010 , 52, 401-7.9	7.9	53
61	Relationship between personality and gray matter volume in healthy young adults: a voxel-based morphometric study. <i>PLoS ONE</i> , 2014 , 9, e88763	3.7	50
60	Large-scale brain networks in board game experts: insights from a domain-related task and task-free resting state. <i>PLoS ONE</i> , 2012 , 7, e32532	3.7	50

59	Disrupted structural connectivity network in treatment-naive depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015 , 56, 18-26	5.5	49
58	Aberrant functional connectivity of neural circuits associated with social and sensorimotor deficits in young children with autism spectrum disorder. <i>Autism Research</i> , 2018 , 11, 1643-1652	5.1	47
57	Intranetwork and internetwork functional connectivity alterations in post-traumatic stress disorder. <i>Journal of Affective Disorders</i> , 2015 , 187, 114-21	6.6	46
56	Exploring the functional connectome in white matter. <i>Human Brain Mapping</i> , 2019 , 40, 4331-4344	5.9	46
55	Partially impaired functional connectivity states between right anterior insula and default mode network in autism spectrum disorder. <i>Human Brain Mapping</i> , 2019 , 40, 1264-1275	5.9	46
54	Frequency-dependent alterations in the amplitude of low-frequency fluctuations in social anxiety disorder. <i>Journal of Affective Disorders</i> , 2015 , 174, 329-35	6.6	45
53	Large-scale intrinsic functional network organization along the long axis of the human medial temporal lobe. <i>Brain Structure and Function</i> , 2016 , 221, 3237-58	4	44
52	Endless Fluctuations: Temporal Dynamics of the Amplitude of Low Frequency Fluctuations. <i>IEEE Transactions on Medical Imaging</i> , 2019 , 38, 2523-2532	11.7	44
51	Altered brain structural connectivity in post-traumatic stress disorder: a diffusion tensor imaging tractography study. <i>Journal of Affective Disorders</i> , 2013 , 150, 798-806	6.6	44
50	Extraversion and neuroticism relate to topological properties of resting-state brain networks. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 257	3.3	44
49	Altered Functional Connectivity Patterns of the Insular Subregions in Psychogenic Nonepileptic Seizures. <i>Brain Topography</i> , 2015 , 28, 636-45	4.3	43
48	The synchronization of spontaneous BOLD activity predicts extraversion and neuroticism. <i>Brain Research</i> , 2011 , 1419, 68-75	3.7	43
47	Dysfunctional connectivity between raphe nucleus and subcortical regions presented opposite differences in bipolar disorder and major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 76-82	5.5	40
46	Shared atypical default mode and salience network functional connectivity between autism and schizophrenia. <i>Autism Research</i> , 2017 , 10, 1776-1786	5.1	37
45	Alteration of functional connectivity in autism spectrum disorder: effect of age and anatomical distance. <i>Scientific Reports</i> , 2016 , 6, 26527	4.9	36
44	Dynamic functional connectivity analysis reveals decreased variability of the default-mode network in developing autistic brain. <i>Autism Research</i> , 2018 , 11, 1479-1493	5.1	34
43	Hippocampal functional connectivity-based discrimination between bipolar and major depressive disorders. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 284, 53-60	2.9	32
42	Parsing brain structural heterogeneity in males with autism spectrum disorder reveals distinct clinical subtypes. <i>Human Brain Mapping</i> , 2019 , 40, 628-637	5.9	29

41	Differential contributions of subregions of medial temporal lobe to memory system in amnesic mild cognitive impairment: insights from fMRI study. <i>Scientific Reports</i> , 2016 , 6, 26148	4.9	28
40	Preservation Effect: Cigarette Smoking Acts on the Dynamic of Influences Among Unifying Neuropsychiatric Triple Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1242-1250	1.3	27
39	Functional organization of intrinsic connectivity networks in Chinese-chess experts. <i>Brain Research</i> , 2014 , 1558, 33-43	3.7	25
38	Frequency-specific alteration of functional connectivity density in antipsychotic-naïve adolescents with early-onset schizophrenia. <i>Journal of Psychiatric Research</i> , 2017 , 95, 68-75	5.2	25
37	Frequency-specific alterations in functional connectivity in treatment-resistant and -sensitive major depressive disorder. <i>Journal of Psychiatric Research</i> , 2016 , 82, 30-9	5.2	24
36	Decreased amygdala functional connectivity in adolescents with autism: A resting-state fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 257, 47-56	2.9	24
35	Social anxiety disorder exhibit impaired networks involved in self and theory of mind processing. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 1284-1295	4	23
34	A neuromarker of individual general fluid intelligence from the white-matter functional connectome. <i>Translational Psychiatry</i> , 2020 , 10, 147	8.6	22
33	Resting-state functional under-connectivity within and between large-scale cortical networks across three low-frequency bands in adolescents with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 434-441	5.5	22
32	Altered inter- and intrahemispheric functional connectivity dynamics in autistic children. <i>Human Brain Mapping</i> , 2020 , 41, 419-428	5.9	22
31	Effect of Risperidone Monotherapy on Dynamic Functional Connectivity of Insular Subdivisions in Treatment-Naïve, First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 650-660	1.3	21
30	Anomalous intrinsic connectivity within and between visual and auditory networks in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 100, 109889	5.5	20
29	Dysregulated Maturation of the Functional Connectome in Antipsychotic-Naïve, First-Episode Patients With Adolescent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 689-697	1.3	20
28	Impaired interactions among white-matter functional networks in antipsychotic-naïve first-episode schizophrenia. <i>Human Brain Mapping</i> , 2020 , 41, 230-240	5.9	20
27	Increased Gray Matter Volume and Resting-State Functional Connectivity in Somatosensory Cortex and their Relationship with Autistic Symptoms in Young Boys with Autism Spectrum Disorder. <i>Frontiers in Physiology</i> , 2017 , 8, 588	4.6	19
26	Disrupted amplitude of low-frequency fluctuations in antipsychotic-naïve adolescents with early-onset schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 249, 20-6	2.9	17
25	Atypical developmental trajectory of local spontaneous brain activity in autism spectrum disorder. <i>Scientific Reports</i> , 2017 , 7, 39822	4.9	16
24	Extraversion modulates functional connectivity hubs of resting-state brain networks. <i>Journal of Neuropsychology</i> , 2017 , 11, 347-361	2.6	15

23	Atypical effective connectivity of thalamo-cortical circuits in autism spectrum disorder. <i>Autism Research</i> , 2016 , 9, 1183-1190	5.1	14
22	White-matter functional topology: a neuromarker for classification and prediction in unmedicated depression. <i>Translational Psychiatry</i> , 2020 , 10, 365	8.6	11
21	Subcortical structural covariance in young children with autism spectrum disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109874	5.5	10
20	Multiscale energy reallocation during low-frequency steady-state brain response. <i>Human Brain Mapping</i> , 2018 , 39, 2121-2132	5.9	10
19	Reduced Hippocampal Volume and Its Relationship With Verbal Memory and Negative Symptoms in Treatment-Naive First-Episode Adolescent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021 , 47, 64-74	1.3	9
18	Structure-Function Connectomics Reveals Aberrant Developmental Trajectory Occurring at Preadolescence in the Autistic Brain. <i>Cerebral Cortex</i> , 2020 , 30, 5028-5037	5.1	8
17	The distinguishing intrinsic brain circuitry in treatment-naïve first-episode schizophrenia: Ensemble learning classification. <i>Neurocomputing</i> , 2019 , 365, 44-53	5.4	8
16	Distinct striatum pathways connected to salience network predict symptoms improvement and resilient functioning in schizophrenia following risperidone monotherapy. <i>Schizophrenia Research</i> , 2020 , 215, 89-96	3.6	7
15	Nicotine in action: cigarette smoking modulated homotopic functional connectivity in schizophrenia. <i>Brain Imaging and Behavior</i> , 2019 , 13, 1612-1623	4.1	7
14	Effects of risperidone monotherapy on the default-mode network in antipsychotic-naïve first-episode schizophrenia: Posteromedial cortex heterogeneity and relationship with the symptom improvements. <i>Schizophrenia Research</i> , 2020 , 218, 201-208	3.6	6
13	Attenuated link between the medial prefrontal cortex and the amygdala in children with autism spectrum disorder: Evidence from effective connectivity within the "social brain". <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 111, 110147	5.5	5
12	Linked Social-Communication Dimensions and Connectivity in Functional Brain Networks in Autism Spectrum Disorder. <i>Cerebral Cortex</i> , 2021 , 31, 3899-3910	5.1	3
11	Individual-based morphological brain network organization and its association with autistic symptoms in young children with autism spectrum disorder. <i>Human Brain Mapping</i> , 2021 , 42, 3282-3294	5.9	3
10	Individual-specific functional connectome biomarkers predict schizophrenia positive symptoms during adolescent brain maturation. <i>Human Brain Mapping</i> , 2020 , 42, 1475	5.9	3
9	Frontal white matter abnormalities reveal the pathological basis underlying negative symptoms in antipsychotic-naïve, first-episode patients with adolescent-onset schizophrenia: Evidence from multimodal brain imaging. <i>Schizophrenia Research</i> , 2020 , 222, 258-266	3.6	2
8	Disrupted dynamic functional connectivity in right amygdalar subregions differentiates bipolar disorder from major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 304, 111149	2.9	2
7	Mapping Progressive Gray Matter Alterations in Early Childhood Autistic Brain. <i>Cerebral Cortex</i> , 2021 , 31, 1500-1510	5.1	2
6	Aberrant corticostriatal connectivity predict positive symptoms of antipsychotic-naïve patients with adolescent-onset schizophrenia during brain maturation. <i>Schizophrenia Research</i> , 2018 , 195, 564-568	3.6	2

5	A temporal chronnectomic framework: Cigarette smoking preserved the prefrontal dysfunction in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109860	5.5	1
4	Mapping the Heterogeneous Brain Structural Phenotype of Autism Spectrum Disorder Using the Normative Model.. <i>Biological Psychiatry</i> , 2022 ,	7.9	1
3	Atypical Resting-State Functional Connectivity of Intra/Inter-Sensory Networks Is Related to Symptom Severity in Young Boys With Autism Spectrum Disorder. <i>Frontiers in Physiology</i> , 2021 , 12, 626338	4.6	1
2	Gut microbiome diversity mediates the association between right dorsolateral prefrontal cortex and anxiety level. <i>Brain Imaging and Behavior</i> , 2021 , 1	4.1	1
1	Abnormal white matter functional connectivity density in antipsychotic-naive adolescents with schizophrenia. <i>Clinical Neurophysiology</i> , 2021 , 132, 1025-1032	4.3	0