

# Juan Antonio Baena-Fustegueras

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1697895/publications.pdf>

Version: 2024-02-01

32  
papers

489  
citations

840728

11  
h-index

713444

21  
g-index

39  
all docs

39  
docs citations

39  
times ranked

905  
citing authors

#	ARTICLE	IF	CITATIONS
1	Only C-Reactive Protein, but not TNF- $\alpha$ or IL6, Reflects the Improvement in Inflammation after Bariatric Surgery. <i>Obesity Surgery</i> , 2012, 22, 131-139.	2.1	61
2	Diabetes Is the Main Factor Accounting for Hypomagnesemia in Obese Subjects. <i>PLoS ONE</i> , 2012, 7, e30599.	2.5	60
3	The Relationships Between IGF-1 and CRP, NO, Leptin, and Adiponectin During Weight Loss in the Morbidly Obese. <i>Obesity Surgery</i> , 2010, 20, 623-632.	2.1	57
4	Preoperative Thyrotropin Serum Concentrations Gradually Increase from Benign Thyroid Nodules to Papillary Thyroid Microcarcinomas Then to Papillary Thyroid Cancers of Larger Size. <i>Journal of Thyroid Research</i> , 2012, 2012, 1-4.	1.3	38
5	Perioperative nutrition prevents the early protein losses in patients submitted to gastrointestinal surgery. <i>Clinical Nutrition</i> , 2004, 23, 1001-1008.	5.0	30
6	Bariatric surgery in morbidly obese patients improves the atherogenic qualitative properties of the plasma lipoproteins. <i>Atherosclerosis</i> , 2014, 234, 200-205.	0.8	29
7	Iodine Deficiency Is Higher in Morbid Obesity in Comparison with Late After Bariatric Surgery and Non-obese Women. <i>Obesity Surgery</i> , 2015, 25, 85-89.	2.1	28
8	Successful treatment for the Dunnigan-type familial partial lipodystrophy with Roux-en-Y gastric bypass. <i>Clinical Endocrinology</i> , 2011, 75, 403-404.	2.4	23
9	Isolated Langerhans Cell Histiocytosis of the Thyroid in an Adult Female: One-Year Followup. <i>International Journal of Endocrinology</i> , 2011, 2011, 1-4.	1.5	15
10	Morbidly "Healthy" Obese Are Not Metabolically Healthy but Less Metabolically Imbalanced Than Those with Type 2 Diabetes or Dyslipidemia. <i>Obesity Surgery</i> , 2015, 25, 1380-1391.	2.1	15
11	Expression of p21cip1, p27kip1, and p16Ink4a Cyclin-Dependent Kinase Inhibitors in Papillary Thyroid Carcinoma: Correlation with Clinicopathological Factors. <i>Endocrine Pathology</i> , 2008, 19, 184-189.	9.0	13
12	Differences in the Form of Presentation between Papillary Microcarcinomas and Papillary Carcinomas of Larger Size. <i>Journal of Thyroid Research</i> , 2011, 2011, 1-5.	1.3	13
13	Advanced glycation end-products in morbid obesity and after bariatric surgery: When glycemic memory starts to fail. <i>Endocrinología y Nutrición (English Ed)</i> , 2017, 64, 4-10.	0.2	10
14	Colouterine fistula complicating diverticulitis in elderly women. <i>International Journal of Colorectal Disease</i> , 2009, 24, 599-600.	2.2	9
15	Management of Patients with Hernia or Incisional Hernia Undergoing Surgery for Morbid Obesity. <i>Journal of Obesity</i> , 2011, 2011, 1-5.	2.7	9
16	Decreased lipases and fatty acid and glycerol transporter could explain reduced fat in diabetic morbidly obese. <i>Obesity</i> , 2014, 22, 2379-2387.	3.0	9
17	Haematological parameters and serum trace elements in "healthy" and "unhealthy" morbidly obese patients before and after gastric bypass. <i>Clinical Nutrition</i> , 2015, 34, 276-283.	5.0	9
18	Diabetic and dyslipidaemic morbidly obese exhibit more liver alterations compared with healthy morbidly obese. <i>BBA Clinical</i> , 2016, 5, 54-65.	4.1	8

#	ARTICLE	IF	CITATIONS
19	Magnetic detection of sentinel lymph node in papillary thyroid carcinoma: The MAGIC-PAT study results. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1175-1181.	1.0	7
20	Best Approach for Posterior Mediastinal Goiter Removal: Transcervical Incision and Lateral Thoracotomy. <i>Archivos De Bronconeumologia</i> , 2014, 50, 255-257.	0.8	6
21	Influence of Morbid Obesity and Bariatric Surgery Impact on the Carotid Adventitial Vasa Vasorum Signal. <i>Obesity Surgery</i> , 2018, 28, 3935-3942.	2.1	5
22	Hepatic and visceral adipose tissue 11 $\beta$ -HSD1 expressions are markers of body weight loss after bariatric surgery. <i>Obesity</i> , 2015, 23, 1856-1863.	3.0	4
23	Adipose Tissue Protein Glycooxidation is Associated with Weight Loss Potential. <i>Obesity</i> , 2019, 27, 1133-1140.	3.0	4
24	Abordaje del bocio endocrino en mediastino posterior: incisi3n transcervical y toracotom3a lateral. <i>Archivos De Bronconeumologia</i> , 2014, 50, 255-257.	0.8	3
25	Utilidad de la determinaci3n intraoperatoria de parathormona en el tratamiento quir3rgico del hiperparatiroidismo primario por adenoma de paratiroides. <i>Medicina Cl3nica</i> , 2003, 121, 287-291.	0.6	3
26	Concomitant apolipoprotein A-IV and citrulline plasma changes during short-term parenteral nutrition in surgical patients. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2010, 5, e219-e224.	0.4	2
27	Diet Change After Sleeve Gastrectomy Is More Effective for Weight Loss Than Surgery Only. <i>Obesity Surgery</i> , 2017, 27, 2566-2574.	2.1	2
28	Endoscopic Management of Drain Inclusion in the Gastric Pouch after Gastrojejunal Leakage after Laparoscopic Roux-en-Y Gastric Bypass for the Treatment of Morbid Obesity (LRYGBP). <i>Diagnostic and Therapeutic Endoscopy</i> , 2010, 2010, 1-5.	1.5	1
29	Lethal pseudomembranous colitis in an immunocompetent patient. <i>Revista Espanola De Enfermedades Digestivas</i> , 2015, 107, 117-9.	0.3	1
30	P3-250: Adrenalectomy for metastases from lung cancer. <i>Journal of Thoracic Oncology</i> , 2007, 2, S785.	1.1	0
31	Effect of bariatric surgery in morbidly obese patients on the quantitative and qualitative characteristics of plasma lipoproteins. <i>Atherosclerosis</i> , 2014, 235, e249.	0.8	0
32	Bariatric surgery-induced weight loss in morbidly obese patients promotes a favorable decrease in the gene expression of markers of subcutaneous adipose tissue homeostasis. <i>Atherosclerosis</i> , 2016, 252, e221.	0.8	0